



U.S. DEPARTMENT OF COMMERCE

Malcolm Baldrige, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

John V. Byrne, Administrator

NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE

John H. McElroy, Assistant Administrator

Solar - Geophysical Data

Part II (Comprehensive Reports)

NO. 461 JANUARY 1983

DATA FOR
JULY 1982

Michael A. Chinnery, Director
NATIONAL GEOPHYSICAL DATA CENTER
BOULDER, COLORADO

For sale through the National Geophysical Data Center, NOAA/NESDIS, E/GC2, 325 Broadway, Boulder, Colorado 80303. Subscription Price: \$64.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or \$32.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add \$42.00 for both parts or \$21.00 for either part. Make checks and money orders payable to: Department of Commerce, NOAA/NGDC.

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA/NESDIS/NGDC, E/GC2, 325 Broadway, Boulder, Colorado 80303.

BACK ISSUES OF "SOLAR GEOPHYSICAL DATA"

Reel#	Coverage	Medium	Reel#	Coverage	Medium	Reel#	Coverage	Medium
1	Jan 56 - Dec 56	Microfilm	9	Jan 64 - Dec 64	Microfilm	17	Jul 69 - Dec 69	Microfilm
2	Jan 57 - Dec 57	Microfilm	10	Jan 65 - Dec 65	Microfilm	18	Jan 70 - Jun 70	Microfilm
3	Jan 58 - Dec 58	Microfilm	11	Jan 66 - Sep 66	Microfilm	19	Jul 70 - Dec 70	Microfilm
4	Jan 59 - Dec 59	Microfilm	12	Oct 66 - Dec 66	Microfilm	20	Jan 71 - Jun 71	Microfilm
5	Jan 60 - Dec 60	Microfilm	13	Jan 67 - Dec 67	Microfilm	21	Jul 71 - Dec 71	Microfilm
6	Jan 61 - Dec 61	Microfilm	14	Jan 68 - Jun 68	Microfilm	22	Jan 72 - Jun 72	Microfilm
7	Jan 62 - Dec 62	Microfilm	15	Jul 68 - Dec 68	Microfilm	23	Jul 72 - Dec 72	Microfilm
8	Jan 63 - Dec 63	Microfilm	16	Jan 69 - Jun 69	Microfilm		1973 - 1981	Microfiche

Microfilm are available at \$20.00 per reel; microfiche at \$40.00 per year; \$800.00 for above set.

Back issues in booklet form are available as long as stocks exist at \$3.00 for either part.

Note: \$4.00 handling charge per order.

To standardize referencing these reports in the open literature, the following format is recommended:
Solar-Geophysical Data, 462 Part I (or Part II), pages, February 1983, U.S. Department of Commerce (Boulder, Colorado, USA 80303).

SOLAR-GEOPHYSICAL DATA

No. 461

Issued in two parts

Helen E. Coffey, Editor

Joe H. Allen, Chief
Solar-Terrestrial Physics Division

CONTENTS

Part I (Prompt Reports)	PAGE
Index for 1981-1982	2
Data for December 1982	3-52
Data for November 1982	53-133
Late Data	134-136
Solar Radio Spectral Data 31 Oct 1982 Culgoora	
Pioneer XII Interplanetary Magnetic Field Magnitudes Oct. 19, 1982	
Geomagnetic Activity Indices Oct 1982	
 Part II (Comprehensive Reports)	
Index for 1981-1982	2
Data for July 1982	3-95
Miscellaneous Data	97-235
GOES-2 X-Ray data June 1982	
Solar Radio Outstanding Occurrences August 1979-October 1980 Learmonth, Palehua, Sagamore Hill, Athens, Manila	

JULY 1982 DATA

Contents

	Page
<u>Active Regions</u> (Data not available at time of publication.)	
<u>Synoptic Solar Maps</u> (Data not available at time of publication.)	
<u>Solar Flares</u> (Data not available at time of publication.)	
H-alpha Solar Flares (Standardized Data)	
Daily Flare Indices	
Intervals of No Flare Patrol Observation	
<u>Solar Radio Emission</u>	4-87
Outstanding Occurrences (Fixed Frequencies)	
<u>Energetic Solar Particles and Plasma</u> (Data not available at time of publication.)	
<u>Solar X-ray Radiation</u>	88-93
GOES-2	
<u>Mass Ejections from the Sun</u>	94-95

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
01	245	LEAR	4 S/F	0006.1	0007.3	3.7	19.0			QL=6 ST=2 TYP=3
	650	GORK	4 S/F	0353.3	0353.8	1.1	30.0	6.0		
	950	GORK	3 S	0353.8	0353.8	.3	30.0			
	15400	PALE	47 GB	0427.3	0429.8	4.7	62.0			QL=6 ST=2 TYP=5
	200	GORK	41 F	0705.6E	0713.5	15.40	120.0			
	260	ONDR	8 S	0834.6	0834.6	.1	6.0			
	260	ONDR	40 F	1253.4	1254.3	8.0	5.0	3.0		
	33	UPIC	45 C	1253.6	1254.5	3.0				
	29	UPIC	45 C	1254.0	1255.9	2.5				
	2800	OTTA	1 S	1602.0	1605.5	9.0	3.4	1.6		
9400	HUAN	20 GRF	1824.0	1837.6	22.2	5.2	3.3			0
02	245	LEAR	43 NS	2321.0	2346.5	594.00	28.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2321.0	2346.5	3999.00	28.0			QL=6 ST=2 TYP=1
	100	HIRA	45 C	0233.7	0234.6	2.8	46.0	14.0		WL
	2000	TYKW	5 S	0248.0	0248.4	1.0	10.0	4.0		
	2000	TYKW	29 PBI	0249.0		10.0	1.5	.5		
	3750	TYKW	20 GRF	0430.0	0540.0	150.0	2.0	1.0		
	930	BORD	8 S	0714.3	0714.4	.2	19.0	1.0		
	03	33	UPIC	43 NS	0900.2		324.1			
29		UPIC	43 NS	0900.2		324.0				
8800		MANI	20 GRF	0345.0	0347.0	4.3	71.0			QL=6 ST=2 TYP=2
4995		MANI	20 GRF	0345.5	0347.0	3.3	80.0			QL=6 ST=2 TYP=2
2695		MANI	47 GB	0346.0	0347.0	5.1	89.0			QL=6 ST=2 TYP=5
1415		MANI	47 GB	0346.1	0346.8	2.7	58.0			QL=6 ST=2 TYP=5
9395		PEKG	45 C	0441.0	0445.8					
9395		PEKG		0441.0	0446.5	19.0	319.0	14.2		
1000		TYKW	5 S	0722.4	0722.7	.8	4.0	1.0		
2000		TYKW	5 S	0722.4	0722.7	2.5	2.5	1.0		
3750		TYKW	5 S	0722.4	0723.0	3.5	2.0	.7		
2840		PEKG	45 C	0740.0	0746.6	49.0	120.0	58.0		
6100		KISV	28 PRE	0741.3	0745.3	4.0	4.0			
2000		TYKW	45 C	0745.0	0746.3	4.0	14.0	6.0		
3750		TYKW	45 C	0745.0	0746.5	4.0	66.0	18.0		
9500		POTS	4 S/F	0745.0	0746.4	3.2	31.0			
3000		POTS	29 PBI	0745.0	0746.4	5.0	67.0			
9395		PEKG	3 S	0745.0	0746.6	3.0	28.0	10.8		
2650		DWIN	4 S/F	0745.0	0747.0	3.0	80.0	30.0		
6100		KISV		0745.2	0745.2		26.0			
6100		KISV	45 C	0745.3	0746.2	3.0	29.0			
4995		ATHN	4 S/F	0745.3	0746.3	4.8	39.0			QL=6 ST=2 TYP=3
8800		LEAR	8 S	0745.3	0746.5	2.0	31.0			QL=6 ST=2 TYP=3
8800		ATHN	4 S/F	0745.3	0746.5	3.7	30.0			QL=6 ST=2 TYP=3
8400		BERN	3 S	0745.3	0746.6	2.0	42.0			
11800		BERN	3 S	0745.3	0746.6	2.0	32.0			
4995		LEAR	4 S/F	0745.5	0746.1	3.1	46.0			QL=6 ST=2 TYP=3
2950		GORK	46 C	0745.5	0746.1	2.3	425.0			
9100		GORK	45 C	0745.5	0746.2	1.9	45.0			
2950		GORK		0745.5	0746.5		64.0			
9400		TYKW	45 C	0745.5	0746.6	2.5	37.0	14.0		
9100		GORK		0745.5	0746.6		36.0			
2950		GORK	29 PBI	0745.5	0747.8	32.0	11.6			
1415	LEAR	47 GB	0745.6	0746.1	2.4	110.0			QL=6 ST=2 TYP=5	
1470	POTS	4 S/F	0745.6	0746.5	9.4	49.0				
2695	LEAR	47 GB	0745.6	0746.6	3.5	74.0			QL=6 ST=2 TYP=5	
2695	ATHN	4 S/F	0745.6	0746.6	4.5	21.0			QL=6 ST=2 TYP=3	
1415	ATHN	4 S/F	0745.6	0747.6	2.4	49.0			QL=6 ST=2 TYP=3	
1000	TYKW	45 C	0746.0	0747.3	3.0	6.0	1.0			
15400	LEAR	8 S	0746.0	0746.6	1.5	33.0			QL=6 ST=2 TYP=3	
9100	GORK	29 PBI	0747.4	0747.4	30.6	15.0				
9400	TYKW	29 PBI	0748.0		35.0	4.0	2.0			
6100	KISV	29 PBI	0748.3	0748.3	13.0	5.0				
3750	TYKW	29 PBI	0749.0		50.0	5.0	2.0			
2000	TYKW	29 PBI	0749.0		4.0	3.0	1.0			
1470	POTS	1 S	1242.0	1242.3	3.5	1.0				
6100	KISV	2 S/F	1242.5	1243.8	4.0	7.0				
2800	OTTA	21 GRF	1243.0	1247.0	60.0	3.6	1.6			
9500	POTS	1 S	1243.1	1243.1	2.2	6.5				
3000	POTS	1 S	1243.1	1244.5	3.0	5.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

5
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean (2 Hz)		
03	2800	OTTA	1 S	1243.7	1244.5	2.0	2.2	1.3		
	2650	DWIN	1 S	1740.0	1742.0	3.0	28.0	10.0		
	9400	HUAN	2 S/F	1740.5	1741.0	2.6	24.4	11.4		0
	2800	OTTA	4 S/F	1740.7	1741.9	5.3	31.0	14.0		
	4995	SGMR	8 S	1740.8	1741.1	.5	24.0			QL=6 ST=2 TYP=3
	930	BORD	8 S	1741.2	1741.2	.2	26.0	1.0		
	2695	SGMR	8 S	1741.6	1741.8	.2	37.0			QL=6 ST=2 TYP=3
	9400	HUAN	29 PBI	1743.1	1743.1	61.1	4.4	1.5		0
	2800	OTTA	29 PBI	1746.0	1746.0	40.0	4.6	2.2		
	500	HIRA	8 S	2128.5	2128.6	.6	20.0	12.0		0
610	SGMR	8 S	2128.6	2128.6	.2	36.0			QL=6 ST=2 TYP=3	
04	650	GORK	23 GRF	0439.9		21.3	3.0			
	2950	GORK	46 C	0439.9	0450.8	17.6	104.0			
	2950	GORK		0439.9	0452.1		109.0			
	2950	GORK		0439.9	0456.5		89.0			
	2000	TYKW	45 C	0440.0	0443.7	35.0	54.0	10.0		
	1000	TYKW	45 C	0440.0	0451.1	40.0	73.0	7.0		
	3750	TYKW	45 C	0440.0	0452.1	40.0	244.0	48.0		
	950	GORK	46 C	0440.0	0440.5	37.6	46.0			
	4995	LEAR	47 GB	0440.0	0440.8	12.0	16.0			QL=6 ST=2 TYP=5
	2840	PEKG		0440.0	0443.0					
	6100	KISV		0440.0E	0444.2		167.0			
	9100	GORK	46 C	0440.0	0450.7	17.3	330.0			
	6100	KISV		0440.0E	0450.7		195.0			
	950	GORK		0440.0	0451.1		46.0			
	9100	GORK		0440.0	0452.0		410.0			
	9395	PEKG	45 C	0440.0	0452.1	18.0	126.0	51.0		
	2840	PEKG		0440.0	0452.1					
	2695	ATHN	47 GB	0440.0	0452.5	33.8	76.0			QL=6 ST=2 TYP=5
	4995	ATHN	47 GB	0440.0	0452.5	33.8	330.0			QL=6 ST=2 TYP=5
	8800	ATHN	47 GB	0440.0	0452.5	33.8	300.0			QL=6 ST=2 TYP=5
	6100	KISV	46 C	0440.0E	0452.7	13.5D	226.0			
	2840	PEKG	46 C	0440.0	0454.5	28.0	113.0	48.0		
	2695	LEAR	47 GB	0440.1	0440.8	23.2	10.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0440.1	0443.6	22.7	23.0			QL=6 ST=2 TYP=5
	2695	MANI	47 GB	0440.1	0451.6	21.2	91.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0440.3	0440.8	24.7	8.0			QL=6 ST=2 TYP=5
	4995	MANI	49 GB	0440.5	0452.1	20.0	500.0			QL=6 ST=2 TYP=6
	17000	NOBE	7 C	0440.9	0452.1	17.0	266.0			0
	8800	MANI	47 GB	0441.6	0452.3	16.5	440.0			QL=6 ST=2 TYP=5
	610	LEAR	47 GB	0442.1	0442.6	12.2	18.0			QL=6 ST=2 TYP=5
	1415	ATHN	47 GB	0442.3	0443.6	31.5	59.0			QL=6 ST=2 TYP=5
	9400	TYKW	45 C	0442.5	0452.1	32.5	385.0	75.0		
	1415	LEAR	47 GB	0442.6	0443.6	13.4	90.0			QL=6 ST=2 TYP=5
	500	HIRA	45 C	0443.0	0451.0	16.3	30.0	8.0		WR
	35000	NAGO	20 GRF	0443.0	0452.0	9.0	70.0			
	410	LEAR	47 GB	0444.1	0445.6	15.4	28.0			QL=6 ST=2 TYP=5
	650	GORK	4 S/F	0444.2	0444.8	3.8	8.0			
	245	LEAR	47 GB	0444.3	0446.8	15.7	11.0			QL=6 ST=2 TYP=5
	200	HIRA	46 C	0444.5	0454.1	26.0	220.0	16.0		0
	200	GORK	4 S/F	0445.4	0454.4	15.9	140.0D			
650	GORK	4 S/F	0448.0	0450.7	6.8	44.0				
100	HIRA	46 C	0448.3	0448.6	3.6	3100.0	850.0		WL	
100	GORK	4 S/F	0448.4	0450.6	3.5	230.0				
6100	KISV	29 PBI	0453.5	0459.5	50.0U	27.0				
650	GORK	2 S/F	0457.0	0458.0	2.6	3.5				
17000	NOBE	29 PBI	0457.1	0457.9	18.0	59.0			0	
9100	GORK	29 PBI	0457.3	0457.3	132.0	72.0				
9395	PEKG	29 PBI	0458.0		44.0	20.0	9.0			
2840	PEKG	29 PBI	0508.0		34.0	26.0	9.2			
2000	TYKW	29 PBI	0515.0		45.0	4.0	1.0			
9400	TYKW	29 PBI	0515.0		60.0	16.0	6.0			
2950	GORK	29 PBI	0515.0	0515.0	126.0	15.0				
3750	TYKW	29 PBI	0520.0		70.0	7.0	3.0			
245	LEAR	47 GB	0839.1	0839.1	.2	70.0			QL=6 ST=2 TYP=5	
260	ONDR	8 S	0839.2	0839.3	.3	28.0				
2800	OTTA	240 R	1840.0	1950.0	70.0	3.4				
3750	TYKW	5 S	2329.0	2331.2	10.0	1.5	.5			
05	245	LEAR	8 S	0219.3	0220.3	2.0	10.0			QL=6 ST=2 TYP=3

6
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (2 Hz)	Int	Remarks
05	650	GORK	21 GRF	0315.0E	0355.9	225.0D	5.0			
	650	GORK	40 F	0415.1	0415.6	12.1	19.0			
	650	GORK	4 S/F	0438.6	0439.0	.7	58.0	15.0		
	650	GORK	4 S/F	0535.5	0535.7	.5	11.0	4.0		
	245	LEAR	8 S	0643.3	0643.3	.2	23.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0643.3	0643.3	.2	4.0			QL=6 ST=2 TYP=3
	33	UPIC	8 S	0643.4	0643.4	.4				
	260	ONDR	8 S	0643.4	0643.5	.2	18.0			
	950	GORK	2 S/F	0648.0	0648.4	.5	14.0			
	650	GORK	4 S/F	0739.4	0739.9	1.1	9.5	4.5		
	930	BORD	41 F	0941.5	0941.8	.4	16.0	1.0		
	650	GORK	4 S/F	1026.4	1026.6	1.9	12.0	2.0		
	33	UPIC	42 SER	1350.5	1513.1U	83.9				
	260	ONDR	4 S/F	1354.6	1354.9	1.7	11.0	10.0		
	2800	OTTA	1 S	1642.0	1643.0	5.0	2.0	1.0		
	100	HIRA	45 C	2045.2	2045.5	.9	3050.0	340.0		WL
	245	SGMR	8 S	2335.6	2335.8	1.4	200.0			QL=6 ST=2 TYP=3
06	33	UPIC	43 NS	0826.0		526.6				
	950	GORK	4 S/F	0522.2	0522.3	.6	57.0			
	260	ONDR	8 S	0628.8	0628.9	.1	11.0			
	3100	CRIM	45 C	0721.0	0721.5	3.0	6.0			
	3100	CRIM		0721.0	0723.5		7.0	2.0		
	930	BORD	41 F	1132.5	1132.6	1.3	12.0	2.0		
	2800	OTTA	240 R	2055.0	2110.0	15.0	2.8	1.4		
410	LEAR	8 S	2328.3	2328.5	.3	7.0			QL=6 ST=2 TYP=3	
245	LEAR	47 GB	2328.3	2328.5	.3	169.0			QL=6 ST=2 TYP=5	
07	245	LEAR	8 S	0044.3	0044.5	.3	11.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0057.1	0058.6	1.9	6.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0058.3	0058.6	.7	139.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0132.1	0132.3	.2	25.0			QL=6 ST=2 TYP=3
	3750	TYKW	20 GRF	0148.0	0151.0	120.0	6.0	2.0		
	2000	TYKW	21 GRF	0148.0	0151.0	95.0	5.0	1.5		
	9400	TYKW	20 GRF	0148.0	0155.0	85.0	4.0	2.0		RAIN
	2695	PENT		0148.0	0151.0		6.2			
	1000	TYKW	42 SER	0148.8	0152.2	4.0	4.0	1.0		
	500	HIRA	8 S	0301.1	0301.2	.3	800.0			WL
	410	LEAR	47 GB	0301.1	0301.3	.4	260.0			QL=6 ST=2 TYP=5
	2000	TYKW	5 S	0301.2	0301.4	.5	1.5	.5		
	1000	TYKW	45 C	0406.4	0406.7	.5	3.0	.5		
	2000	TYKW	21 GRF	0407.0	0445.0	135.0	4.0	2.0		
	3750	TYKW	21 GRF	0407.0	0445.0	130.0	7.0	4.0		
	2840	PEKG	45 C	0407.0	0416.3	20.0	18.5	5.7		
	1000	TYKW	42 SER	0407.8	0408.9	2.0	5.0	.7		
	3750	TYKW	45 C	0408.0	0408.3	2.0	16.0	6.0		
	9400	TYKW	45 C	0408.0	0408.4	2.0	11.0	2.5		
	2000	TYKW	45 C	0408.0	0408.5	3.0	12.0	3.0		
	9400	TYKW	21 GRF	0408.0	0445.0	140.0	6.0	3.0		
	8800	LEAR	8 S	0408.0	0408.1	1.8	13.0			QL=6 ST=2 TYP=3
	6100	KISV	2 S/F	0408.0	0408.3	1.5	11.0			
	2695	ATHN	8 S	0408.0	0408.3	2.0	13.0			QL=5 ST=2 TYP=3
	2695	LEAR	8 S	0408.1	0408.3	1.7	13.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0408.1	0408.3	1.7	16.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	0408.1	0408.3	1.9	11.0			QL=5 ST=2 TYP=3
9100	GORK	1 S	0408.1	0408.3	.4	8.6				
2950	GORK	1 S	0408.2	0408.6	1.5	11.0				
1415	ATHN	8 S	0408.6	0409.3	1.9	16.0			QL=5 ST=2 TYP=3	
3750	TYKW	29 PBI	0410.0		3.0	1.5	.5			
9400	TYKW	29 PBI	0410.0		3.0	2.0	1.0			
1000	TYKW	21 GRF	0414.0	0445.0	80.0	1.5	.7			
4995	LEAR	4 S/F	0414.1	0416.1	4.2	10.0			QL=6 ST=2 TYP=3	
3750	TYKW	45 C	0414.5	0416.2	5.0	36.0	4.0			
2000	TYKW	45 C	0414.5	0416.5	6.0	11.0	3.0			
1000	TYKW	45 C	0414.5	0416.7	6.0	25.0	3.5			
2695	ATHN	4 S/F	0414.6	0416.1	5.7	15.0			QL=5 ST=2 TYP=3	
1415	LEAR	4 S/F	0414.6	0416.8	3.9	22.0			QL=6 ST=2 TYP=3	
9400	TYKW	5 S	0415.0	0416.3	4.0	3.0	1.0			
2950	GORK	3 S	0415.0	0416.2	4.2	16.0				
8800	LEAR	4 S/F	0415.0	0456.1	41.1D	6.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

7
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean (10 ⁻²² W/m ² Hz)			
07	610	LEAR	4 S/F	0415.1	0415.8	3.4	19.0			QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0415.3	0416.1	2.3	4.0			QL=5 ST=2 TYP=3	
	1415	ATHN	4 S/F	0415.3	0416.5	4.2	9.0			QL=5 ST=2 TYP=3	
	950	GORK	2 S/F	0415.4	0416.9	3.4	15.0				
	2695	LEAR	4 S/F	0415.8	0416.1	3.2	20.0			QL=6 ST=2 TYP=3	
	950	GORK	3 S	0438.8	0439.1	.4	33.0				
	950	GORK	1 S	0535.6	0535.8	.5	14.0				
	260	ONDR	8 S	0820.7	0820.8	.1	7.0				
	29	UPIC	46 C	1117.5	1119.0	5.5					
	33	UPIC	46 C	1117.6	1118.5U	5.2					
	2800	OTTA	240 R	1310.0	1335.0	25.0	2.6	1.3			
	2800	OTTA	20 GRF	1425.0	1640.0	200.0	4.0	2.2			
	2800	OTTA	240 R	1840.0	2230.0	230.0	11.8	6.0			
	9400	HUAN	1 S	1958.6	2001.8	5.1	9.4	7.5		0	
	9400	HUAN	2 S/F	2007.6	2008.7	2.3	24.4	13.1		0	
	8800	PALE	8 S	2008.5	2008.8	1.6	24.0			QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	2008.5	2008.8	.6	22.0			QL=6 ST=2 TYP=3	
	15400	SGMR	8 S	2008.5	2009.0	.6	32.0			QL=6 ST=2 TYP=3	
	15400	PALE	8 S	2008.6	2008.8	1.5	36.0			QL=6 ST=2 TYP=3	
	3750	TYKW	21 GRF	2200.0	2310.0	270.0	4.0	2.0			
	2000	TYKW	21 GRF	2200.0	2310.0	230.0	3.0	1.5			
	9400	TYKW	20 GRF	2230.0	2310.0	90.0	4.0	2.0			
	1000	TYKW	20 GRF	2240.0	2320.0	200.0	1.5	.7			
	3750	TYKW	21 GRF	2340.0	2355.0	65.0	2.0	1.0			
	2000	TYKW	20 GRF	2340.0	2355.0	80.0	2.0	1.0			
	08	29	UPIC	43 NS	0659.5		690.5D				
		33	UPIC	43 NS	0700.7		689.3D				
245		LEAR	43 NS	2325.6	2325.6	134.4	23.0			QL=6 ST=2 TYP=1	
3750		TYKW	45 C	0020.0	0024.1	20.0	3.0	1.0			
9400		TYKW	5 S	0023.9	0024.1	.7	5.0	1.5			
3750		TYKW	20 GRF	0115.0	0120.6	40.0	6.0	2.5			
2695		PENT	4 S/F	0116.0	0118.2	5.0	23.0	7.6			
9400		TYKW	21 GRF	0117.0	0124.0	60.0	6.0	2.5			
4995		LEAR	4 S/F	0118.6	0120.8	3.4	8.0			QL=6 ST=2 TYP=3	
9400		TYKW	5 S	0119.5	0120.4	3.0	9.0	3.0			
8800		LEAR	8 S	0120.3	0120.6	1.7	11.0			QL=6 ST=2 TYP=3	
8800		LEAR	8 S	0306.8	0307.0	.3	23.0			QL=6 ST=2 TYP=3	
15400		LEAR	8 S	0306.8	0307.1	.3	13.0			QL=6 ST=2 TYP=3	
9400		TYKW	5 S	0307.0E	0307.0U	1.5D	17.0D	4.0D			
3750		TYKW	5 S	0307.0	0307.2	2.0	2.0	.5			
8800		LEAR	4 S/F	0309.1	0311.1	5.0	19.0			QL=6 ST=2 TYP=3	
4995		LEAR	4 S/F	0309.3	0311.1	4.8	9.0			QL=6 ST=2 TYP=3	
9400		TYKW	45 C	0309.5	0311.1	5.0	10.0	4.0			
3750		TYKW	5 S	0309.5	0311.2	20.0	3.0	1.0			
9400		TYKW	21 GRF	0412.0	0426.0	105.0	5.0	2.0			
650		GORK	8 S	0415.0	0415.5	.6	55.0	27.0			
950		GORK	2 S/F	0415.1	0415.5	.8	41.0				
2000		TYKW	21 GRF	0420.0	0450.0	100.0	2.5	1.0			
3750		TYKW	21 GRF	0433.0	0450.0	80.0	3.0	1.5			
2840		PEKG	45 C	0500.0	0509.0	18.0	30.0	6.6			
100		HIRA	42 SER	0503.7	0504.0	3.0	1700.0			WL	
2950		GORK	4 S/F	0503.8	0508.8	15.7	18.0				
2000		TYKW	45 C	0504.0	0508.5	10.0	63.0	6.0			
1000		TYKW	45 C	0505.0	0508.5	10.0	30.0	7.0			
3750		TYKW	45 C	0505.0	0508.6	10.0	14.0	3.0			
9400		TYKW	21 GRF	0505.0	0522.0	45.0	5.0	3.0			
500		HIRA	45 C	0505.3	0508.7	11.3	13.0	6.0			
9400		TYKW	45 C	0505.5	0508.6	6.0	8.0	3.0U		WR RAIN	
9100	GORK	41 F	0505.8	0506.2	4.6	5.0					
9100	GORK		0505.8	0507.0		4.5					
9100	GORK		0505.8	0508.4		6.2					
650	GORK	2 S/F	0506.0	0508.8	4.7	11.0	5.5				
2950	GORK	4 S/F	0506.0	0509.2	7.5	24.0					
650	GORK	29 PBI	0506.0	0510.7	4.7U	7.0	3.5				
1415	LEAR	47 GB	0506.8	0508.3	6.0	59.0			QL=6 ST=2 TYP=5		
2695	LEAR	4 S/F	0506.8	0508.5	5.0	20.0			QL=6 ST=2 TYP=3		
610	LEAR	4 S/F	0507.1	0508.8	4.5	21.0			QL=6 ST=2 TYP=3		
410	LEAR	4 S/F	0507.6	0509.0	4.2	13.0			QL=6 ST=2 TYP=3		
245	LEAR	47 GB	0508.8	0512.1	3.5	100.0			QL=6 ST=2 TYP=5		

8
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (2 Hz)	Int	Remarks
08	200	HIRA	42 SER	0510.6	0511.1	2.0	430.0			WL
	2000	TYKW	30 PBI	0514.0		25.0	2.0	1.0		
	1000	TYKW	29 PBI	0515.0		20.0	2.0	.7		
	3750	TYKW	5 S	0518.0	0520.0	10.0	1.5	.7		
	2000	TYKW	42 SER	0519.5	0520.6	3.5	24.0	1.0		
	500	HIRA	8 S	0543.6	0543.6	.3	250.0			0
	2000	TYKW	28 PRE	0610.0	0642.2	35.0	7.0	1.5		
	3750	TYKW	28 PRE	0615.0	0642.8	30.0	19.0	4.0		
	536	ONDR	8 S	0621.3	0621.4	.3	3.0			
	9400	TYKW	28 PRE	0625.0	0642.1	20.0	36.0	9.0		
	410	LEAR	8 S	0635.8	0636.0	.3	48.0			QL=6 ST=2 TYP=3
	536	ONDR	8 S	0636.2	0636.3	.1	8.0			
	15000	KISV	28 PRE	0636.5	0641.7	7.0	18.0			
	6100	KISV	28 PRE	0637.0	0641.8	7.0	22.0			
	2840	PEKG	3 S	0638.0	0648.0	18.0	337.0	128.0		
	9100	GORK	21 GRF	0639.0	0659.2	96.0	54.0			
	2950	GORK	3 S	0639.6	0648.5	11.5	217.0			
	11800	BERN	47 GB	0640.0	0647.8	100.0	1247.0			
	8400	BERN	47 GB	0640.0	0648.3	100.0	1275.0			
	8800	LEAR	49 GB	0640.3	0647.8	25.7	1100.0			QL=6 ST=2 TYP=6
	4995	LEAR	49 GB	0640.6	0648.1	22.0	500.0			QL=6 ST=2 TYP=6
	8800	MANI	49 GB	0641.0	0649.5	17.0	1100.0			QL=6 ST=2 TYP=6
	4995	MANI	49 GB	0641.0	0649.5	18.0	750.0			QL=6 ST=2 TYP=6
	2695	MANI	47 GB	0642.3	0649.6	15.7	200.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	0643.1	0647.8	19.5	219.0			QL=6 ST=2 TYP=5
	15000	KISV	47 GB	0644.0	0648.0	9.0	880.0			
	17000	NOBE	46 C	0644.2	0647.8	11.0	1230.0			L
	6100	KISV	47 GB	0644.3	0648.3	7.5	600.0			
	9400	TYKW	47 GB	0645.0	0647.8	11.0	1260.0	270.0		RAIN
	3750	TYKW	45 C	0645.0	0648.0	12.0	330.0	90.0		
	2000	TYKW	45 C	0645.0	0648.5	15.0	78.0	25.0		
	1000	TYKW	21 GRF	0645.0	0800.0	150.0D	5.0	3.0D		
	3000	POTS	29 PBI	0645.0E		95.0D				
	9500	POTS	29 PBI	0645.0E	0645.8	100.0D	1065.0			
	19600	BERN	47 GB	0645.3	0647.8	100.0	772.0			
	35000	BERN	47 GB	0645.3	0647.8	100.0U	425.0			
	15400	LEAR	49 GB	0645.6	0647.8	20.4	1100.0			QL=6 ST=2 TYP=6
	9100	GORK	47 GB	0645.7	0647.7	8.4	1318.0			
	35000	NAGO	5 S	0647.0	0647.0	3.0	180.0			
	9395	PEKG	47 GB	0647.0	0648.0	7.0	1236.0	602.0		
	1415	LEAR	4 S/F	0647.8	0648.3	6.0	13.0			QL=6 ST=2 TYP=3
	2950	GORK	30 PBI	0651.1	0651.2	90.0	45.0			
	6100	KISV	29 PBI	0651.8	0652.0	85.0	155.0			
	15000	KISV	29 PBI	0653.0	0653.0	80.0U	65.0			
	17000	NOBE	29 PBI	0655.2	0655.2	44.0	84.0			0
	9400	TYKW	30 PBI	0656.0		140.0D	55.0U	25.0D		
	2840	PEKG	29 PBI	0656.0		177.0	3.0	.5		
	536	ONDR	8 S	0656.4	0656.4	.1	5.0			
	3750	TYKW	30 PBI	0657.0		90.0	25.0	11.0		
	410	LEAR	8 S	0657.1	0657.3	.4	13.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0657.1	0657.3	.4	11.0			QL=6 ST=2 TYP=3
	2000	TYKW	30 PBI	0700.0		140.0D	11.0	7.0D		
	1000	TYKW	5 S	0701.3	0701.6	1.0	3.0	1.0		
	260	ONDR	41 F	0703.8	0706.5	6.9	4.0			
	930	BORD	8 S	0709.4	0709.8	.6	52.0	3.0		
	6100	KISV	2 S/F	0724.9	0725.8	2.0	5.0			
	2000	TYKW	45 C	0725.0	0726.5	2.5	6.0	1.5		
	930	BORD	46 C	0732.0	0737.5	131.0	670.0	100.0		
	930	BORD		0732.0	0844.7		442.0			
	3750	TYKW	45 C	0736.0	0736.6	2.0	9.0	3.0		
	1000	TYKW	45 C	0736.0	0736.7	2.0	15.0	4.0		
	2000	TYKW	45 C	0736.0	0736.8	2.0	14.0	4.0		
	1470	POTS		0736.0	0736.5	2.0	10.0			
	3000	POTS	4 S/F	0736.0	0736.5	2.0	27.0			
	950	GORK	2 S/F	0736.0	0736.8	1.8	12.0			
	6100	KISV	2 S/F	0736.0	0736.9	1.5	4.0			
	1415	LEAR	8 S	0736.1	0736.3	1.4	11.0			QL=6 ST=2 TYP=3
	650	GORK	2 S/F	0736.2	0736.8	2.4	6.0	3.0		
	2950	GORK	2 S/F	0736.2	0736.8	1.7	13.3			
	2695	LEAR	4 S/F	0736.6	0736.6	195.0	13.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

9
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
08	2650	DWIN	45 C	0740.0	0748.0	20.0	180.0	50.0		
	9100	GORK	1 S	0825.2	0825.7	2.0	10.0	5.0		
	2650	DWIN	1 S	0836.0	0837.0	1.0	18.0	5.0		
	2950	GORK	21 GRF	0836.0	1010.3	210.0D	9.5			
	9400	TYKW	5 S	0838.0	0845.0U	25.0D	40.0U	4.0D		
	3750	TYKW	5 S	0840.0	0852.0U	20.0D	8.0U	3.0D		
	2000	TYKW	5 S	0849.0	0852.0U	10.0U	7.0U	2.0U		
	1000	TYKW	45 C	0853.0	0853.6	1.5	28.0	6.0		
	9100	GORK	21 GRF	0905.2	1000.0	64.7	7.8			
	113	POTS	4 S/F	0905.9	0906.0	3.0	100.0	15.0		
	500	HIRA	42 SER	0907.3	0907.7	2.0	450.0		0	
	536	ONDR	41 F	0907.6	0908.2	2.4	36.0	35.0		
	6100	KISV	28 PRE	0927.0	0952.4	27.0	7.0			
	536	ONDR	40 F	0951.7	0952.6	9.7	78.0			
	3000	POTS	40 F	0952.0	0956.4	20.0	46.0			
	950	GORK	41 F	0952.1	0952.2	9.1	29.0			
	950	GORK		0952.1	0957.1		12.0			
	950	GORK		0952.1	0959.4		13.0			
	2950	GORK	46 C	0952.2	0956.2	9.1	43.0			
	2950	GORK		0952.2	0959.5		43.0			
	650	GORK	46 C	0952.3	0956.4U	10.3	90.0D			
	650	GORK		0952.3	0959.0		90.0			
	9500	POTS	22 GRF	0953.0	0956.9	19.0	20.0			
	2650	DWIN	2 S/F	0953.0	0958.0	8.0	40.0	20.0		
	4995	ATHN	4 S/F	0953.6	0957.1	7.4	19.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0953.6	0959.5	7.4	34.0			QL=6 ST=2 TYP=3
	6100	KISV		0953.9	0954.3		17.0			
	6100	KISV	46 C	0953.9	0957.1	6.0	26.0			
	6100	KISV		0953.9	0959.3		13.0			
	9100	GORK	40 F	0954.0	0957.0	3.5	26.0			
	1470	POTS	22 GRF	0954.0	0957.1	18.0	13.0			
	1415	ATHN	4 S/F	0954.1	0957.1	6.9	18.0			QL=6 ST=2 TYP=3
	6100	KISV	29 PBI	0959.5	0959.7	15.0	8.0			
	536	ONDR	8 S	1025.9	1026.0	.1	8.0			
	9100	GORK	20 GRF	1033.7	1034.7	10.3	11.7			
	930	BORD	45 C	1046.0	1046.7	4.0	47.0	5.0		
	234	POTS	4 S/F	1103.8	1103.9	.2	330.0	50.0		III
	204	IZMI	5 S	1103.8	1104.0	.7	860.0	240.0		
	260	ONDR	8 S	1103.9	1103.9	.2	11.0			
	3000	POTS	23 GRF	1135.0	1210.5	50.0	13.0			
	9500	POTS	23 GRF	1140.0	1155.9	35.0	20.0			
	2800	OTTA	40 F	1146.0	1156.0	14.0	4.4			
	6100	KISV	2 S/F	1152.0	1156.0	8.0	14.0			
	2950	GORK	2 S/F	1152.2	1156.0	4.2	4.0			
	9100	GORK	21 GRF	1152.4	1155.1	7.7	9.2			
	113	POTS	42 SER	1152.5	1211.5	19.0	1200.0	20.0		III
	9100	GORK	1 S	1155.5	1155.9	.9	13.2			
	4995	SGMR	8 S	1155.6	1155.8	.5	20.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1155.6	1155.8	.4	23.0			QL=6 ST=2 TYP=3
	650	GORK	4 S/F	1201.6	1201.7	.8	78.0			
	950	GORK	4 S/F	1201.6	1201.7	.7	83.0			
	6100	KISV	2 S/F	1206.5	1210.8	12.0	7.0			
	2800	OTTA	22 GRF	1207.0	1211.5	19.0	7.8	2.6		
	234	POTS	4 S/F	1209.7	1210.0	1.8	900.0	60.0		III
	245	SGMR	47 GB	1209.8	1210.0	.5	490.0			QL=6 ST=3 TYP=5
	260	ONDR	4 S/F	1209.8	1210.6	2.6	104.0			
	113	POTS	4 S/F	1324.8	1325.0	.2	250.0	50.0		III
	35000	BERN	3 S	1425.0	1427.3	2.3D	58.0			
	11800	BERN	3 S	1425.0	1427.3	2.3D	108.0			
	19600	BERN	3 S	1425.0	1427.3	2.3D	80.0			
	8400	BERN	3 S	1425.0	1427.3	2.3D	129.0			
	1415	ATHN	4 S/F	1426.5	1427.3	6.5	28.0			QL=6 ST=2 TYP=3
	4995	ATHN	47 GB	1426.6	1427.3	6.4	52.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	1426.6	1427.3	6.4	19.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1426.6	1427.3	6.4	90.0			QL=6 ST=2 TYP=5
	9400	HUAN	3 S	1426.7	1427.2	1.9	111.7	31.1		R
	3000	POTS	29 PBI	1426.7	1427.3	8.3	22.0			
	2695	SGMR	47 GB	1426.8	1427.1	.5	38.0			QL=6 ST=2 TYP=5
	2800	OTTA	4 S/F	1426.9	1427.2	3.1	27.6	7.8		
	2650	DWIN	1 S	1427.0	1427.0	3.0	22.0	10.0		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
08	9500	POTS	4 S/F	1427.0	1427.1	3.0	74.0			
	1470	POTS	29 PBI	1427.0	1427.4	.6	24.0			
	4995	SGMR	8 S	1427.1	1427.3	.2	49.0			
	113	POTS	42 SER	1427.1	1427.3	.4	3500.0	35.0		QL=6 ST=2 TYP=3
	15400	SGMR	47 GB	1427.1	1427.3	.2	97.0			III
	8800	SGMR	47 GB	1427.1	1427.3	.2	58.0			QL=6 ST=2 TYP=5
	610	SGMR	4 S/F	1427.1	1427.6	6.2	39.0			QL=6 ST=2 TYP=5
	245	SGMR	8 S	1427.3	1427.6	.3	32.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1427.3	1427.6	1.5	19.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1427.5	1428.0	.5D	13.0			QL=6 ST=2 TYP=3
	2800	OTTA	30 PBI	1430.0	1430.0	35.0	4.0	2.0		
	2800	OTTA	2 S/F	1432.0	1432.6	2.0	4.0			
	2800	OTTA	32A ABS	1525.0	1620.0	170.0	-8.0	-4.0		
	2800	OTTA	1 S	1537.2	1537.5	1.0	4.0	1.4		
	1415	ATHN	8 S	1537.3	1537.6	1.5	4.0			QL=5 ST=2 TYP=3
	2695	ATHN	8 S	1537.3	1537.6	1.5	6.0			QL=5 ST=2 TYP=3
	4995	ATHN	8 S	1537.3	1537.6	1.5	1.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	1537.5	1537.6	1.5	9.0			QL=5 ST=2 TYP=3
	9400	HUAN	1 S	1800.5	1801.5	2.5	7.3	4.0		0
	2800	OTTA	8 S	1804.0	1804.4	.6	3.2	.6		
	9400	HUAN	22 GRF	2000.6	2005.0	20.8	6.4	2.6		0
	2800	OTTA	4 S/F	2027.0	2031.5	13.0	24.0	6.0		
	100	HIRA	41 F	2028.6	2029.0	6.0	3000.0			ML
	9400	HUAN	3 S	2030.2	2031.5	4.3	25.6	10.5		0
	2695	SGMR	8 S	2031.0	2031.5	1.3	31.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	2031.0	2031.5	.8	24.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	2031.0	2031.6	1.3	31.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	2031.1	2031.3	.7	30.0			QL=6 ST=2 TYP=3
	610	SGMR	8 S	2031.1	2031.3	.7	28.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2031.1	2031.6	1.7	27.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2031.1	2031.6	1.9	26.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2031.1	2031.8	1.5	19.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	2031.1	2031.8	1.9	30.0			QL=6 ST=2 TYP=3
	9400	HUAN	29 PBI	2034.5	2034.5	7.9	3.7	3.1		0
	1000	TYKW	45 C	2105.7	2107.1	5.5	24.0	3.0		
	200	HIRA	46 C	2113.0	2117.6	15.7	64.0	11.0		ML
	1000	TYKW	45 C	2114.7	2114.9	.8	154.0	12.0		
	100	HIRA	41 F	2116.0	2126.1	16.0	270.0			ML
	245	PALE	47 GB	2116.1	2117.3	2.9	57.0			QL=6 ST=2 TYP=5
	245	SGMR	8 S	2116.1	2117.3	2.0	41.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2127.6	2128.1	1.2	18.0			QL=5 ST=2 TYP=3
	3750	TYKW	21 GRF	2135.0	2200.0	290.0	6.0	3.0		
	9400	TYKW	21 GRF	2220.0U	2337.0U	260.0U	8.0U	4.0U		RAIN
	2695	PENT	21 GRF	2240.0	0025.0	190.0D	22.4			
	2000	TYKW	21 GRF	2245.0	2314.0	210.0	3.0	1.5		
1000	TYKW	21 GRF	2245.0	2315.0	190.0	2.0	1.0			
3750	TYKW	20 GRF	2247.0	2254.0	50.0	3.0	1.0			
15400	PALE	8 S	2320.6	2321.3	1.5	29.0			QL=6 ST=2 TYP=3	
1000	TYKW	45 C	2333.7	2334.1	1.0	7.0	2.0			
9400	TYKW	5 S	2342.0U	2343.2	4.0D	12.0	5.0			
3750	TYKW	28 PRE	2347.0	2355.0	27.0	4.0	2.5			
3750	TYKW	5 S	2359.0	0003.0U	11.0	3.0D	1.5D			
09	29	UPIC	43 NS	0718.3		671.7D				
	33	UPIC	43 NS	0718.4		671.6D				
	260	ONDR	43 NS	0734.8	1046.0U	396.0D	192.0U			
	200	GORK	43 NS	0744.0		252.0D		5.0		
	245	LEAR	43 NS	0827.1	0835.8	9.7	93.0			QL=6 ST=2 TYP=1
	100	GORK	43 NS	0842.0		192.0		10.0		
	127	TORN	44 NS	1050.0E		150.0D		3.0		V2
	245	SGMR	43 NS	1404.0	1457.1	595.0D	280.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1518.0	1701.3	521.0D	130.0			QL=6 ST=2 TYP=1
	245	PALE	44 NS	1636.0E	1831.3		110.0			QL=6 ST=1 TYP=1
	208	VORO	44 NS	2100.0E		360.0D				
	2000	TYKW	5 S	0002.0	0004.0	11.0	2.0	1.0D		
	3750	TYKW	5 S	0008.0	0008.2	1.5	4.0	1.0		
	3750	TYKW	45 C	0014.0	0018.3	6.0	41.0	15.0		
	2000	TYKW	5 S	0015.0	0018.3	5.0	11.0	3.5		
2695	PALE	4 S/F	0015.8	0018.3	14.0	37.0			QL=6 ST=2 TYP=3	
4995	LEAR	47 GB	0016.1	0018.1	14.0	63.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

11
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m 2 Hz)	Mean			
09	8800	LEAR	47 GB	0016.1	0018.1	14.0	89.0			QL=6 ST=2 TYP=5	
	4995	PALE	47 GB	0016.6	0018.3	3.7	67.0			QL=6 ST=2 TYP=5	
	2695	LEAR	4 S/F	0016.8	0018.1	13.3	30.0			QL=6 ST=2 TYP=3	
	8800	PALE	47 GB	0017.1	0018.3	24.0	100.0			QL=6 ST=2 TYP=5	
	17000	NOBE	1 S	0017.1	0024.0	9.4	34.0			0	
	9400	TYKW	45 C	0017.8U	0018.3	1.0U	45.0U	16.0U			RAIN
	15400	LEAR	4 S/F	0017.8	0024.0	12.3	30.0				QL=6 ST=2 TYP=3
	2695	PENT	1 S	0018.0	0018.1	1.2	2.6	1.3			
	9400	TYKW	45 C	0019.5	0023.7	20.5	62.0	27.0			
	3750	TYKW	30 PBI	0020.0		120.0	11.0	6.0			
	2000	TYKW	30 PBI	0020.0		105.0	3.0	1.5			
	3750	TYKW	5 S	0021.0	0023.9	9.0	18.0	10.0			
	2000	TYKW	21 GRF	0022.0	0024.0	70.0	5.0	2.0			
	17000	NOBE	29 PBI	0026.5	0026.5	60.0	18.0				0
	2695	PENT	1 S	0028.6	0029.0	1.5	5.2	2.6			
	3750	TYKW	29 PBI	0030.0		25.0	7.0	2.5			
	2695	PENT	4 S/F	0036.0	0036.8	3.0	15.4	4.6			
	2000	TYKW	5 S	0038.5	0041.0	7.0	1.5	.7			
	9400	TYKW	29 PBI	0040.0		105.0	22.0	8.0			
	2695	PENT	40 F	0108.5	0108.8	1.0	4.6				
	2695	PENT	8 S	0136.2	0136.3	.3	6.6				
	2695	PENT	4 S/F	0137.0	0138.3	6.0	10.8	4.0			
	2000	TYKW	5 S	0144.0	0144.5	1.5	3.0	1.0			
	410	LEAR	47 GB	0144.1	0144.6	.7	79.0				QL=6 ST=2 TYP=5
	2695	PENT	1 S	0144.5	0145.2	1.5	3.6	2.7			
	9400	TYKW	45 C	0228.0	0235.0	10.0	5.0	2.0			
	3750	TYKW	21 GRF	0228.0	0253.0	100.0	3.0	1.5			
	2000	TYKW	5 S	0230.0	0230.8	5.0	2.0	.5			
	2000	TYKW	21 GRF	0230.0	0302.0	98.0	2.0	1.0			
	2000	TYKW	45 C	0241.4	0244.7	9.0	3.0	.7			
	3750	TYKW	45 C	0307.3	0307.4	1.5	4.0	1.0			
	9400	TYKW	21 GRF	0311.0	0329.0	50.0	6.0	2.0			
	9400	TYKW	45 C	0321.8	0323.2	3.0	4.0	1.5			
	15400	PALE	4 S/F	0322.1	0323.1	2.7	30.0				QL=6 ST=2 TYP=3
	2000	TYKW	21 GRF	0325.0	0339.0	50.0	2.0	1.0			
	3750	TYKW	21 GRF	0325.0	0339.0	40.0	3.0	1.5			
	2000	TYKW	5 S	0326.0	0328.5	6.0	3.0	1.0			
	3750	TYKW	45 C	0326.0	0328.9	5.0	5.0	2.0			
	9400	TYKW	5 S	0337.0	0347.0	23.0	5.0	2.5			
	9400	TYKW	5 S	0408.0	0409.9	4.0	5.0	1.5			
	9400	TYKW	21 GRF	0408.0	0415.0	40.0	5.0	2.0			
	3750	TYKW	28 PRE	0412.0	0416.0	14.0	2.5	1.5			
	2000	TYKW	45 C	0423.5	0428.6	9.5	6.0	2.5			
	9400	TYKW	45 C	0426.0	0427.5	7.0	13.0	7.0			
	3750	TYKW	45 C	0426.0	0429.2	5.0	9.0	5.0			
	6100	K1SV	20 GRF	0426.0	0427.5	12.0	7.0				
	15000	K1SV	20 GRF	0426.0	0427.5	10.0	11.0				
	9100	GORK	22 GRF	0426.2	0427.6	12.0	14.0				
	2950	GORK	1 S	0426.2	0427.8	5.5	5.0				
	17000	NOBE	1 S	0426.3	0427.9	5.0	10.0				0
15400	LEAR	4 S/F	0426.6	0427.5	6.7	19.0				QL=6 ST=2 TYP=3	
8800	LEAR	4 S/F	0426.8	0427.5	6.5	13.0				QL=6 ST=2 TYP=3	
3750	TYKW	29 PBI	0431.0		14.0	3.0	2.0				
2000	TYKW	30 PBI	0433.0		12.0	1.0	.5				
9400	TYKW	30 PBI	0433.0		12.0	6.0	3.0				
2000	TYKW	5 S	0438.5	0440.5	4.5	1.0	.3				
9400	TYKW	45 C	0440.0	0440.9	2.5	5.0	1.5				
9400	TYKW	21 GRF	0451.0	0458.0	50.0	4.0	2.0				
3750	TYKW	20 GRF	0452.0	0516.0	45.0	4.0	2.0				
2000	TYKW	20 GRF	0500.0	0514.0	30.0	1.5	.7				
2950	GORK	21 GRF	0502.2	0515.0	82.0	4.0					
9400	TYKW	5 S	0522.0	0528.0	18.0	2.0	1.0				
9395	PEKG	21 GRF	0541.0	0602.0	45.0U	35.0	12.0				
6100	K1SV	28 PRE	0544.0	0550.6	12.0	4.0					
3750	TYKW	28 PRE	0545.0	0556.0	11.0	3.0	1.5				
9400	TYKW	28 PRE	0546.0	0550.4	10.0	12.0	4.0				
9100	GORK	21 GRF	0547.4	0559.6	34.0	18.0					
2840	PEKG	3 S	0551.0	0557.5	21.0	295.0	120.0				
15400	LEAR	47 GB	0551.3	0557.0	13.0	200.0				QL=6 ST=2 TYP=5	
8800	ATHN	47 GB	0555.8	0557.0	5.5	160.0				QL=6 ST=2 TYP=5	

12
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
09	3750	TYKW	45 C	0556.0	0557.0	4.0	55.0	15.0		
	9400	TYKW	5 S	0556.0	0557.1	5.0	203.0	48.0		
	2000	TYKW	45 C	0556.0	0557.4	3.0	79.0	17.0		
	35000	NAGO	5 S	0556.0	0556.0	3.0	30.0			
	2950	GORK	4 S/F	0556.0	0556.9	2.3	696.0			
	2650	DWIN	45 C	0556.0	0557.0	3.0	430.0	200.0		
	4995	ATHN	47 GB	0556.0	0557.0	5.3	130.0			QL=6 ST=2 TYP=5
	8400	BERN	3 S	0556.0U	0557.0U	5.0U	65.0			ONLY PAPER REC
	6100	KISV	3 S	0556.0	0557.2	3.0	90.0			
	8800	MANI	47 GB	0556.0	0557.3	7.1	30.0			
	2695	ATHN	47 GB	0556.0	0557.3	5.3	410.0			QL=6 ST=2 TYP=5
	4995	MANI	47 GB	0556.0	0557.3	5.3	80.0			QL=6 ST=2 TYP=5
	2695	MANI	49 GB	0556.0	0557.3	3.5	500.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	0556.0	0557.3	4.0	430.0			QL=6 ST=2 TYP=5
	9395	PEKG	3 S	0556.0	0557.3	6.0	160.0	53.0		
	8800	LEAR	47 GB	0556.1	0557.0	8.2	210.0			
	4995	LEAR	47 GB	0556.1	0557.0	5.7	80.0			QL=6 ST=2 TYP=5
	1415	MANI	20 GRF	0556.1	0557.1	1.9	6.0			QL=6 ST=2 TYP=2
	1415	ATHN	4 S/F	0556.3	0557.1	3.3	5.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0556.3	0557.1	1.7	8.0			QL=6 ST=2 TYP=3
	15000	KISV	4 S/F	0556.4	0557.0U	7.5	135.0D			
	9100	GORK	3 S	0556.4	0557.2	3.2	206.0			
	17000	NOBE	4 S/F	0556.5	0557.2	2.0	177.0			R
	17000	NOBE	29 PBI	0558.5	0558.5	3.0	20.0			0
	2000	TYKW	29 PBI	0559.0		13.0	2.0	1.0		
	6100	KISV	29 PBI	0559.0	0559.0	40.0	20.0			
	3750	TYKW	29 PBI	0600.0		15.0	5.0	2.0D		
	9400	TYKW	30 PBI	0601.0		40.0	12.0	5.0		
	9400	TYKW	5 S	0631.7	0632.4	5.0	7.0	2.0		
	9100	GORK	23 GRF	0631.8		333.0				
	2950	GORK	21 GRF	0633.0		333.0D				
	3750	TYKW	28 PRE	0635.0	0732.0	57.0	14.0	6.0		
	9400	TYKW	5 S	0643.4	0644.0	2.0	4.0	1.5		
	200	GORK	4 S/F	0644.6	0645.1	1.2	15.0			
	2000	TYKW	28 PRE	0645.0	0733.0	48.0	9.0	4.0		
	100	GORK	41 F	0653.1	0653.3	8.8	100.0D			
	100	GORK		0653.1	0656.6		50.0			
	100	GORK		0653.1	0701.3		100.0D			
	9400	TYKW	28 PRE	0656.0	0730.8	36.0	39.0	10.0		
	3100	CRIM	3 S	0656.0	0657.5	3.0	220.0	73.0		
	3100	CRIM	28 PRE	0700.0	0733.0	33.0	3.0	1.0		
	3000	POTS	47 GB	0700.0	0737.0U	340.0	1320.0			
	8400	BERN	46 C	0709.0U	0736.0U	300.0U	1100.0D			
	9500	POTS	47 GB	0710.0	0736.9	330.0	3000.0			ONLY PAPER REC
	1470	POTS	47 GB	0710.0	0737.8	350.0	1060.0			
2000	TYKW	5 S	0713.0	0713.6	3.0	3.0	1.0			
9400	TYKW	45 C	0713.0	0715.9	11.0	91.0	35.0			
15000	KISV	46 C	0713.0	0713.9U	7.5	86.0				
15000	KISV		0713.0	0714.9		69.0				
15000	KISV		0713.0	0716.0		64.0				
8800	LEAR	47 GB	0713.1	0716.0	7.2	87.0			QL=6 ST=2 TYP=5	
4995	LEAR	20 GRF	0713.1	0716.6	7.2	13.0			QL=6 ST=2 TYP=2	
6100	KISV		0713.2	0713.9		20.0				
6100	KISV	46 C	0713.2	0716.1	7.5	30.0				
6100	KISV		0713.2	0716.8		25.0				
2695	ATHN	4 S/F	0713.3	0713.6	6.0	10.0			QL=6 ST=2 TYP=3	
2695	LEAR	8 S	0713.3	0713.6	1.5	13.0			QL=6 ST=2 TYP=3	
15400	LEAR	47 GB	0713.3	0713.8	8.5	81.0			QL=6 ST=2 TYP=5	
8800	ATHN	47 GB	0713.3	0716.3	11.3	73.0			QL=6 ST=2 TYP=5	
9100	GORK	46 C	0713.4	0713.8	4.1	78.0				
9100	GORK		0713.4	0716.0		75.0				
2950	GORK	3 S	0713.5	0713.6	3.6	8.1				
17000	NOBE	28 PRE	0713.5	0713.9	21.0	69.0			R	
4995	ATHN	4 S/F	0713.6	0716.6	11.0	16.0			QL=6 ST=2 TYP=3	
200	GORK	8 S	0718.4	0718.5	.7	35.0D				
100	GORK	8 S	0718.5	0718.6	.7	100.0D				
113	POTS	4 S/F	0718.5	0718.6	2.7	2100.0	600.0		!!!	
100	HIRA	8 S	0718.6	0718.7	.3	5600.0			ML	
15000	KISV	28 PRE	0723.0	0724.0	11.0	59.0				
8800	ATHN	49 GB	0729.3	0737.1	39.2	2399.0			QL=6 ST=2 TYP=6	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

13
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
09	4995	ATHN	49 GB	0729.6	0737.3	37.5	6600.0			QL=6 ST=2 TYP=6	
	2695	ATHN	49 GB	0729.6	0737.3	34.9	2000.0			QL=6 ST=2 TYP=6	
	15400	LEAR	49 GB	0730.5	0730.6	31.6	26.0			QL=6 ST=2 TYP=7	
	4995	MANI	49 GB	0731.0	0736.6	13.0	3500.0			QL=6 ST=2 TYP=6	
	9100	GORK	47 GB	0731.8	0736.8	35.0	4688.0				
	808	ONDR	47 GB	0731.8	0738.0U	22.0	475.0	204.0U			
	9400	TYKW	47 GB	0732.0	0737.0	32.0	3980.0	260.0			
	3750	TYKW	47 GB	0732.0	0737.3	32.0	2160.0	170.0			
	8800	LEAR	49 GB	0732.0	0732.3	29.3	31.0				QL=6 ST=2 TYP=7
	8800	MANI	49 GB	0732.0	0736.6	11.5	5700.0				QL=6 ST=2 TYP=6
	2840	PEKG	45 C	0732.0	0737.0	22.0	643.0	157.0			
	9395	PEKG	47 GB	0732.0	0737.0	14.0	3364.0	524.0			
	6100	KISV		0732.6	0735.9		900.0				
	4995	LEAR	49 GB	0732.6	0736.8	26.0	3100.0				QL=6 ST=2 TYP=7
	6100	KISV	47 GB	0732.6	0737.0	10.0	1210.0				
	1415	ATHN	49 GB	0732.6	0737.6	31.7	1000.0				QL=6 ST=2 TYP=6
	6100	KISV		0732.6	0740.4		360.0				
	6100	KISV		0732.6	0742.5		230.0				
	2000	TYKW	47 GB	0733.0	0737.3	24.0	1370.0	180.0			
	2950	GORK	47 GB	0733.0	0737.2	12.0	1757.0				
	3100	CRIM	47 GB	0733.0	0737.2	13.0	1580.0	527.0			
	950	GORK	47 GB	0733.0	0737.5	8.0	615.0				
	2650	DWIN	49 GB	0733.0	0738.0U	20.0	500.0D				
	2695	MANI	49 GB	0733.1	0737.0	13.4	2399.0				QL=6 ST=2 TYP=6
	2695	LEAR	49 GB	0733.3	0737.1	25.5	1800.0				QL=6 ST=2 TYP=7
	650	GORK	40 F	0733.8	0738.6	14.5	17.0				
	15000	KISV	47 GB	0734.2	0736.0U	9.0	2020.0D				
	100	GORK	41 F	0734.3	0735.7	17.0	121000.0				
	100	GORK		0734.3	0749.1		570.0				
	127	TORN	47 GB	0734.4	0736.4	7.3	13000.0	6600.0			
	33	UPIC	49 GB	0734.5		36.0					
	113	POTS	46 C	0734.5	0736.0	22.0	8500.0				IV
	234	POTS	46 C	0734.5	0737.0	45.0	21000.0				IV
	17000	NOBE	47 GB	0734.5	0737.0	12.0	3410.0				O-R
	1415	MANI	49 GB	0734.5	0737.1	14.5	1600.0				QL=6 ST=2 TYP=6
	500	HIRA	45 C	0734.5	0737.5	20.0	350.0	140.0			WR
	29	UPIC	49 GB	0734.6		35.6					
	200	GORK	47 GB	0734.6	0736.7	9.4	4400.0D				
	536	ONDR	47 GB	0734.6	0737.4	25.0	209.0	95.0			
	1415	LEAR	49 GB	0734.6	0737.6	26.7	1199.0				QL=6 ST=2 TYP=7
	100	HIRA	48 C	0734.7		21.0	10000.0D	1660.0D			
	200	HIRA	48 C	0734.7	0736.6	34.0	47000.0	573.0			O
	100	HIRA		0734.7	0747.6		1700.0				WL
	204	IZMI	47 GB	0734.8	0737.0	24.0	17500.0	1500.0			
	35000	NAGO	47 GB	0735.0	0735.0	4.0	810.0				
610	LEAR	49 GB	0735.0	0737.3	26.3	620.0				QL=6 ST=2 TYP=7	
410	LEAR	49 GB	0735.3	0736.6	26.0	620.0				QL=6 ST=2 TYP=7	
245	LEAR	49 GB	0735.3	0737.0	23.5	7300.0				QL=6 ST=2 TYP=7	
610	MANI	47 GB	0735.5	0737.3	9.5	490.0				QL=6 ST=2 TYP=5	
650	GORK	47 GB	0736.4	0737.5	13.4	490.0					
15000	KISV		0736.7	0737.0U		2020.0D					
15000	KISV		0738.5	0740.4		410.0					
35000	NAGO	29 PBI	0739.0	0747.0	30.0D	150.0				SUNSET	
15000	KISV		0742.1	0742.5		160.0					
6100	KISV	29 PBI	0742.6	0743.5	33.0E	160.0					
15000	KISV	29 PBI	0743.5	0743.5	36.0E	120.0					
9395	PEKG	29 PBI	0746.0		27.0	94.0	15.2				
3100	CRIM	30 PBI	0746.0	0746.0		38.0					
17000	NOBE	29 PBI	0746.5	0746.5	19.0D	108.0				O	
650	GORK	30 PBI	0748.0	0748.0	257.0D	30.0					
950	GORK	30 PBI	0751.0	0751.0	255.0D	19.0					
500	HIRA	30 PBI	0754.5	0754.6	86.0	10.0	6.0			WR	
2000	TYKW	30 PBI	0757.0		22.0	11.0	7.0				
3750	TYKW	30 PBI	0804.0		15.0	14.0	13.0				
9400	TYKW	30 PBI	0804.0		15.0	47.0	39.0				
9395	PEKG	40 F	0811.0	0835.0	24.0U	250.0	42.0				
6100	KISV	46 C	0816.5	0836.8	126.0	125.0					
6100	KISV		0816.5	0840.5		119.0					
6100	KISV		0816.5	0844.7		99.0					
6100	KISV		0816.5	0857.5		122.0					

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (2 Hz)	Int	Remarks
09	6100	KISV		0816.5	0904.0		91.0			
	6100	KISV		0816.5	0908.6		88.0			
	6100	KISV		0816.5	0911.7		83.0			
	6100	KISV		0816.5	0925.7		78.0			
	8800	ATHN	47 GB	0816.8	0834.3	65.2	230.0			
	3100	CRIM	45 C	0817.0	0838.0	61.0	80.0			QL=6 ST=2 TYP=5
	3100	CRIM		0817.0	0857.6		107.0	38.0		
	2840	PEKG	40 F	0817.0	0858.0	121.0	49.0	22.0		
	3100	CRIM		0817.0	0925.5		78.0			
	1415	ATHN	47 GB	0817.5	0826.5	33.5	169.0			QL=6 ST=2 TYP=5
	9400	TYKW	45 C	0819.0	0834.9	68.00	255.0	140.00		
	3750	TYKW	45 C	0819.0	0857.3	70.00	143.0	70.00		
	2000	TYKW	45 C	0819.0	0857.5	65.00	66.0	32.00		
	15000	KISV		0819.0	0823.3		80.0			
	15000	KISV	46 C	0819.0	0834.9	60.0	131.0			
	15000	KISV		0819.0	0836.8		122.0			
	15000	KISV		0819.0	0839.4		104.0			
	15000	KISV		0819.0	0857.7		111.0			
	2695	ATHN	47 GB	0820.8	0838.3	61.2	63.0			QL=6 ST=2 TYP=5
	2650	DWIN	45 C	0822.0	0858.0	80.0	80.0	50.0		
	8800	LEAR	47 GB	0822.1	0827.8	14.7	96.0			QL=6 ST=2 TYP=5
	4995	LEAR	47 GB	0822.1	0827.8	14.7	63.0			QL=6 ST=2 TYP=5
	9100	GORK	46 C	0823.6	0834.8	24.9	184.0			
	9100	GORK		0823.6	0836.8		178.0			
	9100	GORK		0823.6	0840.6		137.0			
	15400	LEAR	47 GB	0824.6	0827.8	12.2	44.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	0824.8	0828.1	12.0	27.0			QL=6 ST=2 TYP=5
	1415	LEAR	47 GB	0825.0	0826.1	11.8	180.0			QL=6 ST=2 TYP=5
	950	GORK	46 C	0825.2	0839.1	21.0	57.0			
	950	GORK		0825.2	0842.4		150.0			
	950	GORK	46 C	0825.2	0844.6		280.0			
	536	ONDR	41 F	0832.4	0926.3	74.0	35.0			
	808	ONDR	41 F	0833.0	0844.8	17.0	251.0	53.0		
	200	GORK	4 S/F	0835.0	0837.9	6.0	30.0			
	204	IZMI	25 R	0835.0	0857.8	63.7	62.0	46.0		
	234	POTS	27 RF	0835.0	0858.0	87.0	55.0	10.0		
	113	POTS	27 RF	0836.0	0926.5	114.0	90.0	30.0		RISE+1
	2695	LEAR	47 GB	0836.8	0838.3	31.2	70.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0836.8	0839.3	31.2	169.0			QL=6 ST=2 TYP=5
	4995	LEAR	47 GB	0836.8	0840.6	31.2	119.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0836.8	0856.6	31.2	67.0			QL=6 ST=2 TYP=5
	1415	LEAR	47 GB	0836.8	0857.8	31.8	98.0			QL=6 ST=2 TYP=5
	610	LEAR	8 S	0838.3	0838.6	1.8	29.0			QL=6 ST=2 TYP=3
	200	HIRA	27 RF	0847.6	0904.0	64.00	76.00	24.00		ML, SUNSET
	100	HIRA	27 RF	0851.3	0920.7	60.00	1200.00	240.00		ML, SUNSET
	650	GORK	46 C	0852.0	0858.3	22.4	27.0			
	650	GORK		0852.0	0900.5		25.0			
	650	GORK		0852.0	0902.7		25.0			
	200	GORK	4 S/F	0853.0	0857.7	5.0	30.00			
	1415	ATHN	47 GB	0853.8	0857.8	23.7	86.0			QL=6 ST=2 TYP=5
950	GORK	40 F	0854.0	0859.8	46.9	50.0				
950	GORK		0854.0	0925.2		36.0				
2950	GORK	45 C	0854.4	0857.8	13.0	63.0				
2950	GORK		0854.4	0904.1		23.0				
9100	GORK	3 S	0854.6	0857.6	6.5	80.0				
245	LEAR	47 GB	0855.0	0857.8	13.0	110.0			QL=6 ST=2 TYP=5	
500	HIRA	45 C	0855.2	0858.2	9.0	45.0	15.0		SL	
410	LEAR	47 GB	0855.6	0858.3	7.5	69.0			QL=6 ST=2 TYP=5	
15000	KISV	29 PBI	0908.4	0908.4	120.0	90.0				
1415	LEAR	47 GB	0911.3	0911.6	.8	56.0			QL=6 ST=2 TYP=5	
610	LEAR	8 S	0911.3	0911.6	.7	40.0			QL=6 ST=2 TYP=3	
245	LEAR	4 S/F	0912.1	0912.1	130.0	13.0			QL=6 ST=2 TYP=3	
650	GORK	46 C	0918.7	0925.3	23.3	44.0				
650	GORK		0918.7	0928.7		44.0				
650	GORK		0918.7	0933.5		42.0				
1415	ATHN	4 S/F	0922.1	0926.3	19.2	20.0			QL=6 ST=2 TYP=3	
2695	ATHN	4 S/F	0922.3	0925.3	24.5	29.0			QL=6 ST=2 TYP=3	
8800	ATHN	4 S/F	0922.3	0925.3	46.2	33.0			QL=6 ST=2 TYP=3	
2950	GORK	45 C	0922.8	0927.3	16.1	30.0				
2950	GORK		0922.8	0933.5		25.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

15
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
09	610	LEAR	4 S/F	0924.1	0925.3	6.9	49.0			QL=5 ST=2 TYP=3
	2695	LEAR	8 S	0924.8	0926.3	1.8	21.0			QL=5 ST=2 TYP=3
	1415	LEAR	4 S/F	0925.1	0926.0	4.5	22.0			QL=5 ST=2 TYP=3
	245	LEAR	47 GB	0928.6	0928.6	.2	119.0			QL=5 ST=2 TYP=5
	410	LEAR	4 S/F	0930.1	0930.1	75.0	11.0			QL=5 ST=2 TYP=3
	9100	GORK	2 S/F	0937.1	0937.8	3.4	38.0			
	3100	CRIM	30 PBI	0939.0	0939.0		37.0			
	6100	KISV	29 PBI	0942.6	0942.6	130.0	43.0			
	234	POTS	27 RF	1011.0	1050.5	145.0	55.0	15.0		RISE+1
	8800	SGMR	47 GB	1037.1	1040.3	18.7	42.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1037.6	1039.6	18.7	24.0			QL=6 ST=2 TYP=3
	200	GORK	46 C	1037.7	1041.7	11.5	20.0			
	200	GORK		1037.7	1046.9U		30.0D			
	245	SGMR	4 S/F	1040.5	1041.3	16.1	34.0			QL=6 ST=2 TYP=3
	536	ONDR	2 S/F	1040.8	1046.8	36.0	19.0	11.0		
	2650	DWIN	41 F	1045.0	1053.0	15.0	40.0	20.0		
	9500	POTS	3 S	1045.6	1046.8	1.5	113.0			
	3100	CRIM	40 F	1046.0	1046.2	15.0	18.0	6.0		
	2950	GORK	3 S	1046.0	1046.5	2.0	18.4			
	15000	KISV	4 S/F	1046.0	1046.6	1.5	190.0			
	3100	CRIM		1046.0	1053.2		8.0			
	3100	CRIM		1046.0	1059.8		4.0			
	950	GORK	4 S/F	1046.1	1046.8	4.8	37.0			
	204	IZMI	45 C	1046.2	1046.6	1.4	2400.0	470.0		
	9100	GORK	4 S/F	1046.2	1046.6	1.5	75.0			
	234	POTS	42 SER	1046.2	1046.6	4.5	1200.0	40.0		
	650	GORK	4 S/F	1046.2	1046.7	4.2	26.0			
	100	GORK	41 F	1046.2	1046.7U	26.3	900.0D			
	6100	KISV	2 S/F	1046.2	1046.7	1.5	17.0			
	3000	POTS	4 S/F	1046.2	1046.8	1.8	38.0			
	1470	POTS	3 S	1046.2	1046.9	1.8	40.0			
	100	GORK		1046.2	1050.1		800.0			
	100	GORK		1046.2	1100.0		260.0			
	100	GORK		1046.2	1109.2		300.0			
	610	SGMR	4 S/F	1046.3	1046.6	9.7	49.0			QL=6 ST=2 TYP=3
	113	POTS	4 S/F	1046.3	1046.7	2.8	6700.0	350.0		
	1415	SGMR	4 S/F	1046.5	1046.6	9.5	34.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1046.5	1046.6	10.1	31.0			QL=6 ST=2 TYP=3
	808	ONDR	4 S/F	1046.5	1046.8	3.8	30.0	20.0		
	410	SGMR	4 S/F	1046.6	1047.3	9.4	20.0			QL=6 ST=2 TYP=3
	2950	GORK	3 S	1052.5	1053.3	1.4	11.3			
	2800	OTTA	26A FAL	1055.0E	1425.0	210.0D	-26.0			
	2800	OTTA	4 S/F	1059.0	1059.8	2.5	12.6	3.4		
	650	GORK	41 F	1108.5	1108.7	1.7	80.0			
	650	GORK		1108.5	1110.0		28.0			
	2800	OTTA	40 F	1118.5	1118.6	2.0	7.6			
	8800	ATHN	4 S/F	1123.0	1125.0	8.5	20.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1123.3	1125.0	9.2	9.0			QL=6 ST=2 TYP=3
	9400	HUAN	1 S	1302.0	1305.2	7.0	8.6	5.4		0
	9400	HUAN	20 GRF	1321.6	1355.3	57.9	10.4	5.2		0
536	ONDR	8 S	1324.3	1324.4	.2	15.0				
6100	KISV	2 S/F	1347.7	1348.2	2.0	6.0				
1470	POTS	4 S/F	1400.5	1400.8	3.0	77.0				
1415	ATHN	47 GB	1400.6	1401.0	2.0	130.0			QL=6 ST=3 TYP=5	
1415	SGMR	47 GB	1400.8	1401.0	1.5	139.0			QL=6 ST=2 TYP=5	
9400	HUAN	22 GRF	1430.7	1446.3	35.9	13.8	4.2		R	
245	SGMR	4 S/F	1452.0	1457.0	7.3	460.0			QL=6 ST=2 TYP=3	
245	SGMR	4 S/F	1504.1	1504.1	2.4	260.0			QL=6 ST=2 TYP=3	
9400	HUAN	23 GRF	1515.1	1631.8	158.0	27.7	11.6		R	
9400	HUAN	2 S/F	1517.7	1518.4	2.3	19.0	10.0		R	
8800	SGMR	8 S	1518.1	1518.3	.2	19.0			QL=6 ST=2 TYP=3	
2800	OTTA	21 GRF	1525.0	1532.0	12.0	3.0	1.5			
1415	ATHN	49 GB	1526.0	1529.5	7.8	10000.0			QL=6 ST=3 TYP=6	
1415	SGMR	49 GB	1526.6	1529.5	7.0	9900.0			QL=6 ST=2 TYP=6	
2800	OTTA	2 S/F	1527.5	1528.0	1.0	6.8	3.3			
2695	ATHN	47 GB	1527.6	1529.6	2.7	96.0			QL=6 ST=3 TYP=5	
2800	OTTA	4 S/F	1529.0	1529.4	2.0	130.0	26.0			
2695	SGMR	47 GB	1529.3	1529.5	.3	100.0			QL=6 ST=2 TYP=5	
4995	SGMR	8 S	1529.6	1530.1	.5	20.0			QL=6 ST=2 TYP=3	
245	SGMR	8 S	1536.1	1536.3	.2	56.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
09	2800	OTTA	1 S	1544.0	1544.3	1.2	3.2	1.5		
	610	SGMR	47 GB	1546.6	1546.6	.2	62.0			
	2800	OTTA	20 GRF	1610.0	1620.0	30.0	4.6	2.3		QL=6 ST=2 TYP=5
	4995	ATHN	20 GRF	1617.0	1619.3	9.6	21.0			
	8400	BERN	3 S	1617.0	1619.4	2.4D	50.0			QL=6 ST=2 TYP=2
	19600	BERN	21 GRF	1617.0	1619.4	45.0	49.0			
	11800	BERN	21 GRF	1617.0	1619.4	45.0	61.0			
	8800	ATHN	20 GRF	1617.1	1619.6	9.5	59.0			
	15400	SGMR	47 GB	1618.3	1619.3	7.0	78.0			QL=6 ST=2 TYP=2
	9400	HUAN	4 S/F	1618.4	1619.6	7.4	34.6	16.8		QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1618.6	1619.6	6.0	37.0			R
	4995	SGMR	8 S	1619.3	1619.3	.2	17.0			QL=6 ST=2 TYP=3
	2800	OTTA	21 GRF	1650.0	1705.0	45.0	7.0	3.6		QL=6 ST=2 TYP=3
	2800	OTTA	3 S	1655.0	1657.5	7.0	10.2	5.2		
	9400	HUAN	3 S	1655.8	1657.4	4.7	24.2	16.1		R
	8800	SGMR	8 S	1656.8	1657.3	1.7	22.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1656.8	1657.3	.8	26.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1823.0	1823.1	1.3	46.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1823.0	1823.1	1.3	43.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	1823.0	1823.1	1.3	39.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1823.0	1823.1	1.3	21.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1835.1	1835.1	.9	290.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1835.1	1835.3	2.0	490.0			QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1835.6	1836.1	1.5	169.0			QL=6 ST=2 TYP=5
	610	PALE	47 GB	1835.8	1836.1	2.5	169.0			QL=6 ST=2 TYP=5
	2800	OTTA	22 GRF	1910.0	1925.0	45.0	2.0	1.0		QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1928.3	1929.6	9.5	33.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1932.5	1932.6	.3	73.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1932.6	1932.8	1.2	180.0			QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1946.3	1947.1	1.8	160.0			QL=6 ST=2 TYP=5
	610	PALE	47 GB	1946.3	1947.1	3.0	180.0			QL=6 ST=2 TYP=5
	8800	SGMR	8 S	1947.1	1948.3	1.2D	18.0			QL=6 ST=2 TYP=3
	610	PALE	4 S/F	1951.8	1951.8	3.5	32.0			QL=6 ST=2 TYP=3
	2695	PENT	23 GRF	2000.0	2004.0	18.0	2.6	1.3		QL=6 ST=2 TYP=6
	245	SGMR	8 S	2010.3	2010.5	1.0	440.0			QL=6 ST=2 TYP=3
	245	PALE	49 GB	2010.3	2011.1	2.2	920.0			QL=6 ST=2 TYP=6
	2695	PENT	1 S	2011.0	2011.1	1.0	5.6	2.8		
	100	HIRA	42 SER	2014.3	2025.3	18.3	10000.0			WL
	500	HIRA	42 SER	2017.0	2017.8	11.0	50.0			ML
	245	PALE	47 GB	2017.1	2017.8	6.7	200.0			QL=6 ST=2 TYP=5
	245	SGMR	8 S	2017.1	2018.0	1.0	119.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2017.3	2017.6	.8	40.0			QL=6 ST=2 TYP=3
	610	SGMR	8 S	2017.3	2017.6	.7	40.0			QL=6 ST=2 TYP=3
	610	PALE	47 GB	2017.3	2017.6	1.8	51.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	2017.3	2018.1	1.8	53.0			QL=6 ST=2 TYP=5
	2800	OTTA	1 S	2024.5	2025.2	9.0	5.6	1.9		
	15400	SGMR	47 GB	2024.6	2025.3	1.2	90.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	2024.6	2025.3	3.5	51.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	2024.6	2025.5	3.2	110.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2024.6	2026.1	4.7	78.0			QL=6 ST=2 TYP=5
4995	SGMR	8 S	2024.8	2025.0	.2	16.0			QL=6 ST=2 TYP=3	
8800	SGMR	8 S	2024.8	2025.3	.8	37.0			QL=6 ST=2 TYP=3	
610	PALE	47 GB	2024.8	2025.3	1.8	59.0			QL=6 ST=2 TYP=5	
4995	PALE	8 S	2024.8	2025.3	1.3	18.0			QL=6 ST=2 TYP=3	
610	SGMR	8 S	2025.1	2025.3	.5	48.0			QL=6 ST=2 TYP=3	
1415	SGMR	8 S	2026.1	2026.8	1.4	31.0			QL=6 ST=2 TYP=3	
1415	PALE	8 S	2026.6	2026.8	1.5	22.0			QL=6 ST=2 TYP=3	
245	PALE	47 GB	2030.1	2030.3	1.7	130.0			QL=6 ST=2 TYP=5	
8800	PALE	8 S	2030.3	2030.5	1.3	13.0			QL=6 ST=2 TYP=3	
100	HIRA	42 SER	2052.3	2102.3	11.0	850.0			WL	
200	HIRA	42 SER	2054.0	2054.6	3.8	1150.0			WL	
410	PALE	47 GB	2054.1	2056.6	4.0	100.0			QL=6 ST=2 TYP=5	
245	PALE	47 GB	2054.1	2056.6	4.0	320.0			QL=6 ST=2 TYP=5	
200	HIRA	48 C	2101.6	2107.1	43.6	67000.0	583.0		WL	
9400	HUAN	45 C	2105.5	2106.6U	4.0	164.4	71.0			
100	HIRA	48 C	2106.0	2106.0	15.8	10000.0D	1510.0D			
2800	OTTA	46F C	2106.0	2107.0	9.0	390.0	43.0			
208	VORO	46 C	2106.0	2107.0	10.0	200.0D				
500	HIRA	45 C	2106.0	2108.1	20.0	135.0	50.0			
410	SGMR	49 GB	2106.1	2106.3	11.7	700.0			WR	
									QL=6 ST=2 TYP=6	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

17
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
09	410	PALE	49 GB	2106.1	2106.3	14.5	960.0			QL=6 ST=2 TYP=6	
	15400	SGMR	47 GB	2106.1	2107.1	4.9	370.0			QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	2106.3	2107.1	2.5	420.0			QL=6 ST=2 TYP=5	
	4995	PALE	49 GB	2106.3	2107.1	5.0	570.0			QL=6 ST=2 TYP=6	
	2695	PALE	47 GB	2106.3	2107.1	6.5	400.0			QL=6 ST=2 TYP=5	
	3750	TYKW	45 C	2106.3	2107.1	6.7	440.0	43.0			
	8800	PALE	49 GB	2106.3	2107.1	3.7	730.0				QL=6 ST=2 TYP=6
	4995	SGMR	47 GB	2106.3	2107.1	4.2	490.0				QL=6 ST=2 TYP=5
	245	PALE	49 GB	2106.3	2107.1	9.3	33000.0				QL=6 ST=2 TYP=6
	15400	PALE	47 GB	2106.3	2107.1	3.5	370.0				QL=6 ST=2 TYP=5
	1415	SGMR	49 GB	2106.3	2107.1	12.8	920.0				QL=6 ST=2 TYP=6
	17000	NOBE	7 C	2106.3	2107.2	3.0	358.0				R
	1415	PALE	49 GB	2106.3	2107.3	10.8	910.0				QL=6 ST=2 TYP=6
	610	SGMR	47 GB	2106.3	2108.3	12.5	210.0				QL=6 ST=2 TYP=5
	610	PALE	47 GB	2106.3	2108.3	16.3	210.0				QL=6 ST=2 TYP=5
	2695	SGMR	47 GB	2106.5	2107.1	5.0	400.0				QL=6 ST=2 TYP=5
	245	SGMR	49 GB	2106.6	2107.1	2.9	28000.0				QL=6 ST=2 TYP=6
	9400	TYKW	47 GB	2107.0E	2107.1U	2.0D	550.0	60.0D			
	9400	TYKW	30 PBI	2109.0		16.0	25.0	8.0			
	9400	HUAN	29 PBI	2109.5	2109.5	14.5	24.2	19.3			
	3750	TYKW	29 PBI	2113.0		15.0	10.0	3.5			
	2800	OTTA	29 PBI	2115.0	2115.0	11.0	9.6	3.2			
	9400	TYKW	5 S	2119.0	2120.4	5.0	13.0	5.0			
	9400	HUAN	28 PRE	2126.7	2156.5U	29.8	20.8	16.2			0
	9400	TYKW	5 S	2132.5	2134.0	6.0	11.0	3.0			
	9400	TYKW	5 S	2140.0	2141.3	6.0	6.0	3.0			
	3750	TYKW	21 GRF	2140.0	2213.0	80.0	4.0	1.5			
	2800	OTTA	8 S	2148.4	2148.5	.6	3.0	1.7			
	3750	TYKW	45 C	2148.5	2148.7	1.5	7.0	2.0			
	9400	TYKW	28 PRE	2148.5	2153.8	13.5	7.0	3.0			
	2800	OTTA	20 GRF	2200.0	2220.0	35.0	2.0	1.0			
	200	HIRA	46 C	2201.7	2201.9	2.3	64.0	24.0			0
	100	HIRA	46 C	2201.8	2201.9	1.8	1000.0	310.0			WL
	245	PALE	4 S/F	2201.8	2202.0	10.0	44.0				QL=6 ST=2 TYP=3
	9400	TYKW	45 C	2202.0	2209.8	18.0	77.0	20.0			
	8800	SGMR	47 GB	2203.5	2209.8	12.8	70.0				QL=6 ST=2 TYP=5
	8800	PALE	47 GB	2203.6	2203.8	12.0	19.0				QL=6 ST=2 TYP=5
	9400	HUAN	45 C	2206.0E	2209.7	7.2D	64.0	26.7			R
	15400	SGMR	8 S	2209.0	2209.8	1.8	44.0				QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	2209.1	2209.8	2.7	40.0				QL=6 ST=2 TYP=3
	9400	TYKW	29 PBI	2220.0		15.0	8.0	3.0			
	500	HIRA	1 S	2239.3	2240.0	2.0	2.0	1.0			ML
	200	HIRA	46 C	2239.3	2251.3	15.4	1400.0	26.0			WL
	9400	TYKW	45 C	2239.4	2240.6	4.6	113.0	35.0			
	2800	OTTA	1 S	2239.5	2240.5	4.0	8.0	4.0			
	3750	TYKW	5 S	2239.5	2240.7	5.0	18.0	6.0			
	15400	SGMR	47 GB	2239.6	2239.8	1.9	130.0				QL=6 ST=2 TYP=5
	17000	NOBE	7 C	2239.6	2239.9	31.0	135.0				R
	8800	SGMR	47 GB	2239.6	2240.6	1.7	90.0				QL=6 ST=2 TYP=5
	4995	SGMR	8 S	2239.6	2240.6	1.5	38.0				QL=6 ST=2 TYP=3
17000	NOBE		2239.6	2251.4		111.0				0	
17000	NOBE		2239.6	2304.2		77.0				0	
35000	NAGO	5 S	2240.0	2240.0	1.0	50.0					
9400	TYKW	30 PBI	2244.0		36.0	7.0	4.0				
9400	TYKW	45 C	2245.0	2251.3	16.0	120.0	15.0				
3750	TYKW	5 S	2250.0	2251.5	4.0	21.0	6.0				
208	VORO	40 F	2250.0	2252.0	5.0	200.0D					
100	HIRA	46 C	2250.3	2251.0	4.0	5600.0	1600.0			ML	
245	PALE	49 GB	2250.3	2251.5	4.2	1199.0				QL=2 ST=3 TYP=6	
500	HIRA	45 C	2250.4	2251.3	2.0	10.0	4.0			SL	
2800	OTTA	1 S	2250.8	2251.3	3.0	6.4	2.1				
8800	SGMR	47 GB	2250.8	2251.3	1.3	88.0				QL=6 ST=2 TYP=5	
35000	NAGO	5 S	2251.0	2251.0	3.0	120.0					
4995	SGMR	47 GB	2251.0	2251.3	1.0	51.0				QL=6 ST=2 TYP=5	
15400	SGMR	47 GB	2251.1	2251.3	1.0	119.0				QL=6 ST=2 TYP=5	
245	SGMR	49 GB	2251.3	2251.5	1.0	740.0				QL=6 ST=2 TYP=6	
8800	PALE	47 GB	2251.8	2252.0	4.7	42.0				QL=2 ST=3 TYP=5	
15400	PALE	47 GB	2251.8	2252.1	3.8	52.0				QL=2 ST=3 TYP=5	
2695	PENT	23 GRF	2300.0	2345.0	175.0	12.0	6.0				
9400	TYKW	45 C	2302.5	2303.8	9.5	50.0	12.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
09	3750	TYKW	5 S	2303.0	2304.2	5.0	25.0	9.0		
	8800	PALE	47 GB	2303.3	2303.8	2.7	50.0			
	15400	PALE	47 GB	2303.3	2304.1	2.5	94.0			QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	2303.6	2303.8	.9	69.0			QL=6 ST=2 TYP=5
	2695	PENT	3 S	2303.6	2304.2	1.8	18.4	9.2		
	4995	SGMR	8 S	2304.0	2304.1	.3	24.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	2304.0	2304.1	.1	20.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2304.0	2304.1	1.6	23.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2304.0	2304.3	1.5	19.0			QL=6 ST=2 TYP=3
	2695	PENT	29 PBI	2305.4	2305.4	13.0	7.6	3.4		
	3750	TYKW	30 PBI	2308.0		160.0	6.0	3.0		
	9400	TYKW	45 C	2313.4	2313.7	2.0	6.0	3.0		
	3750	TYKW	21 GRF	2320.0	0018.0	130.0	15.0	9.0		
	9400	TYKW	21 GRF	2323.0	2334.0	78.0	8.0	4.0		
	9400	TYKW	45 C	2325.8	2326.7	5.5	6.0	2.0		
	410	LEAR	8 S	2336.5	2336.6	.1	18.0			QL=6 ST=2 TYP=3
	9400	TYKW	21 GRF	2339.0	2347.0	60.0	10.0	6.0		
	9400	TYKW	45 C	2353.0	2354.0	3.0	11.0	2.0		
	245	LEAR	47 GB	2355.0	2356.3	2.0	73.0			QL=6 ST=2 TYP=5
	610	LEAR	8 S	2355.0	2356.3	2.0	13.0			QL=6 ST=2 TYP=3
410	LEAR	8 S	2355.0	2356.3	2.0	37.0			QL=6 ST=2 TYP=3	
10	200	GORK	44 NS	0256.0E		416.0D		5.0		
	33	UPIC	43 NS	0408.2		861.8D				
	260	ONDR	44 NS	0601.0E	0834.0U	480.0D				
	245	SGMR	43 NS	1424.0	2219.1	574.0D	230.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1631.0	1642.1	739.0D	160.0			QL=2 ST=2 TYP=1
	208	VORO	44 NS	2100.0E		360.0D				
	1000	TYKW	45 C	0016.4	0018.2	3.0	35.0	1.5		
	1000	TYKW	42 SER	0021.0	0024.0	5.0	58.0	1.5		
	500	HIRA	42 SER	0023.6	0036.3	14.0	65.0			ML
	2000	TYKW		0028.0	0029.3		6.0			
	1000	TYKW	45 C	0028.0	0029.5	6.0	26.0	2.0		
	2000	TYKW	45 C	0028.0	0037.0	15.0	16.0	2.0		
	3750	TYKW	45 C	0028.0	0037.0	15.0	13.0	2.0		
	610	LEAR	47 GB	0028.6	0028.6	.2	130.0			QL=6 ST=2 TYP=5
	15400	LEAR	8 S	0028.8	0029.0	1.7	17.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	0028.8	0029.1	1.3	22.0			QL=2 ST=2 TYP=3
	2695	LEAR	8 S	0029.3	0029.5	.2	5.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0029.3	0029.5	.3	6.0			QL=6 ST=2 TYP=3
	610	LEAR	49 GB	0030.6	0031.8	1.2	730.0			QL=6 ST=2 TYP=6
	2840	PEKG	1 S	0034.0	0037.0	7.0	4.4	.9		
	1000	TYKW	45 C	0036.0	0037.1	6.0	20.0	5.0		
	1415	LEAR	8 S	0036.3	0037.0	.8	19.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0036.5	0036.6	.1	78.0			QL=6 ST=2 TYP=5
	610	LEAR	8 S	0036.5	0036.6	.1	20.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0036.6	0036.8	.2	49.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0036.8	0037.0	.2	11.0			QL=6 ST=2 TYP=3
	2000	TYKW	5 S	0053.0	0055.0	13.0	1.5	.7		
	1000	TYKW	45 C	0107.0	0108.6	5.0	133.0	25.0		
	2000	TYKW	45 C	0107.0	0110.1	4.5	270.0	20.0		
	1415	LEAR	47 GB	0107.3	0108.3	3.8	180.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	0107.5	0108.5	4.1	219.0			QL=2 ST=2 TYP=5
	245	LEAR	8 S	0121.3	0121.5	.2	28.0			QL=6 ST=2 TYP=3
	2695	PENT	4 S/F	0125.5	0126.0	4.0	25.0	12.0		
	9395	PEKG		0131.0	0138.3					
	9395	PEKG		0131.0	0142.2					
	9395	PEKG	45 C	0131.0	0145.0	21.0	234.0	62.0		
	15400	PALE	8 S	0132.8	0133.0	1.3	50.0			QL=2 ST=2 TYP=3
	15400	LEAR	47 GB	0132.8	0138.1	18.3	400.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0132.8	0138.3	16.3	169.0			QL=6 ST=2 TYP=5
	100	HIRA	42 SER	0132.8	0140.3	14.0	10000.0			ML
17000	NOBE	7 C	0132.9	0138.3	43.0	421.0			RLR	
1000	TYKW	45 C	0133.0	0138.2	16.0	109.0	4.5			
4995	MANI	47 GB	0133.3	0201.1	46.7	360.0			QL=6 ST=2 TYP=5	
8800	MANI	47 GB	0135.0	0201.0	27.0	210.0			QL=6 ST=2 TYP=5	
2000	TYKW	45 C	0135.5	0136.7	12.5	23.0	3.0			
15400	PALE	49 GB	0135.8	0138.3	17.5	500.0			QL=2 ST=2 TYP=6	
3750	TYKW	45 C	0136.0	0138.7	16.0	17.0	4.0			
2840	PEKG	5 S	0136.0	0139.0	13.0	5.9	4.6			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

19
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
10	500	HIRA	42 SER	0136.6	0137.9	10.0	1700.0			ML
	610	MANI	49 GB	0137.0	0138.5	25.0	990.0			QL=6 ST=2 TYP=6
	8800	PALE	47 GB	0137.3	0138.3	10.8	180.0			QL=2 ST=2 TYP=5
	610	LEAR	49 GB	0137.8	0138.1	8.8	2100.0			QL=6 ST=2 TYP=6
	410	LEAR	49 GB	0137.8	0138.1	3.8	1100.0			QL=6 ST=2 TYP=6
	35000	NAGO	45 C	0138.0	0138.0	11.0	200.0			
	410	PALE	49 GB	0138.0	0138.1	4.0	1000.0			QL=2 ST=2 TYP=6
	610	PALE	49 GB	0138.0	0138.1	3.6	2000.0			QL=2 ST=2 TYP=6
	245	LEAR	49 GB	0138.0	0138.1	4.6	1300.0			QL=6 ST=2 TYP=6
	208	VORO	41 F	0138.0	0139.0	8.0	200.0D			
	35000	NAGO		0138.0	0140.0		90.0			
	200	HIRA	46 C	0138.0	0140.3	8.4	2100.0	217.0		0
	208	VORO		0138.0	0141.0		200.0D			
	35000	NAGO		0138.0	0142.0		80.0			
	35000	NAGO		0138.0	0145.0		120.0			
	4995	LEAR	4 S/F	0138.0	0145.6	8.0	30.0			QL=6 ST=2 TYP=3
	208	VORO		0138.0	0146.0		200.0D			
	2695	MANI	47 GB	0138.0	0201.1	26.8	320.0			QL=6 ST=2 TYP=5
	245	PALE	49 GB	0138.1	0138.3	5.2	1100.0			QL=2 ST=2 TYP=6
	4995	PALE	4 S/F	0138.1	0139.3	2.4	20.0			QL=2 ST=2 TYP=3
	2695	LEAR	8 S	0138.3	0138.5	1.8	13.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0138.5	0138.6	1.1	13.0			QL=2 ST=2 TYP=3
	1415	MANI	4 S/F	0138.5	0201.1	24.3	39.0			QL=6 ST=2 TYP=3
	2000	TYKW	31 ABS	0148.0	0225.0	85.0	-4.0	-2.0		
	35000	NAGO	29 PBI	0149.0	0149.0	51.0	15.0			
	3750	TYKW	31 ABS	0152.0	0231.0	110.0	-7.0	-3.0		
	9395	PEKG		0152.0	0159.5					
	9395	PEKG	45 C	0152.0	0200.5	12.0	232.0	39.0		
	100	HIRA	42 SER	0155.3	0207.0	16.7	1900.0			WL
	2840	PEKG	3 S	0157.0	0200.5	8.0	96.0	11.0		
	2000	TYKW	45 C	0158.0	0200.5	6.0	113.0	17.0		
	3750	TYKW	45 C	0158.0	0200.5	10.0	135.0	15.0		
	500	HIRA	45 C	0158.0	0200.3	3.0	80.0	10.0		ML
	1000	TYKW	45 C	0158.5	0159.6	4.5	51.0	7.0		
	8800	PALE	47 GB	0158.8	0200.3	3.0	200.0			QL=2 ST=2 TYP=5
	15400	LEAR	47 GB	0158.8	0200.3	2.0	180.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0158.8	0200.3	2.5	200.0			QL=6 ST=2 TYP=5
	610	LEAR	47 GB	0158.8	0200.3	3.3	60.0			QL=6 ST=2 TYP=5
	4995	LEAR	47 GB	0158.8	0200.3	3.5	130.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	0158.8	0200.3	3.0	139.0			QL=2 ST=2 TYP=5
	2695	PALE	47 GB	0158.8	0200.5	3.8	139.0			QL=2 ST=2 TYP=5
	610	PALE	47 GB	0158.8	0200.5	3.3	70.0			QL=2 ST=2 TYP=5
	2695	LEAR	47 GB	0159.0	0200.3	3.3	139.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	0159.1	0200.3	2.7	219.0			QL=2 ST=2 TYP=5
	410	LEAR	47 GB	0159.3	0200.5	1.3	169.0			QL=6 ST=2 TYP=5
1415	LEAR	4 S/F	0159.3	0200.5	2.5	32.0			QL=6 ST=2 TYP=3	
245	LEAR	47 GB	0200.1	0200.5	1.0	239.0			QL=6 ST=2 TYP=5	
1415	PALE	4 S/F	0200.1	0200.6	2.2	36.0			QL=2 ST=2 TYP=3	
245	PALE	47 GB	0200.1	0200.6	1.5	290.0			QL=2 ST=2 TYP=5	
410	PALE	47 GB	0200.3	0200.6	1.3	200.0			QL=2 ST=2 TYP=5	
2000	TYKW	29 PBI	0204.0		5.0	3.0	1.0			
9395	PEKG	29 PBI	0204.0		26.0	15.0	6.8			
1000	TYKW	5 S	0205.0	0205.4	1.5	1.5	.5			
410	LEAR	47 GB	0205.1	0205.1	.2	56.0			QL=6 ST=2 TYP=5	
245	LEAR	8 S	0205.1	0205.1	.2	22.0			QL=6 ST=2 TYP=3	
1000	TYKW	31 ABS	0206.5	0227.0	69.0	-2.0	-1.0			
1000	TYKW	5 S	0207.0	0207.2	1.0	2.0	1.0			
1000	TYKW	8 S	0215.3	0215.4	.3	7.0	2.0			
1000	TYKW	5 S	0234.0	0234.2	.5	1.0	.3			
1000	TYKW	5 S	0310.6	0311.2	2.5	25.0	7.0			
1415	LEAR	47 GB	0310.8	0311.1	.8	54.0			QL=6 ST=2 TYP=5	
1415	PALE	47 GB	0311.0	0311.3	1.6	63.0			QL=2 ST=2 TYP=5	
1415	MANI	49 GB	0311.8	0317.3	12.0	3399.0			QL=6 ST=2 TYP=6	
3750	TYKW	45 C	0315.0	0317.1	8.0	63.0	8.0			
2000	TYKW	45 C	0315.0	0317.4	8.0	228.0	22.0			
1000	TYKW	45 C	0315.5	0317.1	11.5	73.0	18.0			
2695	MANI	47 GB	0315.8	0317.1	5.3	63.0			QL=6 ST=2 TYP=5	
8800	MANI	47 GB	0316.1	0317.1	3.9	150.0			QL=6 ST=2 TYP=5	
4995	MANI	47 GB	0316.1	0317.1	5.0	80.0			QL=6 ST=2 TYP=5	
200	HIRA	46 C	0316.3	0316.7	16.0	2400.0	56.0		WL	

20
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks	
10	8800	LEAR	47 GB	0316.3	0317.0	6.3	150.0			QL=6 ST=2 TYP=5	
	4995	LEAR	47 GB	0316.3	0317.0	4.5	83.0			QL=6 ST=2 TYP=5	
	4995	PALE	47 GB	0316.3	0317.1	4.3	100.0			QL=2 ST=2 TYP=5	
	8800	PALE	47 GB	0316.3	0317.1	5.5	200.0			QL=2 ST=2 TYP=5	
	1415	LEAR	49 GB	0316.3	0317.3	4.7	3899.0			QL=6 ST=2 TYP=6	
	1415	PALE	49 GB	0316.3	0317.3	5.8	2100.0			QL=2 ST=2 TYP=6	
	100	HIRA	46 C	0316.5		8.0	10000.0D	1670.0D			
	15400	LEAR	47 GB	0316.5	0317.0	6.1	74.0				QL=6 ST=2 TYP=5
	610	MANI	20 GRF	0316.5	0317.1	5.6	34.0				QL=6 ST=2 TYP=2
	15400	PALE	47 GB	0316.5	0317.1	4.6	100.0				QL=2 ST=2 TYP=5
	950	GORK	4 S/F	0316.5	0318.1	17.7	56.0				
	2695	LEAR	47 GB	0316.6	0317.0	5.5	62.0				QL=6 ST=2 TYP=5
	610	LEAR	47 GB	0316.6	0317.0	6.5	70.0				QL=6 ST=2 TYP=5
	245	LEAR	49 GB	0316.6	0317.1	4.9	940.0				QL=6 ST=2 TYP=6
	245	PALE	49 GB	0316.6	0317.1	4.0	1800.0				QL=2 ST=2 TYP=6
	410	LEAR	47 GB	0316.6	0317.1	6.0	230.0				QL=6 ST=2 TYP=5
	2695	PALE	47 GB	0316.6	0317.1	3.7	70.0				QL=2 ST=2 TYP=5
	610	PALE	47 GB	0316.6	0317.1	7.0	71.0				QL=2 ST=2 TYP=5
	500	HIRA	3 S	0316.7	0317.2	10.0	36.0	16.0			WR
	410	PALE	47 GB	0316.8	0317.1	6.3	500.0				QL=2 ST=2 TYP=5
	100	GORK		0317.0		10.4					
	35000	NAGO	45 C	0317.0	0317.0	4.0	38.0				
	200	GORK	4 S/F	0317.0	0317.7	4.6	130.0D				
	35000	NAGO		0317.0	0320.0		10.0				
	9100	GORK	23 GRF	0318.0E							
	9100	GORK	3 S	0319.0	0319.5	2.7	40.0				
	2000	TYKW	30 PBI	0323.0		7.0	4.0	1.5			
	650	GORK	21 GRF	0323.0E			272.0D				
	2950	GORK	23 GRF	0324.0E			378.0D				
	1000	TYKW	29 PBI	0327.0		10.0	3.0	1.0			
	2000	TYKW	31 ABS	0330.0	0349.0	35.0	-2.0	-1.0			
	500	HIRA	46 C	0345.4	0346.3	6.3	7.0	3.0			SL
	650	GORK	45 C	0346.6	0346.8	4.8	5.0				
	650	GORK		0346.6	0349.0		2.5				
	3750	TYKW	28 PRE	0404.0	0408.0	4.0	2.0	1.0			
	100	HIRA	46 C	0407.7		7.0	10000.0D	1320.0D			
	2000	TYKW	45 C	0408.0	0408.5	7.0	62.0	10.0			
	3750	TYKW	45 C	0408.0	0408.5	4.0	69.0	10.0			
	1000	TYKW	45 C	0408.0	0409.7	15.0	96.0	10.0			
	200	HIRA	46 C	0408.0	0408.4	9.7	20000.0	620.0			O
	2840	PEKG	5 S	0408.0	0408.4	8.0	33.0	6.2			
	6100	KISV	46 C	0408.0	0408.6	2.0	34.0				
	6100	KISV		0408.0	0409.0		17.0				
	500	HIRA	3 S	0408.0	0409.0	10.0	30.0	16.0			WR
	6100	KISV		0408.0	0409.2		20.0				
	200	GORK	8 S	0408.1	0408.9	2.4	1340.0D				
	17000	NOBE	7 C	0408.3	0408.8	1.0	116.0				L
	15000	KISV	40 F	0408.3	0409.0	2.0	72.0				
	2950	GORK	4 S/F	0408.5	0409.0	4.5	47.0				
	650	GORK	4 S/F	0408.5	0410.0	6.5	76.0				
9100	GORK	4 S/F	0408.6	0409.3	1.4	60.0					
950	GORK	4 S/F	0408.6	0410.1	9.4	57.0					
100	GORK	8 S	0409.3	0409.5	1.0	1150.0					
3750	TYKW	29 PBI	0412.0		10.0	4.0	1.5				
2000	TYKW	31 ABS	0415.0	0425.0	34.0	-3.0	-1.5				
3750	TYKW	45 C	0428.0	0428.9	4.0	1.5	.5				
2000	TYKW	5 S	0428.4	0428.8	2.5	2.5	1.0				
1000	TYKW	8 S	0428.7	0428.8	.3	2.0	.5				
3750	TYKW	21 GRF	0434.0	0501.0	100.0	6.0	2.0				
500	HIRA	45 C	0446.7	0448.1	2.0	15.0	6.0			WR	
1000	TYKW	42 SER	0450.9	0451.4	3.0	4.0	1.0				
2000	TYKW	21 GRF	0451.0	0501.0	80.0	4.0	2.0				
1000	TYKW	45 C	0458.0	0501.7	10.0	3.0	1.0				
200	GORK	8 S	0500.8	0501.1	.8	140.0D					
1000	TYKW	8 S	0514.0	0514.2	.4	3.0	1.0				
950	GORK	4 S/F	0515.6	0518.6	6.3	27.0					
200	GORK	41 F	0516.4	0516.7	4.9	140.0D					
100	GORK	46 C	0516.4	0516.7	10.4	95.0D					
650	GORK	4 S/F	0516.4	0517.2	1.9	47.0					
100	GORK		0516.4	0517.4		70.0					

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

21
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
10	200	GORK		0516.4	0520.0		140.0			
	3750	TYKW	45 C	0517.0	0519.0	6.0	3.0	1.0		
	1000	TYKW	45 C	0517.0	0519.3	3.0	22.0	3.5		
	650	GORK	4 S/F	0520.1	0520.7	.8	10.0			
	1000	TYKW	5 S	0520.8	0521.1	2.0	1.0	.3		
	2000	TYKW	5 S	0528.0	0529.3	5.0	2.5	1.0		
	3750	TYKW	45 C	0528.5	0536.0	9.0	5.0	2.0		
	1000	TYKW	45 C	0529.0	0531.1	5.0	12.0	1.0		
	3750	TYKW		0529.5	0529.5		4.0			
	2000	TYKW	5 S	0533.0	0533.3	1.0	1.0	.3		
	1000	TYKW	8 S	0535.4	0535.5	.2	6.0	1.5		
	2000	TYKW	5 S	0535.8	0536.0	.5	2.0	.7		
	1000	TYKW	45 C	0538.0	0544.3	8.0	7.0	1.0		
	2000	TYKW	5 S	0542.0	0542.2	.6	1.0	.3		
	9400	TYKW		0547.0	0551.4		20.0			
	9100	GORK	46 C	0547.1	0547.7	4.6	25.0			
	9100	GORK		0547.1	0550.6		20.0			
	200	GORK	41 F	0547.2	0550.5	16.6	140.0			
	200	GORK		0547.2	0556.1		140.00			
	200	GORK		0547.2	0600.5		140.00			
	15000	KISV	2 S/F	0547.8	0548.5	2.0	18.0			
	2000	TYKW	5 S	0548.0	0548.2	1.0	2.0	.5		
	1000	TYKW	45 C	0548.0	0558.6	23.0	32.0	2.00		
	6100	KISV	1 S	0548.0	0548.5	2.0	6.0			
	100	GORK	41 F	0550.2	0550.5	110.0	100.00			
	100	GORK		0550.2	0553.1		100.00			
	100	GORK		0550.2	0557.5		100.00			
	100	GORK		0550.2	0600.4		100.00			
	15000	KISV	2 S/F	0550.6	0551.4	2.0	18.0			
	6100	KISV	1 S	0550.9	0551.4	1.5	5.0			
	2840	PEKG	5 S	0556.0	0601.0	11.0	11.0	2.3		
	9100	GORK	2 S/F	0557.1	0557.8	3.6	20.0			
	650	GORK	46 C	0557.2	0558.0	5.8	29.0			
	650	GORK		0557.2	0600.8		13.0			
	6100	KISV	1 S	0557.8	0558.5	2.5	12.0			
	2000	TYKW	5 S	0558.0	0558.4	1.5	2.0	.7		
	3750	TYKW	5 S	0558.0	0558.4	1.5	3.5	1.5		
	9400	TYKW	45 C	0558.0	0601.3	5.0	28.0	7.0		
	950	GORK	3 S	0558.0	0558.1	.7	57.0			
	9400	TYKW		0558.0	0559.5		16.0			
	2950	GORK	2 S/F	0600.2	0600.5	1.3	12.0			
	950	GORK	1 S	0600.3	0600.8	2.1	10.0			
	6100	KISV	2 S/F	0600.9	0605.3	4.4U	17.0			
	2000	TYKW	45 C	0601.0	0601.3	2.0	17.0	4.0		
	200	HIRA	46 C	0601.0	0601.2	5.0	14000.0	200.0		O
	100	HIRA	46 C	0601.0	0601.2	1.3	4500.0	725.0		WL
	500	HIRA	45 C	0601.0	0601.3	3.3	12.0	7.0		WR
	2000	TYKW	29 PBI	0603.0	0603.0	2.00	1.5	1.00		
	9400	TYKW	29 PBI	0603.0	0603.0	8.0	4.0	2.50		
	9400	TYKW	5 S	0612.0	0613.3	3.0	12.0	2.5		
15000	KISV	1 S	0613.2	0613.3	.5	11.0				
9400	TYKW	21 GRF	0619.0	0640.0	175.0	12.0	6.0			
2840	PEKG	20 GRF	0619.0	0651.0	101.0	8.2	2.3			
9400	TYKW	5 S	0619.3	0619.7	1.0	3.0	1.0			
3750	TYKW	21 GRF	0620.0	0650.0	110.0	14.0	7.0			
9400	TYKW	5 S	0622.5	0623.5	4.0	8.0	3.0			
204	IZMI	41 F	0624.5	0626.5	3.6	770.0				
9400	TYKW	45 C	0628.0	0631.1	9.0	6.0	3.0			
2000	TYKW	21 GRF	0628.0	0649.0	165.0	10.0	4.0			
1000	TYKW	45 C	0628.5	0629.0	1.5	35.0	5.0			
536	ONDR	4 S/F	0628.8	0629.1	.8	98.0				
1000	TYKW	42 SER	0637.3	0637.7	.6	4.0	.7			
1000	TYKW	21 GRF	0640.0	0705.0	90.0	1.5	.7			
1000	TYKW	45 C	0645.0	0650.7	7.0	2.0	.5			
9400	TYKW	28 PRE	0647.0	0712.0	26.4	14.0	6.0			
650	GORK	46 C	0647.3	0647.3	3.0	22.0				
650	GORK		0647.3	0648.8		24.0				
1000	TYKW	45 C	0656.3	0656.6	1.7	4.0	1.0			
2000	TYKW	45 C	0657.0	0657.1	5.0	3.0	1.0			
1470	POTS	22 GRF	0705.0	0719.4	23.0	7.0				

22
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
10	200	HIRA	42 SER	0705.5	0719.3	22.0	770.0			
	200	GORK		0705.6E	0719.1		140.0D			WL
	1000	TYKW	5 S	0706.7	0706.8	.5	1.0	.3		
	9500	POTS	23 GRF	0707.0	0719.0	20.0	92.0			
	1000	TYKW	42 SER	0708.0	0708.7	2.5	3.0	.3		
	650	GORK	46 C	0709.0	0713.6	17.7	85.0			
	650	GORK		0709.0	0714.5U		85.0D			
	650	GORK		0709.0	0715.2U		85.0D			
	650	GORK		0709.0	0719.3		50.0			
	3750	TYKW	5 S	0710.0	0710.8	2.0	3.0	1.0		
	1000	TYKW	45 C	0713.0	0713.9	2.0	345.0	17.0		
	950	GORK	46 C	0713.2	0713.8	8.3	165.0			
	950	GORK		0713.2	0714.0		120.0			
	500	HIRA	42 SER	0713.3	0715.0	2.2	500.0			WL
	100	HIRA	42 SER	0713.3	0722.9	10.3	2400.0			WL
	536	ONDR	46 C	0713.4	0715.3	3.8	231.0			
	9100	GORK	46 C	0713.4	0718.1	18.3	53.0			
	9100	GORK		0713.4	0719.4		130.0			
	2000	TYKW	45 C	0713.4	0719.4	8.0	7.0	1.5		
	9400	TYKW	45 C	0713.4	0719.4	8.0	130.0	35.0		
	19600	BERN	45 C	0713.5	0713.6	4.0	90.0			
	113	POTS	42 SER	0713.5	0713.7	1.2	500.0	15.0		
	6100	KISV	28 PRE	0713.5	0715.5	4.0	4.0			
	8400	BERN	45 C	0713.5	0719.4	5.9D	104.0			
	11800	BERN	45 C	0713.5	0719.4	5.9D	126.0			
	808	ONDR	46 C	0713.8	0714.0	1.8	121.0			
	1000	TYKW	30 PBI	0715.0		15.0	3.0	1.5		
	100	GORK	41 F	0716.3	0717.1	10.5	740.0			
	100	GORK		0716.3	0726.0		1050.0D			
	1000	TYKW	45 C	0717.0	0717.3	.6	18.0	4.0		
	3750	TYKW	45 C	0717.0	0719.4	4.0	12.0	3.0		
	234	POTS	4 S/F	0717.3	0717.7	1.2	140.0	5.0		
	6100	KISV		0717.5	0718.0		13.0			
	6100	KISV	45 C	0717.5	0719.5	4.0	42.0			
	1000	TYKW	45 C	0718.0	0719.4	4.0	13.0	2.5		
	2950	GORK	1 S	0718.9	0719.4	1.8	6.7			
	9400	TYKW	29 PBI	0721.4		6.0	6.0	3.0		
	1000	TYKW	5 S	0722.0	0723.0	3.5	2.0	1.0		
	2000	TYKW	45 C	0722.0	0723.4	6.0	3.0	1.0		
	234	POTS	4 S/F	0737.9	0738.0	.3	200.0	35.0		
	200	GORK	8 S	0737.9	0738.0	.5	145.0D			
	9400	TYKW	5 S	0748.0	0748.4	3.0	13.0	4.0		
	9100	GORK	1 S	0748.0	0748.4	2.0	18.0			
	9500	POTS	3 S	0748.2	0748.4	1.8	11.0			
	15000	KISV	1 S	0748.2	0748.5	1.0	15.0			
	2000	TYKW	8 S	0751.3	0751.4	.2	11.0	3.0		
	650	GORK	4 S/F	0751.6	0753.0	1.8	11.0			
	200	GORK	4 S/F	0751.7	0753.0	2.0	145.0D			
	204	IZMI	41 F	0752.0	0752.0	1.7	1200.0			
	234	POTS	4 S/F	0752.2	0752.9	1.2	400.0	12.0		
100	GORK	46 C	0752.3	0752.4	1.2	1050.0D				
113	POTS	42 SER	0752.3	0752.4	5.7	175.0	3.0			
1000	TYKW	45 C	0752.6	0753.1	2.0	27.0	3.0			
2000	TYKW	5 S	0752.7	0753.1	.7	6.0	2.0			
950	GORK	2 S/F	0752.7	0753.1	1.3	20.0				
1470	POTS	8 S	0752.8	0753.1	1.2	51.0				
100	GORK		0753.0	0753.0		1050.0D				
650	GORK	41 F	0807.3	0809.9	8.6	3.0				
650	GORK		0807.3	0812.6		6.5				
650	GORK		0807.3	0814.9		13.5				
2840	PEKG	28 PRE	0812.0		18.0	4.0	2.5			
3750	TYKW	28 PRE	0815.0	0830.0	15.0	3.0	1.5			
113	POTS	42 SER	0820.0	0820.0	18.0	2500.0	25.0			
650	GORK	23 GRF	0824.7	0857.5	68.0D	9.5				
6100	KISV	28 PRE	0827.0	0828.0	1.0	4.0				
9500	POTS	45 C	0827.0	0832.5	31.0	177.0				
1470	POTS	45 C	0827.0	0833.3	23.0	160.0				
234	POTS	42 SER	0827.4	0838.4	11.0	4700.0	30.0			
9400	TYKW	5 S	0827.5	0827.7	1.5	31.0	7.0			
19600	BERN	47 GB	0827.5	0832.9	12.0	507.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

23
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
10	35000	BERN	47 GB	0827.5	0832.9	9.0	905.0			
	8400	BERN	4 S/F	0827.5	0832.9	12.0	202.0			
	11800	BERN	4 S/F	0827.5	0832.9	12.0	327.0			
	9100	GORK	4 S/F	0827.5	0833.0	11.7	224.0			
	33	UPIG	48 C	0827.6		11.4				
	950	GORK	4 S/F	0827.6	0833.7	22.0	143.0			
	204	IZMI	45 C	0827.7	0838.0	12.0	1680.0			
	15000	KISV	28 PRE	0828.8	0829.0	1.0	48.0			
	200	GORK	46 C	0829.5	0831.0	5.5	140.00			
	9400	TYKW	45 C	0829.5	0833.0	10.5	220.0	45.0		
	200	GORK		0829.5	0834.1		440.00			
	15000	KISV		0829.7	0831.1		145.0			
	200	HIRA	46 C	0829.7	0832.6	31.0	6300.0	19.0		WL
	15000	KISV	45 C	0829.7	0833.3	10.0	300.0			
	536	ONDR	4 S/F	0829.8	0833.8	13.0	98.0	48.0		
	3750	TYKW	45 C	0830.0	0833.0	8.0	150.0	30.0		
	2000	TYKW	45 C	0830.0	0833.6	10.0	192.0	43.0		
	1000	TYKW	45 C	0830.0	0833.7	14.0	188.0	40.0		
	2840	PEKG	3 S	0830.0	0833.5	19.0	265.0	127.0		
	2650	DWIN	45 C	0830.0	0834.0	10.0	170.0	80.0		
	500	HIRA	45 C	0830.4	0832.6	16.0	128.0	30.0		ML
	3000	POTS	45 C	0830.5	0833.3	20.0	180.0			
	2950	GORK	4 S/F	0830.5	0833.6	8.5	168.0			
	650	GORK	46 C	0830.6	0833.8	11.4	240.0			
	100	HIRA	46 C	0830.6	0834.1	9.0	950.0	343.0		WL
	650	GORK		0830.6	0835.6		420.0			
	808	ONDR	4 S/F	0830.8	0833.1	15.0	120.0	56.0		
	200	GORK	46 C	0836.4	0836.6	2.0	500.0			
	200	GORK		0836.4	0838.1		1450.0			
	3750	TYKW	29 PBI	0838.0		20.0	6.0	3.0		
	2000	TYKW	29 PBI	0840.0		18.0	8.0	3.0		
	9400	TYKW	30 PBI	0840.0		18.0	12.0	8.0		
	1000	TYKW	30 PBI	0844.0		15.0	6.0	2.0		
	9400	TYKW	5 S	0845.5U	0846.3	1.5U	14.0	4.0U		
	200	HIRA	42 SER	0852.0	0919.9	35.0	980.0			WL
	1000	TYKW	8 S	0854.3	0854.4	.2	21.0	4.0		
	2840	PEKG	3 S	0856.0	0900.5	7.0	19.0	6.4		
	9400	TYKW	45 C	0859.0	0859.8	5.00	87.0	20.00		
	3750	TYKW	5 S	0859.0	0900.0U	1.00	18.00	7.00		
	9500	POTS	4 S/F	0859.0	0859.8	11.0	66.0			
	15000	KISV	4 S/F	0859.0U	0900.0	1.5U	64.0			
	3000	POTS	3 S	0859.0	0900.0	2.0	18.0U			
	8400	BERN	3 S	0859.3	0859.9	9.0	82.0			
	9100	GORK	3 S	0859.3	0859.9	2.0	84.0			
	19600	BERN	3 S	0859.3	0859.9	9.0U	23.0			
	11800	BERN	3 S	0859.3	0859.9	9.0	84.0			
	2950	GORK	2 S/F	0859.3	0900.0	3.0	12.0			
	6100	KISV	3 S	0859.3	0900.0	3.0	28.0			
	234	POTS	4 S/F	0904.5	0904.5	.4	700.0	90.0		III
	234	POTS	42 SER	0916.7	0926.3	9.8	275000.0	900.0		III/V
200	GORK	41 F	0917.5	0917.6	9.7	920.0				
200	GORK		0917.5	0920.0		190.0				
200	GORK		0917.5	0926.2		85.0				
650	GORK	46 C	0919.6	0920.0	4.4	52.0				
650	GORK		0919.6	0921.5		86.0				
650	GORK		0919.6	0923.7		47.0				
536	ONDR	41 F	0921.3	0921.6	9.3	31.0				
6100	KISV	2 S/F	0925.8	0926.2	4.0	15.0				
9100	GORK	4 S/F	0925.9	0926.2	2.3	87.0				
15000	KISV	8 S	0925.9	0926.3	.6	115.0				
15000	KISV	29 PBI	0925.9	0926.7	2.0	19.0				
9400	TYKW	45 C	0926.0	0926.2	2.00	74.0U	19.00			
2650	DWIN	1 S	0926.0	0926.0	1.0	60.0	30.0			
9500	POTS	3 S	0926.0	0926.2	2.0	81.0U				
8400	BERN	3 S	0926.0	0926.3	3.0	69.0				
113	POTS	4 S/F	0926.0	0926.3	.4	200.0	20.0		III	
11800	BERN	3 S	0926.0	0926.3	3.0	142.0				
19600	BERN	3 S	0926.0	0926.3	3.0	65.0				
1470	POTS	3 S	0926.0	0926.4	3.0	7.0				
11800	BERN	45 C	0940.0U	0957.3	60.00	55.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean (2 Hz)		
10	8400	BERN	45 C	0940.0U	1012.6	60.0D	38.0			
	650	GORK	46 C	0940.5	0941.3	2.4	10.5			
	650	GORK		0940.5	0942.5		8.0			
	200	GORK	8 S	0944.7	0945.0	.8	140.0			
	3000	POTS	20 GRF	0950.0	0957.5	70.0	12.0			
	9500	POTS	23 GRF	0955.0	1016.0	65.0	30.0			
	19600	BERN	45 C	0956.0	1015.5	50.0U	36.0			
	113	POTS	42 SER	0957.2	0957.5	20.0	500.0	4.0		III
	15000	KISV	8 S	0957.3	0957.4	.4	31.0			
	6100	KISV	20 GRF	1002.0	1015.0	30.0	9.0			
	15000	KISV		1006.0	1007.7		35.0			
	15000	KISV		1006.0	1011.2		27.0			
	15000	KISV	46 C	1006.0	1015.7	17.0	41.0			
	15000	KISV		1006.0	1016.2		39.0			
	1470	POTS	20 GRF	1008.0	1016.0	22.0	5.0			
	6100	KISV	1 S	1010.9	1011.2	.7	9.0			
	6100	KISV	2 S/F	1012.2	1012.6	2.0	9.0			
	536	ONDR	40 F	1012.7	1017.8	13.0	25.0	16.0		
	6100	KISV	1 S	1021.8	1022.2	1.0	5.0			
	113	POTS	42 SER	1042.0	1042.0	94.7	200.0	1.0		III
	3000	POTS	3 S	1122.3	1123.2	3.7	15.0			
	1470	POTS	1 S	1123.2	1123.8	1.8	3.0			
	204	IZMI	41 F	1123.3	1123.5	1.6	600.0			
	234	POTS	4 S/F	1123.4	1123.7	.9	150.0	5.0		III
	536	ONDR	8 S	1123.9	1123.9	.3	14.0			
	15000	KISV	2 S/F	1124.8	1125.4	1.0	73.0			
	8400	BERN	3 S	1125.0	1125.1	1.0	18.0			
	9500	POTS	3 S	1125.0	1125.3	1.5	17.0			
	19600	BERN	3 S	1125.0	1125.3	1.0	42.0			
	11800	BERN	3 S	1125.0	1125.3	1.0	12.0			
	6100	KISV	1 S	1125.0	1125.5	2.5	5.0			
	113	POTS	42 SER	1140.2	1159.8	21.0	1100.0	10.0		III
	2800	OTTA	1 S	1147.0	1147.8	2.0	6.6	2.2		
	6100	KISV	1 S	1147.4	1147.8	1.0	5.0			
	127	TORN	7 C	1152.0	1152.7	2.5	80.0	40.0		
	9400	HUAN	3 S	1154.6	1156.3	2.5	26.0	13.0		0
	8800	ATHN	47 GB	1154.8	1203.1	9.2	52.0			QL=6 ST=2 TYP=5
	6100	KISV	2 S/F	1154.9	1156.0	2.0	13.0			
	11800	BERN	3 S	1155.0	1200.1	13.0	76.0			
	8400	BERN	3 S	1155.0	1200.3	13.0	39.0			
	1415	ATHN	4 S/F	1155.0	1203.1	12.1	17.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1155.0	1203.1	12.1	13.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1155.0	1203.1	12.1	23.0			QL=6 ST=2 TYP=3
	2800	OTTA	1 S	1155.5	1155.9	1.2	6.0	3.2		
	9500	POTS	3 S	1159.0	1200.4	5.0	33.0			
	1470	POTS	3 S	1159.0U	1200.4	4.0U	11.0			
	19600	BERN	3 S	1159.5	1200.1	13.0	58.0			
	2800	OTTA	1 S	1159.5	1200.2	5.0	6.0	3.0		
	35000	BERN	3 S	1159.5	1200.2U	13.0U	52.0U			
	6100	KISV	2 S/F	1159.5	1200.4	2.0	11.0			
	9400	HUAN	4 S/F	1159.7	1200.5	3.1	27.8	9.3		R
	8800	SGMR	8 S	1159.8	1200.1	.8	33.0			QL=6 ST=2 TYP=3
	15400	SGMR	47 GB	1159.8	1200.1	.8	76.0			QL=6 ST=2 TYP=5
	15000	KISV	4 S/F	1159.8	1200.2	1.5	84.0			
	610	SGMR	8 S	1200.3	1200.8	.7	30.0			QL=6 ST=2 TYP=3
	8400	BERN	3 S	1225.0	1232.1	16.0	105.0			
	19600	BERN	3 S	1225.0	1232.1	16.0U	64.0			
	11800	BERN	3 S	1225.0	1232.1	16.0	130.0			
	8800	SGMR	8 S	1225.3	1225.8	.7	20.0			QL=6 ST=2 TYP=3
	1470	POTS	29 PBI	1231.0	1232.1	14.0	7.0			
	3000	POTS	29 PBI	1231.0	1233.1	14.0	15.0			
	8800	ATHN	47 GB	1231.3	1232.3	13.5	96.0			QL=6 ST=2 TYP=5
	4995	ATHN	4 S/F	1231.3	1233.3	13.5	28.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1231.3	1234.1	13.5	21.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1231.3	1234.1	13.2	17.0			QL=6 ST=2 TYP=3
	9500	POTS	29 PBI	1231.5	1232.1	11.0	84.0			
	8800	SGMR	47 GB	1231.5	1232.1	6.8	110.0			QL=6 ST=2 TYP=5
	9400	HUAN	3 S	1231.5	1232.5	2.4	105.7	.3		R
	2800	OTTA	4 S/F	1231.5	1233.0	10.0	10.6	3.6		
	15400	SGMR	47 GB	1231.6	1232.1	1.7	93.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

25
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ²)	Mean (2 Hz)		
10	15000	KISV	4 S/F	1231.6	1232.2	3.0	114.0			
	4995	SGMR	4 S/F	1231.6	1233.0	2.7	30.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1231.6	1233.8	2.7	46.0			QL=6 ST=2 TYP=3
	113	POTS	42 SER	1231.8	1232.4	7.9	900.0	90.0		III
	610	SGMR	4 S/F	1232.0	1234.0	2.3	20.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1232.1	1232.3	.4	58.0			QL=6 ST=2 TYP=3
	9400	HUAN	30 PBI	1233.9	1233.9	23.5	16.7	5.0		R
	9400	HUAN	1 S	1236.6	1238.4	2.9	12.0	4.6		0
	2800	OTTA	240 R	1245.0	1315.0	30.0	3.4	1.7		
	113	POTS	42 SER	1308.7	1317.2	15.0	400.0	2.0		III
	15000	KISV	2 S/F	1323.2	1323.4	1.0	17.0			
	9500	POTS	3 S	1348.0	1349.0	5.0	26.0			
	11800	BERN	3 S	1348.0	1349.0	5.0	22.0			
	8400	BERN	3 S	1348.0	1349.1	5.0	35.0			
	9400	HUAN	3 S	1348.1	1349.2	3.1	26.0	12.7		R
	6100	KISV	2 S/F	1348.5	1349.2	4.0	9.0			
	8800	SGMR	8 S	1348.6	1349.0	1.2	43.0			QL=6 ST=2 TYP=3
	15000	KISV	2 S/F	1348.6	1349.2	1.5	16.0			
	15400	SGMR	8 S	1349.0	1349.3	1.1	26.0			QL=6 ST=2 TYP=3
	2800	OTTA	240AR	1350.0	1355.0	5.0	3.4	1.7		
	9400	HUAN	29 PBI	1351.2	1351.2	10.4	7.4	2.6		R
	2800	OTTA	1 S	1352.0	1353.0	2.0	3.2	1.5		
	8800	SGMR	4 S/F	1352.1	1353.1	6.2	20.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1352.8	1355.1	5.8	44.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1353.8	1354.1	4.2	11.0			QL=6 ST=2 TYP=3
	113	POTS	42 SER	1413.4	1439.5	27.0	1200.0	10.0		III
	9500	POTS	22 GRF	1422.0	1429.0	21.0	16.0			
	9400	HUAN	23 GRF	1423.1	1508.6	77.5	16.7	7.7		0
	234	POTS	41 F	1423.5	1424.1	1.5	330.0	12.0		III
	2800	OTTA	1 S	1424.0	1424.0	6.0	3.4	1.2		
	1470	POTS	29 PBI	1424.0	1424.5	8.0	6.0			
	8800	SGMR	4 S/F	1424.0	1425.6	2.1	16.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1424.1	1424.1	1.2	300.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1434.1	1434.6	1.0	130.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1436.1	1436.6	1.0	18.0			QL=6 ST=2 TYP=3
	610	SGMR	47 GB	1454.8	1455.1	1.0	86.0			QL=6 ST=2 TYP=5
	9500	POTS	22 GRF	1502.0	1510.0	13.0	18.0			
	610	SGMR	47 GB	1522.8	1525.0	6.2	110.0			QL=6 ST=2 TYP=5
	9400	HUAN	1 S	1523.9	1526.5	4.5	9.3	5.6		0
	4995	SGMR	8 S	1525.8	1525.8	.2	13.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1526.3	1526.5	.2	18.0			QL=6 ST=2 TYP=3
	113	POTS	4 S/F	1539.1	1539.3	.9	400.0	100.0		III
	2695	ATHN	4 S/F	1602.1	1604.6	6.2	18.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1602.1	1604.6	8.4	45.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1603.1	1604.6	8.5	20.0			QL=6 ST=2 TYP=3
	8400	BERN	45 C	1604.0	1605.0	40.00	40.00			
	11800	BERN	45 C	1604.0	1605.0	40.00	35.00			
	2800	OTTA	240AR	1604.0	1625.0	21.0	8.2	4.1		
	2800	OTTA	3 S	1604.2	1604.8	3.0	12.6	4.2		
	9400	HUAN	3 S	1604.2	1605.0	2.3	38.9	19.7		R
8800	ATHN	47 GB	1604.3	1604.6	2.8	55.0			QL=6 ST=2 TYP=5	
1415	ATHN	4 S/F	1608.3	1617.6	17.8	33.0			QL=6 ST=2 TYP=3	
2695	ATHN	4 S/F	1608.3	1617.6	17.8	11.0			QL=6 ST=2 TYP=3	
2800	OTTA	40 F	1610.0	1617.0	14.0	6.6				
4995	ATHN	4 S/F	1610.5	1617.6	15.6	28.0			QL=6 ST=2 TYP=3	
9400	HUAN	22 GRF	1611.3	1621.5	73.8	29.7	16.3		0	
8800	ATHN	4 S/F	1612.8	1618.6	13.3	34.0			QL=6 ST=2 TYP=3	
2800	OTTA	23 GRF	1635.0	1730.0	115.0	9.0				
8800	PALE	4 S/F	1641.8	1642.6	2.7	30.0			QL=2 ST=2 TYP=3	
15400	PALE	4 S/F	1642.1	1642.8	2.4	27.0			QL=2 ST=2 TYP=3	
2800	OTTA	1 S	1642.5	1645.0	4.5	5.2	3.0			
245	SGMR	49 GB	1643.1	1643.5	.9	2399.0			QL=6 ST=2 TYP=6	
245	PALE	49 GB	1643.3	1643.6	1.7	2100.0			QL=2 ST=2 TYP=6	
2695	PENT	1 S	1702.0	1702.5	4.0	7.2	3.3			
8400	BERN	3 S	1702.0U	1702.5	4.0U	30.0U				
11800	BERN	3 S	1702.0U	1702.5	4.0U	30.0U				
8800	SGMR	8 S	1702.3	1702.5	.5	26.0			QL=6 ST=2 TYP=3	
4995	SGMR	8 S	1703.3	1703.5	.3	13.0			QL=6 ST=2 TYP=3	
2800	OTTA	1 S	1708.0	1709.0	2.0	5.2	3.5			
15400	PALE	4 S/F	1708.1	1708.3	3.2	30.0			QL=2 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean			
10	4995	PALE	8 S	1708.3	1708.6	1.3	20.0			QL=2 ST=2 TYP=3	
	8800	PALE	8 S	1708.3	1708.6	1.5	26.0			QL=2 ST=2 TYP=3	
	1415	ATHN	4 S/F	1714.5	1720.6	11.5	33.0			QL=6 ST=2 TYP=3	
	2695	ATHN	47 GB	1715.5	1727.0	16.3	53.0			QL=6 ST=2 TYP=5	
	610	PALE	49 GB	1716.6	1722.3	11.7	670.0			QL=2 ST=2 TYP=6	
	610	SGMR	49 GB	1716.6	1722.3	8.5	600.0			QL=6 ST=2 TYP=6	
	9400	HUAN	20 GRF	1726.2	1730.8	11.0	9.3	4.6		0	
	610	SGMR	47 GB	1749.3	1749.3	4.0	100.0			0	QL=6 ST=2 TYP=5
	9400	HUAN	20 GRF	1754.4	1804.9	22.8	13.0	4.4		0	
	610	SGMR	47 GB	1800.5	1802.3	3.6	110.0			0	QL=6 ST=2 TYP=5
	2800	OTTA	1 S	1801.5	1802.5	3.0	3.8	1.9			
	610	SGMR	47 GB	1814.0	1816.1	5.3	310.0				QL=6 ST=2 TYP=5
	2800	OTTA	1 S	1852.5	1853.3	2.0	3.2	1.6			
	9400	HUAN	21 GRF	1853.0	1906.8	32.1	11.1	5.3		0	
	9400	HUAN	4 S/F	1859.4	1902.3	6.2	31.5	16.7		R	
	2800	OTTA	4 S/F	1859.5	1901.0	3.5	23.0	15.4			
	4995	SGMR	4 S/F	1859.6	1902.1	4.5	38.0				QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1859.6	1902.1	7.5	49.0				QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1900.1	1902.1	3.9	40.0				QL=6 ST=2 TYP=3
	2800	OTTA	29 PBI	1903.0	1903.0	10.0	6.6	2.2			
	610	SGMR	47 GB	1918.6	1919.1	.7	52.0				QL=6 ST=2 TYP=5
	2800	OTTA	23 GRF	1935.0		370.0	17.4				
	9400	HUAN	21 GRF	1945.5	2037.7	80.0	33.4	12.0		4	
	100	HIRA	48 C	1948.3		9.3	10000.0D	1480.0D			
	8800	SGMR	47 GB	1948.6	1949.0	2.7	119.0				QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1948.6	1949.0	2.7	380.0				QL=6 ST=2 TYP=5
	9400	HUAN	45 C	1948.6	1949.2	2.8	139.0	65.1		R	
	200	HIRA	46 C	1948.7	1949.1	4.0	18000.0U	527.0U			ML SUNRISE
	4995	SGMR	8 S	1948.8	1949.0	1.8	42.0				QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1948.8	1949.1	3.0	400.0				QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1948.8	1950.3	7.7	139.0				QL=6 ST=2 TYP=5
	1415	SGMR	47 GB	1948.8	1950.3	4.3	100.0				QL=6 ST=2 TYP=5
	2800	OTTA	4 S/F	1949.0	1950.5	10.0	47.0	11.8			
	410	SGMR	47 GB	1949.5	1950.0	2.5	51.0				QL=6 ST=2 TYP=5
	2695	SGMR	47 GB	1949.6	1950.5	1.2	56.0				QL=6 ST=2 TYP=5
	9400	HUAN	4 S/F	2000.6	2002.2	5.8	30.6	14.8		0	
	8800	SGMR	49 GB	2002.0	2002.1	22.3	39.0				QL=6 ST=2 TYP=6
	15400	SGMR	4 S/F	2002.0	2002.5	22.3	27.0				QL=6 ST=2 TYP=3
	4995	SGMR	20 GRF	2006.3	2012.1	18.0	44.0				QL=6 ST=2 TYP=2
	2800	OTTA	46F C	2007.0	2015.8	40.0	175.0	30.0			
	9400	HUAN	45 C	2012.0	2014.7U	15.7	170.6	81.6		R	
	2695	SGMR	47 GB	2012.0	2015.6	12.3	200.0				QL=6 ST=2 TYP=5
	1415	SGMR	47 GB	2013.6	2015.3	6.0	200.0				QL=6 ST=2 TYP=5
	100	HIRA	42 SER	2015.0	2027.7	32.0	1700.0				ML
	200	HIRA	42 SER	2015.5	2028.2	23.7	600.0			0	
	610	SGMR	4 S/F	2022.1	2022.6	2.2	20.0				QL=6 ST=2 TYP=3
	4995	SGMR	47 GB	2024.3	2024.5	14.8	90.0				QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	2024.3	2024.5	14.8	200.0				QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	2024.3	2024.5	13.3	89.0				QL=6 ST=2 TYP=5
	2695	SGMR	47 GB	2024.3	2024.6	5.7	51.0				QL=6 ST=2 TYP=5
1415	SGMR	20 GRF	2024.3	2024.6	10.0	22.0				QL=6 ST=2 TYP=2	
610	SGMR	8 S	2024.6	2025.6	1.0D	21.0				QL=6 ST=2 TYP=3	
410	SGMR	49 GB	2028.8	2028.8	.3	3899.0				QL=6 ST=2 TYP=6	
2800	OTTA	45 C	2049.5	2049.7	2.5	10.2	5.1				
3750	TYKW	21 GRF	2059.0E	2130.0	190.0D	17.0	9.0D				
9400	TYKW	21 GRF	2100.0E	2100.0U	190.0D	38.0D	19.0D				
2000	TYKW	21 GRF	2100.0E	2130.0	190.0D	9.0	5.0D				
1000	TYKW	5 S	2103.5	2103.9	1.0	28.0	6.0				
2800	OTTA	3 S	2104.0	2107.8	7.0	59.0	20.0				
3750	TYKW	5 S	2105.0	2107.8	9.0	110.0	28.0				
1000	TYKW	45 C	2106.0	2107.7	5.0	21.0	5.0				
4995	SGMR	47 GB	2106.1	2107.6	5.2	200.0				QL=6 ST=2 TYP=5	
200	HIRA	46 C	2106.3	2107.5	2.6	270.0	50.0		0		
8800	SGMR	47 GB	2106.3	2107.6	5.0	340.0				QL=6 ST=2 TYP=5	
100	HIRA	46 C	2106.7	2107.6	1.4	570.0	152.0		WL		
17000	NOBE	3 S	2106.7	2107.8	7.0	210.0			R		
15400	SGMR	47 GB	2106.8	2107.8	4.0	270.0				QL=6 ST=2 TYP=5	
9400	TYKW	5 S	2107.0E	2107.6	5.0D	420.0	110.0D				
208	VORO	4 S/F	2107.0	2108.0	2.0	99.0					
500	HIRA	5 S	2107.0	2108.0	3.0	4.0	3.0		WR		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

27
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks	
10	1415	SGMR	8 S	2107.0	2108.1	2.0	30.0			QL=6 ST=2 TYP=3	
	2695	SGMR	47 GB	2107.3	2107.8	1.5	69.0			QL=6 ST=2 TYP=5	
	245	SGMR	8 S	2107.5	2107.6	.5	42.0			QL=6 ST=2 TYP=3	
	610	SGMR	8 S	2107.8	2108.6	.8D	18.0			QL=6 ST=2 TYP=3	
	2000	TYKW	45 C	2108.0E	2108.0U	3.0D	23.0D	7.0D			
	9400	TYKW	29 PBI	2112.0		12.0	14.0	5.0			
	9400	TYKW	28 PRE	2129.0	2136.3	9.5	47.0	11.0			
	3750	TYKW	45 C	2135.0	2139.8	11.0	160.0	44.0			
	2000	TYKW	45 C	2135.0	2141.5	10.0	55.0	13.0			
	2800	OTTA	45 C	2135.5	2141.0	9.0	76.0	29.2			
	17000	NOBE	4 S/F	2135.6	2141.4	11.0	460.0				R
	4995	SGMR	47 GB	2136.3	2138.8	7.5	34.0				QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	2136.5	2136.8	7.3	21.0				QL=6 ST=2 TYP=5
	200	HIRA	46 C	2137.6	2140.0	10.0	160.0	18.0			0
	1000	TYKW	45 C	2138.0	2141.7	10.0	50.0	16.0			
	9400	TYKW	47 GB	2138.5	2141.3	9.5	710.0	170.0			
	100	HIRA	42 SER	2138.6	2139.3	4.0	690.0				WL
	2695	SGMR	47 GB	2138.8	2141.3	3.3	86.0				QL=6 ST=2 TYP=5
	15400	SGMR	49 GB	2139.0	2141.3	5.0	510.0				QL=6 ST=2 TYP=6
	1415	SGMR	47 GB	2139.1	2141.5	8.4	69.0				QL=6 ST=2 TYP=5
	500	HIRA	4 S/F	2139.3	2141.6	9.0	20.0	10.0			WR
	610	SGMR	47 GB	2139.6	2141.6	5.2	54.0				QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2139.6	2141.6	2.2	200.0				QL=6 ST=2 TYP=5
	208	VORO	4 S/F	2140.0	2142.0	2.0	200.0D				
	410	SGMR	47 GB	2141.1	2141.3	.7	74.0				QL=6 ST=2 TYP=5
	2000	TYKW	29 PBI	2145.0		8.0	6.0	3.0			
	3750	TYKW	29 PBI	2146.0		13.0	6.0	3.0			
	9400	TYKW	30 PBI	2148.0		10.0	4.0	2.0			
	1000	TYKW	29 PBI	2148.0		12.0	6.0	3.0			
	9400	TYKW	5 S	2150.0	2151.4	3.0	14.0	4.0			
	2000	TYKW	5 S	2157.0	2157.7	2.0	2.0	.7			
	9400	TYKW	5 S	2201.0	2203.0U	9.0U	7.0U	3.0U			
	2800	OTTA	21 GRF	2206.0	2215.0	35.0	15.4	5.2			
	3750	TYKW	45 C	2208.0	2215.0	12.0	17.0	10.0			
	2000	TYKW	45 C	2209.0	2215.2	15.0	6.0	3.0			
	2800	OTTA	1 S	2210.0	2210.3	2.0	8.6	4.3			
	1000	TYKW	42 SER	2211.5	2211.7	2.5	5.0	.5			
	1000	TYKW	21 GRF	2215.0	2300.0	130.0	4.0	2.0			
	9400	TYKW	5 S	2217.0	2217.6	3.0	15.0	4.0			
	3750	TYKW	29 PBI	2220.0		20.0	7.0	3.5			
	9400	TYKW	29 PBI	2220.0		15.0	4.0	2.0			
	9400	TYKW	28 PRE	2238.0	2241.0	9.0	9.0	6.0			
	9400	TYKW	5 S	2245.0	2245.7	1.0	14.0	4.0			
	9400	TYKW	45 C	2247.0	2248.2	7.0	49.0	20.0			
	2000	TYKW	45 C	2250.0	2300.0	15.0	3.0	1.0			
9400	TYKW	30 PBI	2254.0		16.0	10.0	5.0				
9400	TYKW	5 S	2259.0U	2259.7	7.0U	8.0	3.0				
17000	NOBE	28 PRE	2311.3	2313.7	7.7	29.0				R	
2000	TYKW	28 PRE	2312.0	2313.8	7.0	7.0	2.5				
3750	TYKW	45 C	2312.0	2320.3	18.0	360.0	30.0				
2695	PENT	4 S/F	2312.0	2320.3	18.0	187.0	30.0				
9400	TYKW	28 PRE	2313.0	2313.6	5.5	56.0	15.0				
4995	SGMR	8 S	2313.1	2313.6	1.0	47.0				QL=6 ST=2 TYP=3	
8800	SGMR	8 S	2313.5	2313.6	.3	39.0				QL=6 ST=2 TYP=3	
2695	SGMR	8 S	2313.5	2313.8	.3D	40.0				QL=6 ST=2 TYP=3	
9400	TYKW	5 S	2316.5	2317.1	1.5	15.0	6.0				
208	VORO	46 C	2318.0	2318.0	10.0	200.0D					
9400	TYKW	47 GB	2318.5	2320.4	10.5	1300.0	190.0				
500	HIRA	4 S/F	2319.0	2320.0U	10.0	50.0U	25.0U			WR	
2000	TYKW	45 C	2319.0	2320.5	15.0	145.0	22.0				
1000	TYKW	5 S	2319.0	2320.7	12.0	136.0	37.0				
100	HIRA	46 C	2319.0		9.3	10000.0D	686.0D				
35000	NAGO	5 S	2319.0	2319.0	4.0	240.0					
200	HIRA	46 C	2319.0	2319.5	12.4	3900.0	160.0			0	
17000	NOBE	45 C	2319.0	2319.6	12.0	978.0				R	
245	SGMR	4 S/F	2319.1	2319.5	5.7	1399.0				QL=6 ST=2 TYP=3	
610	SGMR	47 GB	2319.3	2321.0	8.3	130.0				QL=6 ST=2 TYP=5	
410	SGMR	47 GB	2319.6	2320.5	4.0	440.0				QL=6 ST=2 TYP=5	
35000	NAGO	5 S	2325.0	2325.0	2.0	28.0					
9400	TYKW	31 ABS	2329.0	2335.0	32.0	-10.0	-5.0				

28
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean (2 Hz)		
10	3750	TYKW	31 ABS	2330.0	2335.0	22.0	-3.0	-1.5		
	1000	TYKW	29 PBI	2331.0		14.0	4.0	1.5		
11	33	UPIC	43 NS	0405.0		865.0D				
	260	ONDR	44 NS	0546.0E	1413.0U	527.0D				
	245	LEAR	44 NS	0711.0E	0729.6	145.0D	20.0			QL=5 ST=2 TYP=1
	245	SGMR	43 NS	0940.0	1110.0	858.0D	1300.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0940.0	1354.6	858.0D	46.0			QL=6 ST=2 TYP=1
	200	HIRA	44 NS	1929.0E	0045.0	865.0D	17.0	10.0		ML
	100	HIRA	43 NS	1945.0	0836.0	850.0D	350.0	135.0		SL
	208	VORO	44 NS	2100.0E		360.0D		3.0		
	245	LEAR	43 NS	2322.0	0018.1	615.0D	1199.0			QL=6 ST=2 TYP=1
	9400	TYKW	5 S	0012.5	0015.0	8.5	6.0	3.0		
	2695	PENT	3 S	0015.5	0016.7	6.0	20.0	7.0		
	9400	TYKW	31 ABS	0021.0	0028.0	10.0	-7.0	-4.0		
	1000	TYKW	5 S	0029.0	0030.2	3.0	1.5	.5		
	2000	TYKW	5 S	0029.3	0030.1	2.5	3.0	1.0		
	3750	TYKW	5 S	0029.5	0030.1	2.5	3.0	1.0		
	9400	TYKW	45 C	0033.0	0033.5	2.0	5.0	1.5		
	3750	TYKW	5 S	0045.0	0100.2	25.0	3.0	1.0		
	9400	TYKW	28 PRE	0048.0	0051.5	3.5	5.0	2.5		
	2695	PENT	1 S	0048.3	0049.0	2.5	7.6	3.8		
	9395	PEKG	3 S	0049.0	0052.3	7.0	17.0	5.2		
	9400	TYKW	45 C	0051.5	0052.0	3.5	26.0	12.0		
	17000	NOBE	7 C	0051.9	0052.1	2.0	29.0			R
	2695	PENT	46F C	0053.5	0059.8	12.0	85.0	18.8		
	9400	TYKW	30 PBI	0055.0		21.0	7.0	3.0		
	9395	PEKG	3 S	0059.0	0104.0	10.0	29.0	8.9		
	9400	TYKW	5 S	0103.5	0103.8	3.0	29.0	10.0		
	3750	TYKW	5 S	0112.0	0112.7	2.0	2.0	.7		
	9400	TYKW	5 S	0112.5	0113.0	2.5	4.0	1.5		
	2695	PENT	31 ABS	0113.0	0132.0	35.0	-7.6	-4.0		
	2840	PEKG		0123.0	0126.5					
	9395	PEKG		0123.0	0126.5					
	2840	PEKG	45 C	0123.0	0128.0	19.0	42.0	16.0		
	9395	PEKG	45 C	0123.0	0128.0	18.0	121.0	14.0		
	2000	TYKW	45 C	0125.5	0126.3	7.5	11.0	3.0		
	3750	TYKW	45 C	0125.5	0126.3	6.5	56.0	17.0		
	9400	TYKW	45 C	0125.5	0126.3	7.5	130.0	30.0		
	1000	TYKW		0125.5	0126.3		9.0			
	1000	TYKW	45 C	0125.5	0131.7	7.5	9.0	2.5		
	17000	NOBE	7 C	0125.6	0126.3	8.0	50.0			R
	100	HIRA	46 C	0125.7	0126.0	1.1	2800.0	715.0		WL
9400	TYKW	31 ABS	0130.0	0258.0	144.0	-13.0	-6.0			
208	VORO	41 F	0131.0	0131.0	3.0	163.0D				
208	VORO		0131.0	0133.0		200.0D				
3750	TYKW	31 ABS	0132.0	0155.0	78.0	-6.0	-3.0			
1000	TYKW	31 ABS	0133.0	0234.0	100.0	-3.0	-1.5			
2000	TYKW	31 ABS	0133.0	0234.0	120.0	-6.0	-2.5			
9400	TYKW	45 C	0147.0	0148.7	2.5	4.0	1.5			
9395	PEKG	3 S	0156.0	0207.6	22.0	297.0	18.0			
2000	TYKW	28 PRE	0157.0	0204.0	8.5	2.0	1.0			
3750	TYKW	28 PRE	0158.0	0203.6	7.0	3.0	1.5			
9400	TYKW	28 PRE	0159.0	0201.2	6.5	8.0	6.0			
2840	PEKG	45 C	0204.0	0207.8	12.0	103.0	18.1			
3750	TYKW	45 C	0205.0	0207.7	10.0	130.0	25.0			
9400	TYKW	45 C	0205.5	0207.7	11.5	320.0	50.0			
2000	TYKW	5 S	0205.5	0207.7	5.0	39.0	13.0			
17000	NOBE	3 S	0205.9	0207.8	8.0	161.0			R	
1000	TYKW	45 C	0206.0	0207.7	8.0	36.0	10.0			
100	HIRA	42 SER	0206.3	0207.6	11.3	1700.0			WL	
200	HIRA	46 C	0206.5	0208.2	8.0	36.0	7.0		ML	
500	HIRA	4 S/F	0206.7	0207.7	4.0	13.0	7.0		WR	
35000	NAGO	5 S	0207.0	0208.0	2.0	60.0				
208	VORO	4 S/F	0210.0	0210.0	2.0	37.0				
2000	TYKW	30 PBI	0210.5		21.0	6.0	3.0			
2000	TYKW	45 C	0211.0	0211.2	3.0	4.0	1.5			
1000	TYKW	29 PBI	0214.0		10.0	3.0	1.0			
3750	TYKW	30 PBI	0215.0		17.0	7.0	3.5			
2840	PEKG	29 PBI	0216.0		18.0	11.0	1.8			

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

29
Jul 82

J U L Y 1 9 8 2

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks
							Peak	Mean		
11	9400	TYKW	30 PBI	0217.0		30.0	10.0	5.0		
	9400	TYKW	45 C	0219.0	0221.1	14.0	11.0	3.0		
	3750	TYKW	5 S	0220.5	0221.0	4.0	4.0	1.5		
	9395	PEKG		0233.0	0234.7					
	9395	PEKG		0233.0	0236.5	10.0	27.0	7.2		
	9400	TYKW	45 C	0234.0	0234.7	9.0	34.0	9.0		
	100	HIRA	46 C	0234.5	0234.5	1.1	8400.0	2510.0		WL
	3750	TYKW	45 C	0234.5	0234.7	2.5	3.0	1.0		
	8800	PALE	4 S/F	0234.6	0234.6	4.5	43.0			QL=2 ST=2 TYP=3
	15400	PALE	4 S/F	0234.6	0234.6	4.9	43.0			QL=2 ST=2 TYP=3
	9400	TYKW	45 C	0300.0	0308.0	18.0U	10.0	3.0D		
	3750	TYKW	21 GRF	0305.0	0455.0	370.0	8.0	4.0U		RAIN
	9100	GORK	23 GRF	0309.0E						
	650	GORK		0310.3	0313.7		168.0			
	650	GORK		0310.3	0315.8		5.0			
	650	GORK	21 GRF	0318.0E	0318.0	384.0D	11.0			
	2950	GORK	21 GRF	0318.0E	0724.0	384.0D	31.6			
	1000	TYKW	21 GRF	0320.0	0840.0	350.0D	4.0	2.0D		
	1000	TYKW	5 S	0322.0	0323.0	3.0	1.0	.5		
	9400	TYKW	28 PRE	0325.0U	0328.0	3.0U	7.0	3.0		RAIN
	200	HIRA	42 SER	0326.9	0331.6	14.0	65.0			ML
	9400	TYKW	5 S	0328.0	0329.3	2.0	37.0	15.0		
	9100	GORK	1 S	0328.0	0328.3	.9	28.0	14.0		
	17000	NOBE	1 S	0328.1	0328.3	.8	20.0			R
	9400	TYKW	30 PBI	0330.0		20.0	10.0	5.0		
	9400	TYKW	5 S	0337.8	0338.2	1.2	17.0	8.0		
	17000	NOBE	1 S	0337.8	0338.2	10.0	40.0			R
	9100	GORK	1 S	0337.9	0340.2	2.3U	17.0	8.0		
	9400	TYKW	29 PBI	0339.0		10.0	6.0	3.0		
	2000	TYKW	21 GRF	0340.0	0840.0	340.0D	10.0	5.0D		
	2000	TYKW	5 S	0341.0	0341.4	1.5	1.5	.5		
	1000	TYKW	5 S	0341.0	0341.5	1.5	1.0	.3		
	1000	TYKW	45 C	0400.0	0402.9	4.0	12.0	2.0		
	2000	TYKW	45 C	0400.0	0407.6	13.0	18.0	3.0		
	3750	TYKW	45 C	0400.0	0407.6	13.0	66.0	17.0		
	6100	KISV		0400.3	0402.5		25.0			
	6100	KISV		0400.3	0405.3		98.0			
	6100	KISV	46 C	0400.3	0407.5	12.0	106.0			
	6100	KISV		0400.3	0410.7		17.0			
	9400	TYKW	45 C	0400.5	0407.5	13.0	169.0	35.0		
	8800	ATHN	47 GB	0401.6	0405.3	11.5	139.0			QL=6 ST=2 TYP=5
	4995	ATHN	47 GB	0401.6	0407.5	11.5	110.0			QL=6 ST=2 TYP=5
	9100	GORK	46 C	0401.7	0405.2	10.5	170.0			
	9100	GORK		0401.7	0407.4		188.0			
	4995	PALE	47 GB	0402.0	0402.6	8.6	39.0			QL=2 ST=2 TYP=5
	2695	ATHN	4 S/F	0402.0	0405.3	9.3	20.0			QL=6 ST=2 TYP=3
	17000	NOBE	7 C	0402.0	0405.4	11.0	83.0			R
	8800	PALE	47 GB	0402.5	0402.6	7.5	31.0			QL=2 ST=2 TYP=5
	8800	MAN I	49 GB	0402.8	0421.0	26.2	590.0			QL=6 ST=2 TYP=6
	2695	MAN I	4 S/F	0402.8	0421.0	21.0	49.0			QL=6 ST=2 TYP=3
	4995	MAN I	47 GB	0402.8	0421.0	27.7	300.0			QL=6 ST=2 TYP=5
	35000	NAGO	21 GRF	0403.0	0407.0	24.0	25.0			
	650	GORK	45 C	0404.5	0405.4	8.3	3.0			
	2950	GORK	1 S	0404.5	0405.5	1.9	18.0			
	650	GORK		0404.5	0407.4		10.0			
	650	GORK		0404.5	0411.1		3.0			
	1000	TYKW	45 C	0404.7	0407.6	9.0	19.0	2.0		
	950	GORK	1 S	0404.9	0407.7	5.0	15.0			
	15400	PALE	47 GB	0405.0	0405.3	4.5	83.0			QL=2 ST=2 TYP=5
	200	HIRA	42 SER	0405.0	0419.6	19.7	2200.0			0
	2695	PALE	4 S/F	0405.3	0405.6	3.3	24.0			QL=2 ST=2 TYP=3
	2840	PEKG	5 S	0406.0	0407.5	6.0	28.0	5.1		
	9395	PEKG	5 S	0406.0	0407.6	3.0	107.0	26.0		
	200	GORK	41 F	0406.8	0410.8	20.0	150.0D			
	200	GORK		0406.8	0419.7		150.0D			
	2950	GORK	3 S	0407.0	0407.5	2.0	25.0			
	100	HIRA	42 SER	0407.0	0419.7	17.7	7000.0			WL
	100	GORK	8 S	0407.8	0407.8U	.3	100.0D			
	3750	TYKW	30 PBI	0413.0		26.0	2.0	1.0		
	3750	TYKW	5 S	0414.0	0414.6	2.0	1.5	.5		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
11	9400	TYKW	5 S	0414.0	0415.0	2.5	4.0	2.0		
	4995	ATHN	47 GB	0414.6	0418.6	10.5	169.0			QL=6 ST=2 TYP=5
	8800	ATHN	47 GB	0414.6	0418.6	10.7	400.0			QL=6 ST=2 TYP=5
	3750	TYKW	45 C	0417.0	0419.7	12.0	101.0	11.0		
	9400	TYKW	47 GB	0417.0	0419.7	13.0	515.0	45.0		
	2695	ATHN	4 S/F	0417.1	0418.6	4.5	46.0			QL=6 ST=2 TYP=3
	9100	GORK	3 S	0417.4	0419.5	9.1	517.0			
	17000	NOBE	3 S	0417.9	0417.9	11.0	374.0			R
	1415	ATHN	4 S/F	0418.0	0418.6	3.3	31.0			QL=6 ST=2 TYP=3
	2840	PEKG	3 S	0418.0	0419.6	6.0	54.0	8.5		
	15000	KISV	4 S/F	0418.5	0419.5U	8.0	315.0D			
	2000	TYKW	5 S	0419.0	0419.7	4.0	33.0	9.0		
	1000	TYKW	5 S	0419.0	0419.9	8.0	38.0	7.0		
	4995	PALE	47 GB	0419.0	0419.8	3.0	189.0			QL=2 ST=2 TYP=5
	15400	PALE	47 GB	0419.1	0419.6	2.9	400.0			QL=2 ST=2 TYP=5
	2950	GORK	3 S	0419.1	0419.7	1.9	59.0			
	8800	PALE	47 GB	0419.1	0419.8	2.9	500.0			QL=2 ST=2 TYP=5
	610	MANI	20 GRF	0419.1	0421.3	3.9	69.0			QL=6 ST=2 TYP=2
	950	GORK	3 S	0419.2	0419.9	9.5	33.0			
	245	PALE	49 GB	0419.3	0419.8	1.8	2899.0			QL=2 ST=2 TYP=6
	2695	PALE	47 GB	0419.3	0419.8	2.7	61.0			QL=2 ST=2 TYP=5
	650	GORK	3 S	0419.3	0419.8	3.7	24.0			
	100	GORK	41 F	0419.4	0419.8	5.0	1340.0D			
	500	HIRA	45 C	0419.4	0420.0	5.0	12.0	5.0		WR
	100	GORK		0419.4	0424.4		1360.0D			
	410	PALE	47 GB	0419.6	0419.8	1.4	130.0			QL=2 ST=2 TYP=5
	610	PALE	8 S	0419.6	0419.8	1.9	31.0			QL=2 ST=2 TYP=3
	1415	PALE	4 S/F	0419.6	0420.0	2.4	34.0			QL=2 ST=2 TYP=3
	35000	NAGO	5 S	0420.0	0420.0	3.0	110.0			
	2000	TYKW	30 PBI	0423.0		4.0	2.5	1.5		
	9395	PEKG	3 S	0424.0	0429.5	10.0	481.0	126.0		
	2000	TYKW	31 ABS	0427.0	0439.0	30.0	-3.0	-1.5		
	1000	TYKW	31 ABS	0427.0	0440.0	50.0	-2.0	-1.0		
	9400	TYKW	32 ABS	0435.0	0459.0	33.0	-4.0	-2.0		
	6100	KISV	2 S/F	0443.4	0444.5	5.0	15.0			
	9400	TYKW	45 C	0443.5	0444.5	4.5	37.0	12.0		
	15000	KISV	2 S/F	0443.8	0444.4	2.0	32.0			
	17000	NOBE	1 S	0443.8	0444.5	2.0	21.0			0
	9100	GORK	2 S/F	0443.8	0444.5	3.2	360.0			
	6100	KISV	4 S/F	0447.7	0449.7	9.5	190.0			
	9400	TYKW	29 PBI	0448.0		10.0	6.0	3.0		
	1000	TYKW	8 S	0450.3	0450.4	.2	14.0	4.0		
	1000	TYKW	8 S	0458.6	0458.7	.2	8.0	2.0		
	3750	TYKW	20 GRF	0510.0	0531.0	50.0D	7.0	3.0D		
	9400	TYKW	21 GRF	0510.0	0800.0	222.0D	16.0	9.0D		RAIN
9400	TYKW	45 C	0515.0	0536.6	35.0	38.0	14.0			
6100	KISV	21 GRF	0522.5	0530.5	40.0	23.0				
1000	TYKW	45 C	0530.7	0532.4	4.0	3.0	1.0			
650	GORK	1 S	0530.8	0532.6	3.5	2.0				
2000	TYKW	5 S	0531.5	0532.3	3.0	3.0	1.0			
200	GORK	8 S	0531.7	0531.9	.6	150.0D				
100	GORK	8 S	0531.8	0531.8	.2	650.0				
1000	TYKW	45 C	0540.6	0540.8	.8	13.0	3.0			
9400	TYKW	29 PBI	0550.0		13.0	8.0	4.0			
1000	TYKW	8 S	0553.9	0554.0	.2	46.0	10.0			
950	GORK	2 S/F	0605.2	0606.2	4.5	7.0				
1000	TYKW	5 S	0608.7	0609.1	1.0	2.0	.7			
9400	TYKW	28 PRE	0610.0	0614.5	4.5	8.0	3.5			
3750	TYKW	21 GRF	0610.0	0650.0	180.0	12.0	8.0			
9395	PEKG		0610.0	0615.5						
9395	PEKG	45 C	0610.0	0621.5	16.0	151.0	4.9			
200	GORK	41 F	0613.7	0615.5	6.0	150.0D				
200	GORK		0613.7	0618.8		130.0				
3750	TYKW	5 S	0614.0	0615.4	8.0	73.0	16.0			
2000	TYKW	5 S	0614.0	0615.4	4.0	12.0	3.0			
1000	TYKW	45 C	0614.0	0615.5	4.0	9.0	3.0			
2840	PEKG	3 S	0614.0	0615.4	9.0	40.0	17.0			
11800	BERN	45 C	0614.5	0615.3	12.0	130.0				
8400	BERN	45 C	0614.5	0615.4	12.0	168.0				
9400	TYKW	45 C	0614.5	0615.4	9.0	164.0	32.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

31
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
11	19600	BERN	45 C	0614.5	0615.4	12.0	49.0			
	4995	ATHN	47 GB	0614.6	0615.3	9.2	119.0			QL=6 ST=3 TYP=5
	4995	ATHN	4 S/F	0614.6	0615.3	9.2	119.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0614.6	0615.3	9.2	139.0			QL=6 ST=3 TYP=3
	8800	ATHN	47 GB	0614.6	0615.3	9.2	139.0			QL=6 ST=3 TYP=5
	6100	KISV	4 S/F	0614.6	0615.4	9.0	95.0			
	2950	GORK	3 S	0614.6	0615.4	4.0	36.0			
	9100	GORK	46 C	0614.7	0615.4	8.3	170.0			
	9100	GORK		0614.7	0621.0		50.0			
	2695	ATHN	4 S/F	0614.8	0615.3	9.0	27.0			QL=6 ST=3 TYP=3
	15000	KISV	8 S	0614.9	0615.4	1.0	100.0			
	17000	NOBE	7 C	0614.9	0637.3	34.0	260.0			R
	2650	DWIN	1 S	0615.0	0615.0	5.0	26.0	15.0		
	200	HIRA	45 C	0615.0	0615.3	.8	420.0	100.0		0
	650	GORK	1 S	0615.0	0615.4	3.0	2.5			
	100	GORK	41 F	0615.0	0615.6	4.3	100.00			
	100	GORK		0615.0	0618.6		100.00			
	204	IZMI	42 SER	0615.0	0637.0	26.8	1670.0			
	100	HIRA	46 C	0615.2	0615.3	.7	900.0	378.0		WL
	113	POTS	4 S/F	0615.3	0615.5	6.0	200.0	50.0		111
	15000	KISV	29 PBI	0615.8	0615.8	5.0	26.0			
	1000	TYKW	29 PBI	0618.0		10.0	2.0	1.0		
	2000	TYKW	29 PBI	0618.0		15.0	1.5	.7		
	15000	KISV	2 S/F	0620.7	0621.2	1.5	47.0			
	3750	TYKW	29 PBI	0622.0		5.0	2.0	1.0		
	9400	TYKW	29 PBI	0623.5		6.0	6.0	3.0		
	9395	PEKG	3 S	0630.0	0637.5	11.0	466.0	47.2		
	2840	PEKG	3 S	0633.0	0637.5	12.0	45.0	17.0		
	9400	TYKW	28 PRE	0634.0	0636.0	2.5	10.0	4.0		
	6100	KISV	3 S	0634.6	0637.2U	6.0	195.00			
	1000	TYKW	45 C	0635.4	0637.7	6.6	36.0	9.0		
	3750	TYKW	5 S	0635.5	0637.3	8.0	100.0	21.0		
	950	GORK	4 S/F	0635.7	0637.7	7.0	28.0			
	808	ONDR	3 S	0635.7	0637.9	6.0	25.0	21.0		
	2000	TYKW	5 S	0636.0	0637.6	4.0	24.0	9.0		
	2650	DWIN	1 S	0636.0	0636.0	3.0	32.0	15.0		
	8400	BERN	3 S	0636.0	0637.2	6.0	500.0			
	9100	GORK	3 S	0636.3	0637.2	5.5	512.0			
	536	ONDR	3 S	0636.4	0638.3	10.0	9.0	7.0		
	9400	TYKW	47 GB	0636.5	0637.2	5.5	535.0	100.0		
	2950	GORK	3 S	0636.5	0637.2	3.5	43.0			
	11800	BERN	3 S	0636.5	0637.2	6.0	480.0			
	15000	KISV	3 S	0636.5	0637.2	5.5	460.0			
	1470	POTS	3 S	0636.7	0637.5	11.0	53.0			
	100	HIRA	46 C	0636.8	0637.0	11.7	5300.0	1390.0		ML
200	HIRA	45 C	0636.8	0637.0	2.0	2050.0	187.0		0	
100	GORK	46 C	0636.8	0637.2	1.9	1400.00				
100	GORK		0636.8	0637.6		670.0				
234	POTS	42 SER	0636.9	0637.3	4.5	950.0	20.0		111/V	
500	HIRA	3 S	0636.9	0637.6	5.0	12.0	6.0		WR	
650	GORK	3 S	0636.9	0637.7	4.7	19.0				
19600	BERN	3 S	0637.0	0637.2	6.0	194.0				
200	GORK	8 S	0637.0	0637.3	2.0	150.00				
35000	BERN	3 S	0637.0	0637.3	6.0	166.0				
113	POTS	42 SER	0637.2	0637.2	4.4	2100.0	80.0		111/V	
9500	POTS	3 S	0637.3	0637.5	18.0	467.0				
2000	TYKW	29 PBI	0640.0		10.0	4.0	1.5			
1000	TYKW	29 PBI	0642.0		10.0	2.5	1.0			
9400	TYKW	30 PBI	0642.0		75.0	12.0	6.0			
9395	PEKG	3 S	0648.0	0700.9	12.9U	88.0	21.0			
2840	PEKG		0658.0	0716.0						
2840	PEKG		0658.0	0718.8						
2840	PEKG	41 F	0658.0	0738.5	40.5	61.0	7.4			
9500	POTS	4 S/F	0700.0	0700.7	8.0	66.0				
11800	BERN	3 S	0700.0	0700.8	2.0U	91.0				
8400	BERN	3 S	0700.0	0700.8	2.0U	88.0				
4995	ATHN	8 S	0700.3	0700.6	.8	13.0			QL=6 ST=3 TYP=3	
8800	ATHN	47 GB	0700.3	0700.6	1.5	69.0			QL=6 ST=3 TYP=5	
9400	TYKW	45 C	0700.3	0700.8	6.5	97.0	11.0			
15000	KISV	8 S	0700.5	0700.8	.5	45.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
11	6100	KISV	3 S	0700.5	0700.8	1.5	28.0			
	9100	GORK	3 S	0700.6	0700.7	.9	93.0			
	6100	KISV	29 PBI	0701.2	0701.2	5.0	4.0			
	6100	KISV	1 S	0703.2	0703.8	2.5	7.0			
	113	POTS	4 S/F	0703.7	0703.7	.1	240.0	60.0		III
	9400	TYKW	5 S	0708.0	0710.0	10.0	6.0	2.5		
	200	GORK	41 F	0708.2	0738.2	35.0	150.0D			
	200	GORK		0708.2	0741.8		150.0D			
	6100	KISV	1 S	0708.6	0708.9	1.0	4.0			
	1000	TYKW	8 S	0708.7	0708.9	.3	3.0	1.0		
	1000	TYKW	8 S	0709.4	0709.5	.4	5.0	1.5		
	2000	TYKW	45 C	0712.0	0715.8	10.0	28.0	11.0		
	3750	TYKW		0713.0	0718.8		27.0			
	3750	TYKW	45 C	0713.0	0738.3	33.0	68.0	13.0		
	2650	DWIN	2 S/F	0713.0	0719.0	30.0	35.0	15.0		
	1470	POTS	22 GRF	0713.0	0738.8	42.0	17.0			
	3000	POTS	22 GRF	0713.5	0718.8	5.3U	37.0			
	3000	POTS		0713.5	0738.5		39.0			
	2695	LEAR	4 S/F	0715.5	0718.8	9.6	43.0			QL=5 ST=3 TYP=3
	2950	GORK	1 S	0715.7	0716.0	.8	6.9			
	1415	LEAR	4 S/F	0717.8	0719.3	4.0	10.0			QL=5 ST=3 TYP=3
	1000	TYKW	45 C	0717.9	0719.2	2.0	4.0	.7		
	2950	GORK	4 S/F	0718.1	0718.8	2.8	19.0			
	2000	TYKW	30 PBI	0722.0		30.0	10.0	5.0		
	1000	TYKW	8 S	0727.2	0727.3	.2	4.0	1.0		
	9395	PEKG	3 S	0728.0	0738.5	20.0	398.0	42.2		
	33	UPIC	48 C	0730.9	0741.5	11.6				
	2000	TYKW	45 C	0732.0	0733.7	4.0	24.0	2.0		
	9500	POTS	45 C	0732.0	0738.3	23.0	375.0			
	100	HIRA	42 SER	0732.0	0741.6	10.6	10000.0			WL
	200	HIRA	42 SER	0732.0	0741.8	11.0	11000.0			0
	113	POTS	42 SER	0732.1	0738.5	10.0	1500.0	40.0		III/V
	6100	KISV	28 PRE	0732.2	0734.1	5.0	8.0			
	245	LEAR	8 S	0732.3	0732.6	.8	21.0			QL=5 ST=2 TYP=3
	127	TORN	42 SER	0732.5	0738.2	10.0	1000.0			
	9400	TYKW	45 C	0733.0	0734.0	2.0	10.0	3.0		
	1000	TYKW	45 C	0733.0	0734.1	2.5	2.0	.7		
	15400	LEAR	8 S	0733.3	0734.6	1.7	26.0			QL=5 ST=2 TYP=3
	8800	LEAR	8 S	0733.6	0734.3	1.2	11.0			QL=5 ST=2 TYP=3
	4995	LEAR	4 S/F	0733.8	0734.1	45.0	11.0			QL=5 ST=2 TYP=3
	11800	BERN	3 S	0734.3	0738.4	8.0	416.0			
	19600	BERN	3 S	0734.3	0738.4	8.0	165.0			
	8400	BERN	3 S	0734.3	0738.4	8.0	383.0			
	35000	BERN	3 S	0734.3	0738.5U	8.0	119.0			
	204	IZMI	42 SER	0736.2	0742.0	73.2	5500.0			
	100	GORK	46 C	0736.3	0736.4	6.0	1000.0			
	100	GORK		0736.3	0738.3		1400.0D			
	234	POTS	42 SER	0736.3	0738.4	5.9	23000.0	350.0		III/V
	100	GORK		0736.3	0741.3		1400.0D			
	100	GORK		0736.3	0741.8		1400.0D			
2000	TYKW	45 C	0737.0	0738.5	7.0	16.0	3.0			
1000	TYKW	45 C	0737.0	0738.7	8.0	19.0	4.0			
2950	GORK	4 S/F	0737.2	0738.6	3.4	29.0				
4995	ATHN	47 GB	0737.3	0738.3	5.8	119.0			QL=6 ST=3 TYP=5	
4995	LEAR	47 GB	0737.3	0738.3	3.7	110.0			QL=6 ST=2 TYP=5	
2695	ATHN	4 S/F	0737.3	0738.3	6.0	24.0			QL=6 ST=3 TYP=3	
8800	ATHN	47 GB	0737.3	0738.3	4.5	350.0			QL=6 ST=3 TYP=5	
9100	GORK	3 S	0737.3	0738.3	4.1	424.0				
6100	KISV	4 S/F	0737.3	0738.4	4.0	162.0				
808	ONDR	3 S	0737.3	0738.8	7.0	16.0	15.0			
950	GORK	2 S/F	0737.4	0738.8	6.8	15.0				
8800	LEAR	47 GB	0737.5	0738.3	3.5	400.0			QL=6 ST=2 TYP=5	
17000	NOBE	4 S/F	0737.5	0738.3	4.0	265.0			R	
9400	TYKW	45 C	0737.5	0738.4	3.5	420.0	115.0			
15000	KISV	4 S/F	0737.5	0738.4	3.5	350.0				
15400	LEAR	47 GB	0737.6	0738.3	3.5	320.0			QL=6 ST=2 TYP=5	
1415	ATHN	8 S	0737.6	0738.3	1.9	6.0			QL=6 ST=3 TYP=3	
500	HIRA	45 C	0737.7	0738.6	6.0	7.0	3.0		WR	
245	LEAR	49 GB	0737.8	0738.1	1.0	1899.0			QL=6 ST=2 TYP=6	
35000	NAGO	5 S	0738.0	0738.0	2.0	46.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

33
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
11	650	GORK	46 C	0738.0	0738.7	5.7	13.0			
	650	GORK		0738.0	0742.1		5.0			
	2695	LEAR	8 S	0738.1	0738.3	.2	17.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0738.1	0738.6	1.0	20.0			QL=6 ST=2 TYP=3
	536	ONDR	3 S	0738.2	0738.7	6.2	7.0	6.0		
	610	LEAR	8 S	0738.3	0738.6	.8	20.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0738.6	0738.8	.2	11.0			QL=6 ST=2 TYP=3
	8800	MANI	20 GRF	0738.6	0739.5	3.2	169.0			QL=6 ST=2 TYP=2
	4995	MANI	20 GRF	0738.6	0739.6	3.4	32.0			QL=6 ST=2 TYP=2
	2695	MANI	20 GRF	0738.8	0739.8	2.2	20.0			QL=6 ST=2 TYP=2
	9400	TYKW	29 PBI	0741.0		15.0	14.0	4.0		
	6100	KISV	29 PBI	0741.1	0741.1	6.0	15.0			
	1000	TYKW	45 C	0748.0	0748.7	1.5	4.0	1.0		
	6100	KISV	2 S/F	0748.2	0748.8	3.5	8.0			
	3750	TYKW	5 S	0748.3	0748.8	2.0	7.0	2.5		
	2840	PEKG	3 S	0805.0	0811.5	17.0	55.0	13.0		
	9395	PEKG		0805.0	0811.5					
	9395	PEKG	45 C	0805.0	0813.4	23.0	275.0	38.3		
	3750	TYKW	5 S	0807.0	0807.3	1.0	6.0	2.0		
	9400	TYKW	5 S	0807.0	0807.3	1.0	13.0	3.0		
	6100	KISV	1 S	0807.2	0807.4	2.0	8.0			
	3000	POTS	42 SER	0808.0	0811.0	21.0	45.0			
	1000	TYKW	45 C	0808.5	0812.1	10.5	24.0	7.0		
	3750	TYKW	45 C	0809.0	0811.3	10.0	84.0	30.0		
	9400	TYKW	45 C	0809.0	0811.6	12.0	290.0	48.0		
	6100	KISV	28 PRE	0809.3	0810.7	1.5	10.0			
	4995	LEAR	47 GB	0810.0	0811.3	8.1	189.0			QL=6 ST=2 TYP=5
	8400	BERN	4 S/F	0810.0	0811.3	20.0	308.0			
	11800	BERN	4 S/F	0810.0	0811.6	20.0	230.0			
	19600	BERN	4 S/F	0810.0	0811.6	20.0	99.0			
	1470	POTS	42 SER	0810.0	0811.7	20.0	22.0			
	8800	ATHN	47 GB	0810.1	0811.5	7.9	239.0			QL=6 ST=2 TYP=5
	4995	ATHN	47 GB	0810.1	0811.5	7.9	189.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	0810.1	0811.5	5.4	27.0			QL=6 ST=2 TYP=3
	500	HIRA	45 C	0810.3	0811.6	7.0	10.0	7.0		WL
	33	UPIC	48 C	0810.5	0810.8U	7.3				
	8800	LEAR	47 GB	0810.5	0811.3	7.6	340.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0810.5	0811.6	7.6	189.0			QL=6 ST=2 TYP=5
	2000	TYKW	45 C	0810.5	0811.7	8.0	25.0	6.0		
	2950	GORK	4 S/F	0810.7	0811.3	3.4	33.0			
	9100	GORK	4 S/F	0810.7	0811.6	7.4	300.0			
	15000	KISV	4 S/F	0810.7	0811.6	7.0	228.0			
	650	GORK	45 C	0810.7	0812.0	3.5	13.0			
	950	GORK	3 S	0810.7	0812.1	7.1	16.0			
	650	GORK		0810.7	0813.2		13.0			
	100	HIRA	42 SER	0810.8	0811.3	6.6	4500.0			WL
	2695	LEAR	4 S/F	0810.8	0811.6	3.8	38.0			QL=6 ST=2 TYP=3
	6100	KISV	45 C	0810.8	0811.6	3.5	173.0			
	6100	KISV		0810.8	0813.1		88.0			
	536	ONDR	7 C	0810.9	0812.3	10.0	8.0	6.0		
113	POTS	42 SER	0811.0	0811.3	17.0	1800.0	15.0			
200	GORK	46 C	0811.0	0811.3	5.8	85.0				
35000	BERN	4 S/F	0811.0U	0812.1	20.0U	100.0				
200	HIRA	42 SER	0811.0	0812.8	3.0	460.0			0	
200	GORK		0811.0	0813.0		150.0D				
2695	MANI	20 GRF	0811.0	0813.0	4.8	24.0			QL=6 ST=2 TYP=2	
4995	MANI	20 GRF	0811.0	0813.1	6.1	60.0			QL=6 ST=2 TYP=2	
127	TORN	42 SER	0811.0	0813.2	5.5	280.0				
410	LEAR	8 S	0811.1	0811.3	2.0	40.0			QL=6 ST=2 TYP=3	
1415	ATHN	4 S/F	0811.1	0811.6	2.9	28.0			QL=6 ST=2 TYP=3	
1415	LEAR	4 S/F	0811.1	0811.8	4.4	30.0			QL=6 ST=2 TYP=3	
245	LEAR	8 S	0811.3	0811.5	2.0	43.0			QL=6 ST=2 TYP=3	
610	LEAR	4 S/F	0811.3	0812.1	4.2	20.0			QL=6 ST=2 TYP=3	
8800	MANI	20 GRF	0812.0	0813.1	4.0	230.0			QL=6 ST=2 TYP=2	
6100	KISV	29 PBI	0814.3	0814.5	6.0	30.0				
6100	KISV	2 S/F	0815.0	0815.3	1.0	7.0				
6100	KISV	1 S	0817.4	0817.5	.5	14.0				
1000	TYKW	30 PBI	0819.0		12.0	2.0	1.0			
2840	PEKG	5 S	0822.0	0828.0	10.0	14.0	1.6			
3750	TYKW	5 S	0824.0	0824.3	1.0	6.0	1.5			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
11	2000	TYKW	5 S	0824.0	0824.4	1.0	6.0	2.0		
	1000	TYKW	5 S	0824.0	0824.4	1.0	3.0	1.0		
	2950	GORK	2 S/F	0824.0	0824.5	1.0	5.5			
	3750	TYKW	5 S	0826.0	0827.6	4.0	13.0	5.0		
	2695	ATHN	8 S	0826.0	0826.8	2.0	11.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0826.1	0826.8	2.2	21.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	0826.1	0826.8	2.0	13.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0826.1	0827.5	4.0	21.0			QL=6 ST=2 TYP=3
	610	LEAR	8 S	0826.5	0827.5	1.5	3.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0826.5	0827.6	2.1	18.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0826.6	0827.6	3.5	11.0			QL=6 ST=2 TYP=3
	6100	KISV	2 S/F	0826.6	0827.7	3.0	16.0			
	245	LEAR	8 S	0826.8	0827.0	.3	10.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0826.8	0827.6	1.5	11.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0826.8	0828.0	2.2	22.0			QL=6 ST=2 TYP=3
	2000	TYKW	5 S	0827.0	0827.6	3.0	7.0	3.0		
	1000	TYKW	5 S	0827.0	0827.7	2.5	5.0	2.0		
	9400	TYKW	5 S	0827.0	0827.7	3.0	13.0	6.0		
	9100	GORK	1 S	0827.0	0827.6	2.4	20.0	10.0		
	2950	GORK	2 S/F	0827.0	0827.9	1.4	6.9			
	3750	TYKW	30 PBI	0830.0		15.0	4.0	3.0		
	127	TORN	8 S	0842.0	0842.5	1.5	2600.0	1300.0		
	1470	POTS	22 GRF	0842.0	0848.3	18.0	8.0			
	3000	POTS	22 GRF	0842.0	0848.5	18.0	19.0			
	6100	KISV	21 GRF	0842.0	0849.4	18.0	15.0			
	6100	KISV		0842.0	0856.4		15.0			
	2000	TYKW	45 C	0843.0	0847.0	8.0	30.0	2.0		
	3750	TYKW	45 C	0845.0	0848.2	9.0	22.0	4.0		
	9500	POTS	22 GRF	0845.0	0849.4	15.0	20.0			
	2650	DWIN	41 F	0846.0	0846.0	3.0	215.0	20.0		
	4995	LEAR	4 S/F	0846.3	0847.6	3.3	11.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0846.3	0849.1	4.0	20.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0846.5	0847.3	1.6	4.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0846.5	0847.6	2.6	23.0			QL=6 ST=2 TYP=3
	15000	KISV	2 S/F	0847.0	0847.9	3.0	33.0			
	9400	TYKW	45 C	0847.0	0849.4	5.0D	22.0	6.0D		RAIN
	15400	LEAR	4 S/F	0847.0	0847.6	2.8	27.0			QL=6 ST=2 TYP=3
	9100	GORK	2 S/F	0847.5	0849.5	2.4	20.0			
	200	GORK	4 S/F	0848.5	0848.8	1.5	150.0D			
	245	LEAR	49 GB	0848.6	0849.3	1.4	2300.0			QL=6 ST=2 TYP=6
	234	POTS	41 F	0848.6	0849.4	1.5	1500.0	50.0		
	113	POTS	4 S/F	0849.4	0849.4	.3	250.0	40.0		
	2840	PEKG	3 S	0853.0	0856.3	7.0	20.0	2.2		
	3750	TYKW	5 S	0854.5	0856.3	4.0	17.0	4.0		
	2950	GORK	2 S/F	0854.8	0856.3	2.5	9.6			
	2000	TYKW	5 S	0855.0	0856.3	3.0U	4.0	1.5U		
	9100	GORK	1 S	0855.6	0856.3	1.4	17.0			
	2840	PEKG	29 PBI	0900.0		26.0	19.0	1.9		
	113	POTS	8 S	0913.4	0913.5	.9	700.0	250.0		
	9395	PEKG	3 S	0920.0	0931.0	19.0	65.0	28.0		
6100	KISV	1 S	0924.2	0924.5	1.0	5.0				
15000	KISV	2 S/F	0924.2	0924.5	1.0	23.0				
2840	PEKG	3 S	0926.0	0930.2	12.0	38.0	18.0			
4995	ATHN	4 S/F	0926.3	0928.8	17.2	50.0			QL=6 ST=2 TYP=3	
8800	ATHN	47 GB	0926.3	0930.1	17.2	68.0			QL=6 ST=2 TYP=5	
2650	DWIN	1 S	0927.0	0930.0	8.0	20.0	10.0			
6100	KISV	4 S/F	0927.0	0930.2	9.0	41.0				
15000	KISV	28 PRE	0927.3	0927.7	.7	19.0				
2695	ATHN	4 S/F	0927.6	0928.8	15.9	27.0			QL=6 ST=2 TYP=3	
1470	POTS	40 F	0928.0	0930.0	17.0	8.0				
3000	POTS	29 PBI	0928.0	0930.0	17.0	29.0				
9500	POTS	21 GRF	0928.0	0931.5	32.0	56.0				
15000	KISV	4 S/F	0928.0	0931.7	8.0	101.0				
9100	GORK	3 S	0928.3	0931.2	6.7	60.0				
950	GORK	2 S/F	0929.2	0930.1	4.0	26.0				
2950	GORK	4 S/F	0929.3	0930.0	3.8	19.3				
808	ONDR	8 S	0930.3	0930.4	.2	24.0				
9100	GORK	1 S	0936.6	0937.0	1.6	34.0				
6100	KISV	2 S/F	0936.7	0937.1	8.0	17.0				
15000	KISV	2 S/F	0936.9	0937.1	1.0	19.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

35
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
11	2650	DWIN	41 F	0942.0	0946.0	5.0	56.0	10.0		
	8400	BERN	3 S	0945.0	0952.5U	40.0	64.0			ONLY PAPER REC
	19600	BERN	3 S	0945.0	0952.5U	40.0	77.0			ONLY PAPER REC
	35000	BERN	3 S	0945.0U	0952.5U	7.5U	160.0			ONLY PAPER REC
	536	ONDR	8 S	1008.3	1008.4	.3	13.0			
	536	ONDR	8 S	1019.4	1019.4	.2	10.0			
	9500	POTS	45 C	1031.0	1042.5	24.0	154.0			
	3000	POTS	45 C	1033.0	1042.2	25.0	49.0			
	4995	ATHN	47 GB	1034.3	1041.3	26.8	83.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	1034.6	1041.1	8.7	46.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1034.8	1041.3	18.0	160.0			QL=6 ST=2 TYP=5
	6100	KISV	2 S/F	1036.0	1036.9	3.0	13.0			
	8400	BERN	4 S/F	1036.0	1042.5	20.0	135.0			ONLY PAPER REC
	2650	DWIN	2 S/F	1037.0	1043.0	10.0	42.0	20.0		
	1415	ATHN	4 S/F	1039.6	1041.1	5.9	13.0			QL=6 ST=2 TYP=3
	1470	POTS	4 S/F	1040.0	1042.2	10.0	18.0			
	6100	KISV	46 C	1040.5	1042.6	6.0	58.0			
	6100	KISV		1040.5	1044.5		35.0			
	4995	SGMR	47 GB	1040.8	1042.1	3.8	72.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	1040.8	1042.5	7.3	160.0			QL=6 ST=2 TYP=5
	15000	KISV	46 C	1041.0	1042.3	6.0U	238.0			
	19600	BERN	4 S/F	1041.0	1042.5U	6.0	194.0			ONLY PAPER REC
	15000	KISV		1041.0	1044.5		66.0			
	15400	SGMR	47 GB	1041.5	1042.5	3.6	200.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	1041.8	1042.1	2.5	26.0			QL=6 ST=2 TYP=3
	113	POTS	4 S/F	1041.8	1042.4	2.1	1100.0	90.0		III/V
	610	SGMR	4 S/F	1041.8	1044.0	3.3	21.0			QL=6 ST=2 TYP=3
	2695	SGMR	47 GB	1042.0	1042.1	.8	59.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1042.6	1042.6	2.4	39.0			QL=6 ST=2 TYP=3
	204	IZMI	42 SER	1043.7	1112.4	53.3	2850.0			
	2695	ATHN	4 S/F	1103.1	1106.3	5.5	48.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1103.6	1107.1	7.7	63.0			QL=6 ST=2 TYP=5
	4995	ATHN	4 S/F	1103.6	1107.1	8.2	25.0			QL=6 ST=2 TYP=3
	6100	KISV	2 S/F	1104.0	1105.0	2.0	9.0			
	2800	OTTA	40 F	1104.0	1107.3	5.0	53.0			
	2650	DWIN	41 F	1104.0	1108.0	7.0	105.0	20.0		
	9500	POTS	42 SER	1104.0	1108.0	10.0	66.0			
	3000	POTS	40 F	1104.0	1108.0	10.0	29.0			
	610	SGMR	8 S	1104.3	1104.8	.8	32.0			QL=6 ST=2 TYP=3
	8400	BERN	3 S	1105.0	1108.0U	8.0	55.0			ONLY PAPER REC
	19600	BERN	3 S	1105.0	1108.0U	8.0	90.0			ONLY PAPER REC
	1415	ATHN	4 S/F	1105.5	1107.1	3.1	10.0			QL=6 ST=2 TYP=3
	6100	KISV	4 S/F	1107.0	1108.3	5.5	25.0			
	8800	SGMR	47 GB	1107.1	1108.1	1.4	68.0			QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1107.3	1108.1	1.3	110.0			QL=6 ST=2 TYP=5
4995	SGMR	8 S	1107.6	1108.1	.9	28.0			QL=6 ST=2 TYP=3	
113	POTS	42 SER	1108.4	1112.2	97.2	630.0	8.0		III	
234	POTS	41 F	1109.9	1109.9	16.5	3600.0	70.0		III	
6100	KISV	8 S	1111.6	1111.7	.3	8.0				
8800	ATHN	47 GB	1125.5	1128.8	9.0	53.0			QL=6 ST=2 TYP=5	
4995	ATHN	4 S/F	1125.5	1128.8	9.0	45.0			QL=6 ST=2 TYP=3	
9500	POTS	4 S/F	1126.5	1129.5	12.0	44.0				
6100	KISV		1127.0	1127.9		34.0				
6100	KISV	46 C	1127.0	1129.7	7.0	37.0				
2800	OTTA	2 S/F	1127.0	1130.0	6.0	8.2	3.8			
6100	KISV		1127.0	1130.1		34.0				
1470	POTS	22 GRF	1127.0	1130.3	5.0	5.0				
3000	POTS	22 GRF	1127.0	1130.5	5.0	9.0				
4995	SGMR	47 GB	1127.3	1129.6	3.7	51.0			QL=6 ST=2 TYP=5	
8800	SGMR	47 GB	1127.6	1129.6	3.4	60.0			QL=6 ST=2 TYP=5	
113	POTS	42 SER	1128.1	1130.0	2.3	350.0	7.0		III	
113	POTS	41 F	1214.1	1214.6	.6	1000.0	90.0		III	
234	POTS	4 S/F	1220.0	1220.3	.4	150.0	8.0		III	
8800	ATHN	4 S/F	1237.3	1238.3	3.8	30.0			QL=6 ST=2 TYP=3	
2695	ATHN	4 S/F	1237.3	1238.3	3.7	13.0			QL=6 ST=2 TYP=3	
4995	ATHN	4 S/F	1237.3	1238.3	6.3	35.0			QL=6 ST=2 TYP=3	
2800	OTTA	4 S/F	1238.3	1239.3	3.5	18.6	9.0			
234	POTS	41 F	1238.5	1238.6	.9	330.0	8.0		III	
4995	SGMR	8 S	1238.5	1239.1	1.8	40.0			QL=6 ST=2 TYP=3	
9500	POTS	23 GRF	1238.5	1239.2	32.0	26.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
11	3000	POTS	3 S	1238.5	1239.3	3.5	20.0			
	6100	KISV	4 S/F	1238.5	1239.3	4.0	25.0			
	1470	POTS	3 S	1238.5	1239.5	4.0	7.0			
	9500	POTS		1238.5	1254.3		35.0			
	8800	SGMR	4 S/F	1238.6	1239.1	2.5	38.0			QL=6 ST=2 TYP=3
	113	POTS	42 SER	1238.7	1238.8	11.0	300.0	3.0		III
	2650	DWIN	1 S	1239.0	1239.0	2.0	18.0	10.0		
	8800	ATHN	4 S/F	1251.5	1254.0	5.8	20.0			QL=6 ST=2 TYP=3
	6100	KISV	28 PRE	1332.0	1352.6	26.5	46.0			
	9500	POTS	45 C	1332.0	1359.4	48.0	363.0			
	8400	BERN	45 C	1333.0	1410.0U	54.0	400.0			ONLY PAPER REC
	19600	BERN	45 C	1333.0	1410.0U	54.0	95.0			ONLY PAPER REC
	4995	ATHN	47 GB	1334.1	1352.0	44.4	119.0			QL=6 ST=2 TYP=5
	8800	ATHN	47 GB	1336.6	1341.3	31.0	66.0			QL=6 ST=2 TYP=5
	2695	ATHN	47 GB	1336.6	1358.6	33.7	77.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	1338.8	1342.6	27.3	68.0			QL=6 ST=2 TYP=5
	2800	OTTA	21 GRF	1340.0	1455.0	155.0	9.0		4.4	
	4995	SGMR	8 S	1340.8	1342.6	1.8D	19.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1350.6	1351.3	.7D	40.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1351.1	1352.1	1.0D	30.0			QL=6 ST=2 TYP=3
	1415	ATHN	47 GB	1351.3	1358.6	19.0	52.0			QL=6 ST=2 TYP=5
	2650	DWIN	2 S/F	1352.0	1359.0	13.0	70.0	30.0		
	2800	OTTA		1352.0	1359.5	8.0D	85.0			
	15400	SGMR	8 S	1352.3	1352.6	.3D	30.0			QL=6 ST=2 TYP=3
	3000	POTS	45 C	1354.3	1359.7	15.0U	85.0			
	6100	KISV	8 S	1354.4	1354.7	1.5	68.0			
	808	ONDR	46 C	1354.4	1359.6	15.4	40.0	22.0		
	1470	POTS	45 C	1354.5	1359.8	15.0	57.0			
	113	POTS	42 SER	1354.5	1402.0	9.7	8800.0	160.0		III
	234	POTS	42 SER	1354.5	1402.0	8.9	235000.0	1300.0		III
	536	ONDR	46 C	1354.5	1403.4	14.0	36.0	19.0		
	1415	SGMR	8 S	1354.6	1354.6	.4	22.0			QL=6 ST=2 TYP=3
	610	SGMR	8 S	1354.8	1354.8	.2	17.0			QL=6 ST=2 TYP=3
	6100	KISV	4 S/F	1358.5	1359.7	2.0	258.0			
	33	UPIC	48 C	1358.5	1402.3	8.0				
	410	SGMR	47 GB	1359.5	1400.1	4.8	36.0			QL=6 ST=2 TYP=5
	245	SGMR	49 GB	1401.5	1402.1	2.6	10000.0			QL=6 ST=2 TYP=6
	610	SGMR	8 S	1406.1	1406.3	.7	22.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1406.1	1406.5	.4	20.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1406.1	1406.5	.4D	32.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1406.1	1406.5	1.0	40.0			QL=6 ST=2 TYP=3
	8800	SGMR	20 GRF	1406.1	1406.6	.7	33.0			QL=6 ST=2 TYP=2
	245	SGMR	47 GB	1406.1	1406.8	3.0	82.0			QL=6 ST=3 TYP=5
	15400	SGMR	8 S	1406.3	1406.3	.3	30.0			QL=6 ST=2 TYP=3
	536	ONDR	41 F	1410.5	1417.0U	7.0	24.0			
	2800	OTTA	2 S/F	1440.9	1441.0	1.0	6.0	3.0		
	1470	POTS	40 F	1445.0	1455.5	13.0	11.0			
	2800	OTTA	2 S/F	1452.0	1453.2	5.0	6.0			
	8800	ATHN	47 GB	1515.1	1518.5	17.5	66.0			QL=6 ST=2 TYP=5
	8400	BERN	3 S	1517.0	1519.5	12.0	64.0			ONLY PAPER REC
19600	BERN	3 S	1517.0	1519.5	2.5D	60.0			ONLY PAPER REC	
8800	SGMR	47 GB	1518.5	1519.3	2.6	72.0			QL=6 ST=2 TYP=5	
15400	SGMR	47 GB	1519.3	1519.3	.3	100.0			QL=6 ST=2 TYP=5	
1415	ATHN	4 S/F	1555.5	1602.6	23.1	34.0			QL=6 ST=2 TYP=3	
2695	ATHN	4 S/F	1557.1	1602.0	21.5	24.0			QL=6 ST=2 TYP=3	
8800	ATHN	4 S/F	1600.0	1604.8	10.8	10.0			QL=6 ST=2 TYP=3	
4995	ATHN	4 S/F	1600.8	1602.1	10.0	25.0			QL=6 ST=2 TYP=3	
2800	OTTA	45 C	1601.0	1602.7	9.0	12.2	4.0			
2800	OTTA	21 GRF	1625.0	1755.0	205.0	15.0	7.5			
9400	HUAN	21 GRF	1634.2	1658.1U	64.7	30.6	8.8		R	
9400	HUAN	21 GRF	1634.2	1658.1	64.7	30.6	8.8		R	
4995	SGMR	S	1644.3	1646.0	1.7D				QL=6 ST=2 TYP=3	
8800	SGMR	4 S/F	1646.1	1649.3	6.7	29.0			QL=6 ST=2 TYP=3	
245	SGMR	47 GB	1647.1	1647.5	2.0	200.0			QL=6 ST=2 TYP=5	
410	SGMR	8 S	1647.3	1647.3	.3	50.0			QL=6 ST=2 TYP=3	
610	SGMR	8 S	1647.3	1647.5	.3	18.0			QL=6 ST=2 TYP=3	
2695	SGMR	8 S	1648.6	1649.0	.4D	27.0			QL=6 ST=2 TYP=3	
8400	BERN	3 S	1650.0U	1705.4	33.0U	210.0			ONLY PAPER REC	
8800	SGMR	47 GB	1656.1	1702.3	19.2	76.0			QL=6 ST=2 TYP=5	
4995	SGMR	20 GRF	1656.8	1702.0	20.8	50.0			QL=6 ST=2 TYP=2	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

37
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
11	8800	ATHN	47 GB	1656.8	1706.1	14.5	130.0			QL=6 ST=2 TYP=5	
	2695	ATHN	47 GB	1656.8	1706.1	14.8	69.0			QL=6 ST=2 TYP=5	
	4995	ATHN	47 GB	1656.8	1706.1	14.5	66.0			QL=6 ST=2 TYP=5	
	2800	OTTA	4 S/F	1657.0	1706.0	41.0	93.0	21.0			
	2695	SGMR	47 GB	1657.3	1703.8	24.8	64.0				QL=6 ST=2 TYP=5
	15400	SGMR	8 S	1657.8	1658.3	.5	32.0				QL=6 ST=2 TYP=3
	9400	HUAN	45 C	1659.6	1705.5	15.8	175.7	55.3			R
	4995	PALE	47 GB	1702.3	1702.3	26.2	73.0				QL=5 ST=2 TYP=5
	8800	PALE	47 GB	1702.3	1702.3	26.2	100.0				QL=5 ST=2 TYP=5
	2695	PALE	47 GB	1702.3	1704.3	26.2	70.0				QL=5 ST=2 TYP=5
	1415	SGMR	4 S/F	1704.3	1705.0	7.7	30.0				QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	1704.6	1705.1	4.9	23.0				QL=5 ST=2 TYP=3
	15400	PALE	4 S/F	1705.3	1705.5	3.0	41.0				QL=5 ST=2 TYP=3
	9400	HUAN	2 S/F	1757.6	1759.6	3.4	4.8	2.2			0
	2800	OTTA	3 S	1814.0	1815.0	6.0	27.6	6.9			
	9400	HUAN	3 S	1814.2	1815.2	2.3	79.0	31.7			R
	8800	SGMR	47 GB	1814.5	1815.0	1.1	92.0				QL=6 ST=2 TYP=5
	8800	PALE	47 GB	1814.5	1815.1	5.0	119.0				QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1814.5	1815.1	4.0	130.0				QL=6 ST=2 TYP=5
	245	PALE	47 GB	1814.5	1815.3	5.1	260.0				QL=6 ST=2 TYP=5
	2695	PALE	8 S	1814.6	1815.0	1.7	27.0				QL=6 ST=2 TYP=3
	4995	SGMR	47 GB	1814.6	1815.0	1.0	76.0				QL=6 ST=2 TYP=5
	15400	SGMR	8 S	1814.6	1815.0	.5	40.0				QL=6 ST=2 TYP=3
	4995	PALE	47 GB	1814.6	1815.1	2.5	80.0				QL=6 ST=2 TYP=5
	1415	PALE	8 S	1814.8	1815.1	1.7	22.0				QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1814.8	1815.1	.30	19.0				QL=6 ST=2 TYP=3
	15400	PALE	8 S	1814.8	1815.1	1.3	30.0				QL=6 ST=2 TYP=3
	610	PALE	8 S	1815.0	1815.1	1.1	13.0				QL=6 ST=2 TYP=3
	9400	HUAN	29 PBI	1816.5	1816.5	8.0	9.7	4.6			R
	9400	HUAN	21 GRF	1839.6	1900.1	64.7	24.2	9.7			R
	9400	HUAN	4 S/F	1848.8	1852.6	8.6	74.2	35.7			R
	8800	PALE	47 GB	1849.1	1850.3	12.5	72.0				QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	1849.6	1852.6	13.5	90.0				QL=6 ST=2 TYP=5
	15400	PALE	4 S/F	1850.1	1850.3	7.0	20.0				QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1852.5	1854.1	1.60	36.0				QL=6 ST=2 TYP=3
	4995	PALE	8 S	1852.6	1852.8	1.2	17.0				QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1854.5	1854.6	4.6	22.0				QL=6 ST=2 TYP=3
	2800	OTTA	4 S/F	1906.0	1910.7	7.0	19.4	7.0			
	8800	SGMR	47 GB	1908.3	1910.5	4.8	169.0				QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1908.6	1910.6	4.0	100.0				QL=6 ST=2 TYP=5
	9400	HUAN	3 S	1908.8	1910.9	4.4	137.0	46.7			R
	4995	PALE	47 GB	1909.3	1910.6	4.7	100.0				QL=6 ST=2 TYP=5
	8800	PALE	47 GB	1909.3	1910.8	6.5	200.0				QL=6 ST=2 TYP=5
	15400	PALE	47 GB	1909.6	1910.6	4.2	81.0				QL=6 ST=2 TYP=5
	245	SGMR	8 S	1910.3	1910.6	.8	119.0				QL=6 ST=2 TYP=3
	245	PALE	47 GB	1910.3	1910.8	3.0	230.0				QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1910.3	1910.8	1.2	70.0				QL=6 ST=2 TYP=5
	1415	PALE	8 S	1910.6	1911.0	1.2	13.0				QL=6 ST=2 TYP=3
	610	PALE	8 S	1910.6	1911.0	1.2	11.0				QL=6 ST=2 TYP=3
	9400	HUAN	45 C	1932.3	1933.20	7.1	251.5	94.9			R
8800	SGMR	49 GB	1932.5	1933.1	6.1	560.0				QL=6 ST=2 TYP=6	
2800	OTTA	45 C	1932.5	1934.0	8.0	104.0	35.2				
245	SGMR	49 GB	1932.6	1933.1	5.7	1000.0				QL=6 ST=2 TYP=6	
4995	SGMR	47 GB	1932.6	1933.1	5.9	300.0				QL=6 ST=2 TYP=5	
8800	PALE	49 GB	1932.6	1933.1	6.9	700.0				QL=6 ST=2 TYP=6	
4995	PALE	47 GB	1932.6	1933.1	7.0	310.0				QL=6 ST=2 TYP=5	
2695	SGMR	47 GB	1932.6	1934.0	5.7	119.0				QL=6 ST=2 TYP=5	
2695	PALE	47 GB	1932.6	1934.1	7.0	119.0				QL=6 ST=2 TYP=5	
100	HIRA	46 C	1932.7	1933.8	10.8	2600.0	304.0			WL, SUNRISE	
15400	SGMR	47 GB	1932.8	1933.1	5.2	340.0				QL=6 ST=2 TYP=5	
245	PALE	49 GB	1932.8	1933.3	7.2	1199.0				QL=6 ST=2 TYP=6	
15400	PALE	47 GB	1932.8	1933.3	6.8	340.0				QL=6 ST=2 TYP=5	
1415	PALE	47 GB	1932.8	1934.1	8.3	189.0				QL=6 ST=2 TYP=5	
1415	SGMR	47 GB	1932.8	1934.1	7.7	169.0				QL=6 ST=2 TYP=5	
200	HIRA	46 C	1932.9	1934.0	5.3	3400.00	93.00			ML, SUNRISE	
410	PALE	49 GB	1933.0	1933.3	7.3	670.0				QL=6 ST=2 TYP=6	
610	SGMR	47 GB	1933.0	1934.1	7.8	89.0				QL=6 ST=2 TYP=5	
610	PALE	47 GB	1933.0	1934.3	9.6	94.0				QL=6 ST=2 TYP=5	
410	SGMR	47 GB	1933.1	1933.3	5.2	239.0				QL=6 ST=2 TYP=5	
2800	OTTA	23 GRF	1955.0	2330.0	318.0	45.0	21.8				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
11	9400	HUAN	20 GRF	1957.5	2005.9	18.2	11.3	6.2		0
	9400	HUAN	20 GRF	2028.5	2034.3	11.4	4.8	3.0		0
	9400	HUAN	1 S	2045.5	2047.0	3.3	7.2	3.2		0
	9400	HUAN	2 S/F	2056.6	2058.2	3.4	12.9	6.1		0
	9400	HUAN	1 S	2104.1	2105.7	2.4	8.1	4.8		0
	9400	HUAN	2 S/F	2117.3	2122.4	7.4	9.7	5.1		0
	1000	TYKW	21 GRF	2120.0	2310.0	440.0	8.0	4.0		
	3750	TYKW	28 PRE	2130.0	2156.0	26.0	6.0	4.0		
	2000	TYKW	28 PRE	2130.0	2201.0	31.0	4.0	2.0		
	9400	TYKW	28 PRE	2136.0	2200.0	25.0	14.0	6.0		
	1000	TYKW	8 S	2138.8	2138.9	.2	4.0	1.0		
	9400	TYKW	5 S	2142.0	2142.8	2.0	15.0	4.0		
	8800	SGMR	8 S	2142.6	2142.8	.2	24.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	2142.6	2142.8	.2	34.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2142.8	2142.8	1.2	24.0			QL=6 ST=2 TYP=3
	2000	TYKW	45 C	2144.0	2147.2	8.0	69.0	13.0		
	3750	TYKW	45 C	2144.0	2147.2	9.0	119.0	24.0		
	2800	OTTA	46F C	2144.0	2147.0	8.0	110.0	27.0		
	1000	TYKW	45 C	2145.0	2147.3	7.0	19.0	7.0		
	9400	TYKW	45 C	2145.0	2147.3	8.0	143.0	35.0		
	4995	SGMR	47 GB	2145.3	2147.1	5.5	130.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	2145.5	2147.1	5.8	100.0			QL=6 ST=2 TYP=5
	9400	HUAN	45 C	2145.5	2147.3	5.9	158.0	46.1		R
	2695	SGMR	47 GB	2145.6	2147.1	4.5	100.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	2145.6	2147.1	6.2	130.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	2145.8	2147.1	5.2	130.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	2145.8	2147.3	6.3	200.0			QL=6 ST=2 TYP=5
	500	HIRA	45 C	2145.9U	2146.7U	5.0U	7.0	4.0		WR
	1415	SGMR	8 S	2146.1	2147.1	1.7	40.0			QL=6 ST=2 TYP=3
	15400	PALE	47 GB	2146.3	2147.3	6.0	110.0			QL=6 ST=2 TYP=5
	17000	NOBE	7 C	2146.4	2147.3	6.0	92.0			L
	245	PALE	8 S	2146.5	2146.6	1.3	29.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2146.5	2146.6	.1	23.0			QL=6 ST=2 TYP=3
	15400	SGMR	47 GB	2146.5	2147.1	5.5	119.0			QL=6 ST=2 TYP=5
	1415	PALE	4 S/F	2146.5	2147.3	2.3	34.0			QL=6 ST=2 TYP=3
	610	SGMR	4 S/F	2146.8	2147.6	3.8	23.0			QL=6 ST=2 TYP=3
	610	PALE	8 S	2147.0	2147.1	1.5	16.0			QL=6 ST=2 TYP=3
	200	HIRA	46 C	2149.0	2149.5	1.4	24.0	8.0		ML
	1000	TYKW	29 PBI	2152.0		7.0	3.0	1.0		
	3750	TYKW	45 C	2156.0	2208.4	19.0	86.0	28.0		
	2000	TYKW	45 C	2201.0	2208.7	9.0	44.0	20.0		
	9400	TYKW	45 C	2201.0	2208.7	14.0	83.0	34.0		
	2800	OTTA	46F C	2201.0	2208.3	12.0	59.0	25.0		
	2695	PALE	4 S/F	2201.1	2203.5	15.5	46.0			QL=5 ST=2 TYP=3
	9400	HUAN	45 C	2201.1	2208.6	13.1	74.2	37.6		R
4995	PALE	4 S/F	2201.6	2203.3	12.5	41.0			QL=5 ST=2 TYP=3	
4995	SGMR	47 GB	2201.6	2203.3	16.5	52.0			QL=6 ST=2 TYP=5	
1000	TYKW	5 S	2202.0	2208.7	10.0	12.0	4.0			
8800	PALE	47 GB	2202.0	2208.8	12.1	70.0			QL=5 ST=2 TYP=5	
1415	PALE	4 S/F	2202.0	2208.8	8.3	32.0			QL=5 ST=2 TYP=3	
15400	PALE	4 S/F	2202.0	2208.8	12.1	41.0			QL=5 ST=2 TYP=3	
610	PALE	4 S/F	2202.0	2209.0	8.0	11.0			QL=5 ST=2 TYP=3	
8800	SGMR	47 GB	2202.1	2203.6	11.7	42.0			QL=6 ST=2 TYP=5	
2695	SGMR	47 GB	2202.6	2203.5	7.0	43.0			QL=6 ST=2 TYP=5	
15400	SGMR	8 S	2203.1	2203.5	1.5	30.0			QL=6 ST=2 TYP=3	
1415	SGMR	20 GRF	2206.0	2208.6	3.1	26.0			QL=6 ST=2 TYP=2	
610	SGMR	8 S	2208.1	2208.8	.7	21.0			QL=6 ST=2 TYP=3	
2000	TYKW	30 PBI	2210.0		370.0	12.0	6.0			
1000	TYKW	30 PBI	2212.0		40.0	3.0	1.5			
2000	TYKW	45 C	2212.0	2213.9	3.0	3.0	1.0			
3750	TYKW	30 PBI	2215.0		360.0	22.0	12.0			
9400	TYKW	30 PBI	2215.0		435.0	16.0	8.0			
3750	TYKW	5 S	2216.0	2217.0	2.0	3.0	1.0			
2000	TYKW	5 S	2217.0	2218.0	2.0	4.0	1.5			
100	HIRA	46 C	2230.4	2231.0	.8	940.0	332.0		ML	
2000	TYKW	5 S	2230.5	2231.1	2.0	6.0	1.5			
9400	TYKW	5 S	2230.5	2231.2	4.0	37.0	11.0			
3750	TYKW	5 S	2230.5	2231.3	3.5	10.0	5.0			
1000	TYKW	5 S	2230.9	2231.1	.5	2.5	1.0			
8800	PALE	4 S/F	2231.0	2231.1	2.6	47.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

39
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m 2 Hz)	Mean			
11	4995	SGMR	8 S	2231.0	2231.3	.5	30.0			QL=6 ST=2 TYP=3	
	15400	PALE	4 S/F	2231.1	2231.1	2.9	31.0			QL=6 ST=2 TYP=3	
	4995	PALE	8 S	2231.1	2231.3	2.0	28.0			QL=6 ST=2 TYP=3	
	3750	TYKW	29 PBI	2234.0		10.0	2.0	1.0			
	3750	TYKW	28 PRE	2255.0	2300.0	20.0	10.0	6.0			
	9400	TYKW	45 C	2255.0U	2308.9	65.0U	127.0	45.0			RAIN
	2000	TYKW	21 GRF	2255.0	2332.4	110.0	7.0	2.5			
	8800	PALE	47 GB	2305.3	2306.6	20.8	87.0				QL=6 ST=2 TYP=5
	17000	NOBE	7 C	2305.9	2308.9	37.0	280.0				R
	15400	PALE	47 GB	2306.1	2306.3	20.0	69.0				QL=6 ST=2 TYP=5
	35000	NAGO	22 GRF	2310.0	2315.0	120.0	27.0				
	4995	PALE	47 GB	2314.3	2315.1	11.8	37.0				QL=6 ST=2 TYP=5
	2695	SGMR	4 S/F	2314.6	2316.0	3.9	49.0				QL=4 ST=2 TYP=3
	8800	SGMR	8 S	2314.8	2315.1	.3	37.0				QL=4 ST=2 TYP=3
	3750	TYKW	45 C	2315.0	2324.3	44.0	40.0	22.0			
	3750	TYKW		2315.0	2329.0		40.0				
	4995	SGMR	4 S/F	2317.5	2318.8	4.8	43.0				QL=4 ST=2 TYP=3
	208	VORO	46 C	2321.0	2325.0	4.0	78.0				
	2695	LEAR	4 S/F	2322.0E	2322.5	8.0D	38.0				QL=5 ST=2 TYP=3
	4995	LEAR	47 GB	2322.0E	2322.5	8.0D	110.0				QL=5 ST=2 TYP=5
	8800	LEAR	47 GB	2322.0E	2322.5	8.0D	139.0				QL=5 ST=2 TYP=5
	200	HIRA	46 C	2322.1	2324.5	2.6	64.0	12.0			ML
	245	LEAR	8 S	2322.8	2323.1	1.0	37.0				QL=5 ST=2 TYP=3
	245	PALE	8 S	2322.8	2323.5	1.5	38.0				QL=6 ST=2 TYP=3
	4995	PALE	47 GB	2326.1	2326.6	22.2	93.0				QL=6 ST=2 TYP=5
	8800	PALE	47 GB	2326.1	2326.6	30.7	130.0				QL=6 ST=2 TYP=5
	15400	PALE	47 GB	2326.1	2328.3	30.7	66.0				QL=6 ST=2 TYP=5
1000	TYKW	21 GRF	2345.0	0005.0	50.0	1.5					
3750	TYKW	30 PBI	2359.0		39.0	10.0	4.0				
12	200	GORK	44 NS	0257.0E		573.0D		5.0			
	100	GORK	44 NS	0257.0E		573.0D		30.0			
	33	UPIC	44 NS	0330.0E		900.0D					
	536	ONDR	44 NS	0553.0E	1029.0U	498.0D	175.0U				
	260	ONDR	44 NS	0553.0E	1209.0U	489.0D	152.0U				
	127	TORN	44 NS	0600.0E		58.0D		280.0			V1, DISTURBED
	234	POTS	43 NS	0823.0	1045.0	397.0D	200.0				
	245	SGMR	44 NS	0940.0E							QL=6 ST=1 TYP=1
	410	SGMR	44 NS	0940.0E	0940.0		63.0				QL=6 ST=1 TYP=1
	113	POTS	43 NS	1002.0	1222.0	298.0D	600.0				
	29	UPIC	43 NS	1240.0		350.0D					
	245	SGMR	43 NS	1259.3							QL=6 ST=3 TYP=1
	410	SGMR	43 NS	1259.3							QL=6 ST=3 TYP=1
	610	SGMR	43 NS	1259.3	1326.8		30.0				QL=6 ST=3 TYP=1
	100	HIRA	44 NS	1925.0E	2032.0	865.0D	1100.0	280.0			SL
	208	VORO	44 NS	2100.0E		360.0D		40.0			
	9400	TYKW	30 PBI	0000.0		53.0		14.0			
	208	VORO	46 C	0013.0	0015.0	6.0	200.0D				
	208	VORO		0013.0	0018.0		200.0D				
	1000	TYKW	45 C	0015.0	0016.5	5.0	8.0	1.5			
	3750	TYKW	5 S	0015.5	0016.5	3.5	26.0	9.0			
	9400	TYKW	5 S	0015.5U	0016.5U	6.0U	20.0U	7.0			
	2000	TYKW	5 S	0015.5	0016.9	6.0	9.0	2.0			
	245	PALE	49 GB	0015.6	0015.8	4.0	78.0				QL=5 ST=2 TYP=6
	4995	PALE	8 S	0016.1	0016.5	2.0	29.0				QL=6 ST=2 TYP=3
	2695	PALE	8 S	0016.3	0016.8	1.8	20.0				QL=6 ST=2 TYP=3
	8800	PALE	8 S	0016.5	0016.6	1.8	37.0				QL=6 ST=2 TYP=3
	3750	TYKW	29 PBI	0019.0		12.0	3.0	1.5			
	1000	TYKW	29 PBI	0020.0		12.0	1.0	.5			
	3750	TYKW	5 S	0042.0	0042.3	1.5	7.0	2.5			
	2840	PEKG	45 C	0043.0	0059.9	50.0	145.0	36.0			
	3750	TYKW	28 PRE	0045.0	0054.0	9.0	4.0	2.0			
4995	MANI	47 GB	0045.3	0100.0	18.5	360.0				QL=6 ST=2 TYP=5	
3750	TYKW	5 S	0047.0	0049.2	6.0	18.0	5.0				
4995	PALE	8 S	0048.8	0049.3	1.8	21.0				QL=6 ST=2 TYP=3	
2930	VORO	45 C	0052.0	0100.0	8.0	77.0					
1415	MANI	47 GB	0052.0	0101.1	15.8	81.0				QL=6 ST=2 TYP=5	
245	LEAR	49 GB	0052.3	0055.0	15.5	350.0				QL=6 ST=2 TYP=6	
8800	LEAR	47 GB	0052.8	0055.1	18.8	169.0				QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
12	9400	TYKW		0053.0	0055.1		152.0			
	9400	TYKW	45 C	0053.0	0059.8	12.0	395.0	50.0		
	208	VORO	41 F	0053.0	0057.0	12.0	200.00			
	208	VORO		0053.0	0104.0		200.00			
	2695	LEAR	47 GB	0053.5	0055.1	18.8	42.0			QL=6 ST=2 TYP=5
	1000	TYKW		0053.5	0055.2		72.0			
	200	HIRA	42 SER	0053.5	0059.3	12.0	2700.0			ML
	1000	TYKW	45 C	0053.5	0100.0	14.5	87.0	19.0		
	100	HIRA	42 SER	0053.9	0059.0	27.7	10000.00			
	3750	TYKW		0054.0	0055.1		83.0			
	2000	TYKW	5 S	0054.0	0055.2	4.0	22.0	6.0		
	3750	TYKW	45 C	0054.0	0059.1	9.0	185.0	35.0		
	4995	PALE	47 GB	0054.1	0055.1	8.7	130.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	0054.3	0055.1	2.5	46.0			QL=6 ST=2 TYP=3
	8800	PALE	49 GB	0054.3	0055.1	11.5	219.0			QL=6 ST=2 TYP=6
	4995	LEAR	47 GB	0054.3	0055.1	15.7	119.0			QL=6 ST=2 TYP=5
	9395	PEKG	46 C	0054.3	0059.8	13.7	210.0	26.0		
	17000	NOBE	7 C	0054.5	0100.8	12.0	163.0			R
	15400	LEAR	47 GB	0054.6	0055.1	17.2	63.0			QL=6 ST=2 TYP=5
	500	HIRA	1 S	0054.6	0055.2	3.0	7.0	4.0		WR
	1415	LEAR	47 GB	0054.6	0055.3	14.9	17.0			QL=6 ST=2 TYP=5
	2695	MANI	47 GB	0054.6	0101.0	11.7	79.0			QL=6 ST=2 TYP=5
	8800	MANI	47 GB	0054.6	0101.1	8.5	280.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0054.8	0055.1	1.7	390.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	0054.8	0055.1	7.5	77.0			QL=6 ST=2 TYP=5
	1415	PALE	8 S	0054.8	0055.1	1.8	28.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0054.8	0055.3	9.7	9.0			QL=6 ST=2 TYP=5
	610	LEAR	47 GB	0054.8	0055.3	14.7	10.0			QL=6 ST=2 TYP=5
	610	PALE	8 S	0055.1	0055.3	1.4	16.0			QL=6 ST=2 TYP=3
	610	MANI	47 GB	0055.5	0102.0	10.5	69.0			QL=6 ST=2 TYP=5
	2000	TYKW	45 C	0058.5	0100.0	7.0	79.0	24.0		
	500	HIRA	45 C	0058.7	0104.3	10.0	140.0	15.0		WL
	35000	NAGO	5 S	0059.0	0100.0	2.0	70.0			
	410	PALE	47 GB	0059.1	0100.5	7.0	320.0			QL=6 ST=2 TYP=5
	3750	TYKW	31 ABS	0103.0	0132.0	155.0	-32.0	-16.0		
	3750	TYKW	5 S	0103.8	0104.1	1.0	3.0	1.0		
	9400	TYKW	31 ABS	0105.0	0140.0	260.0	-37.0	-16.0		
	2000	TYKW	31 ABS	0105.5	0128.0	160.0	-23.0	-9.0		
	1000	TYKW	31 ABS	0108.0	0128.0	81.0	-8.0	-4.5		
	1000	TYKW	45 C	0133.6	0134.0	.9	6.0	2.0		
	245	LEAR	4 S/F	0139.3	0144.8	5.5	49.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0141.0	0141.1	3.5	28.0			QL=6 ST=2 TYP=5
	9400	TYKW	5 S	0208.0	0214.0	15.0	4.0	2.0		
	2000	TYKW	5 S	0225.0	0226.5	4.0	1.5	.5		
	3750	TYKW	45 C	0226.0	0226.5	2.0	3.0	1.5		
	9400	TYKW	5 S	0226.0	0226.9	3.0	59.0	17.0		
	9395	PEKG	3 S	0226.0	0227.2	2.4	38.8	10.0		
	8800	PALE	47 GB	0226.6	0226.8	2.5	70.0			QL=6 ST=2 TYP=5
	4995	PALE	8 S	0226.6	0226.8	1.4	18.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0226.6	0227.1	1.7	56.0			QL=6 ST=2 TYP=5
17000	NOBE	1 S	0226.7	0226.9	1.0	55.0			R	
15400	PALE	47 GB	0226.8	0227.1	1.7	70.0			QL=6 ST=2 TYP=5	
2840	PEKG	3 S	0228.0	0228.9	1.2	42.5				
9400	TYKW	30 PBI	0229.0		90.0	6.0	3.0			
9400	TYKW	45 C	0232.5	0235.3	6.0	8.0	2.0			
2000	TYKW	21 GRF	0244.0	0249.0	40.0	4.0	2.0			
245	PALE	8 S	0245.6	0245.6	1.2	26.0			QL=6 ST=2 TYP=3	
9400	TYKW	5 S	0246.00	0247.0	3.00	4.0	2.00		INTERFERENCE	
9400	TYKW	5 S	0250.00	0253.00	10.00	6.0	2.0			
3750	TYKW	5 S	0252.7	0253.1	1.5	6.0	2.0			
2000	TYKW	45 C	0253.5	0254.0	1.5	6.0	3.0			
2000	TYKW	29 PBI	0255.0		5.0	2.0	1.0			
9395	PEKG	3 S	0302.0	0302.9	3.0	21.5	11.3			
2840	PEKG	4 S/F	0302.5	0303.2	1.7	17.1				
200	GORK	41 F	0307.4	0315.7	11.3	420.0				
200	GORK		0307.4	0317.5		420.0				
9400	TYKW		0310.0	0310.6		57.0				
3750	TYKW	45 C	0310.0	0311.0	9.0	76.0	7.0			
9400	TYKW	45 C	0310.0	0317.9	14.0	60.0	26.0			
2840	PEKG	40 F	0310.0	0311.0	9.0	18.4				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

41
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
12	35000	NAGO	20 GRF	0310.0	0313.0	5.0	7.0			
	9395	PEKG	4 S/F	0310.0	0318.0	18.0	29.5	2.6		
	8800	LEAR	47 GB	0310.1	0310.6	24.9	42.0			QL=6 ST=2 TYP=5
	500	HIRA	42 SER	0310.2	0313.6	8.0	300.0			ML
	1415	PALE	47 GB	0310.3	0310.6	9.7	80.0			QL=5 ST=2 TYP=5
	245	LEAR	49 GB	0310.3	0310.6	8.3	130.0			QL=6 ST=2 TYP=6
	410	LEAR	47 GB	0310.3	0310.6	9.5	119.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0310.3	0310.6	9.7	230.0			QL=5 ST=2 TYP=5
	650	GORK	46 C	0310.3	0310.8	8.2	68.0			
	2695	LEAR	47 GB	0310.3	0311.0	8.0	97.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0310.3	0312.3	12.7	41.0			QL=6 ST=2 TYP=3
	2000	TYKW	45 C	0310.3	0312.4	8.0	104.0	7.0		
	1000	TYKW	45 C	0310.3	0313.1	8.2	200.0	8.0		
	15400	LEAR	4 S/F	0310.3	0313.1	11.3	46.0			QL=6 ST=2 TYP=3
	200	HIRA	41 F	0310.3	0317.4	8.3	800.0			WL
	17000	NOBE	7 C	0310.4	0311.0	4.0	60.0			R
	610	PALE	47 GB	0310.5	0310.8	9.5	67.0			QL=5 ST=2 TYP=5
	1415	LEAR	47 GB	0310.5	0310.8	3.5	48.0			QL=6 ST=2 TYP=5
	610	LEAR	47 GB	0310.5	0311.0	8.1	99.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	0310.8	0312.3	9.2	76.0			QL=5 ST=2 TYP=5
	100	HIRA	42 SER	0311.2	0318.2	18.7	1500.0			WL
	4995	PALE	4 S/F	0312.1	0312.1	7.9	41.0			QL=5 ST=2 TYP=3
	4995	PALE	4 S/F	0312.1	0312.1		41.0			QL=5 ST=2 TYP=3
	8800	PALE	4 S/F	0312.1	0312.1	7.9	40.0			QL=5 ST=2 TYP=3
	245	PALE	49 GB	0313.6	0313.8	6.4	890.0			QL=5 ST=2 TYP=6
	17000	NOBE	20 GRF	0317.3	0321.2	40.0	40.0			R
	35000	NAGO	20 GRF	0318.0	0323.0	15.0	5.0			
	1000	TYKW	31 ABS	0318.5	0331.0	42.0	-2.5	-1.5		
	9100	GORK	20 GRF	0321.0E		45.0D				
	2950	GORK	20 GRF	0323.5	0336.0	59.7	6.6			
	9400	TYKW	29 PBI	0324.0		30.0	15.0	6.0		
	2000	TYKW	5 S	0401.7	0401.9	.7	3.0	1.0		
	3750	TYKW	5 S	0401.8	0402.0	.5	6.0	2.0		
	9400	TYKW	5 S	0403.0	0403.6	6.0	7.0	3.0		
	3750	TYKW	5 S	0427.0	0428.7	4.0	3.0	1.0		
	1000	TYKW	45 C	0434.0	0434.6	2.5	18.0	3.0		
	9100	GORK	23 GRF	0440.0		460.0D				
	3750	TYKW	5 S	0445.0	0459.5	22.0	25.0	14.0		
	2950	GORK	23 GRF	0447.6	1030.0	453.0D	1200.0			
	6100	KISV	28 PRE	0448.0	0622.7	265.0	83.0			
	2840	PEKG	5 S	0448.0	0621.2	188.0	147.7			
	2000	TYKW		0449.0	0601.6		10.0			
	2000	TYKW	45 C	0449.0	0625.4	131.0	44.0	21.0		
	9395	PEKG	5 S	0450.0	0623.0	186.0	80.8	20.2		
	9400	TYKW	45 C	0451.0	0500.0	34.0	20.0	8.0		
	3750	TYKW	30 PBI	0507.0		30.0	18.0	18.0		
	1000	TYKW	21 GRF	0512.0	0623.0	245.0D	10.0	6.0D		
	4995	ATHN	4 S/F	0519.6	0606.1	130.9	29.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0521.3	0603.5	129.2	37.0			QL=6 ST=2 TYP=3
	1000	TYKW	8 S	0522.1	0522.2	.2	8.0	2.0		
15000	KISV	28 PRE	0524.0E	0858.0	228.0D	135.0				
1000	TYKW	8 S	0524.7	0524.8	.2	8.0	1.0			
2695	ATHN	4 S/F	0529.1	0606.8	42.4	17.0			QL=6 ST=2 TYP=3	
8800	LEAR	20 GRF	0536.6	0621.3	85.4	119.0			QL=6 ST=2 TYP=2	
3750	TYKW	45 C	0537.0	0621.4	80.0	92.0	54.0			
3100	CRIM	20 GRF	0537.0	0621.2	97.0	61.0	20.0			
4995	LEAR	20 GRF	0537.3	0621.5	82.3	100.0			QL=6 ST=2 TYP=2	
2695	LEAR	20 GRF	0538.0	0621.3	79.3	40.0			QL=6 ST=2 TYP=2	
9400	TYKW	28 PRE	0539.0	0559.0	21.0	14.0	8.0			
1415	LEAR	20 GRF	0541.3	0625.6	68.0	37.0			QL=6 ST=2 TYP=2	
9400	TYKW		0600.0	0604.5		61.0				
9400	TYKW	45 C	0600.0	0622.8	40.0	103.0	60.0			
11800	BERN	47 GB	0600.0U	0952.0	480.0U	3500.0U				
35000	BERN	47 GB	0600.0U	0952.0	480.0U	1430.0				
19600	BERN	47 GB	0600.0U	0952.2	480.0U	1740.0				
8400	BERN	47 GB	0600.0U	0958.2U	480.0U	3200.0D				
9100	GORK	1 S	0603.3	0603.5	.6	25.0	12.0			
17000	NOBE	1 S	0603.3	0603.6	1.0	58.0			R	
17000	NOBE	21 GRF	0603.3	0715.0	120.0D	45.0			R	
15000	KISV	4 S/F	0603.4	0603.6	.5	65.0				

42
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
12	15400	LEAR	20	GRF	0615.3	0647.3	36.3	44.0		QL=6 ST=2 TYP=2
	2950	GORK	20	GRF	0616.0	0621.5	13.4	18.7		
	1000	TYKW	5	S	0624.0	0625.4	4.0	8.0	1.5	
	9100	GORK	2	S/F	0627.0	0628.7	3.1	25.0		
	9400	TYKW	30	PBI	0640.0		168.00	65.0	50.00	
	9400	TYKW	5	S	0641.0	0644.0	7.0	8.0	3.0	
	113	POTS	4	S/F	0648.5	0648.8	1.0	200.0	30.0	
	1000	TYKW	45	C	0649.8	0650.8	2.5	13.0	3.5	
	930	BORD	41	F	0650.8	0650.8	.7	20.0	2.0	
	3750	TYKW	30	PBI	0657.0		154.00	50.0	38.00	
	2000	TYKW	30	PBI	0700.0		144.00	29.0	25.00	
	9400	TYKW	5	S	0709.0	0720.0	23.0	23.0	8.0	
	9500	POTS	1	S	0716.6	0717.0	.8	5.4		
	3000	POTS	42	SER	0717.8	0727.4	12.0	15.0		
	3750	TYKW	21	GRF	0732.0	0736.0U	35.0U	6.0U	3.0U	
	2000	TYKW	21	GRF	0732.0U	0739.0	40.0U	4.0U	2.0U	
	4995	ATHN	47	GB	0746.6	0747.1	3.0	66.0		
	8800	ATHN	4	S/F	0746.6	0747.1	3.0	17.0		
	3750	TYKW	5	S	0747.0U	0748.2	6.0U	32.0	6.0U	
	9400	TYKW	45	C	0747.0U	0748.2	5.0U	31.0U	10.0U	
	2000	TYKW	45	C	0747.0U	0750.1	4.0U	12.0	3.0U	
	8800	LEAR	8	S	0747.6	0747.8	1.0	34.0		
	9100	GORK	2	S/F	0747.7	0748.0	4.1	30.0		
	9500	POTS	29	PBI	0747.8	0748.0	7.2	18.0		
	6100	KISV	4	S/F	0747.8	0748.0	4.0	26.0U		
	4995	LEAR	8	S	0747.8	0748.1	1.3	35.0		
	3100	CRIM	1	S	0747.8	0748.1	3.0	21.0	7.0	
	2695	LEAR	8	S	0747.8	0748.6	1.3	17.0		
	2950	GORK	2	S/F	0747.8	0748.6	1.4	13.5		
	3000	POTS	4	S/F	0748.0	0748.5	4.0	16.0		
	1470	POTS	8	S	0748.0	0748.8	1.5	9.0		
	200	HIRA	42	SER	0751.8	0815.2	28.3	2400.0		
	100	HIRA	42	SER	0808.7	0815.3	13.0	3200.0		
	113	POTS	42	SER	0809.1	0816.2	11.0	700.0	70.0	
	950	GORK	4	S/F	0812.6	0818.0	12.0	20.0		
	9400	TYKW	45	C	0813.0U	0814.2	11.0U	53.0U	12.0U	
	2650	DWIN	2	S/F	0813.0	0813.0	10.0	60.0	30.0	
	3100	CRIM	1	S	0813.1	0814.1	9.0	75.0	25.0	
	245	LEAR	47	GB	0813.3	0814.5	7.0	390.0		
	2950	GORK	4	S/F	0813.4	0814.2	3.0	70.0		
650	GORK	46	C	0813.5	0813.7	11.8	26.0			
8800	LEAR	47	GB	0813.5	0813.8	3.3	74.0			
3750	TYKW	45	C	0813.5	0814.2	12.0U	71.0	14.0U		
6100	KISV	46	C	0813.5	0814.2	7.0	52.0			
2000	TYKW	45	C	0813.5	0814.3	13.0U	31.0	8.0U		
6100	KISV			0813.5	0815.3		22.0			
6100	KISV			0813.5	0818.0		22.0			
650	GORK			0813.5	0818.1		15.0			
1000	TYKW	45	C	0813.5	0818.4	15.0	23.0	7.0		
9100	GORK	46	C	0813.6	0814.1	.5	70.0			
2695	ATHN	47	GB	0813.6	0814.1	7.7	62.0			
4995	ATHN	47	GB	0813.6	0814.1	7.7	78.0			
2695	LEAR	47	GB	0813.6	0814.3	7.2	65.0			
4995	LEAR	47	GB	0813.6	0814.3	6.7	83.0			
9100	GORK			0813.6	0818.0		34.0			
610	LEAR	4	S/F	0813.6	0818.0	9.0	19.0			
9395	PEKG	45	C	0813.7	0814.3	10.3	46.3	21.0		
2840	PEKG	20	GRF	0813.7	0814.3	11.3	118.7			
8800	ATHN	47	GB	0813.8	0814.1	7.5	61.0			
1415	ATHN	4	S/F	0813.8	0814.1	7.5	22.0			
200	GORK	4	S/F	0813.8	0815.3	3.0	1440.0			
9500	POTS	4	S/F	0814.0U	0818.0	11.0U	25.0			
3000	POTS	4	S/F	0814.0	0818.5	11.0U	32.0			
1470	POTS	4	S/F	0814.0U	0818.5	11.0U	18.0			
15000	KISV	2	S/F	0814.0	0814.3	2.0	24.0			
204	IZMI	41	F	0814.0	0815.0	5.0	1800.0			
234	POTS	42	SER	0814.0	0817.9	5.5	440.0	50.0		
1415	LEAR	4	S/F	0814.0	0818.1	8.1	27.0			
410	LEAR	47	GB	0814.1	0817.8	8.5	68.0			
100	GORK	46	C	0815.0	0815.3	1.7	740.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

43
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (10 ⁻²² W/m ² Hz)	Int	Remarks
12	100	GORK		0815.0	0816.1		1000.0D			
	2950	GORK	4 S/F	0817.5	0818.3	2.5	12.0			
	2840	PEKG	47 GB	0850.0	0952.6	80.0	2145.0	1025.0		
	3750	TYKW	28 PRE	0855.0	0909.0	14.0	22.0U	12.0U		
	9400	TYKW	28 PRE	0855.0	0912.0	17.0	20.0U	10.0U		
	2695	ATHN	49 GB	0857.3	0920.5	114.2	310.0			QL=6 ST=2 TYP=6
	3100	CRIM	28 PRE	0858.0	0912.0	14.0	22.0	7.0		
	4995	ATHN	49 GB	0858.6	0921.1	112.9	760.0			QL=6 ST=3 TYP=6
	8800	ATHN	49 GB	0858.6	0921.1	112.9	1199.0			QL=6 ST=2 TYP=6
	2000	TYKW	28 PRE	0900.0	0912.0	12.0	4.0	2.0		
	3000	POTS	47 GB	0900.0		310.0	1960.0			
	9395	PEKG	28 PRE	0900.0		18.0	151.0	26.0		
	9500	POTS	47 GB	0900.0	0945.5	310.0	2400.0			
	9500	POTS		0900.0	0952.0		2400.0			
	1470	POTS	47 GB	0903.0	1015.5	317.0	480.0			
	3750	TYKW	47 GB	0909.0	0921.6	16.0	530.0	165.0		INTERFERENCE
	1415	ATHN	49 GB	0910.5	0921.3	101.0	80.0			QL=6 ST=2 TYP=6
	1000	TYKW	45 C	0912.0	0913.7	5.0D	22.0	4.0D		
	9400	TYKW	47 GB	0912.0	0920.9	13.0	1130.0	270.0		INTERFERENCE
	2000	TYKW	45 C	0912.0	0921.6	12.0D	180.0	70.0D		
	2650	DWIN	49 GB	0912.0		240.0	500.0D			
	8800	LEAR	49 GB	0912.0	0920.8	25.0D	980.0			QL=4 ST=2 TYP=6
	6100	KISV		0912.0	0921.0		580.0D			
	15000	KISV		0912.0	0921.0		990.0			
	15000	KISV		0912.0	0935.0		76.0			
	15000	KISV		0912.0	0937.2		1170.0			
	6100	KISV		0912.0	0938.0		600.0D			
	6100	KISV		0912.0	0940.5		1110.0			
	15000	KISV		0912.0	0941.1		2700.0			
	808	ONDR	47 GB	0912.0	0945.7U	196.0	187.0U			
	9100	GORK	47 GB	0912.0	0945.7	78.0	3840.0			
	15000	KISV	47 GB	0912.0	0945.7	47.0	2990.0			
	6100	KISV		0912.0	0945.7		1100.0			
	6100	KISV		0912.0	0947.5		1000.0			
	15000	KISV		0912.0	0947.5		2380.0			
	15000	KISV		0912.0	0951.9		2950.0			
	2950	GORK	47 GB	0912.0	0952.5	70.8	2229.0			
	6100	KISV	47 GB	0912.0	0952.5E	61.0	1160.0D			
	3100	CRIM	47 GB	0912.0	0956.5	96.0	2037.0	679.0		
	930	BORD	40 F	0912.0	1015.8	324.0	606.0	140.0		
	930	BORD		0912.0	1115.0		483.0			
	4995	LEAR	49 GB	0912.1	0920.8	24.9D	710.0			QL=4 ST=2 TYP=6
	2695	LEAR	47 GB	0912.8	0935.6	24.2D	470.0			QL=4 ST=2 TYP=5
	2695	MANI	49 GB	0913.5	0942.5	40.5	1100.0			QL=6 ST=2 TYP=6
	4995	MANI	49 GB	0913.5	0945.8	40.5	4100.0			QL=6 ST=2 TYP=6
	1415	MANI	47 GB	0916.0	0942.5	38.0	200.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0916.6	0917.8	20.4D	450.0			QL=4 ST=2 TYP=5
	8800	MANI	49 GB	0917.5	0946.3	36.5	6200.0			QL=6 ST=2 TYP=6
	650	GORK	23 GRF	0917.7		193.0D	13.0			
	9395	PEKG		0918.0	0921.0					
9395	PEKG		0918.0	0941.0						
9395	PEKG		0918.0	0945.8						
9395	PEKG	47 GB	0918.0	0951.8	52.0	2929.0	1046.0			
1415	LEAR	47 GB	0919.0	0921.6	18.0D	96.0			QL=4 ST=2 TYP=5	
245	LEAR	4 S/F	0920.5	0934.6	16.5D	47.0			QL=4 ST=2 TYP=3	
500	HIRA	45 C	0920.6	0920.7	1.5	80.0	20.0		WL	
410	LEAR	47 GB	0920.6	0926.3	16.4D	400.0			QL=4 ST=2 TYP=5	
3750	TYKW	29 PBI	0925.0		6.0D	175.0U	170.0D			
9400	TYKW	29 PBI	0925.0		3.0	250.0U	250.0D			
610	LEAR	47 GB	0926.3	0926.3	10.7D	340.0			QL=4 ST=2 TYP=5	
204	IZMI	25 R	0931.5	0943.7	148.6	230.0	160.0			
200	GORK	4 S/F	0932.2	0944.9	12.7U	330.0				
650	GORK	47 GB	0933.0	1029.8	170.0	490.0				
650	GORK		0933.0	1115.0		260.0				
650	GORK		0933.0	1221.7		470.0				
610	MANI	47 GB	0935.1	0955.1	22.9	239.0			QL=6 ST=2 TYP=5	
500	HIRA	45 C	0940.0U	0946.0U	10.0D	200.0U	50.0U		WR, SUNSET	
200	HIRA	46 C	0943.2	0943.3	4.5	390.0U	86.0U		O, SUNSET	
410	SGMR	8 S	0944.8	0946.0		40.0			QL=6 ST=1 TYP=3	
610	SGMR	47 GB	0944.8	0946.1		66.0			QL=6 ST=1 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak	Mean		
							(10 ⁻²² W/m ² Hz)	(10 ⁻²² W/m ² Hz)		
12	245	SGMR	8 S	0944.8	0946.8		100.0			QL=6 ST=1 TYP=3
	100	HIRA	46 C	0946.3	0949.1	6.0	3900.0U	362.0U		WL, SUNSET
	100	GORK	47 GB	0948.0	0949.4	5.0	7000.0			
	200	GORK	27 RF	0948.0	1218.5	162.0D	280.0			
	610	SGMR	47 GB	0950.5	0950.6	12.6	119.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	0950.5	0950.8	12.6	68.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	0950.5	0951.6	12.6	81.0			QL=6 ST=2 TYP=3
	33	UPIC	49 GB	0950.6	0951.3	31.6				
	2695	SGMR	49 GB	0951.5	0952.5	11.6	430.0			QL=6 ST=2 TYP=6
	4995	SGMR	49 GB	0952.3	0952.3	10.8	189.0			QL=6 ST=2 TYP=6
	1415	SGMR	47 GB	0952.3	0952.5	10.8	21.0			QL=6 ST=2 TYP=5
	15400	SGMR	49 GB	0954.6	0956.1	8.5	820.0			QL=6 ST=2 TYP=6
	8800	SGMR	49 GB	0957.1	0959.3	6.0	480.0			QL=6 ST=2 TYP=6
	15000	KISV	29 PBI	0959.0	0959.0	200.0D	1030.0			
	245	SGMR	4 S/F	1003.1	1003.1	7.7	130.0			QL=6 ST=2 TYP=3
	4995	SGMR	49 GB	1003.1	1003.3	7.7	890.0			QL=6 ST=2 TYP=6
	15400	SGMR	49 GB	1003.1	1003.3	7.7	770.0			QL=6 ST=2 TYP=6
	410	SGMR	47 GB	1003.1	1003.3	7.7	100.0			QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1003.1	1003.3	7.7	189.0			QL=6 ST=2 TYP=5
	2695	SGMR	49 GB	1003.1	1003.3	7.7	900.0			QL=6 ST=2 TYP=6
	1415	SGMR	49 GB	1003.1	1003.8	7.7	400.0			QL=6 ST=2 TYP=6
	8800	SGMR	49 GB	1003.1	1005.8	7.7	740.0			QL=6 ST=2 TYP=6
	100	GORK	27 RF	1008.0	1222.3	134.3	1300.0			
	4995	SGMR	49 GB	1010.8	1011.0	13.0	1000.0			QL=6 ST=2 TYP=6
	8800	SGMR	49 GB	1010.8	1013.1	13.0	790.0			QL=6 ST=2 TYP=6
	245	SGMR	4 S/F	1010.8	1013.3	13.0	169.0			QL=6 ST=2 TYP=3
	15400	SGMR	49 GB	1010.8	1013.5	13.0	640.0			QL=6 ST=2 TYP=6
	2695	SGMR	49 GB	1010.8	1013.8	13.0	1199.0			QL=6 ST=2 TYP=6
	410	SGMR	47 GB	1010.8	1014.6	13.0	96.0			QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1010.8	1015.0	13.0	219.0			QL=6 ST=2 TYP=5
	1415	SGMR	49 GB	1010.8	1015.1	13.0	890.0			QL=6 ST=2 TYP=5
	6100	KISV	29 PBI	1013.0	1013.0	110.0	490.0			QL=6 ST=2 TYP=6
	33	UPIC	29 PBI	1022.2		245.0				
	4995	SGMR	47 GB	1023.8	1023.8	10.0	430.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	1023.8	1023.8	10.0	100.0			QL=6 ST=2 TYP=5
	15400	SGMR	49 GB	1023.8	1023.8	10.0	440.0			QL=6 ST=2 TYP=6
	2695	SGMR	47 GB	1023.8	1023.8	10.0	480.0			QL=6 ST=2 TYP=5
	8800	SGMR	49 GB	1023.8	1023.8	10.0	510.0			QL=6 ST=2 TYP=6
	610	SGMR	49 GB	1023.8	1024.3	10.0	280.0			QL=6 ST=2 TYP=6
	1415	SGMR	47 GB	1023.8	1024.3	10.0	480.0			QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1033.8	1034.1	8.2	300.0			QL=6 ST=2 TYP=5
	1415	SGMR	47 GB	1033.8	1034.3	8.2	280.0			QL=6 ST=2 TYP=5
	2695	SGMR	47 GB	1033.8	1034.3	8.2	260.0			QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1033.8	1034.3	8.2	290.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	1033.8	1034.3	8.2	260.0			QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1033.8	1034.6	8.2	410.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	1033.8	1034.6	8.2	100.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	1042.0	1042.1	8.5	78.0			QL=6 ST=2 TYP=5
	2695	SGMR	47 GB	1042.0	1042.1	8.5	169.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1042.0	1042.1	8.5	189.0			QL=6 ST=2 TYP=3
	4995	SGMR	47 GB	1042.0	1042.1	8.5	210.0			QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1042.0	1042.1	8.5	169.0			QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1042.0	1042.1	8.5	330.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	1042.0	1042.1	8.5	230.0			QL=6 ST=2 TYP=5
	1415	SGMR	47 GB	1042.0	1042.1	8.5	160.0			QL=6 ST=2 TYP=5
	3100	CRIM	29 PBI	1048.0	1048.0		136.0			
	1415	SGMR	47 GB	1050.5	1050.6	8.1	110.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1050.5	1050.6	8.1	180.0			QL=6 ST=2 TYP=3
	2695	SGMR	47 GB	1050.5	1050.6	8.1	139.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	1050.5	1050.8	8.1	71.0			QL=6 ST=2 TYP=5
	610	SGMR	47 GB	1050.5	1051.0	8.1	139.0			QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1050.5	1051.0	8.1	280.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	1050.5	1051.1	8.1	400.0			QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1050.5	1051.3	8.1	380.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	1058.6	1058.8	8.5	71.0			QL=6 ST=2 TYP=5
	1415	SGMR	47 GB	1058.6	1058.8	8.5	110.0			QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1058.6	1059.0	8.5	270.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	1058.6	1059.0	8.5	400.0			QL=6 ST=2 TYP=5
	2695	SGMR	47 GB	1058.6	1059.0	8.5	139.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1058.6	1059.0	8.5	180.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

45
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
12	610	SGMR	47 GB	1058.6	1059.0	8.5	119.0		QL=6 ST=2 TYP=5	
	15400	SGMR	47 GB	1058.6	1059.1	8.5	380.0		QL=6 ST=2 TYP=5	
	2800	OTTA	26A FAL	1100.0E	1750.0	410.00	-154.0			
	950	GORK	40 F	1105.0E		91.00				
	1415	SGMR	47 GB	1107.1	1107.1	7.5	119.0		QL=6 ST=2 TYP=5	
	610	SGMR	47 GB	1107.1	1107.1	7.5	290.0		QL=6 ST=2 TYP=5	
	2695	SGMR	47 GB	1107.1	1107.3	7.5	180.0		QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	1107.1	1107.3	7.5	340.0		QL=6 ST=2 TYP=5	
	15400	SGMR	47 GB	1107.1	1107.3	7.5	320.0		QL=6 ST=2 TYP=5	
	410	SGMR	47 GB	1107.1	1107.3	7.5	91.0		QL=6 ST=2 TYP=5	
	4995	SGMR	47 GB	1107.1	1107.3	7.5	300.0		QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1107.1	1107.3	7.5	139.0		QL=6 ST=2 TYP=3	
	2695	SGMR	47 GB	1114.6	1114.8	9.5	189.0		QL=6 ST=2 TYP=5	
	410	SGMR	47 GB	1114.6	1115.1	9.5	139.0		QL=6 ST=2 TYP=5	
	610	SGMR	47 GB	1114.6	1115.1	9.5	460.0		QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1114.6	1115.1	9.5	139.0		QL=6 ST=2 TYP=3	
	1415	SGMR	47 GB	1114.6	1115.3	9.5	320.0		QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	1114.6	1115.3	9.5	310.0		QL=6 ST=2 TYP=5	
	15400	SGMR	47 GB	1114.6	1115.5	9.5	300.0		QL=6 ST=2 TYP=5	
	4995	SGMR	47 GB	1114.6	1115.8	9.5	280.0		QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	1128.1	1128.3	13.7	260.0		QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1128.1	1128.5	13.7	160.0		QL=6 ST=2 TYP=3	
	4995	SGMR	47 GB	1128.1	1128.6	13.7	230.0		QL=6 ST=2 TYP=5	
	15400	SGMR	47 GB	1128.1	1128.8	13.7	260.0		QL=6 ST=2 TYP=5	
	410	SGMR	4 S/F	1128.1	1129.8	2.5	26.0		QL=6 ST=2 TYP=3	
	610	SGMR	47 GB	1128.1	1130.1	13.7	110.0		QL=6 ST=2 TYP=5	
	1415	SGMR	47 GB	1128.1	1130.1	13.7	139.0		QL=6 ST=2 TYP=5	
	2695	SGMR	47 GB	1128.1	1130.1	13.7	180.0		QL=6 ST=2 TYP=5	
	2695	SGMR	47 GB	1141.8	1142.0	13.5	160.0		QL=6 ST=2 TYP=5	
	15400	SGMR	47 GB	1141.8	1142.0	13.5	200.0		QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	1141.8	1142.0	13.5	200.0		QL=6 ST=2 TYP=5	
	4995	SGMR	47 GB	1141.8	1142.3	13.5	200.0		QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1141.8	1143.6	13.5	180.0		QL=6 ST=2 TYP=3	
	610	SGMR	47 GB	1141.8	1145.0	13.5	160.0		QL=6 ST=2 TYP=5	
	1415	SGMR	47 GB	1141.8	1146.0	13.5	100.0		QL=6 ST=2 TYP=5	
	410	SGMR	4 S/F	1142.5	1142.6	2.3	30.0		QL=6 ST=2 TYP=3	
	15400	SGMR	47 GB	1155.3	1155.3	11.3	139.0		QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	1155.3	1155.5	11.3	139.0		QL=6 ST=2 TYP=5	
	610	SGMR	47 GB	1155.3	1155.8	11.3	80.0		QL=6 ST=2 TYP=5	
	4995	SGMR	47 GB	1155.3	1156.0	11.3	169.0		QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1155.3	1156.3	11.3	160.0		QL=6 ST=2 TYP=3	
	2695	SGMR	47 GB	1155.3	1156.3	11.3	130.0		QL=6 ST=2 TYP=5	
	1415	SGMR	47 GB	1155.3	1156.6	11.3	83.0		QL=6 ST=2 TYP=5	
	410	SGMR	8 S	1201.8	1202.1	.30	23.0		QL=6 ST=2 TYP=3	
	610	SGMR	47 GB	1206.6	1206.8	11.7	86.0		QL=6 ST=2 TYP=5	
	1415	SGMR	47 GB	1206.6	1206.8	11.7	73.0		QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	1206.6	1207.1	11.7	100.0		QL=6 ST=2 TYP=5	
	2695	SGMR	47 GB	1206.6	1207.1	11.7	139.0		QL=6 ST=2 TYP=5	
	4995	SGMR	47 GB	1206.6	1207.3	11.7	139.0		QL=6 ST=2 TYP=5	
	15400	SGMR	47 GB	1206.6	1208.8	11.7	100.0		QL=6 ST=2 TYP=5	
245	SGMR	4 S/F	1206.6	1208.8	11.7	139.0		QL=6 ST=2 TYP=3		
234	POTS	4 S/F	1209.4	1209.9	1.3	900.0	25.0			
410	SGMR	47 GB	1209.6	1209.8	.7	280.0		QL=6 ST=2 TYP=5		
9400	HUAN	30 PBI	1210.9	1210.9	167.4	141.1	43.1	0		
4995	SGMR	47 GB	1218.3	1218.5	9.8	110.0		QL=6 ST=2 TYP=5		
245	SGMR	4 S/F	1218.3	1218.6	9.8	169.0		QL=6 ST=2 TYP=3		
8800	SGMR	47 GB	1218.3	1218.8	9.8	70.0		QL=6 ST=2 TYP=5		
1415	SGMR	47 GB	1218.3	1219.1	9.8	70.0		QL=6 ST=2 TYP=5		
15400	SGMR	47 GB	1218.3	1219.1	9.8	68.0		QL=6 ST=2 TYP=5		
610	SGMR	49 GB	1218.3	1220.3	9.8	94.0		QL=6 ST=2 TYP=6		
2695	SGMR	47 GB	1218.3	1220.3	9.8	139.0		QL=6 ST=2 TYP=5		
410	SGMR	47 GB	1220.8	1221.0	7.3	88.0		QL=6 ST=2 TYP=5		
2695	SGMR	47 GB	1228.1	1228.3	10.5	119.0		QL=6 ST=2 TYP=5		
15400	SGMR	20 GRF	1228.1	1228.3	5.5	41.0		QL=6 ST=2 TYP=2		
4995	SGMR	47 GB	1228.1	1228.3	10.5	100.0		QL=6 ST=2 TYP=5		
1415	SGMR	47 GB	1228.1	1228.5	10.5	76.0		QL=6 ST=2 TYP=5		
8800	SGMR	20 GRF	1228.1	1228.5	10.5	40.0		QL=6 ST=2 TYP=2		
245	SGMR	4 S/F	1228.1	1228.8	10.5	169.0		QL=6 ST=2 TYP=3		
610	SGMR	47 GB	1228.1	1229.3	10.5	110.0		QL=6 ST=2 TYP=5		
2695	SGMR	47 GB	1253.6	1253.6	5.7	100.0		QL=6 ST=2 TYP=5		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks	
12	610	SGMR	20 GRF	1253.6	1253.8	5.7	44.0			QL=6 ST=2 TYP=2	
	4995	SGMR	20 GRF	1253.6	1253.8	5.7	59.0			QL=6 ST=2 TYP=2	
	1415	SGMR	47 GB	1253.6	1253.8	5.7	61.0			QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1253.6	1253.8	5.7	96.0			QL=6 ST=2 TYP=3	
	2800	OTTA	1 S	1326.0	1326.8	2.0	4.2	1.4			
	2695	ATHN	20 GRF	1328.6	1338.3	25.7	7.0				QL=6 ST=3 TYP=2
	1415	ATHN	20 GRF	1329.3	1339.1	25.3	79.0				QL=6 ST=3 TYP=2
	2695	ATHN	20 GRF	1329.3	1339.1	25.3	7.0				QL=6 ST=2 TYP=2
	4995	ATHN	20 GRF	1329.8	1338.3	24.8	5.0				QL=6 ST=3 TYP=2
	8800	ATHN	20 GRF	1330.3	1344.6	24.5	18.0				QL=6 ST=3 TYP=2
	1415	SGMR	47 GB	1331.8	1332.8	2.8	57.0				QL=6 ST=2 TYP=5
	610	SGMR	8 S	1332.3	1332.5	1.3	46.0				QL=6 ST=2 TYP=3
	1415	SGMR	47 GB	1338.8	1339.1	.5	80.0				QL=6 ST=2 TYP=5
	9400	HUAN	1 S	1345.5	1348.4	6.5	10.6	4.8			0
	9400	HUAN	2 S/F	1357.4	1359.6	5.2	5.3	3.7			0
	9400	HUAN	2 S/F	1417.7	1418.8	4.1	6.2	2.6			0
	930	BORD	41 F	1512.1	1513.5	1.4U	40.0	2.0			
	9400	HUAN	3 S	1530.6	1531.2	2.0	128.8	32.6			R
	8800	ATHN	47 GB	1530.6	1531.5	3.0	95.0				QL=6 ST=2 TYP=5
	1415	ATHN	4 S/F	1530.8	1531.3	2.7	11.0				QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1530.8	1531.5	2.7	10.0				QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1530.8	1531.5	4.0	24.0				QL=6 ST=2 TYP=3
	2800	OTTA	3 S	1531.0	1531.1	1.0	16.2	5.4			
	11800	BERN	4 S/F	1531.0	1531.3	1.0	156.0				
	19600	BERN	4 S/F	1531.0	1531.3	1.0	75.0				
	8800	SGMR	47 GB	1531.0	1531.3	.8	110.0				QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1531.0	1531.3	1.1	189.0				QL=6 ST=2 TYP=5
	4995	SGMR	8 S	1531.0	1531.3	.3	36.0				QL=6 ST=2 TYP=3
	8400	BERN	4 S/F	1531.0	1531.3	1.0	104.0				
	2695	SGMR	8 S	1532.3	1533.1	1.0	27.0				QL=6 ST=2 TYP=3
	2695	ATHN	20 GRF	1538.1	1549.5	22.2	10.0				QL=6 ST=2 TYP=2
	4995	ATHN	20 GRF	1538.1	1549.5	22.2	24.0				QL=6 ST=2 TYP=2
	8800	ATHN	20 GRF	1538.1	1549.5	22.0	32.0				QL=6 ST=2 TYP=2
	2695	SGMR	8 S	1548.6	1549.1	.5	28.0				QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1549.1	1549.3	.5	20.0				QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1549.1	1549.3	.5	29.0				QL=6 ST=2 TYP=3
	9400	HUAN	3 S	1549.1	1549.7	3.0	22.9	8.1			0
	9400	HUAN	4 S/F	1559.5	1600.7	2.7	21.2	3.8			0
	9400	HUAN	2 S/F	1606.2	1609.0	3.4	10.6	6.4			0
	9400	HUAN	3 S	1628.5	1629.1	1.5	44.1	24.7			R
	4995	ATHN	4 S/F	1628.5	1629.1	3.1	29.0				QL=6 ST=2 TYP=3
	8800	SGMR	47 GB	1628.6	1628.8	1.0	62.0				QL=6 ST=2 TYP=5
	4995	SGMR	8 S	1628.6	1628.8	.7	39.0				QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1628.6	1628.8	.5	26.0				QL=6 ST=2 TYP=3
	8800	ATHN	8 S	1628.6	1629.1	2.0	46.0				QL=6 ST=2 TYP=3
9400	HUAN	29 PBI	1630.0	1630.0	18.0	12.3	8.2			R	
2800	OTTA	20 GRF	1803.0	1810.0	20.0	4.4	2.2				
9400	HUAN	3 S	1808.6	1809.4	2.8	79.4	24.4			R	
4995	SGMR	4 S/F	1808.8	1809.3	2.8	32.0				QL=6 ST=2 TYP=3	
4995	PALE	4 S/F	1808.8	1809.3	2.2	28.0				QL=6 ST=2 TYP=3	
8800	PALE	47 GB	1808.8	1809.3	7.5	92.0				QL=6 ST=2 TYP=5	
15400	PALE	8 S	1809.1	1809.3	1.5	38.0				QL=6 ST=2 TYP=3	
15400	SGMR	4 S/F	1809.1	1809.3	5.2	37.0				QL=6 ST=2 TYP=3	
8800	SGMR	47 GB	1809.1	1809.3	3.2	60.0				QL=6 ST=2 TYP=5	
2695	SGMR	4 S/F	1809.1	1809.8	5.2	41.0				QL=6 ST=2 TYP=3	
1415	SGMR	8 S	1810.1	1810.5	.4D	11.0				QL=6 ST=2 TYP=3	
9400	HUAN	29 PBI	1811.4	1811.4	11.6	14.1	5.1			0	
245	PALE	47 GB	1829.6	1831.1	2.5	69.0				QL=6 ST=2 TYP=5	
9400	HUAN	1 S	1847.1	1851.2	6.4	10.6	5.3			0	
2800	OTTA	23 GRF	1855.0	2055.0	235.0	19.0	9.0				
9400	HUAN	4 S/F	1904.6	1908.4	6.4	132.3	26.1			0	
2800	OTTA	40 F	1905.7	1906.7	4.0	188.0					
8800	SGMR	47 GB	1906.3	1908.1	2.5	100.0				QL=6 ST=2 TYP=5	
15400	SGMR	47 GB	1906.5	1908.1	2.1	200.0				QL=6 ST=2 TYP=5	
2695	SGMR	47 GB	1906.6	1907.0	1.5	130.0				QL=6 ST=2 TYP=5	
8800	PALE	47 GB	1906.6	1908.1	3.5	180.0				QL=6 ST=2 TYP=5	
15400	PALE	47 GB	1906.6	1908.1	3.5	210.0				QL=6 ST=2 TYP=5	
1415	SGMR	47 GB	1906.6	1908.6	2.0	200.0				QL=6 ST=2 TYP=5	
2695	PALE	47 GB	1906.8	1907.0	2.5	189.0				QL=6 ST=2 TYP=5	
4995	SGMR	47 GB	1906.8	1908.1	1.8	139.0				QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

47
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	In+	Remarks	
12	4995	PALE	47 GB	1906.8	1908.1	2.7	169.0			QL=6 ST=2 TYP=5	
	610	SGMR	47 GB	1907.8	1908.6	5.3	119.0			QL=6 ST=2 TYP=5	
	1415	PALE	47 GB	1907.8	1908.6	1.8	320.0			QL=6 ST=2 TYP=5	
	610	PALE	47 GB	1908.0	1908.6	1.3	180.0			QL=6 ST=2 TYP=5	
	245	SGMR	49 GB	1908.1	1908.3	1.0	13999.0			QL=6 ST=2 TYP=6	
	245	PALE	49 GB	1908.1	1908.3	2.0	13000.0			QL=6 ST=2 TYP=6	
	410	PALE	47 GB	1908.3	1908.6	1.3	81.0			QL=6 ST=2 TYP=5	
	9400	HUAN	20 GRF	1914.5	1919.7	12.1	7.0	5.5		0	
	610	PALE	4 S/F	1919.6	1920.8	7.2	42.0			QL=5 ST=2 TYP=3	
	200	HIRA	24 R	1925.0E	2024.0	865.0D	90.0	35.0		ML	
	610	PALE	49 GB	2014.1	2019.6	41.4	710.0			QL=6 ST=2 TYP=6	
	9400	HUAN	23 GRF	2020.5	2051.5	58.5	49.4	21.9		0	
	500	HIRA	45 C	2021.7	2024.5	6.0	30.0	20.0		SL	
	8800	PALE	49 GB	2029.3	2041.6	26.2	840.0			QL=6 ST=3 TYP=6	
	15400	PALE	49 GB	2029.5	2030.8	26.0	1199.0			QL=6 ST=3 TYP=6	
	2800	OTTA	1 S	2034.5	2035.5	2.5	5.6	2.6			
	4995	PALE	47 GB	2034.6	2035.5	20.9	34.0			QL=6 ST=2 TYP=5	
	9400	HUAN	45 C	2040.3	2043.0U	5.8	208.2	116.2		R	
	2800	OTTA	3 S	2040.5	2042.0	9.0	27.0	11.2			
	500	HIRA	45 C	2040.7	2041.9	6.0	20.0	10.0		SL	
	2695	PALE	4 S/F	2041.1	2042.3	3.2	28.0			QL=6 ST=2 TYP=3	
	500	HIRA	45 C	2048.0	2049.5	4.0	16.0	10.0		SL	
	2800	OTTA	40 F	2051.0	2053.0	3.0	10.7				
	4995	SGMR	4 S/F	2051.8	2053.1	2.5	34.0			QL=6 ST=2 TYP=3	
	610	SGMR	49 GB	2051.8	2055.0	18.8	340.0			QL=6 ST=2 TYP=6	
	200	HIRA	45 C	2052.7	2053.1	1.4	13000.0	1510.0		0	
	245	SGMR	49 GB	2053.0	2053.1	.8	3199.0			QL=6 ST=2 TYP=6	
	1415	SGMR	8 S	2053.0	2053.1	.1	19.0			QL=6 ST=2 TYP=3	
	245	PALE	49 GB	2053.1	2053.3	2.4	3100.0			QL=6 ST=2 TYP=6	
	410	PALE	47 GB	2053.1	2053.3	2.4	180.0			QL=6 ST=2 TYP=5	
	410	SGMR	47 GB	2053.1	2053.3	.4	100.0			QL=6 ST=2 TYP=5	
	1415	PALE	8 S	2053.3	2053.6	1.3	11.0			QL=6 ST=2 TYP=3	
	500	HIRA	46 C	2054.0	2057.7	20.0	65.0	40.0		SL	
	4995	PALE	20 GRF	2055.5	2055.6	12.3	28.0			QL=6 ST=2 TYP=2	
	15400	PALE	4 S/F	2055.5	2056.8	15.1	40.0			QL=6 ST=2 TYP=3	
	610	PALE	49 GB	2055.5	2057.5	18.8	700.0			QL=6 ST=2 TYP=6	
	8800	PALE	4 S/F	2055.8	2057.6	9.3	34.0			QL=6 ST=2 TYP=3	
	3750	TYKW	20 GRF	2059.0E	2059.0U	105.0D	22.0D	11.0D			
	2000	TYKW	21 GRF	2100.0E	2100.0U	110.0D	6.0D	3.0D			
	9400	TYKW	21 GRF	2100.0E	2100.0U	105.0D	30.0D	13.0D			RAIN
	610	SGMR	47 GB	2110.6	2110.8	59.5	470.0			QL=6 ST=2 TYP=5	
	610	PALE	47 GB	2114.3	2114.3	16.5	260.0			QL=6 ST=2 TYP=5	
	15400	PALE	8 S	2114.5	2115.0	1.8	26.0			QL=6 ST=2 TYP=3	
	610	PALE	47 GB	2130.8	2131.0	19.0	110.0			QL=6 ST=2 TYP=5	
	2930	VORO	3 S	2140.0	2148.0	8.0	120.0				
610	PALE	47 GB	2149.8	2151.1	23.3	119.0			QL=6 ST=2 TYP=5		
9400	TYKW	5 S	2225.0	2225.5	4.0	27.0	10.0				
2000	TYKW	5 S	2229.0	2229.8	2.0	6.0	1.5				
1000	TYKW	8 S	2230.3	2230.4	.2	12.0	3.0				
1000	TYKW	45 C	2235.0	2238.3	34.0	10.0	3.0				
610	SGMR	47 GB	2236.5	2241.0	28.0	119.0			QL=6 ST=3 TYP=5		
15400	SGMR	8 S	2239.0	2239.3	.5	49.0			QL=6 ST=2 TYP=3		
610	PALE	47 GB	2243.0	2243.8	32.8	189.0			QL=6 ST=2 TYP=5		
9400	TYKW	21 GRF	2300.0U	2320.0U	60.0U	10.0U	5.0U			RAIN	
610	SGMR	47 GB	2304.5	2305.8	14.8	74.0			QL=6 ST=2 TYP=5		
9400	TYKW	5 S	2306.0U	2308.0	4.0U	8.0U	2.0U				
3750	TYKW	21 GRF	2310.0	2320.0	50.0	8.0	4.0				
2695	PENT	22 GRF	2310.0	2320.0	130.0	10.0	5.0				
2000	TYKW	21 GRF	2311.0	2321.0	50.0	5.0	2.0				
3750	TYKW	5 S	2344.0U	2345.8	4.0U	7.0U	2.5U			INTERFERENCE	
9400	TYKW	5 S	2345.0	2345.9	6.0U	15.0U	4.0U				
2000	TYKW	45 C	2350.5	2351.4	5.0	6.0	1.0				
13	245	LEAR	43 NS	0000.3	0649.6	575.7	620.0			QL=6 ST=2 TYP=1	
	200	GORK	44 NS	0258.0E		375.0D		5.0			
	100	GORK	44 NS	0300.0E		583.0D		15.0			
	610	LEAR	43 NS	0355.1	0714.1	340.9	100.0			QL=6 ST=2 TYP=1	
	33	UPIC	43 NS	0534.0		715.1					
	29	UPIC	43 NS	0534.2		714.6					
	260	ONDR	44 NS	0547.0E		513.0D					

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
13	536	ONDR	44 NS	0547.0E	1218.0U	513.0D	234.0U			
	127	TORN	44 NS	0600.0E		580.0D		13.0		V1, DISTURBED
	410	SGMR	43 NS	0941.0	1105.1	855.0D	53.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0941.0	2118.1	855.0D	239.0			QL=6 ST=2 TYP=1
	610	SGMR	43 NS	1725.8	1726.1		130.0			QL=6 ST=3 TYP=1
	100	HIRA	44 NS	1928.0E	0912.0	865.0D	440.0	50.0		SL
	208	VORO	44 NS	2100.0E		360.0D		45.0		
	245	LEAR	43 NS	2321.0	0221.6	617.0D	100.0			QL=6 ST=2 TYP=1
	610	LEAR	47 GB	0000.6	0000.6	.2	250.0			QL=6 ST=2 TYP=5
	410	LEAR	47 GB	0000.6	0000.6	.2	110.0			QL=6 ST=2 TYP=5
	9400	TYKW	21 GRF	0018.0	0031.0	60.0	10.0	4.0		
	9400	TYKW	21 GRF	0025.0	0026.5	45.0	6.0	3.0		
	9400	TYKW	5 S	0030.0	0030.7	1.0	13.0	4.0		
	9400	TYKW	29 PBI	0031.0		7.0	3.0	1.5		
	9400	TYKW	5 S	0102.0	0105.0	10.0	2.0	1.0		
	245	LEAR	47 GB	0115.1	0115.1	.2	280.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0115.1	0115.3	.2	38.0			QL=6 ST=2 TYP=3
	9400	TYKW	5 S	0125.0	0133.0	20.0	2.0	1.0		
	2000	TYKW	20 GRF	0126.0	0129.0	30.0	2.0	1.0		
	500	HIRA	20 GRF	0150.6	0159.3	26.0	10.0	4.0		SL
	9400	TYKW	28 PRE	0205.0	0227.0	22.0	5.0	2.5		
	2000	TYKW	28 PRE	0210.0	0226.0	16.0	3.5	1.5		
	2000	TYKW	45 C	0226.0	0229.3	13.0	39.0	15.0		
	2000	TYKW	45 C	0227.0	0229.2	8.0	117.0	5.0		
	9400	TYKW	45 C	0227.0	0229.4	10.0	24.0	8.0		
	245	LEAR	47 GB	0227.1	0228.3	9.2	130.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	0227.8	0227.8	12.0	54.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0227.8	0229.1	2.7	29.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0227.8	0229.3	8.5	46.0			QL=6 ST=2 TYP=3
	200	HIRA	41 F	0227.8	0233.1	6.3	48.0			WL
	245	PALE	47 GB	0228.1	0228.3	1.4	139.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0228.1	0233.5	5.7	10.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0229.0	0229.1	1.1	20.0			QL=6 ST=2 TYP=3
	2000	TYKW	29 PBI	0235.0		10.0	1.0	.5		
	9400	TYKW	30 PBI	0237.0		50.0	5.0	2.5		
	2000	TYKW	30 PBI	0239.0		33.0	9.0	4.0		
	9400	TYKW	45 C	0259.5	0301.6	10.5	23.0	6.0D		
	8800	LEAR	4 S/F	0259.8	0301.3	4.5	21.0			QL=6 ST=2 TYP=3
	2000	TYKW	45 C	0300.0	0300.5	10.0	22.0	5.0D		
	650	GORK	23 GRF	0300.0E	0537.0	570.0D	100.0			
	500	HIRA	7 C	0300.0	0300.1	1.0	45.0	25.0		SL
	610	LEAR	47 GB	0300.1	0300.3	1.0	90.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0300.1	0300.3	4.0	11.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0300.1	0300.5	1.0	32.0			QL=6 ST=2 TYP=3
	610	PALE	47 GB	0300.3	0300.3	1.5	70.0			QL=6 ST=2 TYP=5
	9400	TYKW	5 S	0303.0E	0303.0U	8.0D	7.0D	4.0D		
	2000	TYKW	45 C	0303.0E	0303.6	7.0D	8.0	1.0D		
	610	LEAR	47 GB	0309.1	0318.1	46.0	290.0			QL=6 ST=2 TYP=5
	650	GORK	46 C	0309.7	0318.1	18.2	160.0			
	650	GORK		0309.7	0319.5		160.0			
9400	TYKW	29 PBI	0310.0		10.0	3.0	1.5			
2000	TYKW	45 C	0310.0	0313.2	25.0	9.0	2.0			
500	HIRA	48 C	0310.2	0702.0	400.0	300.0	200.0		SL	
610	PALE	47 GB	0310.3	0319.6	21.3	280.0			QL=6 ST=2 TYP=5	
3750	TYKW	29 PBI	0311.0		12.0	2.0	1.0			
2000	TYKW	31 ABS	0312.0	0330.0	47.0	-2.0	-1.0			
17000	NOBE	7 C	0317.6	0319.0	20.0	26.0			R	
15400	PALE	8 S	0318.8	0319.0	1.3	27.0			QL=6 ST=2 TYP=3	
15400	PALE	4 S/F	0331.6	0333.1	3.0	30.0			QL=6 ST=2 TYP=3	
610	PALE	47 GB	0331.6	0334.3	73.4	139.0			QL=6 ST=2 TYP=5	
2950	GORK	21 GRF	0332.7	0558.4	510.0D	17.0				
3750	TYKW	21 GRF	0359.0	0440.0	310.0	8.0	4.0			
9400	TYKW	21 GRF	0400.0	0650.0	325.0D	35.0	17.0D		RAIN	
2000	TYKW	21 GRF	0410.0	0440.0	290.0	3.0	1.5			
15000	KISV	1 S	0435.2	0436.4	1.5	18.0				
17000	NOBE	1 S	0435.5	0436.2	1.5	18.0			R	
6100	KISV	40 F	0505.8	0508.9	7.0	9.0				
9400	TYKW	5 S	0532.0U	0532.5	1.5U	11.0	3.0U			
3750	TYKW	5 S	0532.0	0532.5U	8.0	4.0	1.5			
8800	LEAR	8 S	0532.1	0532.3	1.2	20.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

49
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
13	9100	GORK	22 GRF	0532.2	0532.5	26.9	19.0			
	6100	KISV	1 S	0532.3	0532.5	.5	11.0			
	8800	ATHN	8 S	0532.3	0532.6	.5	9.0			QL=6 ST=3 TYP=3
	4995	ATHN	8 S	0532.3	0532.6	.5	10.0			QL=6 ST=3 TYP=3
	3750	TYKW	5 S	0544.0	0549.0	25.0	11.0	4.0		
	3750	TYKW	21 GRF	0544.0	0700.0	195.0	17.0	9.0		
	2000	TYKW	21 GRF	0545.0	0620.0	190.0	6.0	3.0		
	2000	TYKW	45 C	0547.0	0549.0	6.0	3.0	1.0		
	6100	KISV	20 GRF	0548.0	0647.0	130.0	17.0			
	2000	TYKW	5 S	0607.0	0607.6	2.0	2.0	.7		
	9100	GORK	21 GRF	0615.0	0730.0	156.0	30.0			
	17000	NOBE	21 GRF	0631.5	0648.3	90.0D	18.0			R
	9500	POTS	1 S	0637.6	0638.0	1.3	9.3			
	15000	KISV	3 S	0637.7	0638.2	3.0	61.0			
	17000	NOBE	1 S	0638.1	0638.3	.8	40.0			R
	3000	POTS	4 S/F	0639.9	0640.1	1.8	125.0			
	2000	TYKW	20 GRF	0648.0	0725.0	120.0	6.0	3.0		
	234	POTS	4 S/F	0649.7	0649.7	.3	275.0	15.0		III
	9400	TYKW	5 S	0658.0	0658.8	3.0	8.0	2.5		
	650	GORK	46 C	0703.6	0711.0	21.4	93.0			
	650	GORK		0703.6	0714.2		88.0			
	650	GORK		0703.6	0718.0		90.0			
	930	BORD	8 S	0706.4	0706.6	.2	88.0	2.0		
	9400	TYKW	28 PRE	0715.0	0717.0	7.0	6.0	4.0		RAIN
	9500	POTS	21 GRF	0715.0	0728.5	45.0	27.0			
	6100	KISV	1 S	0720.0	0721.1	2.5	5.0			
	9395	PEKG	20 GRF	0720.0	0728.5	28.0	20.0	6.4		
	9400	TYKW	5 S	0722.0	0728.3	13.0	32.0	13.0		
	15000	KISV	40 F	0725.8	0728.5	6.0	42.0			
	9100	GORK	1 S	0727.2	0728.4	2.5	14.0	7.0		
	15400	LEAR	8 S	0728.5	0728.6		4.0			QL=6 ST=1 TYP=3
	9400	TYKW	29 PBI	0735.0		25.0	10.0	5.0		
	930	BORD	8 S	0758.2	0758.3	.2	19.0	1.0		
	9500	POTS	22 GRF	0813.5	0819.0	42.0	13.0			
	9400	TYKW	5 S	0818.0	0818.7	4.0	17.0	7.0		
	9100	GORK	1 S	0818.0	0818.9	2.3	17.0	8.0		
	15000	KISV	1 S	0818.2	0819.0	3.5	22.0			
	15400	LEAR	8 S	0818.3	0819.0	1.2	10.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0818.6	0819.1	1.4	13.0			QL=6 ST=2 TYP=3
	234	POTS	45 C	0819.0	1221.0	350.0	500.0	30.0		
	3750	TYKW	5 S	0823.0	0830.0	15.0	6.0	3.0		INTERFERENCE
	2950	GORK	1 S	0823.7	0824.4	1.3	4.0			
	9400	TYKW	5 S	0824.0U	0830.0U	15.0U	12.0U	6.0U		
	6100	KISV	20 GRF	0824.0	0830.0	15.0	6.0			
	204	IZMI	25 R	0900.0	1105.2	180.0	1000.0	40.0		
	100	HIRA	42 SER	0908.4	0915.0	7.3	3800.0			ML
	930	BORD	40 F	0910.0	1012.0	281.0	312.0	40.0		
	808	ONDR	47 GB	0910.5	1011.0U	225.0U	374.0U			
950	GORK	40 F	0910.7	1006.7	188.0D	108.0				
950	GORK		0910.7	1105.6		73.0				
950	GORK		0910.7	1132.7		78.0				
3100	CRIM	1 S	0914.5	0915.2	2.0	20.0	7.0			
2000	TYKW	45 C	0914.5	0915.5	1.5	23.0	7.0			
9100	GORK	1 S	0914.7	0915.2	1.9	28.0	14.0			
113	POTS	4 S/F	0914.8	0915.1	.7	1400.0	250.0		III	
6100	KISV	4 S/F	0914.8	0915.3	1.5	25.0				
2950	GORK	1 S	0914.8	0915.3	3.0	17.5				
650	GORK	46 C	0915.0	0915.2	2.2	78.0				
9500	POTS	3 S	0915.0	0915.3	3.0	20.0				
15000	KISV	2 S/F	0915.0	0915.3	1.0	14.0				
2695	LEAR	8 S	0915.0	0915.3	.5	18.0			QL=5 ST=2 TYP=3	
1415	LEAR	8 S	0915.0	0915.3	.5	20.0			QL=5 ST=2 TYP=3	
8800	LEAR	8 S	0915.0	0915.3	.5	30.0			QL=5 ST=2 TYP=3	
2840	PEKG	3 S	0915.0	0915.3	2.0	16.7	8.2			
4995	LEAR	8 S	0915.0	0915.3	.5	30.0			QL=5 ST=2 TYP=3	
9395	PEKG	3 S	0915.0	0915.3	1.0	33.5	12.1			
1470	POTS	3 S	0915.0	0915.4	2.5	17.0				
3000	POTS	3 S	0915.0	0915.4	2.5	23.0				
650	GORK		0915.0	0916.4		42.0				
4995	LEAR	8 S	0915.1	0915.1	.2	26.0			QL=5 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
13	234	POTS	4 S/F	0915.1	0915.4	.4	500.0	35.0		III
	610	LEAR	47 GB	0915.1	0915.8	1.7	110.0			QL=5 ST=2 TYP=5
	245	LEAR	47 GB	0915.3	0915.3	.2	360.0			QL=5 ST=2 TYP=5
	9500	POTS	22 GRF	0930.0	0948.0	60.0	27.0			
	9100	GORK	2 S/F	0930.2	0930.9	4.2	13.0	6.0		
	15000	KISV	2 S/F	0930.6	0930.8	1.0	19.0			
	9100	GORK	21 GRF	0945.0	0956.8	43.7	26.0			
	6100	KISV	20 GRF	0945.0	0957.0	40.0	23.0			
	3000	POTS	22 GRF	0946.0	0957.5	24.0	24.0			
	2950	GORK	1 S	0947.5	0948.5	2.7	6.7			
	9100	GORK	1 S	0947.6	0948.2	1.7	17.0	8.0		
	1470	POTS	20 GRF	0953.0	0957.0	7.0	8.0			
	2950	GORK	1 S	0955.4	0957.0	3.6	12.0			
	610	SGMR	49 GB	1003.1	1010.3	27.9	1500.0			
	650	GORK	47 GB	1004.7U	1011.1	147.00	1300.0			
	650	GORK		1004.7U	1202.0		890.0			
	15000	KISV	1 S	1053.5	1054.0	1.0	17.0			
	100	GORK	8 S	1105.0	1105.3	.6	1100.00			
	200	GORK	46 C	1105.0	1105.5	16.5	100.00			
	200	GORK		1105.0	1110.8		100.00			
	245	SGMR	49 GB	1105.1	1105.3	11.5	1199.0			
	410	SGMR	47 GB	1105.1	1105.3	.5	71.0			QL=6 ST=2 TYP=6
	113	POTS	4 S/F	1105.1	1105.4	.7	3200.0	500.0		QL=6 ST=2 TYP=5
	234	POTS	4 S/F	1105.2	1105.6	.4	1500.0	200.0		III
	1470	POTS	8 S	1105.3	1105.7	.9	20.0			III
	610	SGMR	47 GB	1105.3	1105.8	13.0	189.0			QL=6 ST=2 TYP=5
	2650	DWIN	1 S	1106.0	1106.0	1.0	70.0	10.0		
	9100	GORK	22 GRF	1114.6	1116.3	12.2	35.0			
	4995	ATHN	4 S/F	1114.8	1115.6	7.2	11.0			
	8800	ATHN	4 S/F	1114.8	1116.5	7.2	32.0			QL=6 ST=2 TYP=3
	15000	KISV	2 S/F	1115.0	1116.4	3.0	39.0			QL=6 ST=2 TYP=3
	9500	POTS	29 PBI	1115.0	1116.5	30.0	29.0			
	8800	SGMR	8 S	1115.3	1115.8	1.3	30.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1115.5	1115.6	.1	18.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1116.1	1116.1	.2	29.0			QL=6 ST=2 TYP=3
	200	GORK	27 RF	1137.0	1226.5	56.0	75.0			
	410	SGMR	4 S/F	1137.6	1145.3	37.7	55.0			
	245	SGMR	47 GB	1137.8	1158.6	82.5	470.0			QL=6 ST=2 TYP=3
	610	SGMR	49 GB	1138.6	1157.1	84.5	1000.0			QL=6 ST=2 TYP=5
	15000	KISV	1 S	1200.0	1200.2	.4	23.0			QL=5 ST=2 TYP=6
	2695	SGMR	8 S	1214.0	1214.3	.30	37.0			
	8800	ATHN	47 GB	1223.5	1228.6	10.8	54.0			QL=6 ST=2 TYP=3
	9500	POTS	29 PBI	1224.0	1228.6	35.0	38.0			QL=6 ST=2 TYP=5
	9400	HUAN	45 C	1224.6	1225.4	7.5	34.7	11.7		0
	9400	HUAN		1224.6	1228.3		38.5			
	9400	HUAN		1224.6	1229.9		40.4			
	4995	ATHN	4 S/F	1227.6	1228.6	4.0	20.0			QL=6 ST=2 TYP=3
	6100	KISV	2 S/F	1228.0	1228.7	2.0	21.0			
	9400	HUAN	29 PBI	1232.1	1232.1	21.3	11.6	3.8		0
	2800	OTTA	20 GRF	1315.0	1410.0	165.0	48.0	15.8		
6100	KISV	1 S	1327.8	1328.1	1.0	8.0				
3000	POTS	20 GRF	1348.0	1410.0	62.00	43.0				
2695	ATHN	20 GRF	1348.5	1409.6	33.5	41.0			QL=6 ST=2 TYP=2	
8800	ATHN	20 GRF	1349.1	1409.3	32.9	97.0			QL=6 ST=2 TYP=2	
1415	ATHN	20 GRF	1349.6	1403.3	32.4	21.0			QL=6 ST=2 TYP=2	
4995	ATHN	20 GRF	1350.6	1409.3	31.4	85.0			QL=6 ST=2 TYP=2	
9500	POTS	22 GRF	1353.0	1409.2	57.00	91.0				
9400	HUAN	21 GRF	1353.2	1419.2	121.0	63.6	27.2		R	
610	SGMR	8 S	1354.3	1354.6	.3	40.0			QL=6 ST=3 TYP=3	
4995	SGMR	47 GB	1355.1	1404.8	18.2	64.0			QL=6 ST=3 TYP=5	
8800	SGMR	47 GB	1358.1	1404.8	15.2	77.0			QL=6 ST=3 TYP=5	
2695	SGMR	20 GRF	1359.0	1402.8	14.3	46.0			QL=6 ST=3 TYP=2	
19600	BERN	21 GRF	1400.0U	1408.3	110.0U	45.0				
8400	BERN	21 GRF	1400.0U	1409.1	110.0U	106.0				
11800	BERN	21 GRF	1400.0U	1409.2	110.0U	106.0				
1470	POTS	20 GRF	1400.0	1442.0	50.00	6.0				
15400	SGMR	47 GB	1402.6	1404.8	10.7	70.0			QL=6 ST=3 TYP=5	
9400	HUAN	45 C	1404.6	1406.2	11.5	59.7	43.6		R	
9400	HUAN		1404.6	1408.5		67.4			R	
9400	HUAN		1404.6	1410.0		66.4			R	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

51
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
13	410	SGMR	8 S	1405.8	1406.1	.3D	20.0			QL=6 ST=3 TYP=3
	15400	SGMR	20 GRF	1427.8	1428.0	5.8	37.0			QL=6 ST=2 TYP=2
	4995	SGMR	20 GRF	1427.8	1428.1	15.5	56.0			QL=6 ST=2 TYP=2
	8800	SGMR	47 GB	1427.8	1428.5	15.5	63.0			QL=6 ST=2 TYP=5
	2695	SGMR	47 GB	1427.8	1429.5	15.5	63.0			QL=6 ST=2 TYP=5
	1415	SGMR	8 S	1443.1	1443.1	.2	13.0			QL=6 ST=2 TYP=3
	4995	SGMR	20 GRF	1443.3	1444.6	20.2	46.0			QL=6 ST=2 TYP=2
	8800	SGMR	20 GRF	1443.3	1444.6	20.2	51.0			QL=6 ST=2 TYP=2
	2695	SGMR	47 GB	1443.3	1444.8	20.2	63.0			QL=6 ST=2 TYP=5
	1415	SGMR	8 S	1446.5	1446.8	.3D	16.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1539.8	1540.6	2.8	47.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1540.1	1541.1	2.5	8.0			QL=6 ST=2 TYP=3
	9400	HUAN	3 S	1540.4	1541.6	4.1	44.3	18.9		R
	2800	OTTA	21 GRF	1605.0	1740.0	170.0	9.0	4.4		
	11800	BERN	3 S	1624.0	1624.5	2.0	77.0			
	8400	BERN	3 S	1624.0	1624.5	2.0	63.0			
	19600	BERN	3 S	1624.0	1624.5	2.0	45.0			
	8800	ATHN	47 GB	1624.1	1624.6	1.5	57.0			QL=6 ST=2 TYP=5
	4995	ATHN	8 S	1624.1	1624.6	1.5	45.0			QL=6 ST=2 TYP=3
	15400	SGMR	47 GB	1624.3	1624.5	.3	61.0			QL=6 ST=2 TYP=5
	9400	HUAN	3 S	1625.2	1625.6	1.3	67.4	32.7		0
	9400	HUAN	30 PBI	1626.5	1626.5	49.8	7.7	6.8		0
	2800	OTTA	3 S	1627.4	1627.5	3.0	28.8	7.2		
	2650	DWIN	1 S	1628.0	1628.0	1.0	32.0	15.0		
	9400	HUAN	4 S/F	1628.8	1633.8	5.9	17.3	9.0		0
	9400	HUAN	3 S	1701.9	1703.3	4.7	23.1	13.8		0
	610	SGMR	20 GRF	1705.6	1708.8	20.2	50.0			QL=6 ST=2 TYP=2
	9400	HUAN	1 S	1744.6	1745.7	5.8	5.8	3.6		0
	245	PALE	47 GB	1758.6	1759.8	16.0	219.0			QL=6 ST=2 TYP=5
	610	PALE	47 GB	1759.8	1800.1	6.5	87.0			QL=6 ST=2 TYP=5
	9400	HUAN	2 S/F	1831.4	1833.5	7.8	15.4	7.7		0
	200	HIRA	24 R	1928.0E	0317.0	865.0D	260.0	90.0		SR
	100	HIRA	42 SER	1953.7	2040.3	49.6	630.0			SL
	9400	HUAN	2 S/F	2035.2	2039.5	7.0	13.5	8.0		0
	9400	HUAN	29 PBI	2042.2	2042.2	17.6	3.8	2.7		0
	9400	HUAN	22 GRF	2118.3	2128.0	14.3	9.6	5.3		0
	2800	OTTA	23 GRF	2120.0	2155.0	140.0	12.4	6.2		
	2000	TYKW	21 GRF	2130.0	2158.0	150.0	10.0	4.0		
	3750	TYKW	21 GRF	2143.0	2200.0	120.0	13.0	4.0		
	9400	TYKW	21 GRF	2144.0	2159.0	120.0	19.0	7.0		
9400	TYKW	5 S	2146.0	2147.5	4.0	10.0	3.0U			
3750	TYKW	5 S	2146.0	2147.6	4.0	8.0	3.0			
2800	OTTA	8 S	2228.0	2228.0	.1	10.8				
2000	TYKW	20 GRF	2235.0	2244.0	70.0	6.0	3.0			
3750	TYKW	20 GRF	2237.0	2253.0	40.0	6.0	3.0			
9400	TYKW	20 GRF	2240.0	2246.0	30.0	9.0	4.0			
9400	TYKW	45 C	2323.0	2336.0	13.0U	7.0	2.0			
9400	TYKW	21 GRF	2350.0	2359.5	42.0	10.0	4.0			
14	100	GORK	44 NS	0300.0E		528.0D		20.0		
	200	GORK	44 NS	0302.0E		526.0D		10.0		
	29	UPIC	44 NS	0330.0E		900.0D				
	33	UPIC	44 NS	0330.0E		900.0D				
	610	LEAR	43 NS	0421.6	0431.6	316.4D	44.0			QL=6 ST=2 TYP=1
	127	TORN	43 NS	0742.0		538.0		14.0		V1, DISTURBED
	245	PALE	43 NS	1636.0	2331.8	718.0D	980.0			QL=6 ST=2 TYP=1
	100	HIRA	44 NS	1930.0E	2018.0	865.0D	800.0	190.0		SL
	200	HIRA	44 NS	1930.0E	2214.0	750.0D	85.0	19.0		ML
	245	SGMR	43 NS	1954.8	2058.8	241.2D	570.0			QL=6 ST=2 TYP=1
	208	VORO	44 NS	2100.0E		360.0D		20.0		
	245	LEAR	43 NS	2321.0	0000.0	39.0D	670.0			QL=6 ST=2 TYP=1
	3750	TYKW	20 GRF	0006.0	0013.0	30.0	7.0	4.0		
	9400	TYKW	45 C	0008.5	0011.0	6.5	29.0	14.0		
	8800	LEAR	4 S/F	0009.1	0010.8	8.0	47.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0009.8	0010.8	7.5	23.0			QL=6 ST=2 TYP=3
	9400	TYKW	29 PBI	0015.0		15.0	4.0	2.0		
610	LEAR	4 S/F	0023.8	0028.6	10.5	36.0			QL=6 ST=2 TYP=3	
9400	TYKW	31 ABS	0032.0	0040.0	23.0	-3.0	-1.5			
3750	TYKW	21 GRF	0050.0	0147.0	125.0	12.0	6.0			
245	LEAR	47 GB	0050.8	0101.5	37.3	94.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
14	9400	TYKW	5 S	0055.0	0056.5	3.0	7.0	4.0		
	9400	TYKW	30 PBI	0058.0		10.0	3.0	1.5		
	8800	LEAR	4 S/F	0059.8	0100.8	23.3	30.0			QL=6 ST=2 TYP=3
	9400	TYKW	5 S	0100.0	0100.8	4.0	15.0	4.0		
	9400	TYKW	28 PRE	0111.5	0112.3	18.5	10.0	3.0		
	9400	TYKW	5 S	0115.6	0115.9	2.0	8.0	2.5		
	9400	TYKW	45 C	0119.8	0120.1	5.0	4.0	2.0		
	9400	TYKW	45 C	0130.0	0147.9	30.0	23.0	13.0		
	2000	TYKW	21 GRF	0130.0	0153.0	115.0	6.0	3.0		
	3750	TYKW	5 S	0134.0	0136.0	6.0	5.0	2.0		
	3750	TYKW	45 C	0151.0	0155.6	10.0	7.0	2.0		
	2000	TYKW	5 S	0154.0	0154.8	4.0	3.0	1.0		
	9400	TYKW	29 PBI	0200.0		90.0	11.0	5.0		
	2840	PEKG	2 S/F	0222.0	0224.0	4.0	5.8			
	9395	PEKG	3 S	0245.7	0246.1	1.0	24.9	9.2		
	3750	TYKW	5 S	0303.0E	0303.0U	20.0D	6.0D	3.0D		
	2950	GORK	23 GRF	0327.2E	0357.0	298.0D	14.0			
	650	GORK	21 GRF	0329.0	0630.0	385.0	8.0			
	3750	TYKW	21 GRF	0330.0	0400.0	135.0	6.0	3.0		
	2000	TYKW	21 GRF	0332.0	0359.0	130.0	4.0	2.0		
	2000	TYKW	45 C	0333.5	0336.0	6.0	7.0	2.5		
	2950	GORK	1 S	0333.8	0336.0	3.1	6.4			
	1000	TYKW	45 C	0334.0	0335.0	6.0	2.5	1.0		
	3750	TYKW	5 S	0334.0	0336.0	5.0	5.0	2.0		
	650	GORK	4 S/F	0334.0	0335.1	1.1U	11.0			
	500	HIRA	7 C	0334.1	0334.6	1.0	80.0	50.0		SL
	1000	TYKW	5 S	0343.8	0344.0	.5	7.0	2.5		
	650	GORK	27 RF	0345.0	0432.6	72.0	44.0			
	9400	TYKW	20 GRF	0347.0	0358.0	80.0	4.0	2.0		
	1000	TYKW	45 C	0347.4	0347.7	2.5	9.0	1.0		
	2000	TYKW	45 C	0348.0	0348.5	1.5	3.0	1.0		
	610	LEAR	8 S	0348.1E	0348.8	2.0D	13.0			QL=6 ST=2 TYP=3
	3750	TYKW	5 S	0445.5	0446.4	3.5	4.0	1.5		
	500	HIRA	42 SER	0504.3	0517.4	16.0	75000.0			SLSR
	9400	TYKW	45 C	0510.0	0510.8	9.0	6.0	3.0		
	9100	GORK	2 S/F	0510.3	0510.9	6.3	9.6			
	3750	TYKW	5 S	0519.0	0522.0	15.0	4.0	1.5		
	260	ONDR	44D	0533.0E	0732.0U	509.0D	71.0U			
	9400	TYKW	45 C	0545.8	0546.0	3.0	7.0	2.0		
	9100	GORK	1 S	0545.8	0546.1	1.2	14.0	7.0		
	2840	PEKG	20 GRF	0554.0	0641.7	119.0	37.4	12.2		
	9100	GORK	1 S	0556.9	0557.7	3.2	19.0	10.0		
	9400	TYKW	5 S	0557.0	0557.6	3.0	14.0	4.0		
	3750	TYKW	28 PRE	0622.0	0639.0	17.0	8.0	4.0		
	2000	TYKW	20 GRF	0623.0	0650.0	150.0	7.0	3.5		
	9395	PEKG	3 S	0627.0	0628.2	2.0	24.9	11.9		
	9400	TYKW	21 GRF	0630.0	0650.0	120.0D	20.0	12.0D		RAIN
	9395	PEKG	20 GRF	0630.0	0654.0	84.0	34.0	12.0		
	9100	GORK	21 GRF	0631.2	0651.8	91.0	28.0			
	6100	KISV	2 S/F	0637.7	0641.4	8.0	24.0			
3750	TYKW	45 C	0639.0	0641.5	21.0	36.0	18.0			
9400	TYKW	45 C	0641.0	0641.9	6.0	18.0	5.0			
3000	POTS	23 GRF	0641.0	0641.6	39.0	15.0				
15000	KISV	2 S/F	0641.0	0642.0	4.0	19.0				
9500	POTS	23 GRF	0641.0	0654.0	69.0	23.0				
9100	GORK	1 S	0641.2	0642.0	1.3	17.0	8.0			
2695	ATHN	8 S	0641.3	0641.5	1.3	11.0			QL=6 ST=2 TYP=3	
4995	ATHN	8 S	0641.3	0641.5	.8	25.0			QL=6 ST=2 TYP=3	
4995	LEAR	4 S/F	0641.3	0641.5	5.8	33.0			QL=6 ST=2 TYP=3	
8800	LEAR	4 S/F	0641.3	0641.8	5.8	27.0			QL=6 ST=2 TYP=3	
2695	LEAR	8 S	0641.5	0641.6	1.6	11.0			QL=6 ST=2 TYP=3	
17000	NOBE	2 S/F	0641.7	0641.8	1.0	26.0			R	
15400	LEAR	4 S/F	0642.0	0642.1	5.1	11.0			QL=6 ST=2 TYP=3	
9400	TYKW	45 C	0651.0	0654.0	7.0	16.0	4.0			
6100	KISV	2 S/F	0651.0	0654.0	6.5	8.0				
8800	LEAR	20 GRF	0653.3	0654.0	3.5	20.0			QL=6 ST=2 TYP=2	
9100	GORK	1 S	0653.3	0654.0	1.4	10.0	5.0			
3750	TYKW	29 PBI	0700.0		100.0	16.0	8.0			
500	HIRA	22 GRF	0720.4	0832.3	110.0	20.0	8.0		SR	
9100	GORK	1 S	0818.7	0819.7	3.7	8.5				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

53
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
14	650	GORK	4 S/F	0828.2	0831.6	7.8	13.5			
	2950	GORK	21 GRF	0859.6	1015.5	180.0D	23.0			
	1470	POTS	21 GRF	0933.0	0942.0		107.0			
	3000	POTS	21 GRF	0934.0	0945.0	116.0	50.0			
	3100	CRIM	3 S	0935.0	0944.7	15.0	44.0	5.0		
	2650	DWIN	2 S/F	0935.0	0945.0	20.0	50.0	25.0		
	3100	CRIM	21 GRF	0935.0	1014.0	109.0	24.0	8.0		
	9500	POTS	20 GRF	0935.0	1035.0	125.0	28.0			
	950	GORK	1 S	0935.3	0936.7	2.3	4.0			
	950	GORK	4 S/F	0940.1	0941.0	3.9	25.0			
	808	ONDR	4 S/F	0940.8	0941.1	3.7	28.0	18.0		
	650	GORK	4 S/F	0940.9	0942.2	2.3	64.0			
	2950	GORK	4 S/F	0941.0	0945.0	8.1	26.0			
	930	BORD	46 C	0942.0	0943.3	3.0	49.0	3.0		
	8400	BERN	41 F	0956.5	1042.3	90.0D	136.0			
	11800	BERN	41 F	0956.5	1042.3	90.0D	103.0			
	9100	GORK	21 GRF	0957.9	1045.2	93.0	49.0			
	15000	KISV	2 S/F	1003.2	1004.1	2.0	18.0			
	19600	BERN	41 F	1008.5	1042.4	60.0	30.0			
	3100	CRIM	3 S	1008.8	1010.0	5.0	44.0	15.0		
	6100	KISV	4 S/F	1008.9	1009.9	4.0	55.0			
	4995	ATHN	47 GB	1009.0	1009.6	6.3	65.0			QL=6 ST=3 TYP=5
	2695	ATHN	4 S/F	1009.0	1010.0	6.1	30.0			QL=6 ST=2 TYP=3
	2650	DWIN	1 S	1009.0	1010.0	5.0	30.0	15.0		
	2950	GORK	3 S	1009.0	1010.1	5.6	55.0			
	3000	POTS	3 S	1009.0	1010.3	5.0	55.0			
	9500	POTS	3 S	1009.0	1010.4	3.0	40.0			
	8800	ATHN	4 S/F	1009.1	1009.8	5.2	37.0			QL=6 ST=2 TYP=3
	9100	GORK	3 S	1009.3	1010.2	2.7	40.0			
	2950	GORK	2 S/F	1022.2	1023.7	3.7	8.3			
	4995	SGMR	47 GB	1031.6	1033.8	18.7	38.0			QL=6 ST=2 TYP=5
	2695	SGMR	4 S/F	1031.8	1033.6	12.3	37.0			QL=6 ST=2 TYP=3
	8800	SGMR	47 GB	1032.3	1033.6	18.0	27.0			QL=6 ST=2 TYP=5
	15400	SGMR	4 S/F	1035.8	1039.6	8.7	30.0			QL=6 ST=2 TYP=3
	950	GORK	4 S/F	1040.4	1044.1	3.7U	29.0			
	15000	KISV	45 C	1041.2	1043.7	4.5	55.0			
	1470	POTS	4 S/F	1041.5	1042.4	7.5	32.0			
	1470	POTS		1041.5	1043.7		33.0			
	2695	ATHN	4 S/F	1041.6	1042.0	3.0	25.0			QL=6 ST=3 TYP=3
	4995	ATHN	47 GB	1041.6	1042.1	4.0	76.0			QL=6 ST=3 TYP=5
	8800	ATHN	47 GB	1041.6	1042.1	4.9	110.0			QL=6 ST=3 TYP=5
	1415	ATHN	4 S/F	1041.8	1042.1	3.2	54.0			QL=6 ST=3 TYP=3
	3100	CRIM	45 C	1042.0	1042.2	5.0	38.0	13.0		
	9500	POTS	4 S/F	1042.0	1042.3	6.5	111.0			
	3000	POTS	4 S/F	1042.0	1042.3	5.0	55.0			
	9100	GORK	45 C	1042.0	1042.3	3.2	115.0			
	6100	KISV	45 C	1042.0	1042.4	35.0	59.0			
	2950	GORK	45 C	1042.0	1042.5	2.6	32.0			
	9100	GORK		1042.0	1043.5		64.0			
	6100	KISV		1042.0	1043.7		41.0			
3000	POTS		1042.0	1043.8		60.0				
3100	CRIM		1042.0	1043.8		36.0				
2950	GORK		1042.0	1043.9		28.0				
2650	DWIN	2 S/F	1042.0	1044.0	3.0	40.0	20.0			
1415	SGMR	47 GB	1042.1	1042.5	2.4	60.0			QL=6 ST=2 TYP=5	
536	ONDR	45 C	1042.3	1044.0	3.8	38.0				
650	GORK	4 S/F	1042.4	1042.4	2.2	24.0				
610	SGMR	8 S	1043.6	1043.8	.4	23.0			QL=6 ST=2 TYP=3	
930	BORD	46 C	1044.0	1044.6	4.0	43.0	4.0			
2950	GORK	2 S/F	1051.7	1053.7	5.8	11.0				
2800	OTTA	20 GRF	1145.0	1150.0	65.0	16.0	6.0			
2950	GORK	1 S	1146.0	1146.1	.7	11.0				
2950	GORK	1 S	1148.2	1148.6	1.5	5.5				
2950	GORK	1 S	1149.7	1150.5	1.4	4.2				
9400	HUAN	20 GRF	1154.8	1216.5	29.2	11.6	7.1		0	
6100	KISV	45 C	1228.2	1231.3	13.0	23.0				
6100	KISV		1228.2	1236.6		18.0				
9400	HUAN	3 S	1229.6	1231.0	2.7	23.2	15.2		R	
8400	BERN	21 GRF	1230.0	1230.9	30.0	36.0				
9500	POTS	23 GRF	1230.0	1231.0	40.0	25.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
14	9400	HUAN	2 S/F	1235.8	1237.3	3.3	9.7	6.5		0
	3000	POTS	3 S	1253.5	1254.0	3.0	11.0			
	1470	POTS	3 S	1253.7	1254.2	4.8	8.0			
	2800	OTTA	240AR	1310.0	1335.0	25.0	16.0	8.0		
	2695	ATHN	4 S/F	1312.3	1316.6	8.0	23.0			QL=6 ST=2 TYP=3
	2800	OTTA	3 S	1315.0	1318.0	4.0	12.4	6.2		
	9500	POTS	20 GRF	1315.0	1500.0	120.00	38.0			
	3000	POTS	23 GRF	1315.0	1500.2	120.00	94.0			
	1470	POTS	22 GRF	1315.0	1500.3	120.00	51.0			
	9400	HUAN	21 GRF	1316.5	1334.5	63.0	17.4	9.1		0
	4995	SGMR	8 S	1317.8	1318.0	.3	13.0			QL=6 ST=2 TYP=3
	610	SGMR	8 S	1327.8	1328.0	.5	20.0			QL=6 ST=2 TYP=3
	2695	SGMR	47 GB	1327.8	1329.6	16.8	42.0			QL=6 ST=2 TYP=5
	4995	SGMR	8 S	1328.0	1329.3	1.30	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1328.3	1329.6	2.3	24.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1328.5	1329.6	1.3	20.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1344.6	1346.6	2.00	17.0			QL=6 ST=2 TYP=3
	2695	SGMR	20 GRF	1344.6	1346.6	14.0	50.0			QL=6 ST=2 TYP=2
	1415	SGMR	4 S/F	1345.0	1346.1	4.6	22.0			QL=6 ST=2 TYP=3
	610	SGMR	8 S	1347.3	1347.5	.3	17.0			QL=6 ST=2 TYP=3
	9400	HUAN	1 S	1351.6	1352.6	2.2	19.3	3.7		0
	9400	HUAN	2 S/F	1404.7	1406.0	4.6	7.7	3.5		R
	2800	OTTA	21 GRF	1415.0	1555.0	340.0	44.0	26.0		
	2800	OTTA	1 S	1420.0	1423.0	5.0	7.4	3.8		
	2800	OTTA	4 S/F	1430.0	1434.5	7.0	22.4	10.4		
	2695	SGMR	8 S	1433.8	1434.3	.50	46.0			QL=6 ST=2 TYP=3
	2800	OTTA	21 GRF	1439.0		52.0	37.0	24.0		
	930	BORD	23 GRF	1442.0	1500.0	33.0	43.0	6.0		
	2695	SGMR	8 S	1442.3	1444.1	1.80	44.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1442.8	1444.8	2.00	18.0			QL=6 ST=2 TYP=3
	1415	SGMR	20 GRF	1443.3	1448.6	33.3	32.0			QL=6 ST=2 TYP=2
	610	SGMR	8 S	1445.8	1447.3	1.50	20.0			QL=6 ST=2 TYP=3
	9400	HUAN	23 GRF	1449.3	1755.5	186.20	77.3	26.8		R
	8800	SGMR	8 S	1454.5	1455.8	1.3	20.0			QL=6 ST=2 TYP=3
	2800	OTTA	4 S/F	1458.0	1500.0	11.0	32.0	14.0		
	410	SGMR	8 S	1459.3	1500.1	.80	17.0			QL=6 ST=2 TYP=3
	9400	HUAN	2 S/F	1542.1	1544.0	3.1	17.4	9.0		0
	9400	HUAN	4 S/F	1551.1	1556.5	12.2	27.0	14.8		0
	245	SGMR	47 GB	1616.0	1616.3	1.1	210.0			QL=6 ST=2 TYP=5
	2800	OTTA	1 S	1616.0	1616.5	1.0	4.4	2.2		
	9400	HUAN	2 S/F	1714.7	1717.7	4.9	19.3	8.7		0
	2800	OTTA	22 GRF	1725.0	1735.0	55.0	19.0	11.0		
	4995	SGMR	20 GRF	1726.1	1744.5	59.7	41.0			QL=6 ST=2 TYP=2
	8800	SGMR	20 GRF	1728.1	1752.5	57.7	53.0			QL=6 ST=2 TYP=2
	2800	OTTA	22 GRF	1830.0	1838.0	40.0	34.6	12.0		
	9400	HUAN	45 C	1831.4	1839.0	17.9	50.2	29.9		R
	9400	HUAN		1831.4	1840.3		51.2			R
	8800	PALE	47 GB	1833.8	1835.1	12.5	31.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	1836.1	1837.1	7.7	36.0			QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1836.3	1838.3	7.0	80.0			QL=6 ST=2 TYP=5
8800	SGMR	47 GB	1837.8	1838.1	6.2	50.0			QL=6 ST=2 TYP=5	
2695	PALE	4 S/F	1837.8	1838.6	4.0	21.0			QL=6 ST=2 TYP=3	
2695	SGMR	4 S/F	1838.3	1838.6	8.8	32.0			QL=6 ST=2 TYP=3	
2800	OTTA	1 S	1931.0	1932.0	3.0	4.0	2.0			
9400	HUAN	2 S/F	2008.3	2009.2	1.9	11.6	6.2		0	
9400	HUAN	20 GRF	2024.4	2031.8	15.1	19.3	10.5		R	
2800	OTTA	21 GRF	2025.0	2220.0	170.0	17.0	8.5			
500	HIRA	22 GRF	2033.0	2053.0	133.0	14.0	5.0		SL	
9400	HUAN	45 C	2045.5	2046.3	3.8	42.5	21.7		0	
8800	PALE	47 GB	2046.0	2046.3	3.3	60.0			QL=6 ST=2 TYP=5	
2800	OTTA	3 S	2046.0	2047.0	4.0	10.6	4.0			
8800	SGMR	8 S	2046.1	2046.3	.4	24.0			QL=6 ST=2 TYP=3	
610	PALE	4 S/F	2046.3	2047.1	9.5	32.0			QL=6 ST=2 TYP=3	
4995	PALE	8 S	2046.3	2047.6	2.0	20.0			QL=6 ST=2 TYP=3	
610	SGMR	4 S/F	2053.3	2054.1	3.0	28.0			QL=6 ST=2 TYP=3	
200	HIRA	41 F	2054.4	2058.6	7.0	240.0			ML	
9400	TYKW	21 GRF	2115.0	2124.0	30.0	11.0	5.0			
3750	TYKW	5 S	2128.0	2129.0	14.0	5.0	2.0			
9400	TYKW	5 S	2133.4	2133.7	1.5	19.0	6.0			
15400	PALE	8 S	2133.6	2133.8	.7	58.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

55
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
14	17000	NOBE	1 S	2133.7	2133.8	.6	64.0			R
	2000	TYKW	20 GRF	2135.0	2222.0	105.0	6.0	3.0		
	9400	TYKW	21 GRF	2150.0	2155.0	60.0	8.0	4.0		
	3750	TYKW	21 GRF	2150.0	2227.0	90.0	16.0	6.0		
	9400	TYKW	45 C	2157.0	2159.6	4.0	17.0	4.0		
	8800	SGMR	4 S/F	2159.3	2159.6	3.0	33.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2159.3	2201.5	4.5	19.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2159.5	2201.3	8.3	39.0			QL=6 ST=2 TYP=3
	9400	TYKW	45 C	2205.0	2211.0	32.0	22.0	9.0		
	4995	SGMR	8 S	2207.6	2207.6	.2	20.0			QL=6 ST=2 TYP=3
	3750	TYKW	5 S	2210.0	2212.0	5.0	3.0	1.0		
	3750	TYKW	5 S	2219.5	2220.4	1.5	4.0	1.5		
	1000	TYKW	45 C	2220.0	2220.3	1.0	13.0	2.0		
	1000	TYKW	5 S	2227.0	2228.3	3.0	4.0	1.5		
	3750	TYKW	5 S	2301.0	2302.1	6.0	2.0	.7		
	3750	TYKW	21 GRF	2335.0	2354.0	65.0	2.0	1.0		
	9400	TYKW	5 S	2352.0	2355.2	6.0	15.0	9.0		
9400	TYKW	30 PBI	2358.0		25.0	8.0	3.5			
15	200	GORK	44 NS	0305.0E		535.0D		10.0		
	100	GORK	44 NS	0306.0E		474.0D		5.0		
	260	ONDR	44 NS	0622.0E		478.0D				
	127	TORN	43 NS	0732.0		548.0				V1, DISTURBED
	33	UPIC	43 NS	0806.8		540.2				
	29	UPIC	43 NS	0806.9		540.9				
	245	SGMR	43 NS	0943.0	1235.0	853.0D	130.0			QL=6 ST=2 TYP=1
	208	VORO	44 NS	2100.0E		360.0D		2.0		
	9400	TYKW	45 C	0001.5	0004.0U	10.0	10.0D	4.0D		
	3750	TYKW	45 C	0016.0	0018.3	5.0	8.0	1.5		
	3750	TYKW	28 PRE	0032.0	0219.0	117.0	7.0	4.0		
	9400	TYKW	28 PRE	0034.0	0218.0	104.0	19.0	7.0		
	3750	TYKW	5 S	0035.0	0035.7	3.0	3.0	1.0		
	9395	PEKG	45 C	0035.0	0053.7	30.0	65.7	34.5		
	9400	TYKW	45 C	0039.0	0053.5	27.0	58.0	17.0		
	4995	LEAR	4 S/F	0040.1	0052.8	87.0D	11.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0040.1	0053.3	17.2	62.0			QL=6 ST=2 TYP=5
	3750	TYKW	5 S	0044.0	0046.0	7.0	3.0	1.5		
	2000	TYKW	28 PRE	0055.0	0134.0	84.0	6.0	3.0		
	9400	TYKW	5 S	0112.0	0112.7	2.0	4.0	1.5		
	9400	TYKW	45 C	0118.0	0130.7	21.0	21.0	9.0		
	3750	TYKW	21 GRF	0120.0	0149.0	55.0	8.0	4.0		
	1000	TYKW	21 GRF	0120.0	0250.0	320.0	2.0	1.0		
	3750	TYKW	5 S	0121.0	0131.7	18.0	7.0	3.0		
	8800	LEAR	4 S/F	0129.1	0130.6	9.4	29.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0129.1	0130.6	2.4	16.0			QL=6 ST=2 TYP=3
	9400	TYKW	29 PBI	0139.0		14.0	8.0	4.0		
	2000	TYKW	21 GRF	0143.0	0148.0	30.0	5.0	2.0		
	9400	TYKW	5 S	0159.0	0202.0	7.0	4.0	2.0		
	9400	TYKW	5 S	0211.0	0211.3	1.0	30.0	12.0		
	3750	TYKW	5 S	0211.0	0211.3	1.0	8.0	2.5		
	2695	LEAR	47 GB	0211.1	0211.1	.7	60.0			QL=6 ST=2 TYP=5
	610	LEAR	8 S	0211.1	0211.1	.2	20.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0211.1	0211.1	.7	11.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0211.1	0211.1	2.9	35.0			QL=6 ST=2 TYP=3
	1000	TYKW	5 S	0211.2	0211.4	1.0	1.5	.5		
	2000	TYKW	5 S	0211.2	0211.4	.8	3.0	1.0		
	9400	TYKW	29 PBI	0212.0		4.0	6.0	3.0		
	9400	TYKW	45 C	0218.0	0224.0	25.0	156.0	85.0		
	9395	PEKG	45 C	0218.0	0224.0	17.0	137.0	15.3		
2695	LEAR	47 GB	0218.8	0224.1	56.2	36.0			QL=6 ST=3 TYP=5	
4995	LEAR	47 GB	0218.8	0224.3	56.2	60.0			QL=6 ST=3 TYP=5	
8800	LEAR	47 GB	0218.8	0224.3	56.2	180.0			QL=6 ST=3 TYP=5	
2000	TYKW		0219.0	0224.3		16.0				
3750	TYKW	45 C	0219.0	0224.3	14.0	51.0	31.0			
2000	TYKW	45 C	0219.0	0319.0	71.0	36.0	20.0			
15400	LEAR	4 S/F	0219.1	0223.6	55.9	30.0			QL=6 ST=3 TYP=3	
17000	NOBE	21 GRF	0221.0	0426.0	240.0D	68.0			R	
15400	LEAR	8 S	0223.5	0223.6		30.0			QL=6 ST=3 TYP=3	
8800	LEAR	47 GB	0223.5	0224.0		180.0			QL=6 ST=3 TYP=5	
2695	LEAR	8 S	0223.5	0224.1		36.0			QL=6 ST=3 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
15	4995	LEAR	47 GB	0223.5	0224.3		60.0			QL=6 ST=3 TYP=5
	3750	TYKW	30 PBI	0233.0		230.0	36.0	18.0		
	9395	PEKG	30 PBI	0235.0		50.00	96.0			
	9400	TYKW	30 PBI	0243.0		243.0	53.0	27.0		
	9400	TYKW	5 S	0244.8	0244.9	.5	3.0	1.0		
	3750	TYKW	21 GRF	0245.0	0405.0	215.0	36.0	25.0		
	3750	TYKW	45 C	0246.0	0251.0	13.0	6.0	2.0		
	9400	TYKW	45 C	0246.5	0251.5	16.0	22.0	9.0		
	9395	PEKG	3 S	0247.0	0250.0	9.0	21.0	10.2		
	1000	TYKW	21 GRF	0257.0	0330.0	210.0	6.0	3.0		
	9400	TYKW	45 C	0307.0	0324.3	22.0	16.0	5.0		
	1415	LEAR	4 S/F	0308.1	0309.6	6.9	11.0			QL=6 ST=3 TYP=3
	3750	TYKW	5 S	0312.8	0313.4	2.0	5.0	1.5		
	2950	GORK	22 GRF	0318.0E	0406.0	273.00	59.0			
	3750	TYKW	5 S	0318.3	0319.1	2.0	3.0	1.0		
	2000	TYKW	30 PBI	0330.0		190.0	33.0	22.0		
	3750	TYKW	5 S	0333.0	0333.4	2.5	13.0	3.0		
	2695	LEAR	8 S	0333.1	0333.3	1.9	11.0			QL=6 ST=2 TYP=3
	610	LEAR	8 S	0333.1	0333.3	.2	30.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0333.1	0333.3	2.0	8.0			QL=6 ST=2 TYP=3
	9400	TYKW	5 S	0333.2	0333.4	2.5	52.0	10.0		
	2000	TYKW	5 S	0333.2	0333.4	.8	5.0	1.5		
	8800	LEAR	47 GB	0333.3	0333.3	1.5	60.0			QL=6 ST=2 TYP=5
	4995	LEAR	8 S	0333.3	0333.3	1.5	24.0			QL=6 ST=2 TYP=3
	1000	TYKW	5 S	0333.3	0333.5	1.0	2.0	.7		
	15400	LEAR	8 S	0333.3	0333.5	1.5	20.0			QL=6 ST=2 TYP=3
	17000	NOBE	1 S	0333.3	0333.5	.8	18.0			R
	500	HIRA	42 SER	0334.0	0338.0	4.6	35.0			0
	3750	TYKW	45 C	0337.0	0338.3	5.0	22.0	3.0		
	9400	TYKW	5 S	0337.0	0338.4	5.0	13.0	4.0		
	1000	TYKW	45 C	0337.0	0338.6	3.0	5.0	1.0		
	9400	TYKW	21 GRF	0337.0	0417.0U	165.0	48.0	32.0		INTERFERENCE
	4995	LEAR	4 S/F	0337.3	0338.3	3.5	31.0			QL=6 ST=2 TYP=3
	610	LEAR	8 S	0337.6	0338.1	1.2	10.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0337.6	0338.3	3.7	18.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0337.8	0338.1	1.3	15.0			QL=6 ST=2 TYP=3
	2000	TYKW	5 S	0338.0	0338.5	1.5	5.0	1.5		
	1415	LEAR	8 S	0338.0	0338.5	1.1	4.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0338.1	0338.1	.10	15.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0338.1	0338.1	.2	24.0			QL=6 ST=2 TYP=3
	2000	TYKW	5 S	0358.0	0358.7	3.0	6.0	3.0		
	3750	TYKW	5 S	0358.0	0359.0	5.0	12.0	4.5		INTERFERENCE
	9100	GORK	21 GRF	0400.0E		483.00				
	2000	TYKW	29 PBI	0401.0			1.5	.7		
	2000	TYKW	20 GRF	0410.0	0419.0	35.0	4.0	2.0		
	3750	TYKW	20 GRF	0410.0	0421.0	35.0	9.0	4.0		
	3750	TYKW	5 S	0452.0	0456.0	10.0	3.0	1.0		
	200	HIRA	46 C	0509.6	0511.3	4.3	205.0	68.0		ML
	9400	TYKW	21 GRF	0512.0	0522.0	40.0	8.0	4.0		
	9400	TYKW	5 S	0530.0	0532.0	10.0	4.0	2.0		
3750	TYKW	5 S	0531.0	0533.0	5.0	3.0	1.5			
245	LEAR	47 GB	0546.3	0546.3	.5	169.0			QL=6 ST=2 TYP=5	
2000	TYKW	5 S	0613.5	0613.6	.5	5.0	1.5			
3750	TYKW	31 ABS	0633.0	0700.0	135.0	-15.0	-8.0			
2000	TYKW	31 ABS	0640.0	0800.0	125.0	-5.0	-2.0			
9400	TYKW	31 ABS	0646.0	0755.0	125.0	-10.0	-6.0			
2000	TYKW	5 S	0709.4	0709.5	.5	4.0	1.5			
610	LEAR	8 S	0733.1	0733.6	1.2	34.0			QL=6 ST=2 TYP=3	
2950	GORK	21 GRF	0838.0	0936.5	208.00	13.5				
200	HIRA	46 C	0842.6	0843.1	1.0	92.0	24.0		ML	
100	HIRA	46 C	0846.6		.8	10000.00	1490.00			
6100	KISV	2 S/F	0848.0	0850.0	5.0	7.0				
200	HIRA	46 C	0906.3	0907.0	1.2	43.0	16.0		ML	
9500	POTS	20 GRF	0909.0	0940.0	66.0	19.0				
1470	POTS	4 S/F	0910.0	0910.7	3.5	24.0				
930	BORD	41 F	0910.0	0911.2	1.4	62.0	2.0			
950	GORK	2 S/F	0910.3	0910.7	1.3	10.0				
2950	GORK	1 S	0917.5	0919.2	5.2	6.7				
200	HIRA	46 C	0937.1	0937.6	1.1	49.0U	32.0U		ML, SUNSET	
536	ONDR	8 S	1020.7	1020.7	.1	18.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

57
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
15	15000	KISV	1 S	1041.2	1042.4		51.0			
	9500	POTS	21 GRF	1053.0	1059.5	42.0	11.0			
	11800	BERN	41 F	1055.0U	1110.4	20.0U	58.0			
	8400	BERN	41 F	1055.0U	1113.3	20.0U	29.0			
	9500	POTS	3 S	1110.0	1110.4	1.5	21.0			
	19600	BERN	3 S	1110.0	1110.4	1.0	33.0			
	9100	GORK	1 S	1110.2	1110.5	.8	25.0	12.0		
	536	ONDR	8 S	1111.9	1111.9	.2	56.0			
	6100	KISV	1 S	1112.8	1113.3	1.0	13.0			
	9500	POTS	8 S	1113.0	1113.2	.2	20.0			
	9100	GORK	1 S	1113.0	1113.2	.7	28.0	14.0		
	2950	GORK	1 S	1113.0	1113.2	.8	4.1			
	4995	ATHN	8 S	1113.1	1113.5	.7	11.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	1113.1	1113.5	.7	33.0			QL=6 ST=2 TYP=3
	536	ONDR	40 F	1145.8	1149.3	4.4	12.0			
	9500	POTS	21 GRF	1222.0	1235.0	38.0	27.0			
	6100	KISV	20 GRF	1226.5	1231.2	21.5	18.0			
	2800	OTTA	20 GRF	1227.0	1232.0	33.0	10.8	5.0		
	2695	SGMR	47 GB	1227.8	1230.1	4.7	80.0			QL=2 ST=2 TYP=5
	9400	HUAN	21 GRF	1228.1	1231.2	21.3	15.9	8.3		0
	4995	SGMR	4 S/F	1229.1	1231.1	9.0	28.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1229.1	1235.1	26.0	16.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1229.1	1235.1	26.0	29.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1232.5	1232.6	.1	33.0			QL=6 ST=2 TYP=3
	9400	HUAN	1 S	1233.3	1235.0	2.4	17.6	7.0		0
	234	POTS	41 F	1234.3	1234.4	.9	150.0	3.0		!!!
	113	POTS	41 F	1234.3	1235.1	1.5	2400.0	100.0		!!!
	536	ONDR	8 S	1257.9	1257.9	.1	8.0			
	9400	HUAN	21 GRF	1309.0	1322.0	30.5	9.7	3.6		0
	9500	POTS	21 GRF	1316.5	1317.5	44.0	16.0			
	9400	HUAN	2 S/F	1316.7	1317.5	2.3	12.3	5.7		0
	2800	OTTA	4 S/F	1326.5	1327.0	1.0	12.6	6.0		
	234	POTS	4 S/F	1340.5	1340.6	.8	100.0	30.0		!!!
	113	POTS	4 S/F	1340.6	1340.6	.1	300.0	100.0		!!!
	234	POTS	4 S/F	1349.7	1349.7	.8	400.0	40.0		
	2800	OTTA	21 GRF	1420.0	1445.0	90.0	6.0	3.0		
	9400	HUAN	20 GRF	1432.6	1433.6	16.8	5.3	4.1		0
	9400	HUAN	21 GRF	1523.7	1542.0	33.0	3.5	1.8		0
	4995	ATHN	47 GB	1525.5	1527.6	9.3	58.0			QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1525.8	1527.3	2.8	66.0			QL=6 ST=2 TYP=5
	2800	OTTA	4 S/F	1526.0	1527.5	4.0	10.2	3.4		
	2695	ATHN	4 S/F	1526.1	1527.1	8.7	17.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1526.1	1527.6	3.0	40.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1526.3	1527.6	3.5	35.0			QL=2 ST=2 TYP=3
	9400	HUAN	1 S	1526.4	1527.7	2.3	28.2	26.5		0
	8800	SGMR	8 S	1526.8	1527.3	1.0	39.0			QL=6 ST=2 TYP=3
	9400	HUAN	20 GRF	1609.6	1619.0	25.4	7.0	1.4		0
	2800	OTTA	1 S	1738.5	1739.0	2.0	9.8	3.3		
	4995	SGMR	8 S	1738.6	1738.8	.5	23.0			QL=6 ST=2 TYP=3
	2800	OTTA	1 S	1744.0	1744.3	3.0	8.4	2.2		
	9400	HUAN	20 GRF	1752.1	1802.2	20.1	7.0	6.3		0
	9400	HUAN	2 S/F	1840.0	1841.4	6.4	8.8	3.0		R
	9400	HUAN	2 S/F	2052.7	2055.9	8.3	17.6	5.9		0
	200	HIRA	46 C	2055.0	2055.7	1.6	268.0	72.0		WL
	100	HIRA	41 F	2055.1	2055.6	1.6	370.0			ML
	245	SGMR	8 S	2055.3	2055.3	1.3	830.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	2055.6	2055.8	.2	84.0			QL=6 ST=2 TYP=5
	9400	TYKW	28 PRE	2130.0	2205.0	35.0	6.0	3.0		
	3750	TYKW	28 PRE	2130.0	2205.0	35.0	5.0	3.0		
	2000	TYKW	21 GRF	2130.0	2314.0	320.0	11.0	6.0		
	1000	TYKW	21 GRF	2130.0	2314.0	320.0	5.0	2.0		
	2800	OTTA	23 GRF	2135.0	0045.0	260.0D	41.8			
	3750	TYKW	45 C	2205.0	2206.4	9.0	39.0	23.0		
	9400	TYKW	45 C	2205.0	2206.5	9.0	87.0	44.0		
	2000	TYKW	45 C	2205.0	2209.7	20.0	15.0	6.0		
	9400	HUAN	45 C	2205.2	2206.5	9.4	100.5	34.2		R
	2800	OTTA	4 S/F	2205.2	2209.5	17.0	20.8	10.0		
	9400	HUAN		2205.2	2211.6		99.7			R
	17000	NOBE	7 C	2205.3	2206.6	13.0	27.0			R
	4995	SGMR	47 GB	2205.5	2206.5	11.3	56.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean			
15	8800	PALE	47 GB	2205.5	2206.8	10.3	87.0			QL=5 ST=2 TYP=5	
	8800	SGMR	47 GB	2205.6	2206.5	7.7	56.0			QL=6 ST=2 TYP=5	
	15400	SGMR	4 S/F	2205.6	2206.5	7.7	49.0			QL=6 ST=2 TYP=3	
	4995	PALE	47 GB	2206.3	2206.8	8.3	50.0			QL=5 ST=2 TYP=5	
	2695	PALE	4 S/F	2209.6	2209.6	3.5	20.0			QL=5 ST=2 TYP=3	
	2695	SGMR	8 S	2211.6	2213.1	1.7	30.0			QL=6 ST=2 TYP=3	
	3750	TYKW	30 PBI		2214.0	335.0	18.0	10.0			
	9400	TYKW	30 PBI		2214.0	325.0	28.0	14.0			
	2000	TYKW	30 PBI		2225.0	35.0	4.0	2.0			
	9400	TYKW	5 S	2226.0	2230.0	23.0	8.0	4.0			
	2000	TYKW	5 S	2227.0	2230.0	20.0	4.0	2.0			
	3750	TYKW	5 S	2228.0U	2230.0	20.0U	6.0	3.0U			INTERFERENCE
	2000	TYKW	8 S	2300.6	2300.7	.2	47.0	14.0			
	1000	TYKW	8 S	2300.7	2300.8	.2	7.0	2.0			
	3750	TYKW	5 S	2302.0	2305.0	20.0U	4.0	1.5U			
	9400	TYKW	21 GRF	2303.0	2315.0U	40.0	8.0	3.0			INTERFERENCE
	2840	PEKG	20 GRF	2325.0	2339.0	31.0	14.4				
	9400	TYKW	5 S	2331.0	2331.6	3.0	11.0	3.0			
	3750	TYKW	5 S	2342.0	2347.0	14.0	4.0	1.5			
	245	LEAR	4 S/F	2342.0	2342.3	2.8	40.0				QL=6 ST=2 TYP=3
	9400	TYKW	45 C	2346.0	0002.3	23.0	22.0	11.0D			
9395	PEKG	2 S/F	2354.0	2359.0	21.0	11.2	5.8				
3750	TYKW	5 S	2358.0	0003.0U	20.0	3.0D	1.5D				
16	200	GORK	44 NS	0257.0E		546.0D		5.0			
	33	UPIC	43 NS	0448.2		821.8D					
	29	UPIC	43 NS	0448.3		821.7D					
	245	LEAR	43 NS	0456.6	0458.6	282.4D	53.0				QL=6 ST=2 TYP=1
	260	ONDR	44 NS	0557.0E	0854.0U	495.0D					
	245	SGMR	43 NS	0943.0	2108.6	852.0D	300.0				QL=6 ST=2 TYP=1
	245	PALE	43 NS	1720.8	0432.6	679.2D	180.0				QL=6 ST=2 TYP=1
	200	HIRA	44 NS	1930.0E	0040.0	860.0D	18.0	8.0			ML
	100	HIRA	44 NS	1930.0E	0040.0	860.0D	30.0	20.0			WL
	208	VORO	44 NS	2100.0E		360.0D		5.0			
	245	LEAR	43 NS	2321.0	0738.3	618.0D	189.0				QL=6 ST=2 TYP=1
	9400	TYKW	29 PBI	0009.0		10.0	7.0	3.0			
	3750	TYKW	45 C	0020.0	0027.8	50.0	35.0	21.0			
	9400	TYKW	45 C	0020.0	0028.4	44.0	88.0	35.0			
	2000	TYKW	21 GRF	0020.0	0036.0	140.0	8.0	4.0			
	9395	PEKG	45 C	0021.0	0028.5	9.0	87.0	42.0			
	4995	LEAR	47 GB	0021.8	0024.1	43.2	50.0				QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0022.1	0024.3		40.0				QL=6 ST=2 TYP=5
	17000	NOBE	7 C	0022.5	0028.5	30.0	27.0				R
	4995	PALE	47 GB	0023.0	0026.1	26.0	50.0				QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0023.6	0024.3	43.7	53.0				QL=6 ST=2 TYP=5
	15400	PALE	4 S/F	0023.8	0024.5	21.7	30.0				QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0023.8	0026.1	41.5	13.0				QL=6 ST=2 TYP=3
	8800	PALE	47 GB	0024.0	0024.3	21.6	46.0				QL=6 ST=2 TYP=5
	35000	NAGO	20 GRF	0027.0	0035.0	33.0	6.0				
	2000	TYKW	8 S	0027.6	0027.7	.2	17.0	4.0			
	2000	TYKW	20 GRF	0030.0	0100.0	130.0	1.5	.7			
	9395	PEKG	29 PBI	0030.0		43.0	43.0	19.0			
	2000	TYKW	5 S	0040.0	0042.0	15.0	3.0	1.0			
	2000	TYKW	5 S	0056.0	0059.0	7.0	2.5	1.0			
	100	HIRA	46 C	0058.0	0058.3	2.0D	3000.0	960.0			WL
	245	LEAR	49 GB	0059.6	0059.8	1.0	730.0				QL=6 ST=2 TYP=6
	245	PALE	49 GB	0059.8	0059.8	1.3	930.0				QL=6 ST=2 TYP=6
9400	TYKW	30 PBI	0104.0		70.0	20.0	8.0				
3750	TYKW	30 PBI	0110.0		105.0	12.0	5.0				
245	LEAR	8 S	0119.8	0120.0	1.0	22.0				QL=6 ST=2 TYP=3	
2000	TYKW	20 GRF	0120.0	0140.0	70.0	2.0	1.0				
3750	TYKW	20 GRF	0120.0	0143.5	50.0	6.0	3.0				
100	HIRA	8 S	0133.0	0133.2	.3	2500.0				WL	
9400	TYKW	5 S	0152.3	0152.7	1.5	5.0	1.5				
9400	TYKW	21 GRF	0216.0	0220.0	40.0	7.0	3.0				
3750	TYKW	20 GRF	0218.0	0220.2	35.0	4.0	2.0				
200	HIRA	8 S	0232.5		.4	80.0D				WR	
9400	TYKW	5 S	0243.0	0243.5	1.5	4.0	1.5				
2000	TYKW	8 S	0248.7	0248.8	.3	3.0	1.0				
500	HIRA	8 S	0249.6	0249.7	.5	500.0				WR	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

59
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
16	410	LEAR	47 GB	0250.0	0250.1	.1	139.0			
	8800	LEAR	4 S/F	0304.8	0305.3	4.2	30.0			QL=6 ST=2 TYP=5
	9395	PEKG	3 S	0305.0	0305.5	3.0	19.6	5.6		QL=6 ST=2 TYP=3
	8800	PALE	8 S	0305.1	0305.6	1.5	41.0			
	9400	TYKW	5 S	0307.0E	0307.0U	12.0D	5.0D	2.0D		QL=6 ST=2 TYP=3
	100	HIRA	42 SER	0314.3	0314.3	20.5	5000.0			0
	9400	TYKW	45 C	0321.0	0321.8	15.0	54.0	13.0		
	2000	TYKW	45 C	0321.0	0322.2	13.0	20.0	2.0		
	35000	NAGO	5 S	0321.0	0322.0	1.0	60.0			
	8800	LEAR	47 GB	0321.1	0321.8	1.4	55.0			QL=6 ST=2 TYP=5
	17000	NOBE	7 C	0321.2	0322.5	12.0	171.0			R
	500	HIRA	42 SER	0321.3	0326.0	7.0	70.0			WRWL
	200	GORK	41 F	0321.4	0322.7	7.2	45.0			
	200	GORK		0321.4	0326.2		340.0			
	2000	TYKW	45 C	0321.5	0322.2	2.0	12.0	1.5		
	15400	LEAR	47 GB	0321.5	0322.3	1.3	169.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	0321.5	0322.3	2.0	180.0			QL=6 ST=2 TYP=5
	650	GORK	2 S/F	0321.5	0322.3	1.7	76.0			
	8800	PALE	47 GB	0321.6	0322.3	1.7	79.0			QL=6 ST=2 TYP=5
	100	GORK	41 F	0321.7	0322.9	6.0	70.0D			
	100	GORK		0321.7	0325.1		70.0D			
	100	GORK		0321.7	0326.2		870.0			
	950	GORK	40 F	0321.8	0325.1	6.0	45.0			
	9100	GORK	23 GRF	0323.6		502.0D				
	3750	TYKW	5 S	0324.0	0326.7		8.0	3.0		
	8800	LEAR	4 S/F	0324.0	0326.8	3.5	40.0			QL=6 ST=2 TYP=3
	2950	GORK	22 GRF	0324.0E	0509.0	245.0D	14.0			
	1415	LEAR	8 S	0324.3	0324.8	1.7	40.0			
	2000	TYKW	45 C	0324.5	0325.0	6.0	72.0	3.0		QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0324.6	0324.8	3.0	33.0			QL=6 ST=2 TYP=3
	8800	PALE	47 GB	0324.6	0326.8	2.5	60.0			QL=6 ST=2 TYP=5
	9100	GORK	4 S/F	0324.6	0328.0	5.6	33.0			
	650	GORK	46 C	0324.7	0325.2	4.3	17.0			
	650	GORK		0324.7	0328.2		21.0			
	15400	PALE	8 S	0324.8	0325.0	1.2	44.0			QL=6 ST=2 TYP=3
	610	LEAR	4 S/F	0324.8	0326.1	2.8	28.0			QL=6 ST=2 TYP=3
	610	PALE	4 S/F	0324.8	0326.3	2.3	31.0			QL=6 ST=2 TYP=3
	200	HIRA	46 C	0325.0		3.4	80.0D	19.0D		WL
	410	LEAR	47 GB	0325.1	0325.5	2.5	260.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0325.1	0325.6	2.0	77.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0326.0	0326.1	.8	160.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0326.0	0326.3	1.1	169.0			QL=6 ST=2 TYP=5
	610	PALE	8 S	0327.1	0327.3	1.5	31.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	0327.1	0328.0	2.0	130.0			QL=6 ST=2 TYP=5
	8800	PALE	4 S/F	0327.1	0329.1	3.0	36.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0327.8	0328.0	1.3	160.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0330.8	0331.3	1.2	30.0			QL=6 ST=2 TYP=3
	650	GORK	1 S	0330.8	0332.0	3.2	2.6			
	245	LEAR	47 GB	0331.6	0331.6	.2	160.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0331.6	0331.8	1.2	180.0			QL=6 ST=2 TYP=5
245	LEAR	8 S	0337.1	0337.1	.4	22.0			QL=6 ST=2 TYP=3	
9400	TYKW	5 S	0344.0	0344.3	2.0	11.0	4.0			
9100	GORK	1 S	0344.1	0344.3	1.1	8.0	4.0			
9400	TYKW	5 S	0359.0	0402.2	5.0	24.0	8.0			
3750	TYKW	21 GRF	0359.0	0430.0	170.0	4.0	2.0		RAIN	
9400	TYKW	21 GRF	0359.0	0840.0	329.0D	12.0	10.0D		RAIN	
2000	TYKW	21 GRF	0400.0	0523.0	200.0	2.0	1.0			
9395	PEKG	3 S	0400.0	0402.3	10.0	31.4	10.2			
2000	TYKW	45 C	0401.0	0403.0	3.0	6.0	.7			
6100	KISV	2 S/F	0401.0	0402.3	3.5	7.0				
9100	GORK	1 S	0401.6	0402.3	1.4	18.0	9.0			
9400	TYKW	29 PBI	0404.0		17.0	9.0	4.0			
245	LEAR	8 S	0424.0	0425.0	1.8	28.0			QL=6 ST=2 TYP=3	
9395	PEKG	3 S	0425.0	0427.2	7.0	27.5	9.3			
9400	TYKW	20 GRF	0426.0	0435.0	30.0	4.0	2.0			
245	LEAR	8 S	0431.5	0431.6	.1	18.0			QL=6 ST=2 TYP=3	
2000	TYKW	45 C	0454.0	0454.2	1.0	2.0	1.0			
3750	TYKW	21 GRF	0504.0	0510.0	80.0	6.0	2.0			
2000	TYKW	5 S	0506.0	0508.5	12.0	2.0	1.0			
9400	TYKW	45 C	0535.0	0603.3U	40.0U	11.0	5.0U		RAIN	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
16	3750	TYKW	20 GRF	0539.0	0541.0	35.0	3.0	1.5		
	2000	TYKW	5 S	0540.0	0542.0	7.0	1.0	.5		
	2000	TYKW	20 GRF	0548.0	0605.0U	40.0	4.0D	1.5D		
	950	GORK	4 S/F	0555.1	0555.6	1.0	42.0			
	650	GORK	2 S/F	0555.5	0555.7	.5	3.0			
	410	LEAR	8 S	0603.1	0603.3	.2	28.0			QL=6 ST=2 TYP=3
	9400	TYKW	5 S	0620.0	0630.0	15.0D	7.0	3.0D		RAIN
	3750	TYKW	21 GRF	0720.0	0800.0	85.0	10.0	5.0		
	113	POTS	4 S/F	0723.1	0723.2	.4	350.0	50.0		
	2000	TYKW	20 GRF	0733.0	0806.0	40.0	8.0	3.0		
	410	LEAR	8 S	0734.1	0734.3	.2	16.0			QL=6 ST=2 TYP=3
	2950	GORK	23 GRF	0734.1	0820.2	251.0D	17.5			
	6100	KISV	21 GRF	0754.9	0807.0	30.0	19.0			
	9400	TYKW	45 C	0800.0	0811.0	35.0	18.0	10.0		RAIN
	3750	TYKW	45 C	0801.0	0807.0	35.0	13.0	5.0		
	930	BORD	8 S	0801.0	0801.2	.4	57.0	2.0		
	9500	POTS	20 GRF	0801.0	0811.0	41.0	21.0			
	9395	PEKG	20 GRF	0801.0	0811.5	29.0	23.5	5.6		
	2950	GORK	1 S	0806.5	0807.0	1.4	5.0			
	410	LEAR	8 S	0813.6	0814.0	1.2	13.0			QL=6 ST=2 TYP=3
	610	LEAR	8 S	0813.6	0814.0	.7	23.0			QL=6 ST=2 TYP=3
	204	IZMI	41 F	0845.8	0908.9	30.0	250.0			
	200	GORK	41 F	0846.0	0856.9	29.2	60.0			
	200	GORK		0846.0	0908.8		340.0			
	200	GORK		0846.0	0912.6		170.0			
	245	LEAR	49 GB	0849.6	0855.6	8.4	3500.0			QL=6 ST=2 TYP=6
	100	HIRA	42 SER	0850.0	0922.2	33.7	1000.0			0
	9400	TYKW	45 C	0851.0	0901.0	34.0	38.0	10.0U		RAIN
	950	GORK	2 S/F	0851.5	0854.7	6.2	4.0			
	100	GORK	4 S/F	0852.0	0856.9	5.5	90.0			
	410	LEAR	47 GB	0852.1	0854.6	5.5	400.0			QL=6 ST=2 TYP=5
	200	HIRA	42 SER	0852.3	0908.6	23.0	360.0			SL
	2695	ATHN	4 S/F	0852.6	0853.3	12.5	19.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0852.6	0854.6	3.4	13.0			QL=6 ST=2 TYP=3
	234	POTS	42 SER	0852.9	0855.4	21.0	1900.0			
	3750	TYKW	45 C	0853.0	0854.6	25.0	19.0	4.0D		
	2000	TYKW	45 C	0853.0	0854.7	6.0	4.0	1.0		
	536	ONDR	41 F	0853.3	0854.7	6.8	14.0	7.0		
	2000	TYKW	45 C	0853.5	0854.5	18.0U	13.0	3.0D		
	6100	KISV		0853.8	0854.6		9.0			
	6100	KISV		0853.8	0855.6		7.0			
	6100	KISV	23 GRF	0853.8	0901.0	17.0	21.0			
	2695	LEAR	4 S/F	0854.1	0854.5	4.2	18.0			QL=6 ST=2 TYP=3
	610	LEAR	4 S/F	0854.1	0856.6	3.0	13.0			QL=6 ST=2 TYP=3
	2950	GORK	4 S/F	0854.2	0854.6	2.2	17.0			
500	HIRA	45 C	0854.3	0854.5	3.0	45.0	10.0		ML	
650	GORK	2 S/F	0854.3	0856.5	3.0	3.6				
2950	GORK	2 S/F	0856.4	0857.0	1.5	12.0				
8400	BERN	21 GRF	0858.0	0928.7	40.0	70.0				
11800	BERN	21 GRF	0858.0	0928.7	40.0	127.0				
19600	BERN	21 GRF	0858.0U	0928.7	40.0U	94.0				
9500	POTS	20 GRF	0858.5	0901.0	25.0	29.0				
4995	ATHN	20 GRF	0859.3	0901.0	8.7	20.0			QL=6 ST=2 TYP=2	
9100	GORK	2 S/F	0859.8	0901.1	3.1	19.0	10.0			
8800	ATHN	20 GRF	0859.8	0902.0	10.2	22.0			QL=6 ST=2 TYP=2	
8800	LEAR	4 S/F	0900.6	0901.0	2.5	29.0			QL=6 ST=2 TYP=3	
4995	LEAR	8 S	0901.5	0901.8	.3D	13.0			QL=6 ST=2 TYP=3	
410	LEAR	8 S	0901.8	0902.0	1.2	22.0			QL=6 ST=2 TYP=3	
245	LEAR	47 GB	0902.0	0902.8	1.5	58.0			QL=6 ST=2 TYP=5	
245	LEAR	47 GB	0908.3	0908.8	1.5	490.0			QL=6 ST=2 TYP=5	
410	LEAR	8 S	0908.8	0909.0	.3	32.0			QL=6 ST=2 TYP=3	
1470	POTS	3 S	0911.8	0912.0	.6	7.0				
245	LEAR	47 GB	0911.8	0912.5	2.7	180.0			QL=6 ST=2 TYP=5	
410	LEAR	8 S	0911.8	0913.1	2.0	17.0			QL=6 ST=2 TYP=3	
113	POTS	4 S/F	0922.2	0922.4	.2	700.0	140.0		!!!	
8800	LEAR	47 GB	0928.1	0928.6	2.5	110.0			QL=5 ST=2 TYP=5	
15400	LEAR	47 GB	0928.3	0928.6	1.5	100.0			QL=5 ST=2 TYP=5	
9500	POTS	3 S	0928.5	0928.6	2.5	62.0				
9100	GORK	3 S	0928.6	0928.7	1.9	73.0	35.0			
930	BORD	8 S	0939.8	0939.8	.2	21.0	1.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

61
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
16	6100	KISV	21 GRF	0957.8	1010.4	19.0	12.0			
	9500	POTS	20 GRF	0958.4	1007.5	34.0	20.0			
	930	BORD	41 F	1005.0	1005.3	.5	59.0	3.0		
	950	GORK	4 S/F	1005.1	1005.3	.5	33.0			
	9500	POTS	3 S	1040.0	1040.5	1.5	12.0			
	9100	GORK	1 S	1040.2	1040.5	.9	15.0	8.0		
	536	ONDR	8 S	1103.8	1103.9	.2	42.0			
	9400	HUAN	21 GRF	1208.5	1226.3	29.0	7.1	4.0		0
	9400	HUAN	1 S	1221.8	1223.0	2.5	14.2	8.4		0
	2800	OTTA	240AR	1222.0	1228.0	6.0	6.4	3.2		
	1415	SGMR	4 S/F	1222.1	1223.1	2.2	20.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1222.1	1223.1	2.5	18.0			QL=6 ST=2 TYP=3
	6100	KISV	2 S/F	1222.3	1223.1	1.5	16.0			
	930	BORD	41 F	1222.5	1222.8	1.5	161.0	7.0		
	2800	OTTA	3 S	1222.5	1223.0	3.5	37.0	10.8		
	2695	SGMR	47 GB	1222.6	1223.1	.7	60.0			QL=2 ST=2 TYP=5
	4995	SGMR	8 S	1222.6	1223.1	.7	30.0			QL=6 ST=2 TYP=3
	536	ONDR	8 S	1222.8	1222.8	.1	28.0			
	808	ONDR	8 S	1222.8	1222.9	.2	29.0			
	2650	DWIN	1 S	1223.0	1223.0	1.0	48.0	20.0		
	2800	OTTA	21 GRF	1242.0	1255.0	60.0	13.6	4.8		
	9400	HUAN	3 S	1243.0	1245.3U	2.3	118.8	91.8		0
	11800	BERN	3 S	1244.0	1245.9	45.0	321.0			
	8400	BERN	3 S	1244.0	1245.9	45.0	298.0			
	19600	BERN	3 S	1244.0	1245.9	45.0	99.0			
	9500	POTS	29 PBI	1244.0	1246.0	46.0	257.0			
	15000	KISV	4 S/F	1244.4	1246.0	6.0	364.0			
	2695	ATHN	4 S/F	1244.5	1245.8	7.0	13.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1244.5	1245.8	8.6	239.0			QL=6 ST=2 TYP=5
	4995	ATHN	47 GB	1244.5	1245.8	8.6	100.0			QL=6 ST=2 TYP=5
	6100	KISV	4 S/F	1244.5	1246.0	6.0	122.0			
	8800	SGMR	47 GB	1244.6	1245.8	14.2	300.0			QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1244.6	1246.0	14.9	230.0			QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1244.8	1246.0	15.0	110.0			QL=6 ST=2 TYP=5
	2650	DWIN	1 S	1245.0	1245.0	2.0	20.0	10.0		
	2800	OTTA	3 S	1245.0	1246.0	4.0	17.6	8.0		
	3000	POTS	29 PBI	1245.0	1246.0	30.0	25.0			
	9400	HUAN	29 PBI	1256.8E	1256.8U	25.9D	23.1	11.8		0
	930	BORD	46 C	1332.0	1333.0	2.0	24.0	4.0		
	1470	POTS	1 S	1332.5	1333.0	1.5	4.0			
	9400	HUAN	20 GRF	1355.2	1409.4	20.4	5.3	3.5		0
	2800	OTTA	21 GRF	1410.0	1500.0	250.0	13.6	6.8		
	2695	ATHN	4 S/F	1456.0	1505.6	19.3	10.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1456.0	1505.6	21.6	22.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1456.0	1505.6	21.6	24.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1458.1	1506.8	21.7	25.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1502.3	1502.6	8.8	23.0			QL=6 ST=2 TYP=3
15400	SGMR	4 S/F	1503.3	1503.6	11.2	29.0			QL=6 ST=2 TYP=3	
11800	BERN	3 S	1515.0	1522.0	7.0D	146.0				
19600	BERN	3 S	1515.0	1522.2	7.2D	72.0				
8400	BERN	3 S	1515.0	1522.3	7.3D	165.0				
35000	BERN	3 S	1515.0	1522.6	7.6D	55.0				
8800	ATHN	47 GB	1519.8	1521.6	20.5	130.0			QL=6 ST=2 TYP=5	
4995	ATHN	47 GB	1519.8	1521.6	28.0	110.0			QL=6 ST=2 TYP=5	
2695	ATHN	4 S/F	1520.5	1521.6	21.6	27.0			QL=6 ST=2 TYP=3	
1415	ATHN	4 S/F	1520.6	1523.1	21.5	25.0			QL=6 ST=2 TYP=3	
2650	DWIN	1 S	1521.0	1522.0	5.0	30.0	15.0			
8800	SGMR	47 GB	1521.5	1522.0	4.0	160.0			QL=6 ST=2 TYP=5	
2800	OTTA	3 S	1521.5	1522.2	6.0	30.0	14.8			
15400	SGMR	47 GB	1521.6	1522.1	4.2	189.0			QL=6 ST=2 TYP=5	
4995	SGMR	47 GB	1521.6	1522.3	3.7	100.0			QL=6 ST=2 TYP=5	
2695	SGMR	8 S	1522.1	1522.8	2.0	41.0			QL=2 ST=2 TYP=3	
930	BORD	46 C	1541.0	1543.5	4.0	75.0	5.0			
2650	DWIN	1 S	1617.0	1617.0	2.0	30.0	15.0			
19600	BERN	4 S/F	1617.0	1617.4	2.0	36.0				
2800	OTTA	3 S	1617.0	1617.4	3.0	35.0	9.0			
8400	BERN	4 S/F	1617.0	1617.4	2.0	78.0				
11800	BERN	4 S/F	1617.0	1617.4	2.0	168.0				
930	BORD	46 C	1617.0	1617.5	3.0	34.0	4.0			
8800	SGMR	47 GB	1617.1	1617.3	1.2	84.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
16	15400	SGMR	47 GB	1617.1	1617.3	.5	110.0			QL=6 ST=2 TYP=5	
	4995	SGMR	47 GB	1617.1	1617.5	1.5	50.0			QL=6 ST=2 TYP=5	
	4995	ATHN	47 GB	1617.1	1617.6	7.0	55.0			QL=6 ST=2 TYP=5	
	2695	ATHN	4 S/F	1617.1	1617.6	2.4	30.0			QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1617.1	1617.6	2.4	32.0			QL=6 ST=2 TYP=3	
	8800	ATHN	47 GB	1617.1	1617.6	2.0	72.0			QL=6 ST=2 TYP=5	
	1415	SGMR	8 S	1617.3	1617.3	.3	33.0			QL=6 ST=2 TYP=3	
	2695	SGMR	8 S	1617.3	1617.5	1.0	50.0			QL=6 ST=2 TYP=3	
	2800	OTTA	40 F	1621.7	1623.0	5.0	10.0				
	930	BORD	41 F	1621.8	1621.8	.1	50.0	1.0			
	245	SGMR	47 GB	1637.8	1638.1	1.3	270.0				QL=6 ST=2 TYP=5
	410	SGMR	8 S	1638.6	1639.0	.4D	30.0				QL=6 ST=2 TYP=3
	245	PALE	8 S	1711.1	1711.3	1.5	46.0				QL=6 ST=2 TYP=3
	2800	OTTA	21 GRF	1830.0	1920.0	150.0	16.2		8.1		
	245	PALE	8 S	1838.6	1838.8	1.5	38.0				QL=6 ST=2 TYP=3
	8800	SGMR	47 GB	1850.8	1855.1	23.0	50.0				QL=6 ST=2 TYP=5
	4995	SGMR	20 GRF	1851.6	1854.8	22.2	27.0				QL=6 ST=2 TYP=2
	9400	HUAN	21 GRF	1851.6E	1905.7U	69.6D	21.3		7.1		0
	9400	HUAN	4 S/F	1853.8	1859.3	10.8	26.3		18.4		0
	4995	SGMR	8 S	1924.5	1926.0	1.5D	17.0				QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1926.0	1926.1	.1	19.0				QL=6 ST=2 TYP=3
	9400	HUAN	3 S	2021.6	2023.3	4.0	22.2		7.7		R
	200	HIRA	46 C	2022.7	2024.0	2.0	135.0	38.0			SL
	2800	OTTA	1 S	2023.0	2023.2	1.0	4.8		1.8		
	2800	OTTA	45 C	2115.0	2144.5	29.5D	27.0		6.4		
	9400	HUAN	21 GRF	2120.8	2142.2	43.3	16.4		6.0		R
	3750	TYKW	45 C	2130.0	2144.6	20.0	47.0		10.0		RAIN
	100	HIRA	42 SER	2136.5	2144.9	11.0	2000.0				0
	9400	HUAN	4 S/F	2136.6	2138.9	4.0	42.7		29.7		R
	9400	TYKW	45 C	2137.0U	2144.6	14.0U	35.0U		6.0U		RAIN
	15400	PALE	4 S/F	2137.8	2138.5	2.3	24.0				QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2138.0	2138.5	2.6	40.0				QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2138.1	2139.1	2.7	30.0				QL=6 ST=2 TYP=3
	2000	TYKW	45 C	2143.0	2144.6	3.0	10.0		1.5		
	2000	TYKW	5 S	2143.0	2144.7	6.0	12.0		3.0		
	9400	HUAN	3 S	2144.0	2144.7	3.6	34.5		19.2		R
	245	SGMR	8 S	2144.3	2144.6	.7	36.0				QL=6 ST=2 TYP=3
	4995	SGMR	8 S	2144.3	2144.6	1.5	46.0				QL=6 ST=2 TYP=3
	8800	SGMR	8 S	2144.3	2144.6	.7	40.0				QL=6 ST=2 TYP=3
	245	PALE	8 S	2144.6	2144.8	1.4	30.0				QL=6 ST=2 TYP=3
	2695	SGMR	8 S	2144.6	2144.8	.2	30.0				QL=6 ST=2 TYP=3
	8800	PALE	8 S	2144.6	2144.8	1.5	39.0				QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2144.6	2144.8	3.2	49.0				QL=6 ST=2 TYP=3
	2695	PALE	8 S	2144.6	2145.0	1.2	22.0				QL=6 ST=2 TYP=3
	3750	TYKW	20 GRF	2203.0	2237.0	55.0	6.0		3.0		RAIN
	2000	TYKW	20 GRF	2220.0	2230.0	35.0	2.0		1.0		
	2000	TYKW	21 GRF	2300.0	0200.0	390.0	2.0		1.0		
	2000	TYKW	45 C	2309.0	2310.0	3.0	23.0		3.0		
	1415	SGMR	47 GB	2309.8	2310.0	1.0	130.0				QL=4 ST=2 TYP=5
	9400	TYKW	5 S	2310.0U	2310.5	6.0U	60.0U		14.0U		RAIN
3750	TYKW	5 S	2310.0	2310.7	9.0	9.0		3.0			
3750	TYKW	28 PRE	2310.0	2347.0	41.0	21.0		6.0			
8800	SGMR	47 GB	2310.0	2310.3	1.8	77.0				QL=4 ST=2 TYP=5	
4995	PALE	4 S/F	2310.0	2310.5	3.8	33.0				QL=6 ST=2 TYP=3	
4995	SGMR	8 S	2310.0	2310.6	1.1	31.0				QL=4 ST=2 TYP=3	
2695	PENT	240 R	2310.0	2345.0	35.0	10.0		4.0			
15400	PALE	4 S/F	2310.1	2310.5	2.4	38.0				QL=6 ST=2 TYP=3	
2695	SGMR	4 S/F	2313.0	2315.1	4.0	49.0				QL=4 ST=2 TYP=3	
410	LEAR	8 S	2325.8	2326.8	1.3	25.0				QL=6 ST=2 TYP=3	
9400	TYKW	5 S	2326.0	2328.0	13.0	23.0		10.0		RAIN	
8800	PALE	4 S/F	2326.8	2328.0	5.2	27.0				QL=6 ST=2 TYP=3	
9400	TYKW	28 PRE	2343.0	2351.5	8.5	10.0		5.0		RAIN	
2000	TYKW	45 C	2345.0	2354.7	15.0	38.0		11.0			
2000	TYKW	45 C	2346.0	2354.8	14.0	26.0		7.0			
208	VORO	4 S/F	2347.0	2350.0	7.0	200.0D					
3750	TYKW	47 GB	2351.0	2354.5	9.0	630.0		70.0			
2695	PENT	46F C	2351.5	2354.3	5.5	170.0		48.0			
9400	TYKW	45 C	2351.5	2354.5	7.5	400.0		120.0			
245	SGMR	4 S/F	2351.6	2352.8	4.0D	500.0				QL=4 ST=2 TYP=3	
200	HIRA	46 C	2351.6	2353.6	5.0	1400.0		130.0		ML	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

63
Jul 82

J U L Y 1 9 8 2

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
16	245	LEAR	47 GB	2351.6	2353.8	7.2	390.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	2351.6	2354.5	5.5	160.0			QL=6 ST=2 TYP=5
	100	HIRA	46 C	2351.8	2353.6	4.0	6000.0	566.0		0
	500	HIRA	45 C	2351.8	2354.5	7.0	60.0	25.0		WLWR
	4995	LEAR	47 GB	2351.8	2354.5	5.8	340.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	2351.8	2354.5	8.5	420.0			QL=6 ST=2 TYP=5
	35000	NAGO	20 GRF	2352.0	2355.0	8.0	25.0			
	17000	NOBE	7 C	2352.2	2354.8	13.5	149.0			R
	15400	LEAR	47 GB	2352.3	2354.6	7.5	130.0			QL=6 ST=2 TYP=5
	610	LEAR	4 S/F	2353.1	2353.6	4.7	49.0			QL=6 ST=2 TYP=3
	410	LEAR	49 GB	2353.5	2355.5	4.3	530.0			QL=6 ST=2 TYP=6
	1415	LEAR	8 S	2353.8	2354.3	1.8	18.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	2354.1	2354.8	2.00	200.0			QL=4 ST=2 TYP=5
	2695	PENT	29 PBI	2357.0	2357.0	28.0	9.6	3.2		
	9400	TYKW	30 PBI	2359.0		45.0	26.0	13.0		
	17	200	GORK	44 NS	0257.0E		432.00	20.0		
100		GORK	44 NS	0257.0E		432.00	5.0			
204		IZMI	43 NS	0600.0		360.0	42.0			
260		ONDR	44 NS	0810.0E		355.00				
245		SGMR	43 NS	0944.0	1310.1	851.00	400.0			QL=6 ST=2 TYP=1
29		UPIC	43 NS	1031.0	1301.1	289.5				
33		UPIC	43 NS	1031.1		289.3				
200		HIRA	44 NS	1930.0E	0428.0	860.00	13.0	6.0		WR
208		VORO	44 NS	2100.0E		360.00		3.0		
245		PALE	44 NS	2145.0E	2309.1		219.0			QL=6 ST=3 TYP=1
2000		TYKW	29 PBI	0000.0		30.0	5.0	2.0		
3750		TYKW	30 PBI	0000.0		123.0	20.0	9.0		
8800		LEAR	47 GB	0000.8	0001.6	4.5	63.0			QL=6 ST=2 TYP=5
4995		LEAR	8 S	0000.8	0001.8	1.5	24.0			QL=6 ST=2 TYP=3
9400		TYKW	45 C	0001.0	0001.7	12.0	51.0	25.00		
3750		TYKW	5 S	0001.0	0001.7	5.0	10.0	2.0		
245		LEAR	8 S	0001.0	0001.3	1.0	45.0			QL=6 ST=2 TYP=3
245		PALE	20 GRF	0001.3	0001.3	1.5	54.0			QL=6 ST=2 TYP=2
8800		PALE	47 GB	0001.3	0001.6	11.0	100.0			QL=6 ST=2 TYP=5
4995		PALE	20 GRF	0001.3	0001.8	2.0	31.0			QL=6 ST=2 TYP=2
15400		PALE	4 S/F	0001.6	0001.6	10.7	23.0			QL=6 ST=2 TYP=3
3750		TYKW	5 S	0008.0	0009.5	4.0	3.0	1.0		
200		HIRA	41 F	0008.8	0009.7	42.0	480.0			SL
245		LEAR	47 GB	0009.1	0009.3	2.2	110.0			QL=6 ST=2 TYP=5
410		LEAR	8 S	0009.1	0009.3	.4	37.0			QL=6 ST=2 TYP=3
410		PALE	8 S	0009.1	0009.3	1.5	43.0			QL=6 ST=2 TYP=3
9400		TYKW	29 PBI	0013.0		16.0	16.0	7.0		
9400		TYKW	5 S	0053.0	0058.0	15.0	3.0	1.5		
9395		PEKG	20 GRF	0104.0	0120.7	18.0	10.2	4.6		
2840		PEKG	28 PRE	0109.0	0118.8	54.0	16.0	8.2		
9400		TYKW	5 S	0119.0	0120.3	6.0	7.0	2.0		
200		HIRA	46 C	0119.3	0119.6	2.7	250.0	60.0		ML
9395		PEKG	3 S	0132.0	0135.3	14.0	22.0	10.3		
9400		TYKW	5 S	0134.0	0135.1	5.0	11.0	3.0		
8800		LEAR	4 S/F	0134.3	0135.1	3.5	13.0			QL=6 ST=2 TYP=3
245		LEAR	47 GB	0141.8	0143.6	2.3	460.0			QL=6 ST=2 TYP=5
500		HIRA	46 C	0141.9	0143.4	2.0	7.0	3.0		0
410		LEAR	4 S/F	0142.0	0143.6	2.1	22.0			QL=6 ST=2 TYP=3
9395		PEKG	28 PRE	0146.0	0148.6	16.0	27.0	9.2		
3750		TYKW	5 S	0147.0	0148.0	4.0	2.0	1.0		
9400		TYKW	45 C	0147.0	0148.4	4.0	21.0	14.0		
9400		TYKW	28 PRE	0147.0	0202.0	15.0	6.0	3.0		
8800	LEAR	20 GRF	0147.1	0148.3	4.5	31.0			QL=6 ST=2 TYP=2	
4995	LEAR	20 GRF	0147.3	0148.5	4.3	20.0			QL=6 ST=2 TYP=2	
15400	LEAR	20 GRF	0147.3	0148.6	2.5	9.0			QL=6 ST=2 TYP=2	
9400	TYKW	29 PBI	0151.0		6.0	10.0	5.0			
100	HIRA	42 SER	0155.1	0215.2	20.3	210.0			WL	
200	HIRA	46 C	0157.8	0200.0	11.0	130.0	19.0		ML	
9400	TYKW	5 S	0159.0	0159.7	1.5	4.0	1.5			
208	VORO	4 S/F	0159.0	0201.0	3.0	143.0				
2930	VORO	3 S	0200.0	0208.0	8.0	725.0				
9400	TYKW	47 GB	0202.0	0206.0	7.0	2240.0	660.0			
9395	PEKG	47 GB	0202.0	0205.9	13.0	2149.0				
8800	LEAR	49 GB	0202.6	0202.8	21.9	11.0			QL=6 ST=2 TYP=7	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (10 ⁻²² W/m ² Hz)	Int	Remarks
17	2000	TYKW	47 GB	0203.0	0206.1	37.0	620.0	105.0		
	3750	TYKW	47 GB	0203.0	0206.1	27.0	830.0	130.0		
	1000	TYKW	45 C	0203.0	0206.2	37.0	298.0	80.0		
	35000	NAGO	5 S	0203.0	0205.0	4.0	240.0			
	2840	PEKG	47 GB	0203.0	0206.1	22.0	179.0			
	4995	LEAR	49 GB	0203.1	0205.8	21.4	1199.0			QL=6 ST=2 TYP=7
	500	HIRA	45 C	0203.3	0204.6	20.0	4000.0	300.0		SL
	15400	PALE	49 GB	0203.3	0205.8	15.3	1899.0			QL=6 ST=2 TYP=7
	15400	LEAR	49 GB	0203.3	0205.8	21.2	1399.0			QL=6 ST=2 TYP=7
	8800	PALE	49 GB	0203.5	0205.8	10.6	2600.0			QL=6 ST=2 TYP=7
	17000	NOBE	47 GB	0203.5	0205.9	5.0	1370.0			R
	610	LEAR	49 GB	0203.6	0204.1	20.9	139.0			QL=6 ST=2 TYP=7
	1415	LEAR	49 GB	0203.6	0206.0	20.9	480.0			QL=6 ST=2 TYP=7
	2695	PALE	49 GB	0203.6	0206.0	15.0	620.0			QL=6 ST=2 TYP=7
	4995	PALE	49 GB	0203.6	0206.0	15.0	1199.0			QL=6 ST=2 TYP=7
	2695	LEAR	49 GB	0203.6	0206.0	20.9	740.0			QL=6 ST=2 TYP=7
	1415	PALE	49 GB	0203.6	0206.0	15.0	570.0			QL=6 ST=2 TYP=7
	410	LEAR	49 GB	0204.0	0204.1	10.0	189.0			QL=6 ST=2 TYP=7
	610	PALE	49 GB	0204.0	0204.1	14.6	130.0			QL=6 ST=2 TYP=7
	4995	MANI	49 GB	0204.0	0206.5	18.0	2000.0			QL=6 ST=3 TYP=6
	8800	MANI	49 GB	0204.0	0206.5	16.0	2899.0			QL=6 ST=3 TYP=6
	1415	MANI	49 GB	0204.0	0206.5	22.0	810.0			QL=6 ST=3 TYP=6
	2695	MANI	49 GB	0204.0	0206.5	27.5	4100.0			QL=6 ST=3 TYP=6
	610	MANI	20 GRF	0204.0	0209.1	5.10	160.0			QL=6 ST=3 TYP=2
	245	LEAR	49 GB	0204.1	0204.5	1.0	8300.0			QL=6 ST=2 TYP=7
	245	PALE	49 GB	0204.1	0204.5	2.0	8000.0			QL=6 ST=2 TYP=7
	410	PALE	49 GB	0204.3	0204.3	1.5	130.0			QL=6 ST=2 TYP=7
	35000	NAGO	29 PBI	0208.0	0208.0	72.0	30.0			
	9400	TYKW	29 PBI	0209.0	0209.0	80.0	63.0	18.0		
	9395	PEKG	29 PBI	0215.0	0215.0	65.0	66.0	29.0		
	2840	PEKG	29 PBI	0225.0	0225.0	74.0	47.0	19.2		
	3750	TYKW	30 PBI	0230.0	0230.0	200.0	26.0	7.0		
	1000	TYKW	29 PBI	0240.0	0240.0	40.0	9.0	3.0		
	2000	TYKW	30 PBI	0240.0	0240.0	185.0	10.0	3.0		
	2000	TYKW	5 S	0256.0	0258.0	6.0	1.5	.7		
	200	HIRA	46 C	0313.8	0315.6	2.6	125.0	50.0		ML
	3750	TYKW	20 GRF	0318.0	0420.0	150.0	3.0	1.5		
	1000	TYKW	20 GRF	0325.0	0340.0	55.0	1.0	.5		
	9100	GORK	21 GRF	0330.0E	0330.0E	390.00				
	2950	GORK	21 GRF	0337.0E	0337.0E	383.00	24.0			
	100	HIRA	46 C	0338.0	0338.4	1.2	140.0	78.0		SL
	2000	TYKW	20 GRF	0340.0	0350.0	40.0	2.0	1.0		
	9400	TYKW	21 GRF	0345.0	0405.0	60.0	7.0	3.0		
	9395	PEKG	20 GRF	0345.0	0405.0	41.0	11.7	3.2		
	9400	TYKW	5 S	0352.0	0352.6	1.5	4.0	1.5		
	9400	TYKW	5 S	0411.0	0414.0	10.0	3.0	1.5		
	9400	TYKW	5 S	0438.0	0438.2	2.0	6.0	1.5		
	9100	GORK	1 S	0438.0	0438.2	.4	11.0	5.0		
	2000	TYKW	20 GRF	0445.0	0500.0	55.0	2.0	1.0		
	200	HIRA	46 C	0453.7	0455.8	2.4	82.0	31.0		ML
9100	GORK	1 S	0457.9	0458.3	.8	10.0	5.0			
9400	TYKW	45 C	0458.0	0458.4	3.0	11.0	5.0			
9400	TYKW	29 PBI	0500.0	0500.0	9.0	5.0	2.5			
9400	TYKW	20 GRF	0530.0	0538.0	30.0	4.0	2.0			
1000	TYKW	45 C	0533.5	0534.0	4.0	16.0	3.0			
610	LEAR	8 S	0535.3	0535.6	.5	18.0			QL=6 ST=2 TYP=3	
410	LEAR	47 GB	0535.3	0535.6	1.5	78.0			QL=6 ST=2 TYP=5	
2000	TYKW	21 GRF	0556.0	0710.0	180.0	10.0	6.0			
2840	PEKG	22 GRF	0556.0	0620.3	50.00	18.6	6.3			
3750	TYKW	20 GRF	0557.0	0710.0	180.0	14.0	7.00		INTERFERENCE	
1000	TYKW	21 GRF	0603.0E	0715.0	170.00	6.0	3.00		INTERFERENCE	
9395	PEKG	20 GRF	0603.0	0625.3	56.0	13.9	2.9			
9400	TYKW	21 GRF	0607.0E	0720.0	190.00	18.0	9.00		RAIN	
234	POTS	4 S/F	0637.9	0637.9	.3	275.0	30.0			
200	HIRA	46 C	0658.3	0658.7	1.0	400.0	90.0		ML	
100	HIRA	46 C	0658.3	0658.8	1.3	250.0	134.0		SL	
100	GORK	8 S	0658.3	0658.8	1.6	80.00				
15000	KISV	21 GRF	0706.0	0710.7	14.00	23.0				
6100	KISV	21 GRF	0706.0	0710.6	15.00	13.0				
9395	PEKG	5 S	0707.0	0710.5	40.0	31.0	15.2			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

65
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
17	9500	POTS	21 GRF	0707.5	0710.5	38.0	23.0			
	9400	TYKW	5 S	0709.0	0710.6	6.0	25.0	7.0		
	15400	LEAR	4 S/F	0709.6	0710.8	4.2	16.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0709.6	0711.1	4.0	11.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0709.6	0711.1	5.0	18.0			QL=6 ST=2 TYP=3
	9100	GORK	1 S	0709.8	0710.6	2.1	28.0	14.0		
	2950	GORK	2 S/F	0709.8	0712.7	5.5	5.1			
	2000	TYKW	20 GRF	0725.0	0740.0	70.0	4.0	2.0		
	1000	TYKW	45 C	0739.0	0739.4	2.0	12.0	2.5		
	9395	PEKG	20 GRF	0751.0	0755.7	11.0	5.4	1.9		
	1000	TYKW	5 S	0848.2	0848.4	.5	7.0	2.5		
	200	HIRA	42 SER	0903.3	0904.8	13.0	120.0			ML
	100	HIRA	42 SER	0904.6	0911.1	8.6	150.0			0
	245	SGMR	8 S	1004.8	1006.1	2.0	3300.0			QL=6 ST=2 TYP=3
	1415	ATHN	47 GB	1005.0	1005.8	1.3	64.0			QL=6 ST=2 TYP=5
	2695	ATHN	8 S	1005.0	1005.8	1.3	7.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	1005.0	1005.8	1.3	15.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	1005.0	1005.8	1.3	28.0			QL=6 ST=2 TYP=3
	1470	POTS	4 S/F	1005.7	1006.2	2.8	37.0			
	410	SGMR	49 GB	1005.8	1006.1	.5	2100.0			QL=6 ST=2 TYP=6
	234	POTS	4 S/F	1005.8	1006.1	1.9	1300.0	20.0		III
	15000	KISV	2 S/F	1005.8	1006.2	2.0	44.0			
	650	GORK	4 S/F	1005.8	1006.6	1.1	55.0			
	650	GORK	29 PBI	1005.8	1006.9	3.50	3.0			
	950	GORK	4 S/F	1005.9	1006.4	2.9	100.0			
	9500	POTS	3 S	1006.0	1006.2	3.0	19.0			
	930	BORD	46 C	1006.0	1006.4	3.0	215.0	20.0		
	3000	POTS	3 S	1006.0	1006.5	1.0	7.0			
	808	ONDR	2 S/F	1006.4	1006.8	4.0	82.0			
	6100	KISV	28 PRE	1025.0	1030.5	5.5	16.0			
	9500	POTS	45 C	1025.0	1033.6	45.0	1055.0			
	3000	POTS	45 C	1025.0	1034.0	60.0	2240.0D			
	4995	ATHN	49 GB	1029.3	1033.6	74.0	1800.0			QL=6 ST=2 TYP=6
	8800	ATHN	49 GB	1030.0	1033.6	73.3	1899.0			QL=6 ST=2 TYP=6
	4995	SGMR	49 GB	1030.1	1033.6	25.0	1399.0			QL=6 ST=2 TYP=6
	2695	ATHN	49 GB	1030.1	1034.1	66.0	1000.0			QL=6 ST=2 TYP=6
	15000	KISV	47 GB	1030.5	1033.6	6.5	1905.0			
	6100	KISV	47 GB	1030.5	1033.7	9.5	810.0			
	15000	KISV		1030.5	1034.3		1845.0			
	6100	KISV		1030.5	1037.3		254.0			
	1470	POTS	46 C	1031.0	1035.5	74.0	330.0			
	8800	SGMR	49 GB	1031.3	1033.6	23.8	1300.0			QL=6 ST=2 TYP=6
	15400	SGMR	49 GB	1031.5	1034.5	23.6	1300.0			QL=6 ST=2 TYP=6
	1415	ATHN	47 GB	1031.5	1035.1	64.6	370.0			QL=6 ST=2 TYP=5
	2695	SGMR	49 GB	1031.6	1034.6	23.5	1199.0			QL=6 ST=2 TYP=6
930	BORD	46 C	1031.7	1033.6	42.3	165.0	17.0			
610	SGMR	47 GB	1032.5	1033.3	22.6	300.0			QL=6 ST=2 TYP=5	
1415	SGMR	49 GB	1032.5	1034.6	22.6	430.0			QL=6 ST=2 TYP=6	
410	SGMR	47 GB	1032.5	1037.0	8.3	300.0			QL=6 ST=2 TYP=5	
536	ONDR	42 SER	1032.7	1032.9	11.8	44.0	29.0			
808	ONDR	27 RF	1032.7	1037.0	34.0	68.0	36.0			
204	IZMI	42 SER	1035.0	1036.5	60.0	540.0				
234	POTS	4 S/F	1035.4	1037.1	3.3	1900.0	50.0		III	
245	SGMR	49 GB	1035.6	1037.3	5.2	4400.0			QL=6 ST=2 TYP=6	
15000	KISV	29 PBI	1037.0	1037.0	25.0	485.0				
6100	KISV	29 PBI	1040.0	1040.0	60.0U	127.0				
2650	DWIN	49 GB	1040.0	1045.0U	30.0	400.0U				
6100	KISV	21 GRF	1049.0	1052.2	10.0	22.0				
4995	SGMR	47 GB	1055.1	1055.1	9.7	97.0			QL=6 ST=2 TYP=5	
410	SGMR	4 S/F	1055.1	1055.1	9.7	36.0			QL=6 ST=2 TYP=3	
2695	SGMR	47 GB	1055.1	1055.3	9.7	89.0			QL=6 ST=2 TYP=5	
8800	SGMR	47 GB	1055.1	1055.3	9.7	57.0			QL=6 ST=2 TYP=5	
1415	SGMR	20 GRF	1055.1	1055.3	9.7	49.0			QL=6 ST=2 TYP=2	
610	SGMR	20 GRF	1055.1	1055.6	9.7	50.0			QL=6 ST=2 TYP=2	
245	SGMR	4 S/F	1055.1	1055.6	9.7	40.0			QL=6 ST=2 TYP=3	
15400	SGMR	8 S	1055.8	1056.0	.2	34.0			QL=6 ST=2 TYP=3	
2800	OTTA		1057.0E		33.0D	17.2				
4995	SGMR	47 GB	1104.8	1105.6	10.7	62.0			QL=6 ST=2 TYP=5	
8800	SGMR	47 GB	1104.8	1105.6	10.7	62.0			QL=6 ST=2 TYP=5	
1415	SGMR	20 GRF	1104.8	1107.5	10.7	40.0			QL=6 ST=2 TYP=2	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
17	2695	SGMR	4 S/F	1105.0	1107.5	10.5	39.0			QL=6 ST=2 TYP=3	
	610	SGMR	4 S/F	1105.6	1106.6	3.4	21.0			QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1106.6	1107.3	8.9	50.0			QL=6 ST=2 TYP=5	
	234	POTS	42 SER	1110.0	1110.6	15.0	330.0				
	15400	SGMR	47 GB	1111.1	1112.1	4.4	82.0			QL=6 ST=2 TYP=5	
	8800	SGMR	20 GRF	1115.5	1115.6	6.6	41.0			QL=6 ST=2 TYP=2	
	4995	SGMR	20 GRF	1115.5	1116.1	6.6	49.0			QL=6 ST=2 TYP=2	
	15400	SGMR	47 GB	1115.5	1116.3	6.6	79.0			QL=6 ST=2 TYP=5	
	1415	SGMR	20 GRF	1115.5	1116.8	6.6	33.0			QL=6 ST=2 TYP=2	
	2695	SGMR	20 GRF	1115.5	1117.1	11.0	44.0			QL=6 ST=2 TYP=2	
	610	SGMR	4 S/F	1116.0	1116.3	10.5	21.0			QL=6 ST=2 TYP=3	
	2800	OTTA	1 S	1137.0	1138.0	2.0	5.4	2.7			
	113	POTS	8 S	1203.8	1203.8	.2	425.0	140.0			
	536	ONDR	42 SER	1210.6	1212.0U	18.0	10.0				
	245	SGMR	49 GB	1212.6	1214.5	7.0	210.0				QL=6 ST=2 TYP=6
	234	POTS	42 SER	1212.7	1217.0	4.5	1600.0	12.0			
	410	SGMR	47 GB	1214.6	1214.8	2.9	270.0				QL=6 ST=2 TYP=5
	234	POTS	4 S/F	1231.8	1232.2	.4	775.0	25.0			
	6100	KISV	21 GRF	1234.0	1306.7	50.00	18.0				
	2800	OTTA	21 GRF	1240.0	1310.0	80.0	10.8	5.4			
	2650	DWIN	2 S/F	1250.0	1253.0	40.0	60.0	30.0			
	3000	POTS	23 GRF	1250.0	1253.7	70.0	56.0				
	1470	POTS	23 GRF	1250.0	1254.0	70.0	13.0				
	9500	POTS	23 GRF	1251.0	1317.5	79.0	31.0				
	2695	ATHN	47 GB	1251.5	1253.6	34.0	59.0				QL=6 ST=2 TYP=5
	4995	ATHN	4 S/F	1251.5	1253.6	34.0	47.0				QL=6 ST=2 TYP=3
	2800	OTTA	40 F	1251.6	1253.8	29.0	56.0				
	113	POTS	4 S/F	1252.1	1252.4	.6	2000.0	100.0			
	8800	ATHN	4 S/F	1252.3	1253.6	33.2	34.0				QL=6 ST=2 TYP=3
	9400	HUAN	2 S/F	1252.5	1253.5	2.5D	12.5	9.0			R
	9400	HUAN	21 GRF	1252.5E	1314.5	38.7D	23.3	10.8			R
	4995	SGMR	8 S	1253.3	1253.8	.8	40.0				QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1253.3	1253.8	.5	42.0				QL=6 ST=2 TYP=3
	6100	KISV		1258.3	1258.9		11.0				
	6100	KISV	46 C	1258.3	1300.6	5.0	25.0				
	9400	HUAN	3 S	1259.4	1300.2	2.2	21.5	9.3			R
	4995	SGMR	8 S	1300.1	1300.3	.7	41.0				QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1300.1	1300.6	.5	41.0				QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1300.1	1300.6	.7	33.0				QL=6 ST=2 TYP=3
	9400	HUAN	1 S	1305.2	1306.6	2.8	5.4	1.1			0
	234	POTS	4 S/F	1310.2	1310.3	.5	220.0	35.0			
	9400	HUAN	2 S/F	1316.9	1317.5	2.1	12.5	5.0			R
	6100	KISV	3 S	1317.2	1317.6	2.5	16.0				
	4995	SGMR	8 S	1317.5	1317.6	.6	37.0				QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1317.5	1317.6	.1	38.0				QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1317.5	1317.8	.6	64.0				QL=6 ST=2 TYP=5
	808	ONDR	8 S	1323.8	1323.8	.1	12.0				
	9400	HUAN	2 S/F	1344.5	1347.5	5.7	16.1	10.2			L
	9400	HUAN	29 PB1	1350.2	1350.2	49.3	7.2	1.4			L
	234	POTS	8 S	1351.7	1351.7	.8	250.0	80.0			
2800	OTTA	260 FAL	1410.0	1600.0	110.0	-17.0	-10.0				
9400	HUAN	21 GRF	1508.3	1527.5	39.2	16.1	6.9			0	
9400	HUAN	2 S/F	1521.4	1524.1	4.0	14.3	4.9			0	
2800	OTTA	21 GRF	1630.0	1755.0	100.0	6.2	3.1				
9400	HUAN	2 S/F	1713.1	1715.5	3.0	9.0	4.2			0	
2800	OTTA	3 S	1713.5	1714.5	2.5	11.2	5.0				
410	SGMR	8 S	1723.8	1724.0	.3	30.0				QL=6 ST=2 TYP=3	
9400	HUAN	20 GRF	1743.6	1800.7	22.2	5.4	3.6			0	
2800	OTTA	1 S	1825.5	1826.2	8.5	7.0	3.0				
610	SGMR	47 GB	1825.8	1826.1	.5	72.0				QL=6 ST=2 TYP=5	
9400	HUAN	20 GRF	1826.1	1837.6	21.0	6.3	3.0			0	
410	SGMR	8 S	1929.8	1929.8	.2	32.0				QL=6 ST=2 TYP=3	
100	HIRA	42 SER	1939.0	2008.3	45.0	370.0				ML	
2800	OTTA	20 GRF	1950.0	2000.0	75.0	5.6	2.8				
200	HIRA	41 F	1950.0	2008.2	32.0	320.0				ML	
245	SGMR	47 GB	1951.0	1951.6	1.8	230.0				QL=6 ST=2 TYP=5	
410	SGMR	47 GB	1951.1	1951.8	.7	78.0				QL=6 ST=2 TYP=5	
1000	TYKW	45 C	2055.5	2055.6	.5	34.0	6.0				
3750	TYKW	21 GRF	2120.0	0010.0	380.0	15.0	8.0				
2000	TYKW	21 GRF	2120.0	2400.0	370.0	8.0	4.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

67
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
17	1000	TYKW	21 GRF	2120.0	2400.0	370.0	2.0	1.0		
	3750	TYKW	5 S	2124.0	2124.5	1.5	30.0	5.0		
	200	HIRA	46 C	2124.1	2124.2	1.7	2300.0	665.0		0
	100	HIRA	46 C	2124.1	2124.2	2.0	3000.0	660.0		ML
	245	SGMR	8 S	2124.3	2124.5	1.0	1000.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	2124.3	2124.6	.8	53.0			QL=6 ST=2 TYP=5
	9400	TYKW	5 S	2124.4	2124.6	1.0	11.0	4.0		
	208	VORO	42 SER	2133.0	2134.0	12.0	200.0D			
	200	HIRA	42 SER	2135.8	2147.5	12.3	3800.0			WR
	9400	TYKW	5 S	2136.0	2136.5	.7	16.0	4.0		
	245	SGMR	49 GB	2136.1	2138.1	2.4	1300.0			QL=6 ST=2 TYP=6
	410	SGMR	47 GB	2136.1	2138.1	2.4	440.0			QL=6 ST=2 TYP=5
	610	SGMR	49 GB	2136.1	2138.1	2.4	1000.0			QL=6 ST=2 TYP=6
	9400	TYKW	5 S	2137.8	2138.2	1.0	15.0	4.0		
	1000	TYKW	45 C	2138.0	2138.3	1.0	69.0	17.0		
	15400	SGMR	8 S	2138.1	2138.1	.4	32.0			QL=6 ST=2 TYP=3
	100	HIRA	42 SER	2138.1	2138.2	10.0	3400.0			WR
	17000	NOBE	1 S	2138.1	2138.3	1.0	40.0			0
	9400	TYKW	5 S	2145.5	2146.0	1.5	7.0	3.0		
	410	SGMR	49 GB	2147.0	2147.6	1.0	510.0			QL=6 ST=2 TYP=6
	410	PALE	49 GB	2147.1	2147.6	1.9	870.0			QL=6 ST=2 TYP=6
	9400	TYKW	5 S	2147.4	2147.7	1.0	13.0	4.0		
	1000	TYKW	45 C	2147.5	2148.0	1.5	50.0	10.0		
	610	SGMR	47 GB	2147.6	2147.6	.4	94.0			QL=6 ST=2 TYP=5
	245	PALE	49 GB	2147.6	2147.8	1.4	2000.0			QL=6 ST=2 TYP=6
	245	SGMR	49 GB	2147.6	2147.8	.5	1800.0			QL=6 ST=2 TYP=6
	610	PALE	47 GB	2147.6	2147.8	1.2	100.0			QL=6 ST=2 TYP=5
	15400	PALE	8 S	2147.6	2148.0	1.4	22.0			QL=6 ST=2 TYP=3
	17000	NOBE	1 S	2147.7	2147.8	.5	25.0			0
	610	PALE	8 S	2201.3	2201.5	1.2	40.0			QL=6 ST=2 TYP=3
	9400	TYKW	21 GRF	2235.0	0010.0	240.0	8.0	4.0		
	3750	TYKW	28 PRE	2259.0	2309.0	10.0	5.0	2.5		
	1000	TYKW	28 PRE	2302.0	2310.0	8.0	2.0	1.0		
	100	HIRA	46 C	2307.0		24.0	10000.0D	760.0D		
	208	VORO	48 C	2307.0	2315.0U	26.0	200.0D			
	200	HIRA	46 C	2307.5	2316.1	26.0	1200.0	149.0		MR
	2000	TYKW	47 GB	2308.0	2315.8	23.0	524.0	60.0		
	2695	PENT	47 GB	2308.5	2316.0	25.5	785.0	88.0		
	3750	TYKW	47 GB	2309.0	2315.8	35.0	670.0	80.0		
	610	PALE	49 GB	2309.1	2312.0	15.0	69.0			QL=6 ST=2 TYP=7
	2695	PALE	49 GB	2309.6	2311.0	14.5	88.0			QL=6 ST=2 TYP=7
	9400	TYKW	47 GB	2310.0	2315.5	30.0	790.0	100.0		
	1000	TYKW	45 C	2310.0	2315.9	21.0	411.0	55.0		
	4995	PALE	49 GB	2310.0	2311.0	14.1	90.0			QL=6 ST=2 TYP=7
	4995	MANI	49 GB	2310.0	2315.6	18.0	1000.0			QL=6 ST=2 TYP=6
	8800	MANI	49 GB	2310.0	2316.1	18.0	1000.0			QL=6 ST=2 TYP=6
	2695	MANI	49 GB	2310.0	2316.3	22.0	750.0			QL=6 ST=2 TYP=6
	610	MANI	49 GB	2310.0	2316.8	21.0	600.0			QL=6 ST=2 TYP=6
	245	PALE	49 GB	2310.1	2310.3	14.0	770.0			QL=6 ST=2 TYP=7
	410	PALE	49 GB	2310.1	2311.8	14.0	91.0			QL=6 ST=2 TYP=7
8800	PALE	49 GB	2310.3	2311.0	13.8	43.0			QL=6 ST=2 TYP=7	
1415	PALE	49 GB	2310.3	2311.1	2.5	33.0			QL=6 ST=2 TYP=7	
1415	MANI	47 GB	2310.3	2316.5	15.7	290.0			QL=6 ST=2 TYP=5	
15400	PALE	49 GB	2314.1	2315.5	10.0	500.0			QL=6 ST=2 TYP=7	
17000	NOBE	45 C	2314.5	2315.4	20.0	290.0			R	
35000	NAGO	5 S	2315.0	2315.0	1.0	85.0				
35000	NAGO	29 PBI	2317.0	2323.0	15.0	40.0				
610	LEAR	47 GB	2320.0E	2320.6	4.1D	52.0			QL=5 ST=3 TYP=5	
1415	LEAR	8 S	2320.0E	2320.6	1.8D	16.0			QL=5 ST=3 TYP=3	
2695	LEAR	47 GB	2320.0E	2322.0	10.6D	33.0			QL=5 ST=3 TYP=5	
8800	LEAR	47 GB	2320.0E	2322.0	10.6D	89.0			QL=5 ST=3 TYP=5	
245	LEAR	49 GB	2320.0E	2322.1	10.6D	160.0			QL=5 ST=3 TYP=6	
410	LEAR	47 GB	2320.0E	2322.1	10.6D	400.0			QL=5 ST=3 TYP=5	
4995	LEAR	47 GB	2320.0E	2322.1	10.6D	78.0			QL=5 ST=3 TYP=5	
1000	TYKW	29 PBI	2331.0		15.0	4.0	1.5			
2000	TYKW	29 PBI	2331.0		25.0	8.0	3.0			
2695	PENT	29 PBI	2334.0	2334.0	30.0	12.0	5.0			
9400	TYKW	30 PBI	2340.0		15.0	13.0	4.0			
410	SGMR	47 GB	2343.8	2344.3	1.7	380.0			QL=6 ST=2 TYP=5	
3750	TYKW	30 PBI	2344.0		35.0	16.0	5.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
17	2840	PEKG	21 GRF	2344.0	0111.0	141.0	22.9	9.2		
	410	LEAR	47 GB	2344.0	2344.3	1.6	440.0			QL=6 ST=2 TYP=5
	410	PALE	49 GB	2344.0	2344.3	6.3	720.0			QL=6 ST=2 TYP=6
	610	PALE	47 GB	2344.1	2344.3	1.2	62.0			QL=6 ST=2 TYP=5
	610	LEAR	47 GB	2344.3	2344.3	.2	66.0			QL=6 ST=2 TYP=5
	3750	TYKW	5 S	2345.0	2349.0	9.0	2.0	1.0		
	9400	TYKW	5 S	2348.0	2350.0	5.0	3.0	1.0		
	2930	VORO	45 C	2350.0	2353.0	3.0	151.0			
18	200	GORK	44 NS	0300.0E		427.0D		10.0		
	33	UPIC	43 NS	0514.3		795.7D				
	29	UPIC	43 NS	0514.6		795.4D				
	260	ONDR	44 NS	0613.0E	1257.0U	411.0D				
	208	VORO	44 NS	2100.0E		360.0D				
	9395	PEKG	20 GRF	0022.0	0052.2	77.0	19.4	9.2		
	1000	TYKW	30 PBI	0027.0		30.0	2.0	1.0		
	2000	TYKW	21 GRF	0040.0	0100.0	55.0	3.0	1.5		
	3750	TYKW	21 GRF	0040.0	0116.0	120.0	9.0	4.0		
	9400	TYKW	45 C	0044.0	0051.9	10.0	17.0	5.0		
	1000	TYKW	5 S	0045.0	0052.2	12.0	5.0	1.5		
	3750	TYKW	5 S	0050.0	0051.8	5.0	18.0	6.0		
	2695	PENT	3 S	0050.0	0051.0	4.0	12.6	6.0		
	2000	TYKW	5 S	0050.5	0052.0	6.0	8.0	2.5		
	2840	PEKG	5 S	0051.0	0051.8	3.0	14.6	6.8		
	4995	PALE	4 S/F	0051.3	0051.8	2.3	30.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0051.5	0051.8	1.8	27.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0051.6	0051.8	1.7	19.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0051.6	0051.8	1.0	13.0			QL=6 ST=2 TYP=3
	9400	TYKW	29 PBI	0054.0		26.0	8.0	3.0		
	1000	TYKW	5 S	0106.0	0106.6	1.0	2.0	.5		
	1000	TYKW	5 S	0120.4	0120.8	1.0	1.0	.3		
	9400	TYKW	21 GRF	0133.0	0210.0	60.0	4.0	2.0		
	9395	PEKG	20 GRF	0142.0	0158.8	52.0	22.4	9.0		
	3750	TYKW	5 S	0146.0	0148.0	6.0	2.0	1.0		
	3750	TYKW	45 C	0153.0	0158.4	12.0	14.0	4.0		
	9400	TYKW	5 S	0156.0	0158.6	9.0	15.0	6.0		
	8800	LEAR	4 S/F	0157.5	0158.6	5.3	24.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0157.6	0158.6	3.7	18.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0157.8	0158.6	4.8	16.0			QL=6 ST=2 TYP=3
	9400	TYKW	5 S	0243.0	0244.0	7.0	4.0	1.5		
	1000	TYKW	5 S	0244.0	0244.7	1.5	1.5	.5		
	200	GORK	4 S/F	0316.2	0317.2	2.5	130.0D			
	650	GORK	1 S	0318.2	0319.5	1.3	3.0	1.5		
	410	PALE	47 GB	0318.3	0319.8	1.8	84.0			QL=6 ST=2 TYP=5
	245	PALE	49 GB	0318.5	0319.3	1.5	1500.0			QL=6 ST=2 TYP=6
	100	HIRA	46 C	0318.8	0319.2	1.2	9000.0	2400.0		WL
	1000	TYKW	5 S	0319.0	0319.4	2.0	3.0	.7		
	9400	TYKW	45 C	0319.0	0321.7	5.0	9.0	3.0		
	200	HIRA	46 C	0319.0	0319.2	1.2	1780.0	179.0		MR
	100	GORK	8 S	0319.0	0319.7U	1.7	80.0D			
	245	LEAR	49 GB	0319.1	0319.3	.9	2000.0			QL=6 ST=2 TYP=6
410	LEAR	47 GB	0319.6	0319.8	.2	67.0			QL=6 ST=2 TYP=5	
3750	TYKW	5 S	0320.5	0322.0	8.0	4.0	1.5			
4995	LEAR	4 S/F	0321.0	0321.6	2.8	13.0			QL=6 ST=2 TYP=3	
9400	TYKW	29 PBI	0324.0		15.0	4.0	2.0			
2950	GORK	23 GRF	0327.0E	0427.1	344.0D	22.0				
9400	TYKW	21 GRF	0349.0	0439.0	110.0	8.0	4.0			
3750	TYKW	20 GRF	0355.0	0430.0	90.0	4.0	2.0			
9400	TYKW	5 S	0402.0	0403.0	8.0	10.0	3.0			
8800	LEAR	4 S/F	0402.6	0403.1	2.4	16.0			QL=6 ST=2 TYP=3	
9100	GORK	1 S	0402.6	0403.6	1.9	14.0	7.0			
9395	PEKG	21 GRF	0413.0	0440.0	75.0	7.8	3.2			
2840	PEKG	20 GRF	0413.0	0442.5	63.0	10.4	4.6			
9400	TYKW	45 C	0504.0	0511.7	20.0	12.0	2.5			
9100	GORK	2 S/F	0511.3	0511.6	7.0	14.0	7.0			
9395	PEKG	5 S	0514.0	0514.4	2.0	32.7	8.5			
2840	PEKG	21 GRF	0531.0	0809.0	163.0D	28.4	10.2			
3750	TYKW	21 GRF	0535.0	0645.0	120.0	8.0	4.0			
2000	TYKW	21 GRF	0540.0	0610.0	100.0	3.0	1.5			
950	GORK	8 S	0540.4	0540.5	.3	25.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

69
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
18	1000	TYKW	8 S	0540.5	0540.6	.4	10.0	2.0		
	245	LEAR	49 GB	0543.6	0545.8	2.7	3300.0			QL=6 ST=2 TYP=6
	410	LEAR	49 GB	0543.6	0546.1	2.7	650.0			QL=6 ST=2 TYP=6
	610	LEAR	47 GB	0543.6	0546.1	2.7	380.0			QL=6 ST=2 TYP=5
	500	HIRA	8 S	0545.7	0545.7	.4	5000.0			WL
	1000	TYKW	45 C	0545.7	0545.9	1.0	155.0	10.0		
	950	GORK	8 S	0545.7	0545.9	.8	120.0			
	650	GORK	8 S	0545.8	0546.0	.4	208.0			
	245	LEAR	49 GB	0556.6	0557.6	1.7	23000.0			QL=6 ST=2 TYP=6
	500	HIRA	45 C	0556.7	0557.3	2.0	600.0	90.0		WL
	650	GORK	46 C	0556.8	0556.8	2.5	40.0			
	410	LEAR	49 GB	0556.8	0557.6	2.0	1000.0			QL=6 ST=2 TYP=6
	650	GORK		0556.8	0557.7		33.0			
	610	LEAR	8 S	0556.8	0557.8	2.0	26.0			QL=6 ST=2 TYP=3
	1000	TYKW	5 S	0556.9	0557.0	.5	7.0	1.5		
	9100	GORK	1 S	0557.1	0557.9	1.3	10.0	5.0		
	9400	TYKW	5 S	0557.5	0557.8	1.5	6.0	2.0		
	2000	TYKW	5 S	0557.5	0558.0	1.5	4.0	1.5		
	1000	TYKW	5 S	0557.6	0557.9	2.0	22.0	3.0		
	1415	LEAR	8 S	0557.6	0558.0	1.2	25.0			QL=6 ST=2 TYP=3
	950	GORK	2 S/F	0557.6	0558.1	1.2	15.0			
	15400	LEAR	8 S	0557.8	0557.8	.5	19.0			QL=6 ST=2 TYP=3
	9395	PEKG	21 GRF	0602.0	0815.0	166.0	13.3	3.6		
	3750	TYKW	5 S	0605.0	0605.6	2.0	25.0	6.0		
	2650	DWIN	1 S	0605.0	0605.0	1.0	12.0	6.0		
	9395	PEKG	8 S	0605.0	0605.5	2.0	11.1	3.8		
	2840	PEKG	8 S	0605.0	0605.6	2.0	12.2	3.4		
	8800	ATHN	8 S	0605.3	0605.6	1.5	11.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0605.3	0605.6	1.7	20.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0605.3	0605.6	1.5	31.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	0605.3	0605.8	1.2	24.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	0605.3	0605.8	1.3	7.0			QL=6 ST=2 TYP=3
	9100	GORK	1 S	0605.4	0605.6	.9	14.0	7.0		
	6100	KISV	8 S	0605.5	0605.5	.8	13.0			
	2950	GORK	3 S	0605.5	0605.6	1.6	14.4			
	8800	LEAR	8 S	0605.5	0605.6	1.3	17.0			QL=6 ST=2 TYP=3
	2840	PEKG	5 S	0630.5	0632.0	6.5	26.4	12.1		
	1415	LEAR	4 S/F	0630.8	0632.6	4.2	15.0			QL=6 ST=2 TYP=3
	2950	GORK	4 S/F	0630.9	0632.4	3.8	22.0			
	2000	TYKW	5 S	0631.0	0632.0	6.0	16.0	5.0		
	3750	TYKW	45 C	0631.0	0632.3	9.0	25.0	6.0		
	9400	TYKW	45 C	0631.0	0633.3	7.0	11.0	3.0		
	2650	DWIN	1 S	0631.0	0632.0	3.0	25.0	10.0		
	6100	KISV	46 C	0631.0	0632.4	5.5	14.0			
	6100	KISV		0631.0	0633.5		12.0			
	6100	KISV		0631.0	0635.8		8.0			
	650	GORK	21 GRF	0631.1	0635.6	10.9	3.0			
	200	HIRA	46 C	0631.2	0632.0	3.0	384.0	47.0		WL
	950	GORK	21 GRF	0631.2	0635.6	5.4	4.0			
	100	GORK	4 S/F	0631.3	0632.3U	2.0	80.0D			
	100	HIRA	46 C	0631.3	0632.4	2.0	2300.0	820.0		WL
	2695	ATHN	4 S/F	0631.3	0632.6	2.2	17.0			QL=6 ST=3 TYP=3
	113	POTS	4 S/F	0631.3	0632.8	1.8	600.0	150.0		III
	9100	GORK	2 S/F	0631.3	0633.3	4.6	11.0	5.0		
	1000	TYKW	45 C	0631.5	0632.2	2.0	9.0	3.0		
	200	GORK	46 C	0631.5	0632.3	4.8	30.0D			
	2695	LEAR	4 S/F	0631.5	0632.3	5.5	29.0			QL=6 ST=2 TYP=3
	9395	PEKG	5 S	0631.5	0633.7	5.5	13.3	5.1		
	200	GORK		0631.5	0634.2		130.0			
	610	LEAR	8 S	0631.6	0632.1	1.5	30.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0631.6	0632.3	5.4	23.0			QL=6 ST=2 TYP=3
	650	GORK	4 S/F	0631.7	0632.0	1.0	7.0	3.5		
	950	GORK	1 S	0631.8	0632.1	.9	6.0			
	536	ONDR	2 S/F	0631.8	0632.3	8.2	9.0	4.0		
	4995	ATHN	8 S	0631.8	0632.6	1.5	21.0			QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0632.0	0632.1	2.0	100.0			QL=6 ST=2 TYP=5
	1000	TYKW	5 S	0635.4	0635.7	.7	4.0	1.5		
	6100	KISV	29 PBI	0636.3	0636.3	7.5	5.0			
	204	IZMI	41 F	0709.0	0710.5	1.8	1600.0			
	500	HIRA	46 C	0709.0	0710.7	2.6	200.0	60.0		SR

70
Jul 82

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks	
18	245	LEAR	47 GB	0709.3	0710.3	2.2	200.0			QL=6 ST=2 TYP=5	
	113	POTS	4 S/F	0709.3	0710.4	1.7	200.0	20.0			
	100	GORK	46 C	0709.4	0709.7	1.4	50.0				
	200	GORK	8 S	0709.4	0710.0U	1.6	30.0D				
	100	GORK		0709.4	0710.3		70.0D				
	650	GORK	4 S/F	0709.4	0711.0	2.3	80.0				
	100	HIRA	46 C	0709.6	0710.3	1.1	920.0	204.0		WL	
	610	LEAR	47 GB	0709.6	0711.0	2.2	139.0				
	410	LEAR	47 GB	0709.8	0711.1	2.0	119.0			QL=6 ST=2 TYP=5	
	536	ONDR	42 SER	0709.8	0711.3	8.7	124.0			QL=6 ST=2 TYP=5	
	2000	TYKW	5 S	0725.0	0728.0	18.0	3.0	1.5			
	9400	TYKW	20 GRF	0738.0	0758.0	60.0	8.0	4.0			
	6100	KISV	1 S	0740.0	0740.6	2.5	5.0				
	2000	TYKW	20 GRF	0746.0U	0751.0U	30.0U	3.0U	1.5U			INTERFERENCE
	3750	TYKW	20 GRF	0747.0	0754.0	60.0	6.0	3.0			
	410	LEAR	47 GB	0837.6	0838.0	.7	110.0			QL=6 ST=2 TYP=5	
	245	LEAR	47 GB	0837.6	0838.1	1.0	80.0			QL=6 ST=2 TYP=5	
	200	GORK	8 S	0858.5	0859.1	1.8	140.0D				
	100	HIRA	46 C	0858.9	0859.0	1.0D	2200.0	395.0		WL	
	100	GORK	4 S/F	0859.0	0859.1U	1.0	70.0D				
	113	POTS	4 S/F	0859.0	0859.2	.9	700.0	150.0			
	234	POTS	4 S/F	0859.1	0859.1	.3	150.0	30.0			
	9395	PEKG	4 S/F	0913.0	0915.2	17.0	152.0	45.2			
	8400	BERN	3 S	0913.0	0915.3	12.0	166.0				
	9500	POTS	3 S	0913.0	0915.3	17.0	144.0				
	2840	PEKG	5 S	0913.0	0915.5	9.0	18.2	8.2			
	2950	GORK	21 GRF	0913.0	0918.9	12.4	4.0				
	2950	GORK	1 S	0913.9	0914.4	2.9	11.0				
	9100	GORK	4 S/F	0913.9	0915.3	2.5	160.0				
	9400	TYKW	45 C	0914.0	0915.3	5.0	200.0	40.0			
	3750	TYKW	45 C	0914.0	0915.7	5.0U	37.0	11.0U			
	8800	ATHN	47 GB	0914.3	0915.3	7.8	150.0			QL=6 ST=2 TYP=5	
	4995	ATHN	47 GB	0914.3	0915.5	5.3	64.0			QL=6 ST=2 TYP=5	
	6100	KISV	4 S/F	0914.3	0915.5	12.5	70.0				
	19600	BERN	3 S	0914.5	0915.3	11.0	49.0				
	11800	BERN	3 S	0914.5	0915.3	11.0	152.0				
	8800	LEAR	47 GB	0914.5	0915.3	4.8	160.0			QL=6 ST=2 TYP=5	
	3000	POTS	3 S	0914.5	0915.5	10.0	15.0				
	15000	KISV	4 S/F	0914.5	0915.5	4.0	80.0				
	2695	ATHN	4 S/F	0914.8	0915.1	2.3	9.0			QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0914.8	0915.3	1.0	43.0			QL=6 ST=2 TYP=3	
	4995	LEAR	47 GB	0914.8	0915.3	1.8	59.0			QL=6 ST=2 TYP=5	
	9100	GORK	29 PBI	0916.4	0916.4	12.0	57.0				
	536	ONDR	2 S/F	0923.4	0924.3	2.6	46.0				
	204	IZMI	41 F	0959.2	0959.6	2.8	2500.0				
	245	SGMR	49 GB	0959.3	0959.8	2.7	700.0			QL=6 ST=2 TYP=6	
	930	BORD	41 F	0959.4	1001.8	2.6	62.0	2.0			
	410	SGMR	47 GB	0959.6	0959.8	.4	139.0			QL=6 ST=2 TYP=5	
	610	SGMR	49 GB	0959.6	0959.8	.4	540.0			QL=6 ST=2 TYP=6	
	536	ONDR	45 C	0959.8	1000.1	2.3	39.0				
808	ONDR	8 S	1001.8	1001.9	.2	38.0					
1470	POTS	3 S	1006.5	1007.1	3.5	5.5					
3000	POTS	3 S	1006.5	1007.6	3.5	10.0					
113	POTS	4 S/F	1018.0	1018.0	.2	150.0	30.0				
113	POTS	4 S/F	1043.6	1043.7	.3	300.0	25.0				
6100	KISV	2 S/F	1047.5	1048.8	2.0	6.0					
4995	SGMR	8 S	1048.1	1048.5	.5	21.0			QL=6 ST=2 TYP=3		
245	SGMR	49 GB	1111.5	1112.6	13.3	3300.0			QL=6 ST=2 TYP=6		
245	SGMR	4 S/F	1124.8	1125.1	8.8	260.0			QL=6 ST=2 TYP=3		
15400	SGMR	4 S/F	1125.3	1126.0	7.3	31.0			QL=6 ST=2 TYP=3		
6100	KISV	21 GRF	1130.0	1143.7	75.0	19.0					
9500	POTS	20 GRF	1135.0	1145.0	90.0	21.0					
2800	OTTA	3 S	1141.0	1143.0	6.0	13.6	6.0				
8800	ATHN	4 S/F	1141.1	1142.8	7.9	11.0			QL=6 ST=2 TYP=3		
3000	POTS	3 S	1141.5	1142.9	2.5	10.0					
4995	SGMR	4 S/F	1141.5	1143.6	4.3	26.0			QL=6 ST=2 TYP=3		
15000	KISV	20 GRF	1141.5	1149.0	30.0U	16.0					
4995	ATHN	4 S/F	1142.3	1143.0	5.7	17.0			QL=6 ST=2 TYP=3		
8800	SGMR	4 S/F	1142.3	1143.6	6.2	22.0			QL=6 ST=2 TYP=3		
1470	POTS	3 S	1142.4	1143.0	2.1	6.0					

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

71
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m 2 Hz)	Mean			
18	1415	SGMR	8 S	1142.5	1143.1	.6	20.0			QL=6 ST=2 TYP=3	
	15400	SGMR	8 S	1147.8	1148.0	.3	21.0			QL=6 ST=2 TYP=3	
	930	BORD	41 F	1300.0	1301.5	2.6	29.0	3.0			
	410	SGMR	47 GB	1300.1	1301.5	1.9	100.0			QL=6 ST=2 TYP=5	
	245	SGMR	49 GB	1300.1	1301.5	1.7	2000.0			QL=6 ST=2 TYP=6	
	234	POTS	4 S/F	1300.2	1301.6	17.7	5800.0	110.0			
	536	ONDR	2 S/F	1300.8	1301.8	1.9	78.0				
	808	ONDR	2 S/F	1301.4	1301.6	6.8	8.0				
	536	ONDR	2 S/F	1314.3	1315.0	1.2	15.0				
	113	POTS	4 S/F	1329.8	1331.1	3.7	150.0	35.0			
	410	SGMR	8 S	1332.8	1333.0	.3	42.0				QL=6 ST=2 TYP=3
	234	POTS	4 S/F	1332.8	1333.3	.8	325.0	50.0			
	245	SGMR	8 S	1332.8	1333.5	.8	330.0				QL=6 ST=2 TYP=3
	9500	POTS	1 S	1352.0	1352.5	1.0	10.0				
	234	POTS	42 SER	1352.2	1352.4	6.6	1200.0	6.0			
	113	POTS	42 SER	1352.3	1352.6	6.7	700.0	5.0			
	410	SGMR	8 S	1353.6	1353.6	.5	33.0				QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1353.8	1354.0	.3	430.0				QL=6 ST=2 TYP=5
	9400	HUAN	3 S	1419.7	1420.5	3.3	20.6	9.4			0
	9500	POTS	4 S/F	1420.0	1420.5	3.0	15.0				
	8800	SGMR	8 S	1420.1	1420.3	.4	19.0				QL=6 ST=2 TYP=3
	234	POTS	4 S/F	1421.7	1422.1	.6	275.0	20.0			
	245	SGMR	47 GB	1422.0	1422.1	.3	119.0				QL=6 ST=2 TYP=5
	15400	SGMR	8 S	1422.8	1423.0	2.0	22.0				QL=6 ST=2 TYP=3
	9400	HUAN	29 PBI	1423.0	1423.0	14.5	3.4	2.2			0
	2695	SGMR	8 S	1424.8	1424.8	.5	48.0				QL=6 ST=2 TYP=3
	930	BORD	41 F	1539.4	1539.6	.4	42.0	2.0			
	2800	OTTA	21 GRF	1620.0	1658.0	100.0	5.6	2.8			
	9400	HUAN	20 GRF	1620.6	1640.2U	55.6	6.8	3.6			0
	410	SGMR	49 GB	1628.5	1630.6	2.6	45.0				QL=6 ST=2 TYP=6
	245	SGMR	49 GB	1628.8	1629.3	2.0	640.0				QL=6 ST=2 TYP=6
	9400	HUAN	1 S	1748.5	1751.0	4.5	10.3	2.6			R
	4995	SGMR	8 S	1750.6	1751.0	.5	22.0				QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1750.6	1751.1	.9	36.0				QL=6 ST=2 TYP=3
	2800	OTTA	260 FAL	1801.0	1841.0	40.0	-7.4	-3.7			
	2800	OTTA	20 GRF	1930.0	2005.0	130.0	4.0	2.8			
	200	HIRA	46 C	2003.0	2003.6	1.0	112.0	29.0			
	200	HIRA	46 C	2052.6	2059.0	11.3	30.0	10.0			
	9400	TYKW	21 GRF	2140.0U	2222.0U	130.0U	15.0U	6.0U			RAIN
	2800	OTTA	21 GRF	2145.0	2225.0	145.0	4.6	3.0			
	100	HIRA	8 S	2145.2	2145.3	.4	1500.0				WL
	2000	TYKW	21 GRF	2155.0	2222.0	120.0	4.0	2.0			
	3750	TYKW	21 GRF	2200.0	2240.0	130.0	6.0	3.0			RAIN
	2000	TYKW	5 S	2224.0	2224.6	3.0	11.0	1.5			
	1000	TYKW	45 C	2224.0	2225.8	3.0	47.0	3.0			
245	SGMR	49 GB	2224.1	2224.6	1.7	3899.0				QL=6 ST=2 TYP=6	
9400	TYKW	5 S	2224.3	2224.6	.7	28.0	5.0			RAIN	
500	HIRA	42 SER	2224.3	2225.6	2.0	200.0				0	
2800	OTTA	8 S	2224.5	2224.5	.1	10.8					
410	SGMR	47 GB	2224.5	2224.6	1.3	290.0				QL=6 ST=2 TYP=5	
610	SGMR	47 GB	2224.8	2225.8	1.3	90.0				QL=6 ST=2 TYP=5	
2840	PEKG	20 GRF	2253.0	2324.6	67.0	11.8	3.2				
9395	PEKG	20 GRF	2259.0	2319.0	61.0	7.7	2.8				
1000	TYKW	21 GRF	2300.0	2315.0	100.0	1.0	.5				
3750	TYKW	5 S	2303.0	2305.5	10.0	3.0	1.0				
2930	VORO	47 GB	2305.0	2315.0	10.0	609.0					
3750	TYKW	20 GRF	2322.0	2332.0	30.0	3.0	1.5				
19	200	GORK	44 NS	0259.0E		561.0D		5.0			
	100	GORK	43 NS	0355.0		488.0D		10.0			
	204	IZMI	43 NS	0600.0		360.0	39.0				
	260	ONDR	44 NS	0603.0E	0847.0U	496.0D					
	29	UPIC	43 NS	0655.5		694.5D					
	33	UPIC	43 NS	0655.6		694.4D					
	200	HIRA	43 NS	0830.0	0854.0	260.0D	32.0	5.0			0
	245	SGMR	43 NS	0946.0	1336.6	846.0D	169.0				QL=6 ST=2 TYP=1
	245	PALE	43 NS	1639.0	0219.5	729.0D	200.0				QL=6 ST=2 TYP=1
	100	HIRA	42 SER	0006.1	0026.3	22.5	950.0				WL
3750	TYKW	5 S	0018.5	0019.5	3.0	3.0	1.0				
9400	TYKW	5 S	0018.7	0019.3	3.0	16.0	6.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
19	9395	PEKG	5 S	0019.0	0019.4	6.0	20.7	10.3		
	2000	TYKW	28 PRE	0020.0	0028.6	21.0	5.0	2.0		
	208	VORO	41 F	0023.0	0026.0	5.0	200.0D			
	2840	PEKG	28 PRE	0023.0	0044.5	30.0	87.4	35.1		
	200	HIRA	42 SER	0024.5	0043.4	20.0	8000.0			0
	9400	TYKW	28 PRE	0026.0	0026.7	15.0	15.0	6.0		
	3750	TYKW	28 PRE	0026.0	0040.0	14.0	8.0	5.0		
	9395	PEKG	45 C	0026.0	0026.8	7.0	17.6	8.2		
	500	HIRA	45 C	0026.0	0027.0	4.0	18.0	7.0		WL
	1000	TYKW	45 C	0026.4	0027.2	3.5	8.0	3.5		
	9395	PEKG	28 PRE	0033.0	0044.5	18.0	75.0	28.4		
	2695	PENT	3 S	0038.8	0039.1	2.0	18.8	6.8		
	3750	TYKW	47 GB	0040.0	0101.6	35.0	700.0	60.0		
	9400	TYKW	47 GB	0041.0	0101.0	39.0	1450.0	130.0		
	2000	TYKW	45 C	0041.0	0103.6	25.0	460.0	45.0		
	2695	PENT	46F C	0041.0	0056.2	35.0	213.0	55.0		
	2695	MANI	47 GB	0041.5	0056.1	33.0	96.0			QL=6 ST=2 TYP=5
	4995	MANI	49 GB	0041.5	0101.5	31.5	610.0			QL=6 ST=2 TYP=6
	1000	TYKW	28 PRE	0042.0	0044.3	10.0	3.0	1.5		
	8800	MANI	47 GB	0043.0	0101.3	30.5	460.0			QL=6 ST=2 TYP=5
	500	HIRA	45 C	0043.3	0043.7	1.0	60.0	30.0		0
	208	VORO	4 S/F	0044.0	0044.0	1.5	200.0D			
	200	HIRA	46 C	0050.5	0053.6	14.7	6200.0	173.0		0
	9395	PEKG	47 GB	0051.0	0100.8	14.0	1201.0			
	500	HIRA	45 C	0051.7	0100.7	23.0	200.0	50.0		WL
	1000	TYKW	45 C	0052.0	0053.9	23.0	215.0	65.0		
	100	HIRA	46 C	0052.6	0053.3	12.7	5000.0	787.0		WL
	208	VORO	48 C	0053.0	0054.0	11.0	200.0D			
	2840	PEKG	45 C	0053.0	0056.4	12.0	331.0	129.0		
	1415	MANI	47 GB	0053.0	0101.8	20.1	71.0			QL=6 ST=2 TYP=5
	610	MANI	47 GB	0053.1	0056.3	20.9	230.0			QL=6 ST=2 TYP=5
	35000	NAGO	45 C	0057.0	0100.0	6.0	220.0			
	35000	NAGO		0057.0	0101.0		200.0			
	35000	NAGO	29 PBI	0103.0	0103.0	22.0	40.0			
	2840	PEKG	30 PBI	0105.0			74.9	28.1		
	2000	TYKW	30 PBI	0106.0		149.0	15.0	3.5		
	208	VORO	4 S/F	0111.0	0112.0	2.0	20.0			
	2000	TYKW	5 S	0111.3	0112.1	2.0	34.0	9.0		
	2840	PEKG	8 S	0111.6	0112.0	1.4	121.7	32.3		
	9395	PEKG	8 S	0111.7	0112.0	1.3	76.6			
	1000	TYKW	29 PBI	0115.0		25.0	4.0	1.5		
	3750	TYKW	30 PBI	0115.0		144.0	27.0	8.0		
	2695	PENT	29 PBI	0116.0	0116.0	35.0	13.6	6.8		
	9400	TYKW	29 PBI	0120.0		30.0	28.0	9.0		
	1000	TYKW	8 S	0140.1	0140.2	.3	48.0	10.0		
	3750	TYKW	5 S	0200.0	0217.7	20.0	12.0	4.0		
	9400	TYKW	21 GRF	0205.0	0213.0	30.0	4.0	2.0		
	2000	TYKW	21 GRF	0210.0	0217.0	65.0	3.0	1.0		
	9395	PEKG	20 GRF	0211.0	0218.0	11.0	14.5			
	9400	TYKW	5 S	0215.0	0217.8	5.0	17.0	8.0		
3750	TYKW	30 PBI	0220.0		30.0	5.0	2.0			
9400	TYKW	29 PBI	0220.0		10.0	5.0	2.0			
9400	TYKW	31 ABS	0235.0	0413.0	106.0	-16.0	-9.0		RAIN	
2000	TYKW	5 S	0240.0	0240.8	20.0	1.5	.5			
3750	TYKW	5 S	0240.0	0240.8	3.0	3.0	1.0			
3750	TYKW	5 S	0244.8	0245.2	1.0	2.0	.7			
200	HIRA	45 C	0318.6	0318.8	.8	30000.0	4520.0		MR	
100	HIRA	8 S	0318.9	0319.0	.4	4000.0			WL	
9400	TYKW	5 S	0318.9	0319.0	1.5	16.0	3.0			
2000	TYKW	5 S	0318.9	0319.1	1.5	3.0	1.0			
3750	TYKW	5 S	0318.9	0319.1	.5	6.0	2.0			
200	GORK	8 S	0318.9	0319.3	1.0	140.0D				
650	GORK	3 S	0319.1	0319.2	.6	16.0	8.0			
100	GORK	8 S	0319.1	0319.3	.7	90.0D				
9100	GORK	1 S	0319.1	0319.3	.3	14.0	7.0			
2950	GORK	23 GRF	0324.0E	0325.0	46.2D	10.8				
9100	GORK	1 S	0326.2	0326.7	1.0	11.3	5.5			
2000	TYKW	31 ABS	0335.0	0414.0	45.0	-5.0	-2.5			
3750	TYKW	31 ABS	0339.0	0413.0	40.0	-9.0	-4.0			
9100	GORK	21 GRF	0339.0	0547.0	507.0D	65.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

73
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
19	2840	PEKG	45 C	0350.0	0353.4	10.0	97.9	41.0		
	9395	PEKG	45 C	0352.0	0353.2	12.0	70.3	29.0		
	9400	TYKW	45 C	0352.3	0352.7	3.7	66.0	18.0		
	3750	TYKW	5 S	0352.4	0353.3	6.6	68.0	13.0		
	17000	NOBE	1 S	0352.5	0353.2	4.0	27.0			0
	1000	TYKW	5 S	0352.5	0353.3	8.0	9.0	2.5		
	2000	TYKW	5 S	0352.5	0353.4	10.0	49.0	7.0		
	100	GORK	8 S	0352.7	0352.7	.2	90.0D			
	9100	GORK	4 S/F	0352.7	0352.9	1.3	63.0			
	2950	GORK	3 S	0352.7	0353.5	4.1	58.0			
	950	GORK	1 S	0353.0	0353.4	6.8	6.0			
	650	GORK	4 S/F	0353.1	0353.5	.6	11.0			
	9400	TYKW	29 PBI	0356.0		7.0	6.0	3.0		
	2840	PEKG	29 PBI	0400.0		13.0	20.0			
	2840	PEKG	28 PRE	0413.5	0415.8	5.2	33.0	12.0		
	9400	TYKW	45 C	0414.0	0422.3	12.0	127.0	24.0		
	9395	PEKG	3 S	0414.0	0422.3	12.0	110.0	48.2		
	3750	TYKW	45 C	0415.0	0422.6	15.0	145.0	45.0		
	2000	TYKW	45 C	0415.0	0423.8	20.0	81.0	21.0		
	6100	KISV	28 PRE	0415.0	0417.0	4.5	14.0			
	2950	GORK	21 GRF	0415.0	0559.9	366.0D	38.0			
	17000	NOBE	7 C	0415.3	0422.2	52.0	107.0			0
	2950	GORK	2 S/F	0415.5	0416.0	2.4	15.0			
	35000	NAGO	20 GRF	0416.0	0431.0	74.0	30.0			
	2840	PEKG	45 C	0418.7	0422.6	11.3	166.0	78.0		
	6100	KISV	4 S/F	0419.7	0422.6	5.5	121.0			
	1000	TYKW	45 C	0421.0	0423.7	14.0	38.0	9.0		
	15000	KISV	4 S/F	0421.3	0422.3	3.0	120.0U			
	9100	GORK	4 S/F	0421.6	0422.4	3.2	100.0			
	500	HIRA	45 C	0421.6	0424.3	6.0	20.0	8.0		WR
	950	GORK	21 GRF	0421.7	0433.2	37.3	8.7			
	950	GORK	3 S	0422.5	0423.9	4.2	33.0			
	15000	KISV	29 PBI	0424.3	0424.3	33.0U	50.0U			
	650	GORK		0424.7E		26.0D				
	9400	TYKW	30 PBI	0425.0		75.0U	44.0	22.0U		RAIN
	6100	KISV	29 PBI	0425.2	0425.3	75.0	52.0			
	9395	PEKG	29 PBI	0426.0	0438.7	112.0	48.0	21.3		
	3750	TYKW	30 PBI	0430.0		220.0	37.0	18.0		
	2840	PEKG	29 PBI	0430.0	0503.0	126.0D	74.7	29.0		
	9400	TYKW	5 S	0433.0	0433.6	1.0	9.0	3.0		
	1000	TYKW	30 PBI	0435.0		190.0	4.0	2.0		
	2000	TYKW	30 PBI	0435.0		190.0	17.0	9.0		
	9400	TYKW	5 S	0438.0	0438.6	6.0	6.0	2.0		
	3750	TYKW	20 GRF	0438.0	0508.0	60.0	6.0	3.0		
	200	GORK	4 S/F	0438.7	0440.4	1.6	130.0			
100	GORK	4 S/F	0439.0	0441.3	3.3	260.0				
100	HIRA	41 F	0439.6	0440.0	2.5	890.0			0	
2000	TYKW	20 GRF	0453.0	0515.0	35.0	3.0	1.5			
9395	PEKG	28 PRE	0527.0	0528.8	13.0	9.1	2.9			
2840	PEKG	28 PRE	0529.0	0535.7	12.5	17.1	8.2			
200	HIRA	42 SER	0531.3	0540.6	11.5	4000.0			0	
650	GORK	41 F	0531.5	0531.8	10.8	2.0				
650	GORK		0531.5	0541.1		70.0				
200	GORK	41 F	0531.6	0531.8	11.4	130.0D				
200	GORK		0531.6	0541.1		130.0D				
2000	TYKW	45 C	0540.0	0544.6	10.0	45.0	15.0			
9395	PEKG	45 C	0540.0	0544.4	8.0	115.0	52.0			
8400	BERN	21 GRF	0540.0U	0544.4	140.0U	128.0				
11800	BERN	21 GRF	0540.0U	0544.4	140.0U	130.0				
2650	DWIN	2 S/F	0540.0	0545.0	5.0U	47.0	20.0		SUNRISE	
500	HIRA	8 S	0540.6	0540.7	.6	40.0	25.0		0	
1000	TYKW	5 S	0540.6	0541.1	1.5	6.0	1.5			
100	HIRA	42 SER	0540.6	0542.2	4.7	1900.0			WL	
950	GORK	1 S	0540.7	0541.2	1.0	5.0				
100	GORK	41 F	0540.8	0541.4	5.0	70.0D				
100	GORK		0540.8	0543.3		70.0D				
3750	TYKW	45 C	0541.0	0545.4	8.0	57.0	22.0			
2840	PEKG	45 C	0541.5	0544.6	11.5	82.0	39.6			
6100	KISV		0542.3	0544.5		77.0				
6100	KISV	45 C	0542.3	0545.5	5.0	83.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (10 ⁻²² W/m ² Hz)		
19	3100	CRIM	3 S	0542.5	0545.1	8.0	54.0	18.0		
	9400	TYKW	45 C	0543.0	0544.5	4.0U	94.0	37.0U		RAIN
	15000	KISV	45 C	0543.3	0544.5	3.5	139.0			
	15000	KISV		0543.3	0545.5		120.0			
	17000	NOBE	7 C	0543.8	0544.5	21.0	76.0			R
	1000	TYKW	5 S	0544.0	0544.8	3.0	5.0	1.5		
	9100	GORK	46 C	0544.0	0544.6	3.0	113.0			
	9100	GORK		0544.0	0545.7		93.0			
	15000	KISV	29 PBI	0546.5	0547.0	100.0	50.0			
	9400	TYKW	29 PBI	0547.0U		130.0U	26.0U	13.0U		
	6100	KISV	29 PBI	0547.2	0547.2	75.0	22.0			
	9395	PEKG	29 PBI	0548.0	0551.5	122.0	41.6	15.8		
	15000	KISV	20 GRF	0548.5	0554.0	15.0	16.0			
	3750	TYKW	30 PBI	0549.0		100.0	12.0	6.0		
	2000	TYKW	29 PBI	0550.0		65.0	6.0	3.0		
	3750	TYKW	20 GRF	0552.0	0614.0	90.0	6.0	3.0		
	2840	PEKG	29 PBI	0553.0	0600.0	29.0	28.4	13.5		
	1000	TYKW	8 S	0616.9	0617.0	.3	3.0	1.0		
	650	GORK	2 S/F	0634.2	0636.2	4.0	2.5			
	950	GORK	2 S/F	0634.3	0636.3	6.2	13.0			
	234	POTS	4 S/F	0634.5	0634.7	.5	275.0	10.0		
	3100	CRIM	26 FAL	0645.0	0812.0		2.0			
	113	POTS	8 S	0655.7	0655.7	.2	280.0	90.0		III
	200	GORK	4 S/F	0814.5	0816.0	2.4	130.0D			
	930	BORD	8 S	0814.8	0814.8	.2	123.0	2.0		
	650	GORK	8 S	0814.8	0815.0	.3	25.0			
	204	IZMI	41 F	0814.8	0815.2	1.6	1600.0			
	950	GORK	8 S	0814.9	0814.9	.1	36.0			
	234	POTS	41 F	0814.9	0816.0	1.2	220.0	6.0		
	2000	TYKW	21 GRF	0815.0	0845.0	65.0	6.0	3.0		INTERFERENCE
	3750	TYKW	5 S	0819.0	0823.0	10.0	6.0	2.0		
	6100	KISV	2 S/F	0823.1	0823.7	4.0	8.0			
	2840	PEKG	21 GRF	0834.0	0908.0	44.0	25.7	5.4		
	9395	PEKG	22 GRF	0835.0	0839.6	38.0	9.1	2.8		
	3100	CRIM	1 S	0836.5	0839.0	2.5	22.0	7.0		
	2840	PEKG	5 S	0837.5	0839.1	3.5	29.0	4.7		
	3000	POTS	3 S	0837.5	0839.3	4.0	23.0			
	1470	POTS	3 S	0837.5	0839.5	3.5	10.0			
	6100	KISV	21 GRF	0837.7	0848.7	20.0	8.0			
	2000	TYKW	5 S	0838.0	0839.3	5.0	21.0	5.0		
	3750	TYKW	5 S	0838.0	0839.3	3.0	18.0	8.0		
	2650	DWIN	1 S	0838.0	0839.0	2.0	22.0	10.0		
	3750	TYKW	29 PBI	0841.0		15.0	4.0	2.0U		INTERFERENCE
	100	GORK	46 C	0841.6	0841.8	1.4	70.0D			
	100	GORK		0841.6	0842.4		70.0D			
	113	POTS	4 S/F	0841.9	0842.1	1.8	200.0	7.0		III
	113	POTS	27 RF	0844.0	0919.0	141.0	75.0	20.0		RISE
	100	HIRA	27 RF	0850.0	0919.0	60.0D	510.0U	86.0U		WL, SUNSET
	650	GORK	2 S/F	0850.3	0850.6	.6	6.5			
	6100	KISV	21 GRF	0901.5	0903.0	15.0	6.0			
650	GORK	22 GRF	0909.0	0912.0	14.8	5.5				
950	GORK	2 S/F	1002.1	1003.0	1.2	19.0				
234	POTS	4 S/F	1006.5	1006.5	.2	165.0	15.0			
8800	SGMR	8 S	1030.6	1031.3	1.2	29.0			QL=6 ST=2 TYP=3	
15400	SGMR	8 S	1030.6	1031.3	.7D	27.0			QL=6 ST=2 TYP=3	
4995	SGMR	8 S	1030.6	1031.3	.7D	31.0			QL=6 ST=2 TYP=3	
2695	SGMR	8 S	1031.8	1033.0	1.2D	18.0			QL=6 ST=2 TYP=3	
113	POTS	42 SER	1033.4	1036.5	3.8	300.0	20.0		III	
9395	PEKG	30 PBI	1050.0		147.0	107.0	57.1			
8800	SGMR	4 S/F	1055.3	1057.3	11.5	28.0			QL=6 ST=2 TYP=3	
15400	SGMR	8 S	1056.6	1057.3	.7D	20.0			QL=6 ST=2 TYP=3	
2695	SGMR	8 S	1101.6	1103.8	2.2D	20.0			QL=6 ST=2 TYP=3	
930	BORD	41 F	1101.8	1101.9	.2	66.0	2.0			
4995	SGMR	8 S	1101.8	1103.8	2.0	17.0			QL=6 ST=2 TYP=3	
808	ONDR	8 S	1102.1	1102.1	.2	18.0				
2800	OTTA	240 R	1200.0	1215.0	15.0	5.8	2.9			
410	SGMR	8 S	1247.8	1248.1	1.5	33.0			QL=6 ST=2 TYP=3	
245	SGMR	47 GB	1248.1	1248.3	.2	139.0			QL=6 ST=2 TYP=5	
234	POTS	41 F	1248.3	1248.4	.8	180.0	4.0		III	
930	BORD	46 C	1318.7	1319.4	1.1	54.0	4.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

75
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
19	1470	POTS	3 S	1336.5	1337.0	1.0	10.0			
	113	POTS	42 SER	1336.5	1344.9	9.6	750.0	30.0		III
	234	POTS	4 S/F	1336.6	1336.7	.7	500.0	15.0		III
	9400	HUAN	20 GRF	1355.4	1400.7	30.4	3.5	1.9		0
	536	ONDR	8 S	1403.2	1403.3	.1	104.0			
	234	POTS	4 S/F	1431.7	1431.9	1.6	200.0	3.0		III
	2800	OTTA	1 S	1447.0	1447.6	3.0	8.0	2.7		
	2800	OTTA	21 GRF	1510.0	1550.0	80.0	6.8	3.4		
	9400	HUAN	21 GRF	1521.8	1555.6	91.3	10.6	3.6		0
	2800	OTTA	40 F	1534.5	1542.2	11.0	9.0			
	610	SGMR	8 S	1538.6	1538.8	.2	46.0			QL=6 ST=2 TYP=3
	9400	HUAN	3 S	1608.5	1610.6	5.3	26.6	9.2		0
	2800	OTTA	3 S	1609.0	1610.0	5.0	22.4	5.6		
	2800	OTTA	22 GRF	1805.0	1811.0	85.0	8.8	4.4		
	9400	HUAN	23 GRF	1809.7	1847.2	154.3	25.7	19.4		0
	4995	SGMR	4 S/F	1809.8	1810.8	5.3	22.0			QL=6 ST=2 TYP=3
	8800	SGMR	20 GRF	1829.3	1831.3	2.00	19.0			QL=6 ST=2 TYP=2
	610	SGMR	47 GB	1841.3	1841.6	1.3	139.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	1841.3	1842.0	2.0	60.0			QL=6 ST=2 TYP=5
	245	SGMR	8 S	1841.3	1842.1	1.5	35.0			QL=6 ST=2 TYP=3
	610	PALE	47 GB	1841.5	1841.6	1.8	169.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	1841.5	1842.1	1.8	53.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1841.5	1842.1	1.6	93.0			QL=6 ST=2 TYP=5
	15400	SGMR	20 GRF	1844.5	1848.6	11.5	40.0			QL=6 ST=2 TYP=2
	2695	SGMR	4 S/F	1846.3	1849.6	10.0	36.0			QL=6 ST=2 TYP=3
	610	PALE	4 S/F	1847.0	1848.5	3.6	35.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1847.0	1849.1	3.6	130.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1847.0	1849.5	3.6	84.0			QL=6 ST=2 TYP=5
	610	SGMR	8 S	1848.1	1848.3	1.5	37.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1848.1	1849.0	1.0	24.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1848.1	1849.1	2.9	68.0			QL=6 ST=2 TYP=5
	1415	SGMR	8 S	1848.3	1848.5	.2	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1848.3	1848.6	.3	28.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1933.3	1933.6	1.5	130.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1933.3	1935.1	1.80	56.0			QL=6 ST=2 TYP=5
	2800	OTTA	21 GRF	1955.0	2015.0	80.0	4.2	1.8		
	200	HIRA	41 F	2010.0	2019.6	19.0	1140.0	68.0		WR
	245	PALE	49 GB	2010.6	2010.6	11.2	390.0			QL=6 ST=2 TYP=6
	100	HIRA	42 SER	2010.6	2014.8	21.0	10000.00			
	610	PALE	49 GB	2010.6	2015.1	11.2	2800.0			QL=6 ST=2 TYP=6
	410	PALE	49 GB	2010.6	2017.6	11.2	430.0			QL=6 ST=2 TYP=6
	9400	HUAN	45 C	2014.0	2014.6	8.5	26.6	12.9		0
	9400	HUAN		2014.0	2017.4		25.7			
	9400	HUAN		2014.0	2019.3		27.5			
	2800	OTTA	45 C	2014.2	2015.0	8.0	11.6	3.9		
	1415	PALE	47 GB	2014.6	2015.3	2.0	90.0			QL=6 ST=2 TYP=5
	3750	TYKW	45 C	2109.8	2110.2	2.0	4.0	2.0		
	3750	TYKW	5 S	2152.7	2153.1	1.0	8.0	3.0		
	3750	TYKW	21 GRF	2205.0	2317.0	200.0	34.0	16.0		
	2800	OTTA	21 GRF	2205.0	2310.0	175.0	21.4	11.0		
3750	TYKW	45 C	2206.0	2209.3	3.30	35.0	10.0			
2000	TYKW	21 GRF	2206.0	2316.0	350.0	13.0	6.0			
9400	HUAN	45 C	2206.2	2208.9	10.6	44.3	19.7		0	
9400	TYKW	45 C	2206.5	2209.2	4.00	50.0	18.00			
2000	TYKW	45 C	2207.0	2209.1	14.0	8.0	3.5			
2800	OTTA	4 S/F	2207.5	2209.0	14.0	17.8	7.4			
15400	SGMR	4 S/F	2208.1	2209.1	3.5	30.0			QL=6 ST=2 TYP=3	
4995	SGMR	8 S	2208.3	2209.1	1.5	37.0			QL=6 ST=2 TYP=3	
8800	SGMR	4 S/F	2208.6	2209.1	4.0	47.0			QL=6 ST=2 TYP=3	
35000	NAGO	20 GRF	2215.0	2242.0	127.0	120.0				
1000	TYKW	21 GRF	2220.0	2355.0	540.0	6.0	3.0			
100	HIRA	46 C	2220.0	2220.1	2.0	2800.0	660.0		WL	
200	HIRA	45 C	2220.0	2220.5	1.0	105.0	46.0		WL	
9400	TYKW	21 GRF	2240.0E	2305.0	170.00	55.0	28.00			
9400	TYKW	5 S	2256.0	2259.0	8.0	7.0	3.0			
2840	PEKG	20 GRF	2259.0	2341.0	88.0	20.8	12.0			
9395	PEKG	21 GRF	2301.0	2342.5	93.0	19.2	9.2			
9400	TYKW	45 C	2306.7	2307.4	2.0	30.0	8.0			
3750	TYKW	5 S	2306.8	2307.3	1.2	7.0	2.0			
8800	PALE	47 GB	2306.8	2307.3	1.8	54.0			QL=6 ST=3 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
19	4995	PALE	8 S	2306.8	2307.3	1.8	30.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	2307.0	2307.3	3.3	26.0			QL=6 ST=2 TYP=3
	9395	PEKG	8 S	2307.0	2307.4	2.0	25.0	10.2		
	2695	SGMR	4 S/F	2307.0	2309.1	2.1	28.0			QL=6 ST=2 TYP=3
	2000	TYKW	5 S	2309.0	2310.3	4.0	3.0	1.0		
	1415	SGMR	4 S/F	2309.3	2310.3	2.2	20.0			QL=6 ST=2 TYP=3
	3750	TYKW	5 S	2309.5	2310.5	2.5	3.0	1.0		
	9400	TYKW	5 S	2309.6	2310.2	3.5	16.0	6.0		
	3750	TYKW	45 C	2339.0	2341.7	5.0	11.0	5.0		
	245	LEAR	8 S	2340.8	2341.8	1.8	18.0			QL=6 ST=2 TYP=3
100	HIRA	46 C	2341.4	2341.5	1.6	10000.0D	930.0D			
3750	TYKW	29 PBI	2344.0		8.0	2.0	1.0			
20	29	UPIC	44 NS	0330.0E		688.8D				
	33	UPIC	44 NS	0330.0E		689.0D				
	260	ONDR	43 NS	0930.0		270.0D				
	245	SGMR	43 NS	0947.0	1457.6	845.0D	110.0			QL=6 ST=3 TYP=1
	2000	TYKW	45 C	0037.0	0039.3	5.0	14.0	4.0		
	2840	PEKG	3 S	0037.0	0039.2	4.0	39.0	12.3		
	9395	PEKG	21 GRF	0037.0	0044.6	43.0	12.1	5.9		
	3750	TYKW	5 S	0038.0	0039.2	3.0	27.0	7.0		
	9400	TYKW	45 C	0038.0	0039.2	9.0	29.0	7.0		
	8800	LEAR	8 S	0039.0	0039.1	.6	36.0			QL=6 ST=2 TYP=3
	9395	PEKG	8 S	0039.0	0039.2	1.0	21.4	10.2		
	2695	PALE	8 S	0039.1	0039.1	1.2	20.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0039.1	0039.1	1.2	18.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0039.1	0039.1	.2	28.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0039.1	0039.1	1.2	15.0			QL=6 ST=2 TYP=3
	17000	NOBE	1 S	0039.1	0039.2	.8	22.0	0		
	15400	LEAR	8 S	0039.1	0039.3	.5	27.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0039.1	0039.3	.4	30.0			QL=6 ST=2 TYP=3
	3750	TYKW	29 PBI	0041.0		20.0	2.0	1.0		
	2840	PEKG	29 PBI	0041.0		20.0	6.9	2.7		
	245	LEAR	8 S	0041.0	0041.5	1.0	33.0			QL=6 ST=2 TYP=3
	2000	TYKW	29 PBI	0042.0		15.0	3.0	1.5		
	9400	TYKW	29 PBI	0047.0		20.0	5.0	2.0		
	1000	TYKW	21 GRF	0130.0	0230.0	150.0	2.0	1.0		
	2000	TYKW	21 GRF	0140.0	0212.0	130.0	4.0	2.0		
	2695	PENT	21 GRF	0141.0	0144.5	14.0	9.0	4.5		
	3750	TYKW	28 PRE	0141.5	0144.5	24.5	3.0	2.0		
	2000	TYKW	45 C	0142.0	0144.3	7.0	7.0	4.0		
	1000	TYKW	45 C	0142.0	0144.4	7.0	4.0	2.0		
	2840	PEKG	5 S	0142.0	0144.0	9.7	11.5	2.5		
	245	LEAR	8 S	0142.8	0142.8	.3	37.0			QL=6 ST=2 TYP=3
	9400	TYKW	21 GRF	0146.0	0245.0	130.0	11.0	5.0		
	1000	TYKW	30 PBI	0149.0		7.0	1.5	.5		
	2000	TYKW	30 PBI	0149.0		7.0	3.0	1.0		
	3750	TYKW	5 S	0151.0	0152.6	4.0	25.0	4.0		
	9395	PEKG	3 S	0151.0	0152.6	4.0	37.0	19.0		
	9400	TYKW	45 C	0151.5	0152.6	3.0	31.0	6.0		
	2840	PEKG	5 S	0151.7	0152.6	7.3	34.6	16.3		
	1000	TYKW	45 C	0151.7	0152.7	2.0	2.5	1.0		
	2000	TYKW	45 C	0152.0	0152.3	1.5	15.0	4.0		
	8800	LEAR	4 S/F	0152.0	0152.6	2.1	40.0			QL=6 ST=2 TYP=3
	2695	PENT	1 S	0152.0	0152.7	1.5	9.8	3.8		
	2695	LEAR	8 S	0152.5	0152.6	1.1	19.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0152.5	0152.6	1.3	27.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0152.5	0152.6	1.1	31.0			QL=6 ST=2 TYP=3
8800	PALE	8 S	0152.5	0152.6	1.1	38.0			QL=6 ST=2 TYP=3	
245	PALE	8 S	0152.5	0152.8	1.5	23.0			QL=6 ST=2 TYP=3	
245	LEAR	8 S	0152.6	0153.0	1.0	18.0			QL=6 ST=2 TYP=3	
9395	PEKG	29 PBI	0155.0	0159.5	8.0	2.8	.8			
2840	PEKG	23 GRF	0159.0	0236.0	66.0	7.8	3.9			
1415	LEAR	4 S/F	0201.0	0203.1	4.1	11.0			QL=6 ST=2 TYP=3	
1000	TYKW	45 C	0201.7	0203.8	4.0	5.0	1.0			
2000	TYKW	5 S	0202.0	0203.3	2.5	9.0	2.0			
3750	TYKW	5 S	0202.0	0203.4	3.0	26.0	5.0			
500	HIRA	45 C	0202.0	0202.7	2.6	18.0	4.0			
610	LEAR	4 S/F	0202.0	0203.1	3.8	8.0			0	
410	LEAR	8 S	0202.0	0203.1	2.0	35.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

77
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
20	245	LEAR	49 GB	0202.0	0204.8	3.3	640.0			QL=6 ST=2 TYP=6
	245	PALE	49 GB	0202.1	0204.8	4.0	840.0			QL=6 ST=2 TYP=6
	2840	PEKG	8 S	0202.5	0203.3	1.5	30.9	14.5		
	100	HIRA	42 SER	0202.7	0214.5	28.3	1100.0			WL
	9400	TYKW	5 S	0203.0	0203.3	2.0	63.0	15.0		
	9395	PEKG	3 S	0203.0	0203.2	5.0D	60.5	28.2		
	200	HIRA	42 SER	0203.0	0203.4	29.0	2400.0			0
	208	VORO	42 SER	0203.0	0205.0	31.0	200.0D			
	8800	PALE	47 GB	0203.1	0203.3	1.5	83.0			QL=6 ST=2 TYP=5
	4995	LEAR	8 S	0203.1	0203.3	.5	42.0			QL=6 ST=2 TYP=3
	15400	PALE	47 GB	0203.1	0203.3	1.7	51.0			QL=6 ST=2 TYP=5
	2695	LEAR	8 S	0203.1	0203.3	.4	18.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0203.1	0203.3	1.4	48.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0203.1	0203.3	.9	79.0			QL=6 ST=2 TYP=5
	15400	LEAR	8 S	0203.1	0203.3	.9	43.0			QL=6 ST=2 TYP=3
	17000	NOBE	1 S	0203.2	0203.4	2.0	41.0			0
	9400	TYKW	30 PBI	0205.0		7.0	4.0	2.0		
	3750	TYKW	45 C	0206.0	0209.7	20.0	23.0	11.0		
	9400	TYKW	45 C	0208.0	0209.6	3.0	17.0	6.0		
	9395	PEKG	5 S	0208.0	0209.6	5.0D	22.8	10.2		
	2840	PEKG	20 GRF	0208.0	0209.8	15.0	9.2	2.7		
	8800	PALE	4 S/F	0208.6	0209.6	2.2	32.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0211.1	0214.0	4.0	40.0			QL=6 ST=2 TYP=3
	9400	TYKW	45 C	0212.0	0214.0	6.0	25.0	12.0		
	9395	PEKG	5 S	0213.0	0215.0	5.0	32.0	10.9		
	610	LEAR	4 S/F	0213.5	0214.1	4.3	15.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0213.5	0219.6	6.8	180.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0213.6	0213.8	1.5	67.0			QL=6 ST=2 TYP=5
	1000	TYKW	45 C	0213.9	0214.0	1.5	15.0	1.5		
	2000	TYKW	45 C	0214.0	0214.2	2.0	6.0	.7		
	8800	PALE	8 S	0214.5	0214.6	1.8	23.0			QL=6 ST=2 TYP=3
	1000	TYKW	5 S	0217.0	0217.3	1.0	1.5	.5		
	9395	PEKG	30 PBI	0218.0	0218.5	15.0	14.0	7.4		
	3750	TYKW	30 PBI	0226.0		85.0	8.0	4.0		
	9395	PEKG	1 S	0228.0	0230.1	5.0	9.3	3.5		
	1415	LEAR	4 S/F	0228.1	0230.1	6.4	43.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0228.8	0230.1	5.3	45.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0228.8	0230.1	5.3	48.0			QL=6 ST=2 TYP=3
	1000	TYKW	45 C	0229.0	0230.3	3.0	82.0	6.0		
	610	LEAR	4 S/F	0229.0	0230.1	1.1D	38.0			QL=6 ST=2 TYP=3
	500	HIRA	45 C	0229.4	0230.3	2.0	55.0	15.0		WR
	1415	PALE	8 S	0229.8	0230.1	1.8	48.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0229.8	0230.1	1.5	50.0			QL=6 ST=2 TYP=5
	610	PALE	8 S	0229.8	0230.1	1.8	38.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	0229.8	0230.1	1.8	50.0			QL=6 ST=2 TYP=5
	2000	TYKW	45 C	0230.0	0230.3	1.5	5.0	1.0		
	9395	PEKG	20 GRF	0233.0	0245.0	32.0	8.5	2.9		
	3750	TYKW	45 C	0234.0	0241.4	14.0	6.0	3.0		
	2840	PEKG	20 GRF	0239.0	0241.0	26.0	4.6	1.8		
	3750	TYKW	29 PBI	0248.0		10.0	2.0	1.0		
9100	GORK	21 GRF	0328.0E		149.0D					
2950	GORK	21 GRF	0330.0E	0437.4	345.0D	15.0				
3750	TYKW	28 PRE	0410.0	0413.0	5.0	12.0	4.0			
9395	PEKG	28 PRE	0411.0	0413.3	4.5	88.8	44.3			
6100	KISV	28 PRE	0411.6	0413.0	4.0	37.0				
9100	GORK	4 S/F	0411.6	0417.9	7.7	634.0				
2840	PEKG	28 PRE	0412.0	0413.0	4.0	5.5	1.9			
8800	LEAR	49 GB	0412.0E	0413.6	19.5D	37.0			QL=5 ST=2 TYP=6	
1415	LEAR	4 S/F	0412.0E	0417.6	6.8D	30.0			QL=5 ST=2 TYP=3	
410	LEAR	4 S/F	0412.0E	0417.6	6.8D	25.0			QL=5 ST=2 TYP=3	
15400	LEAR	49 GB	0412.0E	0417.8	14.5D	520.0			QL=5 ST=2 TYP=6	
4995	LEAR	47 GB	0412.0E	0417.8	7.8D	160.0			QL=5 ST=2 TYP=5	
2695	LEAR	47 GB	0412.0E	0418.0	6.8D	60.0			QL=5 ST=2 TYP=5	
245	LEAR	47 GB	0412.0E	0418.3	6.8D	58.0			QL=5 ST=2 TYP=5	
610	LEAR	4 S/F	0412.0E	0418.3	7.0D	20.0			QL=5 ST=2 TYP=3	
15000	KISV	28 PRE	0412.3	0413.3	1.5	62.0				
8800	PALE	47 GB	0412.3	0413.3	2.2	100.0			QL=6 ST=2 TYP=5	
650	GORK	21 GRF	0412.6	0419.6	20.4	4.0				
100	GORK	41 F	0412.7	0412.9	7.0	60.0				
100	GORK		0412.7	0418.2		2000.0				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
20	200	GORK	4 S/F	0412.7	0418.7	7.2	110.0			
	1000	TYKW	5 S	0412.9	0413.1	1.0	1.0	.3		
	3750	TYKW	5 S	0415.0	0417.9	6.0	105.0	26.0		
	9395	PEKG	45 C	0415.5	0417.9	6.5	468.0	156.0		
	6100	KISV	4 S/F	0415.8	0417.9	4.0	190.0			
	1000	TYKW	45 C	0416.0	0418.3	5.0	24.0	7.0		
	2000	TYKW	45 C	0416.0	0419.3	4.0	34.0	11.0		
	2840	PEKG	3 S	0416.0	0417.9	6.0	78.9	32.0		
	8800	PALE	49 GB	0416.1	0417.8	4.2	540.0			QL=6 ST=2 TYP=6
	15000	KISV	47 GB	0416.1	0417.9	3.0	745.0			
	2950	GORK	4 S/F	0416.3	0417.9	3.4	64.0			
	200	HIRA	46 C	0416.3	0418.0	4.8	170.0	37.0		WR
	950	GORK	4 S/F	0416.4	0418.3	9.3	25.0			
	15400	PALE	47 GB	0416.6	0417.8	4.0	500.0			QL=6 ST=2 TYP=5
	500	HIRA	46 C	0416.6	0418.0	4.0	13.0	5.0		WL
	4995	PALE	47 GB	0416.6	0418.0	3.5	169.0			QL=6 ST=2 TYP=5
	100	HIRA	46 C	0416.6	0418.0	4.2	3500.0	1080.0		WL
	2695	PALE	8 S	0417.3	0417.8	2.0	41.0			QL=6 ST=2 TYP=3
	650	GORK	4 S/F	0417.3	0418.2	2.2	7.5	3.7		
	610	PALE	4 S/F	0417.6	0418.3	2.2	20.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0418.0	0418.3	1.8	70.0			QL=6 ST=2 TYP=5
	1415	PALE	8 S	0418.0	0418.3	1.3	22.0			QL=6 ST=2 TYP=3
	15000	KISV	29 PBI	0419.1	0419.1	13.0U	50.0			
	6100	KISV	29 PBI	0419.5	0419.5	13.0D	28.0			
	17000	NOBE	29 PBI	0419.9	0419.9	10.0	26.0			L
	2000	TYKW	30 PBI	0420.0		40.0	3.0	1.5		
	3750	TYKW	30 PBI	0421.0		75.0	9.0	4.0		
	1000	TYKW	29 PBI	0421.0		40.0	2.0	1.0		
	9400	TYKW	30 PBI	0421.0		80.0	16.0	5.0		
	2840	PEKG	30 PBI	0422.0	0437.5	27.0	10.0	3.9		
	9395	PEKG	29 PBI	0422.0	0441.0	35.0	40.0	18.4		
	3750	TYKW	28 PRE	0423.0	0428.1	10.0	22.0	1.5		
	6100	KISV	28 PRE	0432.5	0437.2	7.0	12.0			
	17000	NOBE	20 GRF	0432.7	0441.7	36.0	26.0			R
	3750	TYKW	45 C	0433.0	0440.6	15.0	43.0	12.0		
	9400	TYKW	28 PRE	0434.0	0436.0	5.0	5.0	2.0		
	2000	TYKW	5 S	0436.0	0440.5	12.0	5.0	2.0		
	9400	TYKW	45 C	0439.0	0441.0	5.0	40.0	16.0		
	2840	PEKG	5 S	0439.5	0440.5	4.5	15.0	6.2		
	2950	GORK	3 S	0439.5	0440.5	5.0	19.0			
	6100	KISV	46 C	0439.6	0440.5	3.5	55.0			
	9100	GORK	4 S/F	0439.7	0440.5	2.6	43.0			
	4995	LEAR	4 S/F	0439.8	0440.5	3.8	47.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0439.8	0440.6	5.5	22.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0439.8	0441.0	4.0	40.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0440.0	0441.1	5.5	23.0			QL=6 ST=2 TYP=3
	6100	KISV	29 PBI	0443.0	0443.0	19.0	25.0			
	9400	TYKW	29 PBI	0444.0		10.0	7.0	4.0		
	3750	TYKW	29 PBI	0448.0		12.0	3.0	1.5		
	2950	GORK	1 S	0606.3	0607.0	1.3	4.2			
9100	GORK	21 GRF	0606.8	0632.1	122.0	10.7				
950	GORK	8 S	0607.9	0608.2	.5	27.0				
2000	TYKW	5 S	0608.0E	0608.0U	15.0D	5.0D	1.5D			
9400	TYKW	21 GRF	0625.0	0700.0	80.0	4.0	2.0			
6100	KISV	25 R	0627.0	1118.0	291.0U	20.0U				
3750	TYKW	21 GRF	0630.0	0700.0U	60.0U	2.0U	1.0U			
9400	TYKW	5 S	0630.5	0631.0	3.0	7.0	3.0			
3750	TYKW	5 S	0630.5	0631.5	5.0	6.0	2.0			
6100	KISV	1 S	0630.7	0631.2	4.0	6.0				
9100	GORK		0630.8	0631.1	.8	9.5	4.5			
2950	GORK	1 S	0630.8	0631.3	1.0	2.8				
200	GORK	41 F	0636.2	0636.7	5.6	30.0				
200	GORK		0636.2	0642.9		40.0D				
9400	TYKW	5 S	0640.0	0641.0	3.0	6.0	2.0			
200	HIRA	46 C	0640.1	0640.3	1.2	1100.0	308.0		0	
204	IZMI	4 S/F	0640.3	0640.7	1.4	630.0	150.0			
6100	KISV	1 S	0640.3	0641.0	4.0	4.0				
100	GORK	8 S	0640.4	0641.0U	2.0	70.0D				
650	GORK	1 S	0640.4	0641.0	1.5	3.0				
100	HIRA	46 C	0640.5		2.0	10000.0D	3280.0D			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

79
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
20	245	LEAR	47 GB	0640.5	0640.6	1.0	139.0			QL=6 ST=2 TYP=5
	113	POTS	4 S/F	0640.5	0640.6	1.6	9000.0	3000.0		
	234	POTS	4 S/F	0640.5	0640.6	1.9	275.0	50.0		
	9100	GORK	1 S	0640.5	0640.9	.9	8.0	4.0		
	260	ONDR	45 C	0640.8	0641.3	2.3	79.0	71.0		
	950	GORK	1 S	0708.2	0710.7	4.5	6.0			
	6100	KISV	2 S/F	0751.7	0752.8	3.5	5.0			
	9400	TYKW	5 S	0752.0	0752.9	2.0	9.0	3.0		
	100	GORK	46 C	0845.0	0845.2	3.0	60.0D			
	100	HIRA	42 SER	0845.0	0846.3	2.2	1500.0			WL
	100	GORK		0845.0	0846.5		60.0D			
	113	POTS	41 F	0845.1	0846.5	2.1	350.0	10.0		
	200	GORK	4 S/F	0845.8	0846.0	1.5	30.0			
	2950	GORK	21 GRF	0930.3	1003.5	148.0D	41.1			
	9100	GORK	22 GRF	0939.6	1048.6	144.0	39.0			
	6100	KISV		0947.5	0954.8		16.0			
	6100	KISV		0947.5	0956.7		30.0			
	6100	KISV	46 C	0947.5	1004.7	36.0	40.0			
	2650	DWIN	2 S/F	0950.0	1003.0	15.0	30.0	15.0		
	1470	POTS	21 GRF	0950.0	1003.5	50.0	9.0			
	3000	POTS	23 GRF	0950.0	1003.5	25.0	36.0			
	9500	POTS	20 GRF	0950.0	1005.0	80.0	30.0			
	950	GORK	1 S	0954.2	0957.7	5.5	5.0			
	100	GORK	8 S	0955.3	0955.4	.6	35.0			
	2950	GORK	3 S	0956.0	0957.1	2.5	19.7			
	650	GORK	1 S	0956.1	0956.4	3.1	3.5			
	200	GORK	41 F	0956.2	0956.5	9.0	2.0			
	200	GORK		0956.2	1004.2		40.0			
	650	GORK	1 S	1002.6	1003.1	1.6	3.5			
	6100	KISV	29 PBI	1015.0	1015.0	50.0	20.0			
	2800	OTTA	26A FAL	1100.0E	1735.0	395.0D	-27.6	-13.8		
	650	GORK	21 GRF	1117.3		43.0D	11.0			
	2800	OTTA	21 GRF	1120.0	1205.0	120.0	18.4	13.0		
	6100	KISV	1 S	1124.2	1124.5	1.5	6.0			
	3000	POTS	21 GRF	1130.2	1146.5	120.0D	27.0			
	6100	KISV	20 GRF	1131.0	1148.0	75.0	13.0			
	950	GORK	21 GRF	1132.2	1154.8	30.8D	15.0			
	1470	POTS	21 GRF	1135.0E	1146.0	130.0D	44.0			
	200	GORK	41 F	1135.1	1136.2	22.0	6.0			
	200	GORK		1135.1	1155.1		15.0			
	2800	OTTA	22 GRF	1139.0	1146.0	21.0	19.0	9.5		
	1415	ATHN	4 S/F	1139.1	1146.1	22.7	38.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1139.1	1146.3	22.7	29.0			QL=6 ST=2 TYP=3
	2950	GORK	22 GRF	1139.8	1149.0	17.8	20.0			
	2650	DWIN	1 S	1140.0	1147.0	20.0	30.0	20.0		
	930	BORD	3 S	1141.0	1143.7	11.0	22.0	5.0		
	950	GORK	2 S/F	1141.6	1146.3	9.4	17.0			
	610	SGMR	47 GB	1142.0	1146.6	8.1	169.0			QL=6 ST=2 TYP=5
	650	GORK	46 C	1142.7	1145.5	7.0	165.0			
	650	GORK		1142.7	1146.8		180.0			
536	ONDR	27 RF	1142.8	1146.8	11.8	52.0	40.0			
410	SGMR	47 GB	1143.0	1144.8	9.3	150.0			QL=6 ST=2 TYP=5	
9400	HUAN	20 GRF	1212.0	1223.0	30.9	10.4	4.3		0	
610	SGMR	4 S/F	1247.8	1249.1	3.2	37.0			QL=6 ST=2 TYP=3	
410	SGMR	8 S	1248.6	1248.6	.2	13.0			QL=6 ST=2 TYP=3	
3000	POTS	3 S	1251.0	1252.5	4.0	91.0				
6100	KISV	3 S	1251.0	1252.9	2.5	285.0				
9400	HUAN	3 S	1251.5	1253.1U	2.9	112.8	28.5		0	
2695	ATHN	47 GB	1251.6	1252.5	6.9	88.0			QL=6 ST=2 TYP=5	
4995	ATHN	47 GB	1251.6	1252.5	6.0	430.0			QL=6 ST=2 TYP=5	
8800	ATHN	49 GB	1251.6	1252.5	6.0	520.0			QL=6 ST=2 TYP=6	
2800	OTTA	3 S	1252.0	1252.5	3.5	102.0	25.6			
1470	POTS	3 S	1252.0	1252.5	4.5	20.0				
9500	POTS	3 S	1252.0	1252.7	3.0	480.0				
8400	BERN	47 GB	1252.0	1252.8	1.0	542.0				
1415	ATHN	8 S	1252.1	1252.5	1.5	21.0			QL=6 ST=2 TYP=3	
4995	SGMR	47 GB	1252.1	1252.8	1.2	300.0			QL=6 ST=2 TYP=5	
15000	KISV	47 GB	1252.2	1252.8U	3.0	580.0D				
35000	BERN	3 S	1252.3	1252.8	1.0	461.0				
8800	SGMR	47 GB	1252.3	1252.8	.8	390.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
20	11800	BERN	47 GB	1252.3	1252.8	1.0	681.0			
	19600	BERN	47 GB	1252.3	1252.8	1.0	571.0			
	2695	SGMR	47 GB	1252.5	1252.6	.6	87.0			QL=6 ST=2 TYP=5
	92500	BERN	3 S	1252.5	1252.8	2.0	198.0D			
	15400	SGMR	47 GB	1252.6	1252.8	.2	92.0			QL=6 ST=2 TYP=5
	2650	DWIN	1 S	1253.0	1253.0	3.0	90.0	40.0		
	6100	KISV	29 PBI	1253.0	1253.4	6.0	30.0			
	9400	HUAN	29 PBI	1254.4	1254.4	38.1	38.2	13.7		0
	113	POTS	4 S/F	1331.6	1331.7	.5	350.0	20.0		III
	113	POTS	8 S	1345.5	1345.6	.7	250.0	80.0		III
	536	ONDR	27 RF	1345.5	1349.5	12.9	11.0	6.0		
	113	POTS	4 S/F	1457.4	1457.8	11.8	3500.0	1000.0		III
	234	POTS	4 S/F	1457.5	1457.7	.7	140.0	30.0		III
	2650	DWIN	1 S	1524.0	1524.0	2.0	12.0	5.0		
	2800	OTTA	1 S	1524.0	1524.5	6.0	9.0	4.0		
	410	SGMR	47 GB	1824.8	1825.0	.3	60.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1824.8	1825.1	1.3	79.0			QL=6 ST=2 TYP=5
	610	SGMR	8 S	1824.8	1825.1	1.3	24.0			QL=6 ST=2 TYP=3
	2800	OTTA	21 GRF	2105.0	2240.0	240.0	7.0	4.4		
	200	HIRA	42 SER	2145.3	2149.3	18.3	800.0			0
	245	SGMR	49 GB	2148.6	2149.5	1.9	510.0			QL=6 ST=2 TYP=6
	245	PALE	49 GB	2148.8	2149.6	2.3	720.0			QL=6 ST=2 TYP=6
	410	SGMR	47 GB	2149.3	2149.5	.8	58.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	2149.5	2150.0	1.5	100.0			QL=6 ST=2 TYP=5
	2000	TYKW	45 C	2152.0	2155.3	7.0	31.0	4.0		
	2000	TYKW	21 GRF	2152.0	2240.0	185.0	4.0	2.0		
	1000	TYKW	45 C	2153.0	2154.6	3.0	16.0	6.0		
	3750	TYKW	45 C	2153.0	2155.4	9.0	77.0	19.0		
	9400	TYKW	45 C	2153.0	2155.4	10.0	67.0	18.0		
	9400	TYKW	21 GRF	2153.0	2222.0	60.0	8.0	3.0		
	3750	TYKW	21 GRF	2153.0	2240.0	200.0	6.0	3.0		
	2800	OTTA	4 S/F	2153.0	2155.2	10.0	117.0	20.0		
	100	HIRA	42 SER	2153.3	2201.8	8.9	450.0			WL
	9400	HUAN	4 S/F	2153.5	2155.5	7.3	67.7	35.2		L
	17000	NOBE	1 S	2153.8	2155.5	6.0	44.0			0
	4995	SGMR	47 GB	2154.0	2155.3	4.8	100.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	2154.1	2155.3	5.2	110.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	2154.1	2155.3	5.2	100.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	2154.1	2155.3	4.2	52.0			QL=6 ST=2 TYP=5
	8800	SGMR	47 GB	2154.1	2155.5	4.4	80.0			QL=3 ST=2 TYP=5
	15400	PALE	47 GB	2154.1	2155.6	5.2	69.0			QL=6 ST=2 TYP=5
	1415	SGMR	8 S	2154.3	2154.5	.3	24.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	2154.3	2154.5	1.3	23.0			QL=6 ST=2 TYP=3
	2695	SGMR	47 GB	2155.1	2155.3	1.2	58.0			QL=2 ST=2 TYP=5
	15400	SGMR	8 S	2155.1	2155.3	1.5	47.0			QL=3 ST=2 TYP=3
	2000	TYKW	21 GRF	2302.0	2306.0	120.0	2.0	1.0		
	3750	TYKW	21 GRF	2302.0	2335.0	120.0	6.0	3.0		
	1000	TYKW	28 PRE	2302.5	2303.3	6.5	3.0	2.0		
	3750	TYKW	5 S	2303.0	2303.3	1.0	4.0	1.5		
	9395	PEKG	21 GRF	2303.0	2310.2	31.0	19.6	6.8		
2840	PEKG	21 GRF	2303.0	2323.0	68.0	11.4	3.2			
200	HIRA	42 SER	2304.0	2310.3	21.0	4600.0			MR	
3750	TYKW	45 C	2305.0	2310.3	11.0	27.0	5.0			
9400	TYKW	45 C	2307.0	2307.9	5.0	17.0	7.0			
9395	PEKG	8 S	2307.0	2308.0	1.5	13.6	5.2			
4995	PALE	4 S/F	2307.8	2310.3	3.8	33.0			QL=6 ST=2 TYP=3	
2000	TYKW	45 C	2308.0	2310.4	8.0	34.0	6.0			
2840	PEKG		2308.0	2310.4	6.0	38.5	10.3			
2695	PENT	4 S/F	2308.5	2310.3	4.0	32.8	13.6			
1000	TYKW	45 C	2309.0	2311.1	7.0	51.0	19.0			
610	PALE	49 GB	2309.0	2310.3	6.5	1000.0			QL=6 ST=2 TYP=6	
208	VORO	48 C	2309.0	2311.0	8.0	200.0D				
100	HIRA	42 SER	2309.1	2309.6	14.3	1400.0			0	
2695	PALE	4 S/F	2309.3	2310.5	2.7	37.0			QL=6 ST=2 TYP=3	
610	MANI	49 GB	2309.5	2310.6	6.0	670.0			QL=6 ST=2 TYP=6	
2695	MANI	20 GRF	2309.5	2310.8	3.5	25.0			QL=6 ST=2 TYP=2	
245	PALE	49 GB	2309.6	2310.3	5.5	620.0			QL=6 ST=2 TYP=6	
4995	MANI	20 GRF	2309.6	2310.6	2.4	33.0			QL=6 ST=2 TYP=2	
1415	PALE	47 GB	2309.6	2310.8	2.7	60.0			QL=6 ST=2 TYP=5	
410	PALE	4 S/F	2310.0	2311.0	2.6	29.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

81
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
20	1415	MANI	8 S	2310.3	2311.3	1.7	100.0			QL=6 ST=2 TYP=3
	9400	TYKW	30 PBI	2312.0		90.0	7.0	3.0		
	1000	TYKW	30 PBI	2316.0		85.0	3.0	1.5		
	1000	TYKW	8 S	2318.6	2318.7	.4	4.0	1.0		
	3750	TYKW	5 S	2322.0	2322.7	3.0	9.0	3.0		
	9400	TYKW	5 S	2322.0	2322.7	2.5	6.0	2.0		
	2000	TYKW	5 S	2322.0	2322.8	3.0	2.0	.7		
	1000	TYKW	5 S	2322.0	2323.0	3.0	2.0	.7		
	208	VORO	4 S/F	2322.0	2323.0	2.0	30.0			
	2695	PENT	2 S/F	2322.0	2323.0	2.0	4.2	2.1		
	245	PALE	8 S	2322.3	2323.5	2.0	32.0			QL=6 ST=2 TYP=3
21	260	ONDR	44 NS	0558.0E	0855.0U	483.0D	67.0			
	9400	TYKW	5 S	0001.5	0002.0	1.5	17.0	4.0		
	245	LEAR	8 S	0012.6	0012.8	.2	31.0			QL=6 ST=2 TYP=3
	2840	PEKG	21 GRF	0114.0	0215.0	139.0	15.4	8.2		
	3750	TYKW	5 S	0114.3	0115.4	2.5	16.0	4.0		
	200	HIRA	46 C	0114.5	0115.1	4.0	5800.0	407.0		WR
	2000	TYKW	45 C	0114.5	0115.6	2.5	17.0	6.0		
	1000	TYKW	5 S	0114.5	0115.8	4.5	47.0	9.0		
	100	HIRA	46 C	0114.6		2.0	10000.0D	281.0D		
	208	VORO	4 S/F	0115.0	0115.0	3.0	200.0D			
	245	PALE	49 GB	0115.0	0115.1	2.5	1000.0			QL=6 ST=2 TYP=6
	245	LEAR	49 GB	0115.0	0115.1	1.6	830.0			QL=6 ST=2 TYP=6
	500	HIRA	3 S	0115.0	0115.3	3.0	45.0	15.0		WR
	2840	PEKG	5 S	0115.0	0115.4	2.0	18.0	12.4		
	9395	PEKG	1 S	0115.0	0115.4	2.0	8.9	3.9		
	410	LEAR	47 GB	0115.1	0115.3	1.7	82.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0115.1	0115.3	2.0	169.0			QL=6 ST=2 TYP=5
	4995	LEAR	8 S	0115.1	0115.5	.9	17.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0115.3	0115.5	.2	13.0			QL=6 ST=2 TYP=3
	610	LEAR	47 GB	0115.3	0115.6	1.7	59.0			QL=6 ST=2 TYP=5
	610	PALE	47 GB	0115.3	0115.6	2.3	60.0			QL=6 ST=2 TYP=5
	1415	LEAR	8 S	0115.3	0115.8	1.3	36.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0115.3	0115.8	1.7	36.0			QL=6 ST=2 TYP=3
	2000	TYKW	29 PBI	0117.0		4.0	3.0	1.0		
	1000	TYKW	29 PBI	0119.0		15.0	1.5	.5		
	3750	TYKW	21 GRF	0120.0	0136.0	90.0	3.0	1.5		
	2000	TYKW	21 GRF	0125.0	0225.0	80.0	2.0	1.0		
	2695	PENT	3 S	0125.0	0125.4	2.0	14.2	5.0		
	410	LEAR	8 S	0157.8	0158.0	.3	19.0			QL=6 ST=2 TYP=3
	3750	TYKW	20 GRF	0200.0	0215.1	40.0	6.0	2.0		
	610	LEAR	8 S	0203.5	0203.6	.1	22.0			QL=6 ST=2 TYP=3
	9400	TYKW	20 GRF	0211.0	0216.0	30.0	3.0	1.5		
	3750	TYKW	20 GRF	0303.0E	0307.0	35.0D	2.0	1.0D		
	100	GORK	46 C	0306.2	0306.6	1.3	90.0			
	200	GORK	2 S/F	0306.2	0306.8	1.2	15.0			
	100	GORK		0306.2	0307.3		90.0			
	2000	TYKW	21 GRF	0350.0	0425.0	90.0	3.0	1.5		
	3750	TYKW	21 GRF	0400.0	0440.0	85.0	5.0	2.5		
	2950	GORK	21 GRF	0402.3	0419.7	75.6	11.4			
	9400	TYKW	45 C	0413.0	0419.2U	10.0U	15.0	8.0U		INTERFERENCE
	3750	TYKW	45 C	0414.5	0419.1	7.5	21.0	6.0		
	1000	TYKW	5 S	0415.0	0415.8	1.5	8.0	1.5		
	2000	TYKW	45 C	0415.0	0418.7	8.0	9.0	2.5		
	2840	PEKG	21 GRF	0415.0	0425.6	44.0	7.9	2.8		
	950	GORK	21 GRF	0415.1		13.1D				
	9100	GORK	20 GRF	0415.4	0429.0	190.0	7.4			
	950	GORK	1 S	0415.7	0415.9	.6	5.5			
9395	PEKG	20 GRF	0416.0E	0419.0	48.0D	11.8	5.2			
2840	PEKG	3 S	0417.0	0418.9	5.0	22.3	10.1			
1000	TYKW	45 C	0417.3	0418.9	4.0	6.0	2.0			
2950	GORK	4 S/F	0417.3	0418.9	2.3	12.8				
650	GORK	4 S/F	0417.7	0418.9	3.3	24.0				
2695	LEAR	4 S/F	0417.8	0419.0	3.7	22.0			QL=6 ST=2 TYP=3	
950	GORK	2 S/F	0418.0	0418.9	2.7	4.5				
4995	LEAR	4 S/F	0418.1	0419.1	3.0	16.0			QL=6 ST=2 TYP=3	
610	LEAR	8 S	0418.6	0418.8	.9	41.0			QL=6 ST=2 TYP=3	
3750	TYKW	29 PBI	0422.0		10.0	3.0	1.5			
9400	TYKW	29 PBI	0423.0		45.0	4.0	2.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
21	2000	TYKW	20 GRF	0528.0	0600.0	125.0	2.0	1.0		
	2950	GORK	22 GRF	0529.8	1011.5	392.0D	13.9			
	3750	TYKW	20 GRF	0530.0	0608.0	130.0	6.0	3.0		
	9400	TYKW	20 GRF	0543.0	0603.0	85.0	5.0	2.0		
	1000	TYKW	8 S	0629.9	0630.0	.3	12.0	3.0		
	1000	TYKW	8 S	0657.2	0657.3	.3	17.0	6.0		
	1000	TYKW	8 S	0714.2	0714.3	.3	11.0	2.0		
	1000	TYKW	5 S	0715.0	0715.2	.5	9.0	2.0		
	950	GORK	8 S	0731.3	0731.7	1.0	32.0			
	930	BORD	41 F	0731.4	0731.6	1.0	104.0	2.0		
	1000	TYKW	45 C	0731.5	0731.6	.8	44.0	7.0		
	808	ONDR	8 S	0731.8	0731.8	.2	16.0			
	950	GORK	21 GRF	0747.5		253.0D				
	1000	TYKW	8 S	0810.3	0810.4	.3	220.0	30.0		
	950	GORK	8 S	0810.3	0810.5	.4	33.0			
	6100	KISV	21 GRF	0821.2	0825.4	12.0	5.0			
	6100	KISV		0821.2	0830.1		5.0			
	1000	TYKW	45 C	0821.6	0821.7	.4	23.0	8.0		
	930	BORD	41 F	0821.6	0821.8	.5	72.0	2.0		
	808	ONDR	8 S	0821.8	0821.8	.2	22.0			
	930	BORD	8 S	0824.3	0824.4	.2	79.0	2.0		
	1000	TYKW	45 C	0824.3	0824.4	.7	60.0	13.0		
	808	ONDR	8 S	0824.7	0824.7	.1	90.0			
	3750	TYKW	5 S	0825.0	0825.5	5.0	4.0	1.5		
	9100	GORK	21 GRF	0837.6	1009.0	130.0D	11.9			
	245	LEAR	8 S	0902.0	0902.1	.1	27.0			QL=6 ST=2 TYP=3
	930	BORD	8 S	0925.6	0925.6	.1	14.0	1.0		
	930	BORD	46 C	0938.0	0939.0	2.0	29.0	4.0		
	950	GORK	2 S/F	0938.6	0939.0	2.0	12.0			
	950	GORK	4 S/F	0942.5	0948.0	7.5	14.0			
	950	GORK	4 S/F	0942.6	0948.0	7.4	13.0			
	650	GORK	1 S	0942.9	0948.4	6.9	3.0	1.5		
	950	GORK	8 S	1004.4	1005.1	1.5	25.0			
	930	BORD	46 C	1004.6	1005.2	1.0	77.0	8.0		
	6100	KISV	2 S/F	1009.4	1009.7		6.0			
	9500	POTS	3 S	1009.5	1009.8	1.5	21.0			
	15000	KISV	2 S/F	1009.5	1009.9	1.5	37.0			
	9100	GORK	3 S	1009.6	1009.8	.9	29.8			
	4995	ATHN	4 S/F	1058.0	1100.5	2.6	2.0			QL=6 ST=3 TYP=3
	8800	ATHN	8 S	1100.3	1100.5	.3	40.0			QL=6 ST=3 TYP=3
	2800	OTTA	260 FAL	1120.0	1320.0	120.0	-9.6	-4.8		
	536	ONDR	8 S	1158.2	1158.2	.1	21.0			
	245	SGMR	49 GB	1308.6	1308.6	.4	690.0			QL=6 ST=3 TYP=6
	410	SGMR	47 GB	1308.6	1308.8	.4	110.0			QL=6 ST=2 TYP=5
	33	UPIC	4 S/F	1308.7	1309.2	1.3				
	29	UPIC	4 S/F	1308.8	1309.3	.7				
	536	ONDR	8 S	1308.9	1308.9	.1	8.0			
	245	SGMR	47 GB	1345.5	1345.6	.3	300.0			QL=6 ST=3 TYP=5
	234	POTS	8 S	1345.5	1345.6	.2	775.0	260.0		III
	410	SGMR	47 GB	1351.5	1351.6	.3	110.0			QL=6 ST=2 TYP=5
536	ONDR	8 S	1351.7	1351.7	.1	8.0				
2800	OTTA	1 S	1618.0	1618.5	1.0	4.4	2.2			
930	BORD	41 F	1639.8	1639.9	1.2	36.0	1.0			
2800	OTTA	40 F	1640.0	1640.9	7.0	11.0				
2800	OTTA	21 GRF	1640.0	1720.0	135.0	13.2	6.6			
9400	HUAN	21 GRF	1643.8	1723.5	141.3	10.2	8.3		0	
4995	ATHN	8 S	1644.3	1645.6	2.0	10.0			QL=6 ST=2 TYP=3	
2695	ATHN	8 S	1644.8	1645.3	1.5	7.0			QL=6 ST=2 TYP=3	
2800	OTTA	3 S	1714.0	1715.1	4.0	51.0	12.8			
2695	ATHN	8 S	1714.1	1715.1	1.7	45.0			QL=5 ST=2 TYP=3	
1415	ATHN	47 GB	1714.1	1715.3	1.7	51.0			QL=5 ST=2 TYP=5	
2695	SGMR	47 GB	1714.6	1715.1	.7	51.0			QL=6 ST=2 TYP=5	
1415	SGMR	8 S	1714.8	1715.1	1.2	48.0			QL=6 ST=2 TYP=3	
930	BORD	46 C	1814.0	1815.4	11.0	176.0	5.0			
9400	HUAN	45 C	1815.4	1820.9	9.2	174.2	53.7		L	
2800	OTTA	45 C	1817.0	1821.2	10.0	44.0	16.6			
610	SGMR	47 GB	1817.3	1817.8	1.0	410.0			QL=6 ST=2 TYP=5	
1415	SGMR	47 GB	1817.5	1818.0	1.0	57.0			QL=6 ST=2 TYP=5	
8800	SGMR	47 GB	1817.5	1818.0	5.6	70.0			QL=6 ST=2 TYP=5	
4995	SGMR	47 GB	1817.5	1818.1	6.1	50.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

83
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
21	2695	SGMR	8 S	1818.0	1819.0	1.0D	39.0			QL=6 ST=2 TYP=3
	2650	DWIN	2 S/F	1818.0	1821.0	10.0	40.0	20.0		
	15400	SGMR	47 GB	1820.3	1821.3	6.7	51.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	1821.0	1821.5	4.6	47.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1821.0	1821.5	1.6	42.0			QL=6 ST=2 TYP=3
	4995	PALE	47 GB	1821.0	1821.5	4.6	89.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	1821.0	1821.5	4.6	200.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	1821.0	1823.1	4.6	54.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1822.6	1822.8	1.7	52.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	1822.6	1822.8	.2	39.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1822.6	1823.3	.9	219.0			QL=6 ST=3 TYP=5
	245	PALE	47 GB	1822.8	1823.3	1.5	230.0			QL=6 ST=2 TYP=5
	610	PALE	8 S	1823.0	1823.1	1.1	11.0			QL=6 ST=2 TYP=3
	2800	OTTA	29 PBI	1827.0	1827.0	20.0	6.0	2.8		
	2800	OTTA	1 S	1947.2	1947.5	1.0	4.4	1.6		
	1000	TYKW	5 S	2117.4	2117.7	.6	7.0	2.5		
	1000	TYKW	21 GRF	2130.0	2210.0	190.0	4.0	2.0		
	3750	TYKW	21 GRF	2130.0	2240.0	240.0	4.0	2.0		
	2000	TYKW	20 GRF	2137.0	2155.0	140.0	5.0	2.0		
	1000	TYKW	20 GRF	2300.0	2320.0	50.0	1.5	.7		
	245	LEAR	47 GB	2343.0	2343.1	.5	70.0			QL=6 ST=2 TYP=5
22	245	LEAR	43 NS	0242.1	0243.0	5.7	92.0			QL=6 ST=2 TYP=1
	245	LEAR	44 NS	2319.0E	2341.8	22.8D	19.0			QL=6 ST=2 TYP=1
	2695	PENT	29 PBI	0001.0	0001.0	35.0	7.0	3.0		
	1000	TYKW	8 S	0011.5	0011.6	.3	1.5	.5		
	1000	TYKW	5 S	0013.3	0013.6	1.0	1.5	.5		
	2000	TYKW	5 S	0013.3	0013.6	1.0	3.0	1.0		
	3750	TYKW	5 S	0013.3	0013.6	1.0	1.5	.5		
	610	LEAR	8 S	0013.5	0013.6	.1	11.0			QL=6 ST=2 TYP=3
	2840	PEKG	5 S	0015.0	0015.7	3.0	28.6	10.7		
	1000	TYKW	45 C	0015.4	0015.8	1.5	8.0	1.5		
	3750	TYKW	5 S	0015.4	0015.8	2.0	20.0	4.0		
	2000	TYKW	5 S	0015.4	0015.8	1.6	16.0	6.0		
	2695	LEAR	8 S	0015.6	0015.8	.2	28.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0015.6	0015.8	.2	13.0			QL=6 ST=2 TYP=3
	2695	PENT	3 S	0015.6	0015.9	2.0	21.6	5.4		
	2000	TYKW	29 PBI	0017.0		4.0	2.5	1.0		
	2695	PENT	20 GRF	0038.0	0042.0	25.0	3.6	1.6		
	245	LEAR	8 S	0110.8	0111.0	.3	17.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0144.1	0144.1	.2	19.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0224.3	0224.3	.2	239.0			QL=6 ST=2 TYP=5
	3750	TYKW	5 S	0228.5	0229.2	2.0	1.0	.3		
	3750	TYKW	5 S	0232.0	0233.4	5.0	1.5	.5		
	245	LEAR	47 GB	0237.3	0237.5	.3	52.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0237.3	0237.5	.3	10.0			QL=6 ST=2 TYP=3
	3750	TYKW	5 S	0241.0	0247.0	15.0	1.5	.5		
	410	LEAR	8 S	0247.8	0248.3	.7	13.0			QL=6 ST=2 TYP=3
	2000	TYKW	5 S	0326.5	0326.7	.8	2.0	.7		
	1000	TYKW	8 S	0326.6	0326.7	.2	13.0	3.0		
	3750	TYKW	5 S	0326.6	0326.8	.8	4.0	1.5		
	2950	GORK	21 GRF	0330.0E	0357.6	407.0D	8.1			
	9100	GORK	21 GRF	0336.0E		430.0D				
	500	HIRA	45 C	0510.4	0512.5	5.0	65.0	10.0		0
	950	GORK	3 S	0510.5	0513.0	13.0	17.0			
410	LEAR	47 GB	0510.8	0512.8	2.3	139.0			QL=6 ST=2 TYP=5	
2840	PEKG	5 S	0511.0	0512.9	8.0	24.5	13.0			
200	GORK	4 S/F	0511.5	0512.6	2.5	40.0D				
3750	TYKW	5 S	0511.5	0512.9	2.5	31.0	9.0			
9400	TYKW	5 S	0511.5	0512.9	2.5	179.0	32.0			
2000	TYKW	5 S	0511.5	0513.1	5.5	18.0	6.0			
200	HIRA	46 C	0511.6	0512.3	1.7	13500.0	950.0		0	
1000	TYKW	45 C	0511.7	0513.1	6.3	23.0	8.0			
35000	NAGO	5 S	0512.0	0512.0	2.0	65.0				
100	GORK	3 S	0512.0	0512.6	1.1	90.0D				
19600	BERN	3 S	0512.0	0512.8	2.0	102.0				
8400	BERN	3 S	0512.0	0512.8	2.0	190.0				
9100	GORK	3 S	0512.0	0512.8	2.8	151.0				
11800	BERN	3 S	0512.0	0512.8	2.0	237.0				
9395	PEKG	5 S	0512.0	0512.9	6.0	172.0	52.0			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
22	2950	GORK	3 S	0512.0	0513.0	3.0	17.5			
	650	GORK	3 S	0512.0	0513.0	4.9	13.0	6.5		
	100	HIRA	46 C	0512.1	0512.3	1.5	1300.0	440.0		0
	245	LEAR	49 GB	0512.1	0513.1	1.2	540.0			QL=6 ST=2 TYP=6
	29	UPIC	4 S/F	0512.1	0513.3	1.3				
	17000	NOBE	4 S/F	0512.2	0512.9	2.5	182.0			0
	4995	LEAR	47 GB	0512.3	0512.8	1.0	51.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0512.3	0512.8	1.3	189.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0512.3	0512.8	1.3	200.0			QL=6 ST=2 TYP=5
	2695	MANI	4 S/F	0512.3	0513.5	2.7	20.0			QL=6 ST=2 TYP=3
	4995	MANI	47 GB	0512.3	0513.5	2.2	75.0			QL=6 ST=2 TYP=5
	33	UPIC	4 S/F	0512.4	0513.1	1.3				
	2695	LEAR	8 S	0512.5	0513.0	.6	20.0			QL=6 ST=2 TYP=3
	8800	MANI	47 GB	0512.5	0513.5	2.0	119.0			QL=6 ST=2 TYP=5
	610	MANI	20 GRF	0512.5	0513.5	2.0	17.0			QL=6 ST=2 TYP=2
	1415	MANI	4 S/F	0512.5	0513.5	4.5	24.0			QL=6 ST=2 TYP=3
	610	LEAR	8 S	0512.6	0513.0	1.0	18.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0512.6	0513.1	1.2	24.0			QL=6 ST=2 TYP=3
	3750	TYKW	29 PBI	0514.0		8.0	4.0	1.5		
	9400	TYKW	29 PBI	0514.0		35.0	5.0	1.5		
	650	GORK	29 PBI	0516.9	0516.9	8.3	2.5			
	2000	TYKW	29 PBI	0517.0		9.0	2.5	1.0		
	1000	TYKW	29 PBI	0518.0		10.0	2.5	1.0		
	1000	TYKW	45 C	0630.0	0634.4	4.4U	34.0	4.0		
	3750	TYKW	21 GRF	0720.0	0745.0	60.0	3.0	1.5		
	9395	PEKG	20 GRF	0729.0	0749.0	82.0	7.9	2.7		
	2000	TYKW	21 GRF	0730.0	0732.0	45.0	1.5	.7		
	2840	PEKG	23 GRF	0730.0	0822.2	107.0	10.8	3.6		
	6100	KISV	20 GRF	0733.0	0800.0	33.0	7.0			
	2840	PEKG	1 S	0735.0	0737.0	5.0	7.7	1.9		
	2000	TYKW	5 S	0736.0	0737.0	3.0	9.0	2.0		
	3750	TYKW	5 S	0736.5	0737.0	1.5	3.0	1.0		
	3000	POTS	1 S	0736.5	0737.1	1.5	6.0			
	2950	GORK	1 S	0736.7	0737.0	1.2	5.5			
	1470	POTS	1 S	0736.7	0737.3	1.8	5.0			
	610	LEAR	8 S	0805.1	0805.3	.7	25.0			QL=6 ST=2 TYP=3
	1000	TYKW	45 C	0805.3	0805.8	.7	5.0	1.0		
	6100	KISV	2 S/F	0833.0	0833.8	2.5	7.0			
	2840	PEKG	20 GRF	0840.0	0841.7	13.0	4.6	1.8		
	2000	TYKW	5 S	0841.5	0841.7	1.0	4.0	1.5		
	2950	GORK	1 S	0841.6	0842.0	1.0	4.1			
	6100	KISV	40 F	0847.0	0847.6	2.0	6.0			
	204	IZMI	4 S/F	0926.0	0926.2	.7	320.0	115.0		
	234	POTS	4 S/F	0926.1	0926.2	.5	220.0	7.0		III
	245	LEAR	47 GB	0926.1	0926.3	.5	300.0			QL=6 ST=2 TYP=5
	260	ONDR	42 SER	0926.3	0926.6	17.0	98.0			
	9100	GORK	2 S/F	0927.0	0927.2	.6	13.0	6.5		
	245	LEAR	47 GB	0928.8	0929.5	.8	60.0			QL=6 ST=2 TYP=5
	204	IZMI	8 S	0941.2	0941.2	.2	130.0	50.0		
	6100	KISV	2 S/F	1024.1	1024.4	2.0	7.0			
930	BORD	40 F	1623.0	1653.6	79.0	144.0	16.0			
2800	OTTA	21 GRF	1625.0	1755.0	575.0D	46.0				
9400	HUAN	22 GRF	1636.5	1732.0	147.5	36.6	29.6		0	
2650	DWIN	45 C	1640.0	1659.0	50.0	330.0	150.0			
2800	OTTA	46F C	1645.5	1700.0	65.0	410.0	93.0			
2695	PALE	47 GB	1650.1	1650.5	8.5	100.0			QL=6 ST=2 TYP=5	
610	PALE	49 GB	1651.0	1651.1	7.6	110.0			QL=6 ST=2 TYP=6	
410	PALE	47 GB	1651.1	1651.1	7.5	79.0			QL=6 ST=2 TYP=5	
1415	PALE	47 GB	1651.1	1651.5	7.5	47.0			QL=6 ST=2 TYP=5	
4995	PALE	47 GB	1651.1	1652.0	7.5	34.0			QL=6 ST=2 TYP=5	
8800	PALE	4 S/F	1651.1	1652.1	7.5	20.0			QL=6 ST=2 TYP=3	
15400	PALE	8 S	1651.3	1652.1	1.0	17.0			QL=6 ST=2 TYP=3	
245	PALE	49 GB	1652.6	1654.5	3.0	600.0			QL=6 ST=2 TYP=6	
2695	SGMR	47 GB	1657.1E	1659.6	18.0D	380.0			QL=3 ST=2 TYP=5	
1415	SGMR	47 GB	1657.1E	1700.0	17.7D	219.0			QL=3 ST=2 TYP=5	
4995	SGMR	47 GB	1657.1E	1700.3	17.7D	119.0			QL=3 ST=2 TYP=5	
410	SGMR	47 GB	1657.1E	1700.8	6.7D	200.0			QL=3 ST=2 TYP=5	
9400	HUAN	3 S	1657.5	1700.2	9.8	43.9	30.5		0	
610	SGMR	47 GB	1657.6E	1659.3	3.2D	160.0			QL=3 ST=2 TYP=5	
8800	SGMR	4 S/F	1658.5E	1700.1	10.3D	44.0			QL=3 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

85
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks	
22	410	PALE	47 GB	1658.6	1658.6	6.7	110.0			QL=6 ST=2 TYP=5	
	610	PALE	47 GB	1658.6	1658.6	11.0	200.0			QL=6 ST=2 TYP=5	
	4995	PALE	47 GB	1658.6	1658.8	16.2	139.0			QL=6 ST=2 TYP=5	
	8800	PALE	49 GB	1658.6	1658.8	16.2	73.0			QL=6 ST=2 TYP=6	
	15400	PALE	47 GB	1658.6	1658.8	16.2	40.0			QL=6 ST=2 TYP=5	
	1415	PALE	47 GB	1658.6	1658.8	16.2	160.0			QL=6 ST=2 TYP=5	
	2695	PALE	47 GB	1658.6	1658.8	16.2	320.0			QL=6 ST=2 TYP=5	
	245	PALE	4 S/F	1659.6	1701.6	5.9	42.0			QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1700.8E	1701.1	.3D	20.0			QL=3 ST=2 TYP=5	
	610	SGMR	4 S/F	1717.6	1721.3	14.0	30.0			QL=6 ST=2 TYP=3	
	2695	SGMR	47 GB	1718.3	1720.3	9.0	100.0			QL=6 ST=2 TYP=5	
	1415	SGMR	47 GB	1718.3	1722.3	10.5	80.0			QL=6 ST=2 TYP=5	
	4995	PALE	47 GB	1718.5	1719.3	11.8	77.0			QL=6 ST=2 TYP=5	
	2695	PALE	47 GB	1718.5	1719.6	9.8	98.0			QL=6 ST=2 TYP=5	
	1415	PALE	47 GB	1718.6	1720.6	10.2	62.0			QL=6 ST=2 TYP=5	
	15400	PALE	4 S/F	1718.6	1721.3	11.7	29.0			QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	1718.8	1721.3	11.5	34.0			QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1720.1	1720.6	.5D	31.0			QL=6 ST=2 TYP=3	
	1000	TYKW	21 GRF	2300.0	0020.0	175.0	3.0	1.5			
	2000	TYKW	5 S	2314.0	2314.7	3.0	1.5	.5			
	1000	TYKW	45 C	2350.0	2357.5	10.0D	3.5	1.5D			
	3750	TYKW	45 C	2352.0	2357.4	8.0D	19.0	6.0D			
2000	TYKW	45 C	2353.0	2357.5	8.0	32.0	13.0				
9400	TYKW	20 GRF	2353.0	2358.0	120.0	4.0	2.0				
2695	PENT	46F C	2353.0	2357.5	8.0	48.6	19.0				
1415	PALE	8 S	2353.6	2353.8	1.2	19.0				QL=6 ST=2 TYP=3	
23	245	PALE	43 NS	1645.0	2126.1	720.0D	139.0			QL=6 ST=2 TYP=1	
	2000	TYKW	30 PBI	0001.0		95.0	7.0	2.0			
	3750	TYKW	30 PBI	0003.0E		120.0D	4.0D	1.5D			
	2000	TYKW	5 S	0037.0	0042.0	22.0	2.5	1.0			
	3750	TYKW	20 GRF	0038.0	0042.0	65.0	3.0	2.0			
	245	LEAR	4 S/F	0122.3	0122.6	3.3	13.0			QL=6 ST=2 TYP=3	
	3750	TYKW	20 GRF	0311.5	0315.0	30.0	2.0	1.0			
	2950	GORK	1 S	0612.0	0613.8	3.0	4.0				
	2000	TYKW	5 S	0613.0	0613.8	1.5	9.0	3.0			
	2840	PEKG	1 S	0613.0	0614.0	2.0	5.3	.4			
	9395	PEKG	1 S	0613.0	0616.7	7.0	4.0	2.2			
	3750	TYKW	5 S	0613.3	0613.7	1.0	3.0	1.0			
	4995	LEAR	8 S	0613.3	0613.8	.8	5.0			QL=6 ST=2 TYP=3	
	6100	KISV	1 S	0613.4	0613.8	1.0	3.0				
	1000	TYKW	5 S	0613.5	0614.0	1.5	2.0	.7			
	2695	LEAR	8 S	0613.6	0614.0	1.0	7.0			QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0613.8	0614.0	1.0	9.0			QL=6 ST=2 TYP=3	
	2000	TYKW	29 PBI	0614.5		10.0	1.0	.5			
	2840	PEKG	20 GRF	0708.0	0713.5	15.0	4.9	1.2			
	9395	PEKG	20 GRF	0710.0	0715.5	20.0	4.0	1.6			
	930	BORD	41 F	0758.0	0758.2	.4	29.0	2.0			
	930	BORD	41 F	0847.6	0847.8	.4	23.0	2.0			
1470	POTS	29 PBI	1016.5	1017.7	12.0	11.0					
3000	POTS	3 S	1016.7	1017.7	3.3	9.0					
650	GORK	4 S/F	1016.9	1017.0	4.6	17.0					
950	GORK	1 S	1016.9	1017.7	4.2	37.0					
2950	GORK	3 S	1017.0	1017.7	6.2	21.3					
536	ONDR	41 F	1027.2	1027.8	1.3	21.0					
808	ONDR	8 S	1232.0	1232.2	.3	12.0					
2800	OTTA	1 S	1504.0	1504.7	1.0	3.6	1.4				
33	UPIC	4 S/F	1509.7	1510.9	1.5						
29	UPIC	2 S/F	1510.4	1510.8	.6						
24	2000	TYKW	20 GRF	0115.0	0119.0	35.0	2.0	1.0			
	2695	PENT	20 GRF	0115.0	0117.0	11.0	2.6	1.3			
	650	GORK	4 S/F	0701.1	0701.6	1.0	41.0				
	950	GORK	8 S	0701.5	0701.6	.7	38.0				
	3750	TYKW	5 S	0733.0	0733.2	.6	5.0	1.5			
	1000	TYKW	8 S	0733.1	0733.2	.3	1.0	.3			
	2000	TYKW	5 S	0733.1	0733.2	.5	4.0	1.0			
	2800	OTTA	1 S	1717.5	1718.0	3.0	1.8	0.9			
2800	OTTA	20 GRF	2025.0	2100.0	120.0	2.8	1.4				
245	LEAR	4 S/F	2331.0	2331.8	3.0	27.0			QL=6 ST=2 TYP=3		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
25	245	LEAR	44 NS	2318.0E	2325.0		39.0			QL=6 ST=3 TYP=1	
		LEAR	44 NS	2318.0E	2325.0	77.1D	39.0			QL=6 ST=3 TYP=1	
	3750	TYKW	21 GRF	0343.0	0415.0	70.0	2.0	1.0		RAIN	
		2000	TYKW	20 GRF	0345.0	0410.0	60.0	1.0	.5		
	3750	TYKW	5 S	0449.0	0449.7	2.0	1.5	.5			
	410	LEAR	47 GB	0843.1	0843.6	.9	52.0			QL=6 ST=2 TYP=5	
		610	LEAR	8 S	0843.1	0843.6	.9	6.0			QL=6 ST=2 TYP=3
		536	ONDR	8 S	0843.7	0843.8	.2	11.0			
	260	ONDR	8 S	1005.7	1005.8	.3		6.0			
	2800	OTTA	20 GRF	1100.0E	1310.0	320.0D	4.8				
245	LEAR	4 S/F	2325.0	2325.0	771.0	39.0				QL=1 ST=2 TYP=3	
26	9400	TYKW	45 C	0443.5	0443.8	1.5	15.0	2.0			
	260	ONDR	8 S	0656.8	0656.9	.4	22.0				
	200	GORK	2 S/F	0748.0	0748.3	1.0	6.0				
	1000	TYKW	45 C	0841.8	0842.1	.7	8.0	2.0			
	245	LEAR	8 S	0902.5	0902.6	1.0	47.0			QL=6 ST=2 TYP=3	
	260	ONDR	40 F	1155.0	1216.4	21.4U	7.0				
	260	ONDR	41 F	1256.8	1322.5U	25.7D	15.0				
	930	BORD	8 S	1551.3	1551.4	.3	44.0	2.0			
	27	33	UPIC	3 S	0719.5	0719.6	.4				
29			UPIC	1 S	0719.7	0719.8	.3				
245		LEAR	8 S	0816.6	0816.8	1.2	13.0			QL=6 ST=2 TYP=3	
930		BORD	8 S	1010.7	1010.8	.3	17.0	2.0			
260		ONDR	8 S	1328.5	1328.5	.2	4.0				
260		ONDR	8 S	1344.3	1344.3	.3	5.0				
260		ONDR	8 S	1348.4	1348.4	.1	2.0				
260		ONDR	41 F	1359.6		5.8	4.0				
930		BORD	8 S	1539.9	1540.0	.1	29.0	1.0			
245		PALE	8 S	2344.8	2345.0	1.3	34.0				QL=6 ST=2 TYP=3
28	650	GORK	1 S	0324.2	0324.5	.5	7.0				
	650	GORK	4 S/F	0526.6	0528.0	2.1	5.0				
	2800	OTTA	20 GRF	1100.0E	1220.0	335.0D	6.0				
	930	BORD	8 S	1355.5	1355.6	.2	19.0	2.0			
	930	BORD	8 S	1543.6	1543.9	.4	54.0	1.0			
	9400	HUAN	20 GRF	1827.1	1921.5	68.5	9.3	4.4		0	
	9400	HUAN	4 S/F	2028.5	2029.3	2.9	24.1	5.8		0	
29	410	LEAR	8 S	0716.8	0717.0	.3	3.0			QL=6 ST=2 TYP=3	
		245	LEAR	8 S	0716.8	0717.0	.3	15.0			QL=6 ST=2 TYP=3
	610	LEAR	8 S	0716.8	0717.0	.2D	2.0			QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0720.0	0720.1	1.0	17.0			QL=6 ST=2 TYP=3	
		610	LEAR	8 S	0720.0	0720.1	.1	6.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0720.0	0720.1	.1	8.0			QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	2357.8	2358.6	1.5	18.0			QL=6 ST=2 TYP=3	
		8800	LEAR	8 S	2358.1	2358.6	1.2	6.0			QL=6 ST=2 TYP=3
30	245	LEAR	43 NS	0421.0	0421.1	8.0	60.0			QL=6 ST=2 TYP=1	
	2000	TYKW	5 S	0027.0	0027.6	2.0	3.0	1.0			
	245	LEAR	8 S	0148.3	0148.6	.3	11.0			QL=6 ST=2 TYP=3	
	3750	TYKW	20 GRF	0320.0	0435.0	170.0	4.0	2.0			
		2000	TYKW	20 GRF	0330.0	0435.0	150.0	3.0	1.5		
	9400	TYKW	20 GRF	0340.0	0410.0	80.0	3.0	1.5			
	650	GORK	40 F	0421.2	0425.8	10.0	4.0				
	650	GORK	4 S/F	0807.5	0809.7	3.3	3.0				
	2800	OTTA	240AR	1120.0	1350.0	150.0	8.2	4.1			
	2800	OTTA	8 S	1327.0	1327.2	.5	2.8				
	9400	HUAN	1 S	1331.1	1335.0	7.0	11.2	5.9		R	
	2800	OTTA	1 S	1455.0	1456.5	3.0	2.2	1.0			
	9400	HUAN	22 GRF	1513.2	1523.0	108.5	9.4	5.4		R	
930	BORD	8 S	1554.5	1554.5	.1	23.0	1.0				
9400	HUAN	22 GRF	1920.5	1925.0	26.8	7.5	3.5		0		
31	260	ONDR	43 NS	0640.4	1312.5U	495.0U					
	410	LEAR	47 GB	0441.0	0441.1	1.0	66.0			QL=6 ST=2 TYP=5	
	3750	TYKW	20 GRF	0623.0	0627.0	50.0	2.0	1.0			
	33	UPIC	2 S/F	0706.9	0707.4	.8					
		29	UPIC	2 S/F	0707.0	0707.5	.6				

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

87
Jul 82

JULY 1982

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
31	33	UPIC	8 S	1143.6	1143.7	.5				
			3 S	1143.7	1143.9	.3				
	2800	OTTA	20 GRF	1435.0	1440.0	25.0	2.0	1.0		
	9400	HUAN	1 S	1558.6	1559.1	3.3	5.8	2.3		0
	2800	OTTA	240 R	1810.0	1830.0	20.0	3.0	1.5		
	3750	TYKW	20 GRF	2140.0	2145.0	45.0	3.0	1.5		RAIN
	2800	OTTA	20 GRF	2140.0	2145.0	25.0	3.6	1.5		
	245	LEAR	47 GB	2334.1	2335.8	2.7	100.0			QL=6 ST=2 TYP=5
3750	TYKW	5 S	2342.0	2342.5	5.0	1.5	.5			

Reports are received routinely from the following observatories:

ATHN = Athens	HUAN = Huancayo	NOBE = Nobeyama	SYDN = Sydney
BERN = Berne	IRKU = Irkutsk	ONDR = Ondrejov	TORN = Torun
BORD = Bordeaux	IZMI = IZMIRAN	OTTA = Ottawa	TYKW = Toyokawa
CRIM = Crimea	KISV = Kislovodsk	PALE = Palehua	YUNN = Yunnan
DWIN = Dwingeloo	KRAK = Krakow	PEKG = Peking	TRST = Triste
GORK = Gorky	LEAR = Learmonth	POTS = Potsdam	UPIC = Upice
HARS = Harestua	MANI = Manila	SAOP = Sao Paulo	VORO = Voroshilov
HIRA = Hiraïso	NAGO = Nagoya	SGMR = Sagmore Hill	

Explanation of Type Code:

1 Simple 1	7 Minor +	24 Rise	30 Post Burst Increase A	43 Onset of Noise Storm
2 Simple 1F	8 Spike	25 Rise A	31 Post Burst Decrease	44 Noise Storm in Progress
3 Simple 2	20 Simple 3	26 Fall	33 Absorption	45 Complex
4 Simple 2F	21 Simple 3A	27 Rise and Fall	40 Fluctuation	46 Complex F
5 Simple	22 Simple 3F	28 Precursor	41 Group of Bursts	47 Great Burst
6 Minor	23 Simple 3AF	29 Post Burst Increase	42 Series of Bursts	48 Major +
				49 Major +
1A Simple 1A	4A Simple 2AF	24PF Post Rise F	27F Rise and Fall F	
3A Simple 2A	240 Rise only	16A Fall A	27AF Rise and Fall AF	
21A Simple 3A GRF	240F Rise only F	260 Fall Only	31A Post Burst Decrease A	
2A Simple 1AF	24P Post Rise	26F Fall F	32A Absorption A	
			46F Complex F	



SMS-GOES X-RAYS

JULY 1982





SMS-GOES X-RAYS

JULY 1982





SMS-GOES X-RAYS

JULY 1982




SMS-GOES X-RAYS

JULY 1982




SMS-GOES X-RAYS

JULY 1982



SMS-GOES X-RAYS

JULY 1982



MASS EJECTIONS FROM THE SUN

July 1982

Sta	Day	Observed UT			Location		Freq or Wavelength	Kind of Event	
		Start	Max	End	RA°	R/R ₀			
HARV	Jul 01	1606.0		1611.0			Meter	II	
HARV	Jul 01	1617.0		1625.0			Meter	II	
CULG	Jul 04	0448.5 0449.6 0450.5 0453.0		0518.5			Meter	II Herringbone	
WEIS	Jul 04			0505.5			Meter	II	
LEAR	Jul 04			0504.5			Meter	II	
CULG	Jul 04			0459.0			Meter	IV	
WEND	Jul 05	1255	1300	1306D	078	1.0	H-alpha	S	
WEND	Jul 06	0850		1000D	026	1.00-1.14	H-alpha	SP?	
CULG	Jul 08	0013.5		0601.0			Meter; dekameter	II Intermittent	
ABST	Jul 08	0453 0615 0615 0716 0733 0742E 0755 0808E 0810E 0913E 0942E 0955 1006E 1412 2116.0 2126.0	0752	0752	080	1.00	H-alpha	SP	
WEND	Jul 08		0638	0640D	079	1.0	H-alpha	S	
WEND	Jul 08		0633	0640D	072	1.0	H-alpha	S	
WEND	Jul 08		0722	0743	080	1.00-1.04	H-alpha	Flare Loop	
WEND	Jul 08		0743	0757	068	1.00-1.09	H-alpha	S	
KHAR	Jul 08		0753D	072	1.00	H-alpha	SP		
WEND	Jul 08		0812	090	1.00-1.10	H-alpha	SP		
KHAR	Jul 08		0858	0826D	082	1.00	H-alpha	S	
KHAR	Jul 08		0810E	0845D	072	1.00	H-alpha	S	
WEND	Jul 08		0918	0943	082	0.98-1.04	H-alpha	S	
KHAR	Jul 08		0942E	0945D	082	1.0	H-alpha	S	
WEND	Jul 08		1018	1025	084	0.98-1.05	H-alpha	S	
KHAR	Jul 08		1006E	1050D	082	1.00	H-alpha	SP	
WEND	Jul 08		1412	1416	1422	074	1.0	H-alpha	S
HARV	Jul 08		2116.0		2120.0			Meter	IV
CULG	Jul 08	2126.0		2130.0			Meter	II	
LEAR	Jul 09	0015.9		0021.2			Meter	II	
ABST	Jul 09	0418	0515	0710	042	1.00	H-alpha	Q	
WEND	Jul 09	0736	0744	0806	068	0.99-1.11	H-alpha	S	
WEIS	Jul 09	0736.0		0746.0			200-1000 MHz	IV	
LEAR	Jul 09	0741.7		0820.7			Meter	IV	
WEIS	Jul 09	0743.5 0743.8		0817.0			30-140 MHz	II Harmonic	
LEAR	Jul 09			0809.7			Meter	II	
WEND	Jul 09	0838 0838	0842	1207D	055	1.0	H-alpha	A	
WEND	Jul 09			0903	1207D	055	1.0	H-alpha	A
WEIS	Jul 09	0902.0 0903		1013.0			30-75 MHz	IV	
WEND	Jul 09			0934	1030D	078	0.98-1.06	H-alpha	Flare Loop
HARV	Jul 09	2107.0		2112.0			Decimeter	IV	
CULG	Jul 09	2110.0		2115.0			Meter	II	
ABST	Jul 10	0417	0652	0704	102	1.00	H-alpha	Q	
ABST	Jul 10	0417	0652	0704	102	1.00	H-alpha	SP	
ABST	Jul 10	0436	0458	0704	047	1.00	H-alpha	Q	
WEND	Jul 10	0622	0633	0648	070	0.94-1.11	H-alpha	S	
ABST	Jul 10	0638	0632	0704	067	1.00	H-alpha	SP	
WEND	Jul 10	0716 0716	0733	0812	101	1.0	H-alpha	S	
WEND	Jul 10			0806	0812	101	1.0	H-alpha	S
GEOR	Jul 10	0842E 0905		0924D	104		H-alpha	S	
GEOR	Jul 10				104		H-alpha	S	
WEND	Jul 10	0935 0935	0949	1018D	102	1.0	H-alpha	S	
WEND	Jul 10			1004	1018D	102	1.0	H-alpha	S
HARV	Jul 11	1942.0		1946.0			Meter	II	
CULG	Jul 11	2339.5		2344.5			Meter	II	
CULG	Jul 12	0107.0 0110.6 0110.8 0915 0946.2 0954 1104		0113.5			Meter	II	
LEAR	Jul 12			0113.3			Meter	II	
PALE	Jul 12			0114.8			Meter	II	
WEIS	Jul 12			1825			30-240 MHz	IV	
WEIS	Jul 12			0949.0			100-160 MHz	II	
WEIS	Jul 12			1006			300-540 MHz	IV	
WEIS	Jul 12			1141			300-600 MHz	IV	
WEIS	Jul 13	1003.5		1010.0			Meter	II	

MASS EJECTIONS FROM THE SUN


July 1982

Sta	Day	Observed UT			Location		Freq or Wavelength	Kind of Event
		Start	Max	End	RA°	R/R ₀		
WEIS	Jul 16	0853.6		0857.4			Meter	II Large Group
HARV	Jul 16	2353.0		2356.0			Decimeter	
KHAR	Jul 17	0945E		1005	280	0.69	H-alpha	S
HARV	Jul 17	2310.0		2333.0			Decimeter; meter	IV
CULG	Jul 17	2322.5		2332.0			Decimeter; meter	II
KHAR	Jul 18	1034E		1050D	014	0.07	H-alpha	S
GEOR	Jul 18	1153E		1200	082		H-alpha	S
PALE	Jul 19	0053.0		0121.4			Meter	IV
CULG	Jul 19	0105.5		0124.0			Meter; dekameter	II
HARV	Jul 19	2009.0		2021.0			Decimeter	IV
CULG	Jul 20	0204.0		0205.0			Decimeter; meter	Possible II
CULG	Jul 20	0430.5		0442.0			Meter	Possible II
KHAR	Jul 20	0730E		0814D	104	0.75	H-alpha	S
KHAR	Jul 20	0758E		0830D	272	0.96	H-alpha	S
KHAR	Jul 20	0813E		0850D	280	0.99	H-alpha	SP
KHAR	Jul 20	0948E		1000D	280	0.99	H-alpha	S
KHAR	Jul 21	0706E	0736	0918D	280	1.00	H-alpha	S
WEND	Jul 21	0823	0828	0900	282	1.0	H-alpha	SP
KHAR	Jul 21	0852E		0930	283	0.98	H-alpha	SP
HARV	Jul 21	1827.0		1832.0			Meter; dekameter	II
WEND	Jul 22	0531E		0554	294	1.00-1.24	H-alpha	S
KHAR	Jul 22	1100E		1146D	275	1.00	H-alpha	S
HARV	Jul 22	1646.0		1700.0			Decimeter	IV
HARV	Jul 22	1720.0		1730.0			Meter; dekameter	II
WEIS	Jul 22	1720.8		1725.3			Meter	II
SGMR	Jul 22	1720.9		1729.2			Meter	II
KHAR	Jul 26	0730		0755D	104	0.75	H-alpha	SP
KHAR	Jul 26	0750E		0820D	283	1.00	H-alpha	S
KHAR	Jul 27	0800E		0808	085	0.71	H-alpha	S
KHAR	Jul 28	1110E	1116	1146	288	1.00	H-alpha	S
KHAR	Jul 29	0742E		0837	103	0.98	H-alpha	SP
KHAR	Jul 29	0815E		0905D	071	1.00	H-alpha	S
WEND	Jul 29	0855		0908	076	1.0	H-alpha	S
KHAR	Jul 30	0818E		0844D	102	0.78	H-alpha	S
WEND	Jul 30	1150E		1230D	240	1.00-1.35	H-alpha	Q

QUALIFIERS ON START, MAX AND END TIMES
D = event ended after tabulated time
E = event began before the tabulated time
U = uncertain time

TYPE OF EVENT
A = eruptive active region prominence
CB = coronal cloud bubble
D = coronal depletions
E = coronal enhancement
EL = coronal expanding loop
II = Type II radio burst
IVm = moving Type IV radio burst
Q = eruptive quiescent prominence
R = coronal ray or streamer
S = flare-surge if there is a known flare association
SP = flare-spray if there is a known flare association
* = movement may be caused by ionospheric refraction

REPORTING STATIONS
ABST = Abastumani
BIGB = Big Bear
BLEN = Bleien
CULG = Culgoora
DWIN = Dwingeloo
GEOR = Georgiana
HALE = Haleakala
HAOC = High Altitude Observatory's SMM Coronagraph/Polarimeter
HAOK = High Altitude Observatory's MARK-III Coronameter at Mauna Loa
HARV = Harvard (Fort Davis)
KHAR = Kharkov
LEAR = Learmonth
LVOV = Lvov
MANI = Manila
MITK = Mitaka
NRLC = Naval Research Laboratory's White-Light Coronagraph Experiment on P78-1
PALE = Palehua
SGMR = Sagamore Hill
TELV = Tel Aviv
VORO = Voroshilov
WEIS = Weissenau
WEND = Wendelstein
UDAI = Udaipur





MISCELLANEOUS DATA

Contents

	Page
<u>Solar X-ray Radiation June 1982</u> GOES-2	98-102
<u>Solar Radio Emission August 1979-October 1980</u> Outstanding Occurrences (Fixed Frequencies) from Learmonth, Palehua, Sagamore Hill, Athens, and Manila	103-235

SMS-GOES X-RAYS

JUNE 1982




SMS-GOES X-RAYS

JUNE 1982

07

08


09



10



11

12





SMS-GOES X-RAYS

JUNE 1982





SMS-GOES X-RAYS

JUNE 1982



SMS-GOES X-RAYS

JUNE 1982



SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

103
Misc
Aug 79

AUGUST 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
01	245	LEAR	43 NS	0703.0	0756.0	162.0D	29.0			QL=2 ST=2 TYP=1
	410	LEAR	43 NS	0703.0	0821.0	162.0D	28.0			QL=2 ST=2 TYP=1
	1415	LEAR	4 S/F	0626.0	0629.0	5.0	16.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0628.0	0628.0	3.0	94.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0628.0	0629.0	3.0	30.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0628.0	0629.0	3.0	58.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0628.0	0629.0	3.0	16.0			QL=6 ST=3 TYP=4
	2695	ATHN	4 S/F	0628.0	0629.0	3.0	89.0			QL=6 ST=3 TYP=3
	4995	ATHN	4 S/F	0628.0	0629.0	5.0	42.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0628.0	0629.0	3.0	44.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	0628.0	0629.0	2.0	29.0			QL=6 ST=3 TYP=4
	8800	LEAR	8 S	0856.0	0856.0	2.0D	77.0			QL=3 ST=2 TYP=3
	15400	LEAR	8 S	0856.0	0856.0	2.0D	64.0			QL=3 ST=2 TYP=3
	4995	LEAR	4 S/F	0856.0	0857.0	3.0D	21.0			QL=3 ST=2 TYP=3
	1415	SGMR	8 S	1116.0	1116.0	2.0	33.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1116.0	1118.0	2.0	44.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1116.0	1118.0	3.0	160.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1117.0	1117.0	2.0	9.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1118.0	1118.0		170.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1412.0	1412.0	1.0	13.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1412.0	1412.0	1.0	13.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1412.0	1413.0	3.0	110.0			QL=6 ST=3 TYP=3
	4995	ATHN	8 S	1413.0	1414.0	2.0D	15.0			QL=5 ST=2 TYP=3
8800	ATHN	4 S/F	1413.0	1414.0	3.0D	62.0			QL=5 ST=2 TYP=3	
2695	SGMR	4 S/F	1413.0	1414.0	5.0	16.0			QL=6 ST=2 TYP=3	
4995	SGMR	4 S/F	1413.0	1414.0	5.0	16.0			QL=6 ST=3 TYP=3	
02	410	LEAR	43 NS	0200.0	0724.0	465.0D	9.0			QL=2 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0804.0	465.0D	34.0			QL=2 ST=2 TYP=1
	245	PALE	43 NS	2330.5	0142.3	324.5D	100.0			QL=6 ST=2 TYP=1
03	410	LEAR	43 NS	0325.0	0543.6	380.0D	22.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0325.0	0735.8	380.0D	96.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1641.0	1519.3	734.0D	170.0			QL=6 ST=2 TYP=1
04	245	LEAR	43 NS	0200.0	0641.6	466.0D	84.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0546.0	0547.1	240.0D	11.0			QL=6 ST=2 TYP=1
	606	SGMR	8 S	2020.1	2020.3	1.0	119.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	2020.1	2020.5	.7D	2.0			QL=6 ST=2 TYP=4
	2695	SGMR	8 S	2020.6	2021.0	1.2D	6.0			QL=6 ST=2 TYP=4
05	8800	SGMR	8 S	2020.8	2021.5	1.2	100.0			QL=6 ST=2 TYP=3
07	8800	LEAR	8 S	0712.5	0713.0	1.6D	57.0			QL=6 ST=3 TYP=4
	15400	LEAR	8 S	0712.5	0713.0	1.6	61.0			QL=6 ST=3 TYP=4
	4995	LEAR	8 S	0712.5	0713.1	1.6D	23.0			QL=6 ST=3 TYP=4
	4995	ATHN	4 S/F	0712.5	0713.1	2.5D	54.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	0712.8	0713.1	1.3	52.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1900.8	1901.6	5.7D	139.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1901.0	1901.6	3.3	180.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1901.1	1901.6	6.0D	93.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1950.5	1952.5	73.5	36.0			QL=6 ST=3 TYP=4
606	SGMR	4 S/F	2054.0	2056.6	3.3	130.0			QL=6 ST=2 TYP=3	
08	4995	SGMR	4 S/F	1737.5	1741.6	8.0D	33.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1738.3	1738.6	.7	64.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1738.8	1741.6	9.7D	48.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1740.6	1741.6	5.0	30.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1741.3	1741.8	1.2D	6.0			QL=6 ST=2 TYP=3
09	8800	ATHN	4 S/F	0835.0	0835.5	4.3	65.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0835.1	0835.3	5.4D	69.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0835.1	0836.3	5.0D	27.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0835.3	0835.3	2.0	33.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0835.3	0836.3	2.8D	31.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1101.0	1101.6	3.0D	9.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1101.0	1101.6	3.3	32.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1737.0	1744.8	11.1D	9.0			QL=6 ST=3 TYP=4
	8800	SGMR	4 S/F	1738.8	1745.1	14.2D	78.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1739.6	1744.6	13.4D	52.0			QL=6 ST=3 TYP=3

104
Misc
Aug 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

AUGUST 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
09	1415	SGMR	4 S/F	1740.1	1744.8	6.0D	13.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	1743.6	1744.6	2.5D	280.0			QL=6 ST=3 TYP=3
	606	PALE	4 S/F	1744.0	1744.1	2.6D	139.0			QL=6 ST=3 TYP=3
	410	PALE	8 S	1744.0	1744.3	1.0	150.0			QL=6 ST=3 TYP=3
	15400	SGMR	4 S/F	1744.0	1744.8	3.0	38.0			QL=6 ST=3 TYP=3
	8800	PALE	4 S/F	1744.0	1744.8	6.8D	83.0			QL=6 ST=3 TYP=3
	4995	PALE	4 S/F	1744.0	1744.8	2.3D	35.0			QL=6 ST=3 TYP=3
	2695	PALE	4 S/F	1744.0	1744.8	2.3D	22.0			QL=6 ST=3 TYP=3
	1415	PALE	4 S/F	1744.0	1744.8	2.3D	13.0			QL=6 ST=3 TYP=3
	15400	PALE	4 S/F	1744.0	1744.8	2.3D	41.0			QL=6 ST=3 TYP=3
	606	PALE	4 S/F	1844.0	1844.1	2.6D	139.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	1844.0	1844.3	1.0	150.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	1844.0	1844.8	6.8D	83.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	1844.0	1844.8	2.3D	35.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	1844.0	1844.8	2.3D	41.0			QL=6 ST=2 TYP=3
10	4995	MANI	4 S/F	0901.3	0914.3	22.5D	139.0			QL=6 ST=2 TYP=3
	8800	MANI	4 S/F	0903.0	0914.6	20.1	230.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0910.0	0913.8	11.1D	63.0			QL=6 ST=2 TYP=4
	2695	LEAR	4 S/F	0910.3	0914.0	11.0D	35.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0910.3	0914.3	7.2D	63.0			QL=6 ST=2 TYP=4
	410	LEAR	4 S/F	0910.5	0913.8	8.1D	32.0			QL=6 ST=2 TYP=4
	1415	LEAR	4 S/F	0910.5	0914.8	10.6D	16.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	0910.8	0913.8	9.7D	35.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0910.8	0914.1	16.0	82.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0910.8	0914.1	18.2D	83.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0911.0	0914.3	8.5D	18.0			QL=6 ST=2 TYP=4
	245	LEAR	4 S/F	0911.3	0913.3	11.8D	6.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	0911.3	0913.6	5.3D	22.0			QL=6 ST=2 TYP=4
	15400	LEAR	4 S/F	0912.1	0914.3	6.5	21.0			QL=6 ST=2 TYP=4
	11	2695	ATHN	4 S/F	1336.6	1336.8	2.7	15.0		
2695		ATHN	8 S	1756.1	1756.6	1.4D	21.0			QL=5 ST=3 TYP=4
1415		ATHN	8 S	1756.3	1756.6	.8D	11.0			QL=5 ST=3 TYP=4
4995		ATHN	8 S	1756.3	1756.6	.8D	36.0			QL=5 ST=3 TYP=3
8800		ATHN	8 S	1756.3	1756.6	1.2	21.0			QL=5 ST=3 TYP=4
245		PALE	47 GB	2151.8	2252.3	60.8	520.0			QL=6 ST=2 TYP=5
245		PALE	47 GB	2350.3	2350.5	2.0	3100.0			QL=6 ST=2 TYP=5
12	245	PALE	47 GB	0045.1	0045.3	.5	1100.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	0051.8	0052.3	4.3	190.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	0054.6	0056.0	1.5D	380.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0320.8	0321.1	2.3D	21.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0321.0	0321.3	1.0	290.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0321.0	0321.3	.3	230.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0444.3	0444.8	.8	8.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0445.3	0445.6	6.7D	130.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0445.3	0450.1	6.7D	530.0			QL=6 ST=2 TYP=5
13	245	LEAR	43 NS	0200.0	0811.6	470.0D	47.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1151.0	2145.5	713.0D	130.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1644.0	0402.6	727.0D	15.0			QL=6 ST=2 TYP=1
	15400	SGMR	47 GB	1012.5E	1027.5	80.0D	13000.0			QL=4 ST=2 TYP=5
	4995	ATHN	47 GB	1014.3	1029.6	108.0	2000.0			QL=6 ST=2 TYP=5
	8800	ATHN	47 GB	1018.1	1028.3	80.4	1900.0			QL=2 ST=2 TYP=5
	245	PALE	47 GB	2029.0	2032.8	7.0	1500.0			QL=6 ST=2 TYP=5
245	SGMR	47 GB	2031.8	2032.8	2.2	1199.0			QL=6 ST=2 TYP=5	
14	245	LEAR	43 NS	0200.0	0822.3	470.0D	190.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0528.8	0745.0	261.2D	139.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1802.5	1804.8	649.5	170.0			QL=6 ST=2 TYP=1
	245	LEAR	47 GB	0226.6	0227.1	1.0D	670.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0226.6	0227.1	1.0	1000.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0227.0	0227.1	.6	360.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0641.3	0641.8	.8	68.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0641.6	0641.8	1.0D	300.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1004.5	1005.1	3.1	11.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	1004.6	1005.3	2.7	13.0			QL=5 ST=3 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

105
Misc
Aug 79

AUGUST 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
14	8800	ATHN	8 S	1004.8	1005.3	2.0	15.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	1131.3	1232.3	172.00	79.0			QL=5 ST=2 TYP=4
	1415	SGMR	47 GB	1135.5	1300.1	141.30	21000.0			QL=6 ST=3 TYP=5
	2695	ATHN	4 S/F	1136.1	1231.8	166.90	61.0			QL=5 ST=2 TYP=4
	8800	ATHN	4 S/F	1141.0	1232.1	162.5	52.0			QL=5 ST=2 TYP=4
	245	SGMR	47 GB	1141.1	1244.5	102.70	620.0			QL=6 ST=3 TYP=5
	8800	SGMR	47 GB	1150.5	1248.5	123.60	16000.0			QL=6 ST=3 TYP=5
	606	SGMR	47 GB	1151.0	1243.6	92.00	920.0			QL=6 ST=3 TYP=5
	2695	SGMR	47 GB	1153.3	1254.6	123.80	6200.0			QL=6 ST=3 TYP=5
	4995	SGMR	47 GB	1154.6	1248.8	122.40	11999.0			QL=6 ST=3 TYP=5
	15400	SGMR	47 GB	1238.1	1248.3	69.20	9100.0			QL=6 ST=3 TYP=5
	4995	ATHN	47 GB	1241.6	1249.1	101.7	8000.0			QL=5 ST=3 TYP=5
	2695	ATHN	47 GB	1241.6	1254.8	101.4	4400.0			QL=5 ST=3 TYP=5
	8800	ATHN	47 GB	1242.8	1248.8	100.7	8200.0			QL=5 ST=2 TYP=5
	8800	SGMR	8 S	1543.5	1543.8	1.0	11.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	1543.6	1543.8	1.50	450.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	1543.6	1543.8	1.5	20.0			QL=5 ST=2 TYP=3
	4995	ATHN	8 S	1543.6	1544.0	1.00	11.0			QL=5 ST=2 TYP=3
	2695	SGMR	47 GB	1543.8	1544.6	3.00	500.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	1727.0	1729.1	6.0	500.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1727.8	1729.5	5.5	580.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	2011.6	2013.8	3.00	139.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2013.3	2013.6	1.7	300.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	2013.3	2013.6	1.70	62.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	2013.3	2013.6	1.70	139.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2013.3	2014.1	1.50	60.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	2014.0	2014.8	1.0	19.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2046.8	2048.3	8.2	630.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2047.1	2049.0	6.40	620.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	2048.3	2051.3	4.0	11.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2049.0	2049.3	3.30	54.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2309.8	2311.8	5.0	15000.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2311.8	2312.1	.3	7400.0			QL=6 ST=2 TYP=5
245	PALE	47 GB	2341.5	2355.5	26.0	940.0			QL=6 ST=2 TYP=5	
1415	MAN I	4 S/F	2355.0	2356.0	3.80	13.0			QL=6 ST=2 TYP=4	
606	MAN I	47 GB	2355.5	2356.1	3.00	139.0			QL=6 ST=2 TYP=5	
2695	MAN I	4 S/F	2356.0	2357.3	3.0	44.0			QL=6 ST=2 TYP=4	
15	245	LEAR	43 NS	0200.0	0917.0	471.00	98.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1827.0	2112.1	625.00	220.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0040.5	0041.1	13.3	7600.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	0208.1	0209.1	7.4	300.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0208.1	0210.6	7.40	150.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	0208.1	0212.1	7.40	130.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0212.5	0212.5	.1	670.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0233.5	0238.0	10.8	4200.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0234.0	0238.1	5.30	30.0			QL=3 ST=2 TYP=3
	410	LEAR	4 S/F	0234.3	0238.0	4.00	410.0			QL=3 ST=2 TYP=3
	8800	LEAR	4 S/F	0234.6	0237.8	4.50	87.0			QL=3 ST=2 TYP=3
	2695	LEAR	4 S/F	0234.8	0237.8	4.30	77.0			QL=3 ST=2 TYP=3
	245	LEAR	47 GB	0235.0	0237.8	3.30	2900.0			QL=3 ST=2 TYP=5
	606	LEAR	4 S/F	0235.3	0238.0	4.70	440.0			QL=3 ST=2 TYP=3
	1415	MAN I	47 GB	0237.0	0237.6	2.0	220.0			QL=6 ST=2 TYP=5
	1415	LEAR	8 S	0237.3	0238.0	1.80	350.0			QL=3 ST=2 TYP=3
	15400	LEAR	8 S	0237.3	0238.0	1.7	29.0			QL=3 ST=2 TYP=3
	245	SGMR	4 S/F	1134.5	1134.6	5.8	88.0			QL=6 ST=3 TYP=3
	15400	SGMR	4 S/F	1527.5	1528.1	8.0	48.0			QL=6 ST=3 TYP=3
	1415	SGMR	4 S/F	1527.6	1528.1	6.40	350.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1527.8	1528.3	4.70	31.0			QL=6 ST=3 TYP=3
8800	SGMR	4 S/F	1527.8	1528.3	4.70	43.0			QL=6 ST=3 TYP=3	
2695	ATHN	4 S/F	1528.3	1529.0	5.20	27.0			QL=6 ST=2 TYP=3	
4995	ATHN	4 S/F	1528.3	1529.0	5.20	35.0			QL=6 ST=2 TYP=3	
8800	ATHN	4 S/F	1528.3	1529.0	6.5	48.0			QL=6 ST=2 TYP=3	
245	SGMR	4 S/F	1530.1	1530.6	2.20	9.0			QL=6 ST=3 TYP=3	
245	SGMR	8 S	1916.3	1916.8	1.2	340.0			QL=6 ST=2 TYP=3	
16	245	SGMR	43 NS	1000.0	1855.3	819.00	520.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1340.0	1438.3	497.6	73.0			QL=6 ST=3 TYP=1
	245	PALE	43 NS	1644.0	1854.1	728.00	690.0			QL=6 ST=3 TYP=1
	245	PALE	43 NS	1854.1	1854.1	597.90	690.0			QL=6 ST=3 TYP=1

106
Misc
Aug 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

AUGUST 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
16	245	PALE	47 GB	0253.0	0253.6	1.0	2400.0			QL=6 ST=2 TYP=5
	4995	MANI	4 S/F	0455.0	0456.3	5.3	130.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0455.0	0456.3	7.0	96.0			QL=5 ST=2 TYP=3
	2695	MANI	4 S/F	0455.3	0456.3	5.00	139.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	0455.6	0459.5	5.70	170.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0754.3	0756.0	13.50	139.0			QL=3 ST=2 TYP=3
	2695	LEAR	4 S/F	0754.6	0756.1	13.40	190.0			QL=3 ST=2 TYP=3
	4995	LEAR	4 S/F	0754.6	0756.1	13.40	220.0			QL=3 ST=2 TYP=3
	15400	LEAR	4 S/F	0755.0	0756.0	10.3	61.0			QL=3 ST=2 TYP=3
	1415	LEAR	4 S/F	0755.1	0756.3	12.90	310.0			QL=3 ST=2 TYP=3
	1415	SGMR	4 S/F	1135.8	1203.3	51.7	29.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1136.0	1152.0	53.10	190.0			QL=6 ST=3 TYP=3
	606	SGMR	47 GB	1144.6	1218.1	43.40	2000.0			QL=6 ST=3 TYP=5
17	410	LEAR	43 NS	0240.0	0357.0	431.00	15.0			QL=6 ST=2 TYP=1
	245	LEAR	44 NS	0240.0E	0833.1	431.00	73.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0956.0	1329.1	822.00	63.0			QL=6 ST=2 TYP=1
	8800	ATHN	43 NS	1636.5	1637.6	7.0	63.0			QL=5 ST=2 TYP=1
	245	PALE	43 NS	1644.0	2334.1	728.00	430.0			QL=6 ST=2 TYP=1
	4995	ATHN	47 GB	1636.5	1637.8	7.0	20.0			QL=6 ST=2 TYP=5
18	245	LEAR	43 NS	0200.0	0318.3	472.00	220.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0515.0	472.00	49.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1506.5						QL=6 ST=3 TYP=1
	245	PALE	43 NS	1644.0	2334.1	728.00	430.0			QL=6 ST=2 TYP=1
	245	SGMR	47 GB	0140.0	1415.0		3700.0			QL=6 ST=3 TYP=5
	245	LEAR	47 GB	0252.8	0253.3	1.50	1700.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0253.1	0253.3	.4	26.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0947.5	0949.8	4.50	74.0			QL=4 ST=2 TYP=3
	2695	ATHN	4 S/F	0948.1	0950.3	11.20	88.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0948.1	0950.3	12.2	43.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	0948.1	0950.3	11.2	86.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0949.0	0949.6	3.00	92.0			QL=4 ST=2 TYP=3
	1415	ATHN	4 S/F	0949.5	0950.5	2.50	7.0			QL=6 ST=2 TYP=4
	1415	SGMR	8 S	1345.0	1407.0		2.0			QL=6 ST=3 TYP=3
	8800	SGMR	47 GB	1345.0	1407.0		800.0			QL=6 ST=3 TYP=5
	606	SGMR	8 S	1345.0	1407.0		340.0			QL=6 ST=3 TYP=3
	2695	SGMR	47 GB	1345.0	1407.0		700.0			QL=6 ST=3 TYP=5
	4995	SGMR	8 S	1345.0	1407.0		320.0			QL=6 ST=3 TYP=3
	15400	SGMR	47 GB	1345.0	1407.0		1399.0			QL=6 ST=3 TYP=5
	4995	ATHN	47 GB	1345.6	1413.8	91.7	830.0			QL=6 ST=3 TYP=5
	2695	ATHN	4 S/F	1345.8	1405.1	77.80	420.0			QL=6 ST=3 TYP=4
1415	ATHN	4 S/F	1345.8	1406.0	70.80	320.0			QL=6 ST=3 TYP=4	
8800	ATHN	47 GB	1345.8	1413.8	932.0	1199.0			QL=5 ST=2 TYP=5	
8800	ATHN	47 GB	1345.8	1413.8	92.0	1199.0			QL=5 ST=2 TYP=5	
245	SGMR	47 GB	1400.0	1415.0		3700.0			QL=6 ST=3 TYP=5	
19	245	LEAR	43 NS	0200.0	0910.6	473.00	97.0			QL=5 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0918.0	473.00	13.0			QL=5 ST=2 TYP=1
	245	SGMR	43 NS	0958.0	1829.1	817.00	160.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1644.0	0241.1	728.00	119.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	0259.1	726.00	520.0			QL=6 ST=2 TYP=1
	8800	ATHN	4 S/F	0541.3	0545.8	13.8	40.0			QL=5 ST=2 TYP=4
	4995	ATHN	4 S/F	0541.6	0545.8	13.0	43.0			QL=6 ST=2 TYP=4
	2695	LEAR	4 S/F	0541.8	0545.8	10.50	20.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0542.3	0543.0	1.5	680.0			QL=5 ST=2 TYP=5
	4995	LEAR	4 S/F	0542.3	0545.8	14.30	42.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0543.0	0547.0	14.00	50.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0545.1	0545.8	2.70	15.0			QL=6 ST=2 TYP=4
	15400	LEAR	4 S/F	0545.3	0546.0	5.7	11.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0642.3	0643.0	1.5	680.0			QL=5 ST=3 TYP=5
	606	LEAR	47 GB	0658.5	0703.0	8.0	640.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0841.6	0844.6	6.00	90.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0843.0	0844.3	3.30	8.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0843.0	0845.0	5.10	7.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0843.1	0845.0	6.90	61.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0843.6	0844.5	2.7	13.0			QL=6 ST=2 TYP=3
606	LEAR	4 S/F	0843.8	0847.8	5.20	58.0			QL=6 ST=2 TYP=3	
20	606	LEAR	43 NS	0200.0	0528.6	472.00	15.0			QL=6 ST=2 TYP=1

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

107
Misc
Aug 79

AUGUST 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
20	410	LEAR	43 NS	0219.5	0952.0	452.5D	23.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0231.0	0220.8	441.0D	600.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1646.0	1652.6	724.0D	460.0		QL=6 ST=2 TYP=1	
	245	PALE	47 GB	0027.0	0028.1	2.5	710.0		QL=6 ST=2 TYP=5	
	245	PALE	47 GB	0220.6	0221.0	1.4	830.0		QL=6 ST=2 TYP=5	
	4995	LEAR	4 S/F	0532.3	0533.0	3.2	7.0		QL=6 ST=3 TYP=3	
	1415	LEAR	8 S	0533.0	0533.3	1.0D	64.0		QL=6 ST=3 TYP=3	
	606	LEAR	8 S	0534.0	0534.1	.5D	4.0		QL=6 ST=3 TYP=3	
	410	LEAR	8 S	0534.0	0534.3	.6D	22.0		QL=6 ST=3 TYP=3	
	1415	LEAR	4 S/F	0720.1	0722.0	4.0D	4.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0721.0	0722.3	8.1D	71.0		QL=6 ST=2 TYP=3	
	8800	MANI	4 S/F	0721.1	0722.1	2.2	290.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0721.1	0722.1	3.4D	240.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0721.1	0722.3	70.0D	220.0		QL=6 ST=3 TYP=3	
	4995	LEAR	4 S/F	0721.3	0722.3	8.8D	200.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0721.3	0722.3	5.7	250.0		QL=6 ST=3 TYP=3	
	2695	ATHN	4 S/F	0721.3	0722.5	9.8D	66.0		QL=6 ST=3 TYP=4	
	15400	LEAR	4 S/F	0721.5	0722.6	6.6	160.0		QL=6 ST=2 TYP=3	
	2695	MANI	4 S/F	0722.1	0722.3	4.4D	52.0		QL=6 ST=2 TYP=3	
	8800	ATHN	47 GB	0853.8	0924.5	108.8	2400.0		QL=6 ST=2 TYP=5	
	2695	LEAR	47 GB	0903.6	0924.6	44.4D	560.0		QL=6 ST=3 TYP=5	
	1415	LEAR	4 S/F	0903.6	0924.6	43.9D	400.0		QL=6 ST=3 TYP=3	
	4995	LEAR	47 GB	0903.8	0924.6	45.2D	1199.0		QL=6 ST=3 TYP=5	
	15400	LEAR	47 GB	0904.1	0924.5	44.7	2800.0		QL=6 ST=3 TYP=5	
	8800	LEAR	47 GB	0904.3	0924.6	44.7D	1700.0		QL=6 ST=3 TYP=5	
	606	LEAR	47 GB	0908.8	0916.1	32.5D	660.0		QL=6 ST=3 TYP=5	
	410	LEAR	47 GB	0909.0	0919.5	39.1D	560.0		QL=6 ST=3 TYP=5	
	245	LEAR	4 S/F	0909.3	0922.3	30.0D	400.0		QL=6 ST=3 TYP=3	
	8800	SGMR	4 S/F	1940.8	1944.1	8.5	29.0		QL=6 ST=2 TYP=4	
	410	PALE	8 S	2217.6	2218.0	1.2D	139.0		QL=6 ST=2 TYP=3	
245	PALE	8 S	2217.8	2218.1	1.0	170.0		QL=6 ST=2 TYP=3		
21	245	LEAR	43 NS	0200.0	0405.6	473.0D	40.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0200.0	0923.0	473.0D	5.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1000.0	2150.5	812.0D	490.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1647.0	2152.3	723.0D	540.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	2121.0	2332.1	449.0D	200.0		QL=6 ST=2 TYP=1	
	1415	ATHN	4 S/F	0558.8	0617.5	36.0D	71.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	0559.3	0616.8	57.8	31.0		QL=6 ST=2 TYP=4	
	4995	ATHN	4 S/F	0600.1	0620.1	55.5D	36.0		QL=6 ST=2 TYP=4	
	2695	ATHN	4 S/F	0602.8	0617.6	32.8D	93.0		QL=6 ST=2 TYP=4	
	606	MANI	4 S/F	0608.0	0610.8	7.8D	86.0		QL=6 ST=2 TYP=3	
	1415	MANI	4 S/F	0608.3	0614.5	6.8D	46.0		QL=6 ST=2 TYP=4	
	2695	MANI	4 S/F	0611.5	0614.5	3.5	26.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	0832.6	0838.3	14.2	13.0		QL=6 ST=2 TYP=4	
	4995	ATHN	4 S/F	0835.6	0840.3	13.0D	17.0		QL=6 ST=2 TYP=4	
	2695	ATHN	4 S/F	0836.6	0840.8	11.9D	6.0		QL=6 ST=2 TYP=4	
	245	SGMR	47 GB	1749.6	1751.3	3.4	1100.0		QL=6 ST=2 TYP=5	
245	PALE	47 GB	1750.0	1751.1	2.3	2000.0		QL=6 ST=2 TYP=5		
1415	SGMR	47 GB	2236.5	2249.5	24.0	150.0		QL=6 ST=2 TYP=5		
22	410	LEAR	43 NS	0200.0	0228.6	473.0D	13.0		QL=6 ST=2 TYP=1	
	606	LEAR	43 NS	0200.0	0228.8	473.0D	3.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0354.1	473.0D	320.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1001.0	2134.3	809.0	95.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1902.0	2137.5	588.0D	160.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1902.0	2156.3	588.0D	340.0		QL=6 ST=2 TYP=1	
	1415	SGMR	4 S/F	1846.1	1857.8	20.2D	139.0		QL=6 ST=2 TYP=3	
	606	PALE	4 S/F	1850.0	1856.8	12.1	23.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	1850.0	1857.8	12.1D	130.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1851.5	1859.3	10.5	9.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1852.1	1856.8	10.2D	13.0		QL=6 ST=2 TYP=3	
2695	SGMR	4 S/F	1854.8	1859.1	11.2D	11.0		QL=6 ST=2 TYP=3		
23	410	LEAR	44 NS	0200.0E	0301.5	474.0D	119.0		QL=5 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0335.0	474.0D	150.0		QL=5 ST=2 TYP=1	
	606	LEAR	43 NS	0303.0	0337.3	411.0	19.0		QL=5 ST=2 TYP=1	
	245	SGMR	43 NS	1002.0	1839.0	807.0D	220.0		QL=6 ST=2 TYP=1	
	4995	ATHN	4 S/F	1243.3	1251.3	101.0D	290.0		QL=6 ST=3 TYP=3	
	8800	ATHN	47 GB	1243.8	1251.3	102.5	650.0		QL=6 ST=3 TYP=5	

108
Misc
Aug 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

AUGUST 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
23	2695	ATHN	47 GB	1243.8	1252.1	81.5D	119.0			QL=6 ST=3 TYP=5
	245	SGMR	47 GB	1249.0	1249.8	20.8	2100.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	1507.0	1508.5	11.0	22.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1507.0	1508.6	6.6D	30.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1507.0	1508.6	8.3D	31.0			QL=6 ST=2 TYP=4
24	606	LEAR	43 NS	0200.0	0303.3	474.0D	8.0			QL=5 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0656.6	474.0D	230.0			QL=5 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0715.8	474.0D	22.0			QL=5 ST=2 TYP=1
	245	SGMR	43 NS	1004.0	1418.0	803.0D	210.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	1748.5	724.5D	220.0			QL=6 ST=2 TYP=1
	4995	ATHN	4 S/F	1155.8	1211.8	31.0D	43.0			QL=6 ST=3 TYP=4
	8800	ATHN	4 S/F	1157.6	1212.3	31.9	38.0			QL=6 ST=3 TYP=4
	2695	ATHN	4 S/F	1158.3	1211.6	18.5D	33.0			QL=6 ST=3 TYP=4
	1415	ATHN	4 S/F	1159.1	1201.3	17.4D	7.0			QL=6 ST=3 TYP=4
25	410	LEAR	43 NS	0200.0	0802.6	474.0D	54.0			QL=6 ST=3 TYP=1
	606	LEAR	43 NS	0200.0	0802.6	474.0D	54.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0802.8	474.0D	58.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	1005.0	1239.0	800.0D	180.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	2200.0	0225.0	408.0D	370.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0056.8	0057.3	2.2	2500.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1943.6	1959.8	23.5D	90.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1943.6	2000.5	27.2D	19.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1945.1	2000.0	24.4D	110.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1946.0	2000.6	23.6D	82.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1948.8	1949.1	15.0D	34.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1950.3	2000.1	14.8	47.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2225.8	2226.3	1.3	240.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2225.8	2226.8	1.3D	71.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2313.0	2313.6	1.1	320.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2313.1	2313.6	1.0D	250.0			QL=6 ST=2 TYP=3
606	PALE	8 S	2313.1	2313.6	1.0D	139.0			QL=6 ST=2 TYP=3	
26	606	LEAR	43 NS	0200.0	0208.1	474.0D	13.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0220.8	474.0D	200.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0221.1	474.0D	64.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1006.0	1852.8	798.0D	560.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1647.0	1944.3	721.0D	84.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1647.0	1951.6	721.0D	139.0			QL=6 ST=2 TYP=1
	1415	SGMR	43 NS	1822.0	1852.3	302.0D	50.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1823.1	1945.6	300.9D	600.0			QL=6 ST=2 TYP=1
	606	PALE	43 NS	1900.0	1957.1	285.0D	640.0			QL=6 ST=3 TYP=1
	2695	LEAR	8 S	0200.0	0200.0	2.0D	19.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0200.0E	0200.0	4.6D	15.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0200.0	0200.0	3.1D	5.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0335.0	0338.1	5.5	20.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0335.8	0337.1	7.0D	21.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0336.8	0337.6	2.2D	91.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0337.0	0337.8	1.6D	5.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0337.3	0337.5	.5D	7.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0337.3	0337.8	.8D	45.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0843.8	0845.1	2.8D	6.0			QL=5 ST=2 TYP=3
	410	LEAR	4 S/F	0844.3	0845.6	4.0D	85.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	0844.3	0846.0	7.0D	49.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	0844.3	0846.0	7.0	43.0			QL=5 ST=2 TYP=4
	8800	ATHN	4 S/F	0844.6	0846.0	6.7	19.0			QL=6 ST=2 TYP=4
	606	LEAR	4 S/F	0844.6	0846.0	3.2D	119.0			QL=5 ST=2 TYP=3
	8800	LEAR	4 S/F	0844.6	0846.0	3.2	31.0			QL=5 ST=2 TYP=3
	2695	LEAR	4 S/F	0844.8	0846.0	4.2D	39.0			QL=5 ST=2 TYP=3
	4995	LEAR	4 S/F	0845.0	0846.1	7.3D	64.0			QL=5 ST=2 TYP=3
	1415	ATHN	8 S	0845.1	0846.1	1.5	8.0			QL=6 ST=2 TYP=4
	245	LEAR	47 GB	0845.3	0845.3	2.7D	1199.0			QL=5 ST=2 TYP=5
	8800	ATHN	47 GB	1638.6	1645.3	25.2D	1900.0			QL=5 ST=2 TYP=5
	15400	SGMR	47 GB	1639.8	1645.3	66.3	1199.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	1640.0	1647.0	60.0D	750.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	1640.0	1647.0	60.0	170.0			QL=6 ST=2 TYP=3
410	PALE	4 S/F	1640.0	1647.0	60.0D	450.0			QL=6 ST=2 TYP=3	
245	SGMR	47 GB	1646.6	1658.0	64.4D	700.0			QL=3 ST=3 TYP=5	
245	SGMR	47 GB	1650.0E	1750.0	4358.8D	139.0			QL=3 ST=3 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

109
Misc
Aug 79

AUGUST 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
26	1415	SGMR	47 GB	1750.6	1758.5	31.4D	480.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	1752.0	1757.5	51.0D	430.0			QL=6 ST=3 TYP=5
	410	PALE	47 GB	1752.0	1757.5	53.0	1199.0			QL=6 ST=3 TYP=5
	606	PALE	47 GB	1752.0	1757.5	53.0D	71000.0			QL=6 ST=3 TYP=5
	8800	SGMR	4 S/F	1753.8	1801.8	26.5	19.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1753.8	1802.6	29.0D	310.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	1755.0	1801.0	34.0D	98.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1755.0	1801.5	22.5D	150.0			QL=6 ST=2 TYP=3
	2695	PALE	47 GB	1755.0	1802.0	34.0D	560.0			QL=6 ST=3 TYP=5
	245	PALE	47 GB	1851.0	1852.5	24.0	570.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	2110.0	2111.3	2.1	250.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2110.0	2111.3	2.1D	390.0			QL=6 ST=2 TYP=3
	27	410	LEAR	43 NS	0200.0	0701.6	474.0D	35.0		
245		LEAR	43 NS	0200.0	0720.8	474.0D	53.0			QL=6 ST=2 TYP=1
245		SGMR	43 NS	1007.0	1936.0	795.0D	139.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	1648.0	0303.8	720.0D	290.0			QL=6 ST=2 TYP=1
606		LEAR	47 GB	0255.1	0309.1	14.2D	1399.0			QL=6 ST=3 TYP=5
1415		LEAR	4 S/F	0255.6	0309.1	14.2	42.0			QL=6 ST=3 TYP=3
410		LEAR	47 GB	0257.5	0305.0	17.1D	1500.0			QL=6 ST=3 TYP=5
245		LEAR	47 GB	0258.0	0307.1	9.5D	4300.0			QL=6 ST=3 TYP=5
28	410	LEAR	43 NS	0200.0	0305.6	475.0D	39.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0605.0	475.0D	270.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1008.0	1220.3	793.0D	94.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0450.1	0451.6	2.5	44.0			QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0450.6	0451.6	4.7D	4900.0			QL=6 ST=3 TYP=5
	4995	ATHN	4 S/F	1220.6	1221.6	25.4D	10.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1220.8	1222.0	25.0	15.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	1251.8	1252.5	27.3D	4.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1252.1	1253.3	9.9D	95.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1252.3	1252.8	26.5D	11.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1253.0	1253.5	26.3	110.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1253.0	1253.6	26.3D	42.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1253.1	1253.3	8.9	41.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1253.1	1253.5	8.4D	27.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1303.1	1313.5	16.9	60.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1304.0	1308.5	12.0D	38.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1413.5	1414.6	5.5	480.0			QL=6 ST=2 TYP=3
245	SGMR	8 S	1517.0	1518.0	1.5	290.0			QL=6 ST=2 TYP=3	
245	PALE	47 GB	2149.1	2149.5	.9	540.0			QL=6 ST=2 TYP=5	
29	245	SGMR	43 NS	1009.0	1448.6	790.0D	63.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1648.0	1859.0	720.0D	94.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1648.0	1859.3	720.0D	47.0			QL=6 ST=2 TYP=1
30	245	SGMR	43 NS	1010.0	1308.0	787.0D	170.0			QL=6 ST=2 TYP=1
31	245	SGMR	43 NS	1200.8	1818.3		480.0			QL=6 ST=3 TYP=1
	410	LEAR	47 GB	0717.0	0717.6	1.1D	850.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0717.3	0717.5	.5	280.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1111.0	1111.6	1.1	350.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2248.6	2249.0	1.5	190.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2248.8	2249.1	1.0D	100.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
01	410	LEAR	43 NS	0200.0	0733.0	476.0D	57.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0856.5	476.0D	39.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0316.1	0316.5	2.0	28.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0317.3	0318.3	1.2D	54.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1524.8	1527.3	6.8	460.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1757.0	1800.3	6.3	290.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	1758.0	1800.0	4.0	400.0			QL=6 ST=2 TYP=3
02	245	LEAR	43 NS	0200.0	0306.8	477.0D	42.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0649.0	477.0D	19.0			QL=6 ST=2 TYP=1
	410	PALE	4 S/F	0019.1	0024.1	27.9D	23.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0019.3	0028.6	27.7	110.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	0020.3	0025.5	26.7D	41.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	0021.1	0034.0	25.9D	110.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0021.1	0034.1	25.9D	55.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0021.1	0034.1	25.9D	73.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0021.1	0034.1	25.9D	139.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0212.0	0212.5	3.3	110.0			QL=6 ST=2 TYP=3
	03	245	SGMR	43 NS	1014.0	2002.5	776.0D	310.0		
245		PALE	43 NS	1644.0	2121.3	723.0D	250.0			QL=6 ST=2 TYP=1
245		LEAR	4 S/F	0434.5	0441.8	11.0D	96.0			QL=6 ST=2 TYP=3
2695		LEAR	4 S/F	0437.8	0443.8	11.2D	13.0			QL=6 ST=2 TYP=4
8800		LEAR	4 S/F	0438.6	0444.5	11.0	4.0			QL=6 ST=2 TYP=4
1415		LEAR	4 S/F	0439.0	0441.8	8.0D	3.0			QL=6 ST=2 TYP=4
4995		LEAR	4 S/F	0439.0	0444.1	9.6D	10.0			QL=6 ST=2 TYP=4
410		LEAR	4 S/F	0439.8	0440.6	6.2D	13.0			QL=6 ST=2 TYP=3
606		LEAR	4 S/F	0440.8	0442.0	5.3D	6.0			QL=6 ST=2 TYP=4
606		SGMR	4 S/F	1856.6	1856.8	3.2D	210.0			QL=6 ST=3 TYP=3
410		PALE	4 S/F	1856.8	1857.3	5.7D	380.0			QL=6 ST=2 TYP=3
245		PALE	4 S/F	1856.8	1857.5	5.7	139.0			QL=6 ST=2 TYP=3
606		PALE	47 GB	1856.8	1857.6	5.7D	540.0			QL=6 ST=2 TYP=5
8800		SGMR	4 S/F	1856.8	1858.5	2.8D	79.0			QL=6 ST=3 TYP=3
15400		SGMR	4 S/F	1857.0	1858.3	3.0	79.0			QL=6 ST=3 TYP=3
1415		SGMR	4 S/F	1857.1	1858.0	3.2D	25.0			QL=6 ST=3 TYP=3
245		SGMR	4 S/F	1857.1	1858.6	6.5D	110.0			QL=6 ST=3 TYP=3
4995		SGMR	4 S/F	1857.3	1858.3	2.7D	54.0			QL=6 ST=3 TYP=3
2695	SGMR	4 S/F	1857.3	1858.8	6.2D	22.0			QL=6 ST=3 TYP=3	
04	245	LEAR	43 NS	0200.0	0228.0	478.0D	90.0			QL=6 ST=3 TYP=1
	410	LEAR	43 NS	0200.0	0633.6	478.0D	65.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	1015.0	2142.1	774.0D	110.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	0202.8	721.0D	590.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1645.0	2124.5	721.0D	139.0			QL=6 ST=2 TYP=1
05	245	LEAR	43 NS	0200.0	0202.6	479.0D	410.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0328.6	479.0D	75.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1016.0	1317.1	771.0D	790.0			QL=6 ST=2 TYP=1
	606	LEAR	47 GB	0706.1	0706.3	3.9D	980.0			QL=6 ST=3 TYP=5
	4995	LEAR	4 S/F	0706.1	0706.8	3.9	11.0			QL=6 ST=3 TYP=3
	410	LEAR	47 GB	0706.1	0706.8	2.9D	780.0			QL=6 ST=3 TYP=5
	2695	LEAR	4 S/F	0706.1	0706.8	2.7D	46.0			QL=6 ST=3 TYP=3
	606	MANI	47 GB	0706.3	0706.6	2.5D	68.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	0706.3	0706.8	3.0D	39.0			QL=5 ST=3 TYP=3
	4995	ATHN	4 S/F	0706.5	0707.1	2.1D	11.0			QL=5 ST=3 TYP=3
	8800	ATHN	8 S	0706.8	0707.3	1.7	4.0			QL=5 ST=3 TYP=4
	1415	MANI	4 S/F	0706.8	0707.6	2.2	9.0			QL=6 ST=2 TYP=4
	606	LEAR	8 S	0946.3	0946.5	.7	9.0			QL=6 ST=2 TYP=3
410	LEAR	47 GB	0946.3	0946.8	1.0D	940.0			QL=6 ST=2 TYP=5	
06	245	LEAR	43 NS	0200.0	0258.0	480.0D	220.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0939.5	480.0D	89.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1017.0	1646.3	391.0D	970.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	1646.0	718.0D	880.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1645.0	1646.0	718.0D	41.0			QL=6 ST=2 TYP=1
07	410	LEAR	43 NS	0200.0	0206.1	481.0D	28.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0351.3	481.0D	210.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1018.0	2210.3	766.0D	230.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	2128.0	718.0D	320.0			QL=6 ST=2 TYP=1

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

111
Misc
Sep 79

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
07	245	PALE	47 GB	0056.1	0057.3	4.9	2000.0			QL=6 ST=2 TYP=5
	8800	MANI	47 GB	0057.0	0058.6	4.5	119.0			QL=6 ST=2 TYP=5
	8800	SGMR	8 S	1352.8	1352.8	1.0	68.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1947.3	1948.8	4.0D	160.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1947.3	1949.0	4.3D	190.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1948.6	1950.6	4.0	18.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1948.8	1949.8	4.3D	40.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1949.6	1950.0	2.4D	380.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1949.6	1950.3	3.5D	24.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2057.5	2058.3	7.8	190.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2058.5	2058.6	.1D	80.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2059.0	2102.5	6.8D	130.0			QL=6 ST=2 TYP=3
08	245	LEAR	43 NS	0200.0	0430.6	481.0D	92.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0859.0	481.0D	740.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1019.0	1615.0	763.0D	170.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	0154.3	718.0D	110.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0204.6	0205.0	2.5D	150.0			QL=6 ST=3 TYP=3
	410	LEAR	4 S/F	0204.8	0206.6	2.3D	19.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0205.0	0205.8	2.8	9.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0205.1	0205.6	2.2D	13.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0626.0	0629.5	8.0	9.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0627.3	0631.0	5.7D	59.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0628.1	0628.8	3.7D	27.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0628.1	0629.3	1.5D	9.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0646.6	0648.0	7.0D	270.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0646.6	0648.1	11.2D	270.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0647.0	0648.0	8.0D	380.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0647.0	0648.1	5.5D	35.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0647.0	0648.1	6.1	38.0			QL=2 ST=2 TYP=3
8800	ATHN	4 S/F	0647.0	0648.1	6.8	400.0			QL=6 ST=2 TYP=3	
15400	LEAR	4 S/F	0647.0	0648.1	6.1	180.0			QL=6 ST=2 TYP=3	
8800	MANI	4 S/F	0647.3	0648.3	7.7	119.0			QL=6 ST=3 TYP=4	
4995	MANI	4 S/F	0647.8	0648.3	6.2D	350.0			QL=6 ST=3 TYP=4	
09	410	LEAR	43 NS	0200.0	0924.8	481.0D	100.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	1021.0	1359.6	759.0D	430.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1644.0	2219.5	719.0D	160.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1644.0	2219.5	719.0D	210.0			QL=6 ST=2 TYP=1
	410	PALE	4 S/F	0240.1	0244.6	7.2D	370.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0240.3	0245.3	6.8	75.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	0240.8	0244.5	6.3D	110.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1211.8E	1212.6	2.2D	45.0			QL=2 ST=2 TYP=3
	1415	ATHN	4 S/F	1211.8	1212.6	2.5	32.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	1211.8	1213.5	1379.3D	32.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	1212.0	1212.6	1.1	29.0			QL=5 ST=2 TYP=3
	245	SGMR	47 GB	1228.1	1228.5	2.9	1399.0			QL=6 ST=3 TYP=5
	606	SGMR	8 S	1228.1	1228.6	.7D	400.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	1921.8	1922.6	1.2D	11.0			QL=6 ST=2 TYP=3
1415	SGMR	4 S/F	1922.3	1923.0	2.2	200.0			QL=6 ST=2 TYP=3	
10	245	SGMR	43 NS	1022.0	1154.8	756.0D	1199.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0414.3	0414.6	.7	119.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0515.1	0516.1	2.4	81.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0515.3	0515.6	3.0D	39.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0515.3	0515.6	7.7D	300.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0515.3	0516.1	11.7	49.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0515.3	0516.3	2.5D	62.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0515.3	0516.3	11.7D	70.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0515.3	0516.5	3.2	45.0			QL=2 ST=2 TYP=3
	1415	LEAR	4 S/F	0515.3	0516.5	4.7	22.0			QL=2 ST=2 TYP=3
	2695	LEAR	4 S/F	0515.3	0516.6	11.7D	39.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0515.3	0516.8	2.3	28.0			QL=6 ST=2 TYP=3
	1415	MANI	4 S/F	0515.5	0516.8	3.1D	17.0			QL=6 ST=2 TYP=4
	606	MANI	4 S/F	0515.6	0516.3	2.4D	3.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	0515.6	0516.8	2.2	35.0			QL=6 ST=2 TYP=4
	2695	MANI	4 S/F	0515.6	0516.8	2.4D	43.0			QL=6 ST=2 TYP=4
	8800	ATHN	8 S	0515.8	0516.1	1.7	27.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0643.5	0643.6	.3	370.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0943.3	0943.3	30.0	52.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean (10 ⁻²² W/m ² Hz)	Int	Remarks
10	245	LEAR	4 S/F	0943.3	0943.3	3.0D	119.0			QL=6 ST=2 TYP=3
11	245	SGMR	43 NS	1023.0	1546.6	814.0D	650.0			QL=6 ST=2 TYP=1
	606	PALE	8 S	0102.8	0103.3	1.0	430.0			QL=6 ST=2 TYP=3
	606	MANI	4 S/F	0517.8	0518.6	2.3D	49.0			QL=6 ST=2 TYP=3
	1415	MANI	8 S	0517.8	0519.1	1.8D	170.0			QL=6 ST=2 TYP=3
	2695	MANI	8 S	0518.0	0518.5	1.6D	2.0			QL=6 ST=2 TYP=4
	4995	MANI	8 S	0518.6	0519.1	.7	42.0			QL=6 ST=2 TYP=4
	245	LEAR	47 GB	0522.6	0523.1	9.9D	1800.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0522.6	0523.5	9.4	290.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0522.6	0524.1	8.0D	61.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0522.6	0524.1	9.4D	77.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0522.8	0524.1	7.8	240.0			QL=2 ST=2 TYP=3
	4995	LEAR	4 S/F	0522.8	0524.1	7.2	69.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0618.5	0618.6	2.3D	119.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0618.5	0618.6	1.8D	800.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0619.5	0620.3	1.5	13.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0807.8	0808.3	3.5D	45.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0807.8	0808.8	1.8D	17.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0808.1	0808.8	2.7	180.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1341.5	1347.0	13.0	110.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1343.0	1346.5	12.0D	94.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1343.0	1347.0	11.0D	37.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1343.0	1349.8	11.0D	21.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1343.3	1347.0	52.3D	89.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1343.6	1346.8	53.9D	48.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	1343.6	1347.3	12.2D	100.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1343.6	1359.3	60.5	37.0			QL=6 ST=2 TYP=4
12	245	LEAR	43 NS	0200.0	0423.1	484.0D	54.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1024.0	1459.5	751.0D	410.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0334.8	0335.6	4.5D	95.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0335.6	0336.1	3.2D	15.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0336.0	0336.3	1.0	11.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0651.0	0651.6	1.6	139.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0810.8	0810.8	.5D	54.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0811.6	0811.6	32.0	6.0			QL=6 ST=2 TYP=3
13	245	SGMR	43 NS	1737.0	1807.6	39.0	59.0			QL=6 ST=2 TYP=1
	245	PALE	4 S/F	0009.0	0010.1	2.1	93.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1310.1	1312.1	5.9D	30.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1310.3	1312.1	5.7D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1310.8	1312.0	5.2	26.0			QL=6 ST=2 TYP=3
14	410	LEAR	43 NS	0200.0	0204.5	484.0D	41.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	0200.0	0204.6	484.0D	41.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	1026.0	2115.3	745.0D	190.0			QL=6 ST=2 TYP=1
	8800	LEAR	4 S/F	0324.8	0325.1	4.3D	94.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0324.8	0325.1	10.2	72.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0324.8	0325.3	4.5D	24.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0324.8	0327.0	7.3D	20.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0324.8	0327.0	6.3	96.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0324.8	0327.0	10.2D	100.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0633.0	0633.1	.5	16.0			QL=6 ST=2 TYP=3
	4995	ATHN	47 GB	0651.8	0738.0	106.8	4700.0			QL=5 ST=2 TYP=5
	8800	LEAR	47 GB	0652.5	0737.5	81.5D	3100.0			QL=6 ST=3 TYP=5
	8800	ATHN	47 GB	0653.0E	0743.1	103.8D	3000.0			QL=5 ST=2 TYP=5
	4995	LEAR	47 GB	0653.0	0745.6	81.0D	4500.0			QL=6 ST=3 TYP=5
	4995	MANI	47 GB	0653.6	0744.6	98.2D	430.0			QL=6 ST=3 TYP=5
	2695	LEAR	47 GB	0653.8	0745.6	80.2D	3000.0			QL=6 ST=3 TYP=5
	2695	MANI	47 GB	0655.0	0745.5	96.3D	4100.0			QL=6 ST=3 TYP=5
	8800	MANI	47 GB	0656.0	0739.0	97.6	3000.0			QL=6 ST=3 TYP=5
	1415	MANI	47 GB	0656.3	0747.6	107.5D	930.0			QL=6 ST=3 TYP=5
	15400	LEAR	47 GB	0656.5	0737.3	93.5	2900.0			QL=6 ST=3 TYP=5
	606	LEAR	47 GB	0657.6	0704.0	75.4D	250.0			QL=6 ST=3 TYP=5
	410	LEAR	47 GB	0658.0	0700.6	67.0D	1399.0			QL=6 ST=3 TYP=5
	606	MANI	47 GB	0659.1	0701.1	112.9D	340.0			QL=6 ST=3 TYP=5
	245	LEAR	47 GB	0659.6	0701.8	62.4D	440.0			QL=6 ST=3 TYP=5
	15400	LEAR	47 GB	0722.0	0737.3	78.0	2900.0			QL=6 ST=2 TYP=5
	2695	LEAR	4 S/F	0814.0	0821.3	20.3D	380.0			QL=5 ST=3 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

113
Misc
Sep 79

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
14	4995	LEAR	4 S/F	0814.0	0821.5	21.6D	390.0			QL=5 ST=3 TYP=3
	8800	LEAR	4 S/F	0814.0	0821.5	23.0	320.0			QL=5 ST=3 TYP=3
	606	LEAR	47 GB	0814.6	0909.0	109.4D	1800.0			QL=5 ST=3 TYP=5
	410	LEAR	47 GB	0815.8	0932.6	108.2D	700.0			QL=5 ST=3 TYP=5
	245	LEAR	47 GB	0819.0	0931.8	105.0D	910.0			QL=5 ST=3 TYP=5
	606	MANI	47 GB	0855.6	0907.0	16.7	560.0			QL=6 ST=2 TYP=5
	4995	ATHN	47 GB	0923.3	0950.8	38.0	39.0			QL=6 ST=3 TYP=5
	8800	MANI	4 S/F	0925.1	0927.5	8.2	139.0			QL=6 ST=2 TYP=3
	1415	ATHN	47 GB	0926.1	0927.3	19.0D	139.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	0926.1	0930.1	68.2	32.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0926.1	0930.3	9.7	17.0			QL=6 ST=2 TYP=4
	245	SGMR	4 S/F	1045.3	1054.6	16.5	310.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	1049.8	1053.0	13.5D	170.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1658.6	1700.8	11.5D	41.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1659.0	1700.5	5.3D	65.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	1659.6	1700.8	3.2	43.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1659.8	1700.5	3.8D	13.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1659.8	1701.1	3.7	11.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	1659.8	1701.8	5.8D	68.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1931.0	1934.8	8.6	32.0			QL=6 ST=2 TYP=3
4995	SGMR	4 S/F	1931.1	1936.0	9.5D	26.0			QL=6 ST=2 TYP=3	
2695	SGMR	4 S/F	1931.3	1935.0	8.0D	22.0			QL=6 ST=2 TYP=3	
15	245	SGMR	43 NS	1027.0	2014.5	742.0D	61.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	2116.8	714.0D	280.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	2339.0	712.0D	200.0			QL=6 ST=2 TYP=1
	8800	SGMR	8 S	1818.8	1819.5	1.8	260.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2003.1	2003.5	1.5	150.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	2144.1	2144.5	1.9	880.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	2145.3	2145.5	.3D	1300.0			QL=6 ST=2 TYP=5
	410	PALE	8 S	2145.3	2145.5	.3	80.0			QL=6 ST=2 TYP=3
16	410	LEAR	43 NS	0200.0	0346.3	485.0D	9.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0531.8	485.0D	490.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1028.0	1505.6	740.0D	360.0			QL=6 ST=2 TYP=1
	1415	PALE	4 S/F	0107.8	0109.3	4.2D	51.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	0107.8	0109.3	4.2D	490.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0107.8	0109.3	4.2D	200.0			QL=6 ST=2 TYP=3
	8800	PALE	47 GB	0107.8	0109.5	4.2D	1500.0			QL=6 ST=2 TYP=5
	8800	MANI	47 GB	0108.0	0109.5	7.0	1300.0			QL=6 ST=2 TYP=5
	410	PALE	4 S/F	0108.0	0112.3	6.0D	100.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0108.0	0113.3	6.0	119.0			QL=6 ST=2 TYP=3
	1415	MANI	4 S/F	0700.6	0701.3	4.0	49.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	0759.6	0800.8	4.4D	33.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0759.8	0801.6	30.8	180.0			QL=5 ST=2 TYP=3
	4995	MANI	4 S/F	0800.8	0802.0	2.3	67.0			QL=6 ST=2 TYP=4
	2695	LEAR	4 S/F	0801.0	0802.6	9.5D	16.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0801.1	0801.5	9.4D	110.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0801.1	0801.6	11.4	100.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0801.1	0802.6	13.4D	119.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0801.1	0802.6	19.2D	150.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	0802.1	0802.8	9.0D	6.0			QL=5 ST=2 TYP=3
	8800	ATHN	47 GB	0933.6	0937.0	55.9	1600.0			QL=5 ST=2 TYP=5
	4995	MANI	4 S/F	0935.3	0936.8	4.7	330.0			QL=6 ST=2 TYP=4
	2695	MANI	4 S/F	0935.3	0936.8	5.3D	119.0			QL=6 ST=2 TYP=4
	15400	LEAR	47 GB	0935.6	0951.0	19.4	890.0			QL=6 ST=2 TYP=5
	245	SGMR	8 S	1948.6	1948.8	1.4D	46.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1949.6	1950.0	6.4D	47.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1949.8	1949.8	.2D	25.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1950.0	1952.0	5.3D	39.0			QL=6 ST=2 TYP=3
	1415	PALE	47 GB	1950.3	1952.8	5.7D	43.0			QL=6 ST=3 TYP=5
	4995	PALE	4 S/F	1950.5	1952.6	5.5D	54.0			QL=6 ST=3 TYP=3
	15400	PALE	4 S/F	1950.6	1951.5	5.4D	93.0			QL=6 ST=3 TYP=3
	606	PALE	4 S/F	1950.6	1951.5	5.4	93.0			QL=6 ST=3 TYP=3
	8800	PALE	4 S/F	1950.6	1951.6	5.4D	110.0			QL=6 ST=3 TYP=3
4995	SGMR	4 S/F	1950.8	1952.8	5.0D	32.0			QL=6 ST=2 TYP=3	
15400	SGMR	4 S/F	1951.0	1951.5	5.8	57.0			QL=6 ST=2 TYP=3	
2695	PALE	4 S/F	1951.0	1952.5	5.0D	71.0			QL=6 ST=3 TYP=3	
2695	SGMR	4 S/F	1951.1	1952.8	6.7D	78.0			QL=6 ST=2 TYP=3	
8800	PALE	8 S	2351.0	2351.3	1.3	119.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
17	245	LEAR	43 NS	0303.0	0840.6	423.0D	13.0			QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1030.0	2222.5	736.0D	76.0			QL=6 ST=2 TYP=1	
18	410	LEAR	43 NS	0200.0	0745.6	486.0D	38.0			QL=6 ST=3 TYP=1	
	245	LEAR	43 NS	0200.0	0911.1	486.0D	60.0			QL=6 ST=3 TYP=1	
	245	SGMR	43 NS	1030.0	1111.6	734.0D	79.0			QL=6 ST=2 TYP=1	
	8800	ATHN	4 S/F	0748.1	0801.3	43.9	13.0			QL=5 ST=2 TYP=4	
	4995	ATHN	4 S/F	0750.3	0819.6	55.3D	34.0			QL=5 ST=2 TYP=4	
	2695	ATHN	4 S/F	0755.1	0823.3	92.0D	19.0			QL=5 ST=2 TYP=4	
	8800	ATHN	4 S/F	1251.1	1253.5	6.5	34.0			QL=5 ST=2 TYP=4	
	8800	SGMR	4 S/F	1432.5	1438.3	60.0D	100.0			QL=6 ST=2 TYP=4	
	4995	SGMR	4 S/F	1432.5	1438.3	60.0D	130.0			QL=6 ST=2 TYP=4	
	606	SGMR	4 S/F	1432.8	1439.3	60.0D	18.0			QL=6 ST=2 TYP=4	
	2695	SGMR	4 S/F	1435.6	1438.3	60.0D	36.0			QL=6 ST=2 TYP=4	
	15400	SGMR	4 S/F	1436.6	1437.8	60.0	40.0			QL=6 ST=2 TYP=4	
	19	245	LEAR	43 NS	0745.0	0753.3	142.0D	88.0			QL=6 ST=2 TYP=1
410		LEAR	43 NS	0745.0	0846.0	142.0D	5.0			QL=6 ST=2 TYP=1	
8800		ATHN	4 S/F	0644.8	0646.1	10.5	400.0			QL=6 ST=2 TYP=3	
2695		ATHN	4 S/F	0645.1	0646.1	16.0D	119.0			QL=6 ST=2 TYP=3	
1415		ATHN	4 S/F	0645.1	0646.5	22.5D	42.0			QL=6 ST=2 TYP=4	
4995		MANI	4 S/F	0646.0	0647.5	6.6D	119.0			QL=6 ST=2 TYP=3	
8800		MANI	4 S/F	0646.5	0647.5	7.6	250.0			QL=6 ST=2 TYP=3	
2695		MANI	8 S	0647.1	0647.6	1.9D	49.0			QL=6 ST=2 TYP=4	
2695		ATHN	4 S/F	0707.6	0708.5	14.5D	9.0			QL=6 ST=2 TYP=4	
8800		ATHN	4 S/F	0707.6	0708.8	7.0	30.0			QL=6 ST=2 TYP=4	
606		SGMR	8 S	1213.6	1213.8	.2	62.0			QL=6 ST=2 TYP=3	
8800		SGMR	4 S/F	1217.6	1219.0	3.7	20.0			QL=6 ST=2 TYP=3	
2695		SGMR	4 S/F	1355.1	1359.0	9.7D	57.0			QL=6 ST=2 TYP=3	
8800		ATHN	47 GB	1355.3	1357.6	39.5	280.0			QL=6 ST=2 TYP=5	
4995		SGMR	4 S/F	1355.3	1357.6	8.7D	200.0			QL=6 ST=2 TYP=3	
8800		SGMR	4 S/F	1355.3	1357.6	12.2D	250.0			QL=6 ST=2 TYP=3	
15400		SGMR	4 S/F	1356.0	1358.8	10.5	130.0			QL=6 ST=2 TYP=3	
8800		SGMR	4 S/F	1416.0	1420.3	13.3D	74.0			QL=6 ST=2 TYP=3	
4995		SGMR	4 S/F	1417.0	1420.1	10.8D	80.0			QL=6 ST=2 TYP=3	
2695		SGMR	4 S/F	1417.1	1420.3	10.2D	59.0			QL=6 ST=2 TYP=3	
15400		SGMR	4 S/F	1417.6	1420.5	7.7	61.0			QL=6 ST=2 TYP=3	
1415		SGMR	4 S/F	1419.6	1420.1	3.4D	4.0			QL=6 ST=2 TYP=3	
1415		SGMR	4 S/F	1557.0	1604.5	13.0D	4.0			QL=6 ST=2 TYP=4	
2695		SGMR	4 S/F	1600.0	1602.3	10.5D	11.0			QL=6 ST=2 TYP=3	
4995		SGMR	4 S/F	1600.6	1601.1	9.4D	8.0			QL=6 ST=2 TYP=3	
8800		SGMR	4 S/F	1600.8	1602.3	9.7D	13.0			QL=6 ST=2 TYP=3	
15400		SGMR	4 S/F	1601.1	1607.8	9.9	11.0			QL=6 ST=2 TYP=4	
8800		MANI	47 GB	2301.0	2306.1	20.8	2000.0			QL=6 ST=2 TYP=5	
2695		PALE	47 GB	2302.0	2306.8	33.0D	1800.0			QL=6 ST=2 TYP=5	
1415		PALE	4 S/F	2302.0	2307.1	33.0D	460.0			QL=6 ST=2 TYP=3	
606		PALE	4 S/F	2302.0	2311.1	19.5D	26.0			QL=6 ST=2 TYP=3	
20		410	LEAR	43 NS	0200.0	0253.0	488.0D	17.0			QL=6 ST=2 TYP=1
		245	LEAR	43 NS	0200.0	0322.5	488.0D	300.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1100.0	1735.6	701.0D	86.0			QL=6 ST=2 TYP=1	
	4995	LEAR	4 S/F	0737.6	0742.1	12.2D	11.0			QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0738.1	0741.1	6.2D	81.0			QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0739.8	0742.0	5.2	17.0			QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0740.6	0741.1	1.4D	11.0			QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0757.6	0759.5	7.0	200.0			QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0757.6	0759.6	8.5D	240.0			QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0758.5	0759.1	6.6	130.0			QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	0758.5	0759.3	12.3D	43.0			QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0758.8	0759.5	12.0D	240.0			QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0759.0	0759.5	3.1D	53.0			QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0759.0	0759.6	10.1D	240.0			QL=6 ST=2 TYP=3	
	4995	MANI	8 S	0759.3	0759.6	1.7D	150.0			QL=6 ST=2 TYP=3	
	2695	MANI	8 S	0759.3	0759.6	.8D	69.0			QL=6 ST=2 TYP=4	
	8800	MANI	8 S	0759.3	759.6	1.7	88.0			QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1149.0	1152.5	6.8D	27.0			QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1149.8	1152.6	8.5D	47.0			QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	1150.6	1152.6	4.0	34.0			QL=5 ST=3 TYP=3	
	8800	SGMR	4 S/F	1151.3	1152.6	5.0	9.0			QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	1151.6	1152.6	2.4D	33.0			QL=5 ST=3 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

115
Misc
Sep 79

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
20	8800	SGMR	4 S/F	1207.8	1208.6	6.2D	46.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1208.1	1208.5	5.9D	6.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1208.3	1209.0	4.2	51.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1250.6	1252.6	4.0	34.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1251.6	1252.6	2.4D	33.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	1336.5	1338.5	40.0D	29.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	1337.0	1338.6	10.6	13.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1337.1	1338.6	12.4D	3.0			QL=5 ST=2 TYP=3
21	245	LEAR	43 NS	0500.0	0741.0	309.0	18.0			QL=6 ST=2 TYP=1
	8800	LEAR	47 GB	0349.6	0358.6	11.4D	24.0			QL=6 ST=2 TYP=5
	15400	LEAR	8 S	0357.8	0358.5	1.3	11.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1209.6	1211.3	3.2D	22.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1210.0	1211.5	4.0	64.0			QL=6 ST=3 TYP=3
	4995	ATHN	4 S/F	1211.6	1212.1	9.0D	13.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1211.6	1212.5	9.0	53.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1544.3	1545.3	10.7D	18.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1544.8	1545.3	10.3	9.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1544.8	1545.3	10.2D	16.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1556.3	1558.3	13.5	48.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1556.5	1558.0	13.3D	35.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1556.8	1558.0	13.0D	36.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2109.5	2109.8	23.6	26.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	2109.6	2109.8	3.5D	139.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2109.6	2109.8	3.5D	100.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	2109.8	2110.1	1.3	63.0			QL=6 ST=2 TYP=3
	8800	MANI	47 GB	2350.0	2352.0	5.6	1399.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	2351.3	2353.0	6.7	210.0			QL=6 ST=3 TYP=3
	4995	PALE	47 GB	2351.3	2353.0	6.7D	1100.0			QL=6 ST=3 TYP=5
8800	PALE	47 GB	2351.3	2353.0	6.7D	1900.0			QL=6 ST=3 TYP=5	
15400	PALE	47 GB	2351.3	2353.0	6.7D	810.0			QL=6 ST=3 TYP=5	
22	245	PALE	4 S/F	0005.0	0005.5	2.3	119.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0213.1	0215.6	6.9D	24.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0213.8	0215.8	6.2D	52.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0214.6	0215.8	5.4	44.0			QL=6 ST=2 TYP=3
	8800	MANI	47 GB	0232.0	0234.3	5.0	340.0			QL=6 ST=2 TYP=5
	2695	LEAR	4 S/F	0232.1	0235.5	10.9D	39.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0232.8	0235.3	16.3D	280.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	0233.0	0235.1	5.0D	270.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0233.0	0235.1	5.0D	290.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0233.0	0235.3	5.0	39.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0233.0	0235.5	5.0D	130.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0233.1	0235.3	10.9D	310.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0233.1	0235.5	10.9	110.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0320.0	0320.1	1.0D	13.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0320.1	0320.3	1.0	82.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0349.0	0349.1	1.1	5.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0352.3	0353.1	1.7	40.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0453.3	0453.5	.5	9.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0553.3	0553.5	.5	9.0			QL=6 ST=2 TYP=3
	8800	MANI	8 S	0729.1	0729.6	1.0	53.0			QL=6 ST=2 TYP=4
	4995	MANI	8 S	0729.3	0729.6	1.5D	88.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0730.3	0730.6	5.5	47.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0730.3	0730.8	2.3	70.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0730.3	0730.8	1.8D	13.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0730.5	0730.6	2.8D	11.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0730.5	0730.6	5.0D	83.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0730.5	0730.8	2.3D	85.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0815.1	0815.6	1.0D	25.0			QL=6 ST=3 TYP=3
	15400	LEAR	8 S	0815.3	0815.6	1.0	75.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0820.6	0821.8	8.7D	100.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0820.8	0821.8	7.5D	22.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0821.3	0821.6	6.3D	13.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0821.3	0821.8	5.5D	60.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0821.3	0821.8	7.0	39.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0821.3	0821.8	7.2D	110.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0821.6	0821.8	1.5	25.0			QL=6 ST=2 TYP=3
	4995	PALE	47 GB	2351.3	2353.0	6.7D	1100.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	2351.3	2353.0	6.7	210.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
23	410	LEAR	43 NS	0200.0	0837.0	490.0D	31.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	0200.0	0847.5	490.0D	50.0			QL=6 ST=3 TYP=1
	4995	MANI	4 S/F	0202.0	0203.6	3.0D	70.0			QL=6 ST=2 TYP=4
	4995	LEAR	4 S/F	0202.6	0203.3	2.5D	91.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0202.6	0203.3	2.4	82.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0202.6	0203.3	2.9D	119.0			QL=6 ST=3 TYP=3
	8800	MANI	8 S	0203.0	0203.1	1.8	56.0			QL=6 ST=2 TYP=4
	2695	MANI	8 S	0203.0	0204.6	2.0D	66.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0619.8	0620.1	5.2D	230.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0619.8	0620.5	5.2D	74.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0620.0	0620.3	2.0	130.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0620.1	0620.6	6.7	160.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0620.1	0620.6	6.7D	79.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1048.1	1050.3	8.9	46.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1048.6	1050.3	7.9D	44.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1157.8	1159.3	6.5D	13.0			QL=6 ST=2 TYP=4
8800	ATHN	4 S/F	1158.1	1159.3	6.2	28.0			QL=6 ST=2 TYP=4	
24	410	LEAR	43 NS	0200.0	0315.5	490.0D	21.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0800.6	490.0D	110.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1033.0	2024.0	720.0D	50.0			QL=6 ST=2 TYP=1
	245	PALE	4 S/F	0134.5	0139.8	6.0	220.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0149.8	0150.1	4.2D	39.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	0149.8	0150.1	4.7D	34.0			QL=6 ST=2 TYP=3
	8800	MANI	4 S/F	0506.0	0507.8	4.0	139.0			QL=6 ST=2 TYP=3
	4995	MANI	4 S/F	0506.0	0508.0	4.0D	61.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	0506.1	0508.1	18.5D	66.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0506.3	0508.1	19.2	150.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0506.3	0509.1	1212.0D	21.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0656.3	0657.6	2.5	64.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1748.0	1750.1	7.0D	13.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1748.0	1750.3	9.0D	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1748.0	1751.3	8.0	33.0			QL=6 ST=2 TYP=3
25	410	LEAR	43 NS	0304.0	0513.5	427.0D	17.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0340.0	0306.0	391.0D	130.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1700.0	1826.0	332.0D	59.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0325.6	0327.1	3.2D	660.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0326.8	0327.0	.7D	24.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0326.8	0327.1	.5	10.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1124.1	1129.0	16.0D	110.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	1125.0	1130.3	15.6	34.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1125.3	1130.6	17.3D	69.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1127.3	1129.3	12.2	11.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1127.3	1130.0	14.7D	27.0			QL=6 ST=2 TYP=3
26	245	SGMR	43 NS	1039.0	1904.1	711.0D	210.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1039.0	2018.8	711.0D	43.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1643.0	1905.1	706.0D	260.0			QL=6 ST=2 TYP=1
	245	SGMR	47 GB	1311.6	1315.8	6.7	1100.0			QL=6 ST=3 TYP=5
	606	SGMR	8 S	2010.6	2011.0	1.4	130.0			QL=6 ST=2 TYP=3
27	245	LEAR	43 NS	0200.0	0849.6	493.0D	81.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1040.0	1910.3	708.0D	100.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1644.0	1912.1	704.0D	91.0			QL=6 ST=2 TYP=1
	606	SGMR	4 S/F	1214.1	1215.0	2.7	54.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1726.3	1726.8	2.5	1399.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1844.3	1845.1	4.0	130.0			QL=6 ST=2 TYP=3
28	410	LEAR	43 NS	0200.0	0344.3	493.0D	39.0			QL=1 ST=2 TYP=1
	245	LEAR	43 NS	0330.0	0804.1	403.0D	70.0			QL=1 ST=2 TYP=1
	245	SGMR	43 NS	1041.0	2043.5	705.0D	75.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1644.0	0013.6	703.0D	190.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0757.0	0758.0	2.0	180.0			QL=5 ST=2 TYP=3
	1415	ATHN	4 S/F	0757.0	0758.0	2.1D	18.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0757.0	0758.0	1.5D	46.0			QL=6 ST=3 TYP=3
	2695	ATHN	8 S	0757.3	0758.0	1.0	13.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0757.8	0758.0	.5	16.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0758.0	0758.1	.1D	65.0			QL=5 ST=2 TYP=3
29	410	LEAR	43 NS	0200.0	0231.1	494.0D	79.0			QL=6 ST=3 TYP=1

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

117
Misc
Sep 79

SEPTEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
29	245	LEAR	43 NS	0200.0	0551.3	494.0D	230.0			QL=6 ST=3 TYP=1
	410	SGMR	43 NS	1042.0	1706.0	703.0D	52.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1042.0	1723.8	703.0D	530.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1645.0						QL=6 ST=3 TYP=1
	410	LEAR	47 GB	0350.1	0352.1	4.0D	4100.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0350.6	0353.8	3.7	26.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	0351.0	0352.1	4.0	5200.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	1107.1	1110.1	13.0	35.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1107.6	1110.3	10.7D	13.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1321.1	1321.6	4.7D	24.0			QL=6 ST=2 TYP=4
	2695	ATHN	8 S	1321.1	1321.8	1.7D	6.0			QL=6 ST=2 TYP=4
	8800	ATHN	8 S	1321.3	1321.6	1.2	10.0			QL=6 ST=2 TYP=4
	245	SGMR	4 S/F	1913.0	1914.1	4.1	38.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1914.1	1915.6	2.0D	530.0			QL=6 ST=2 TYP=5
	245	PALE	8 S	1915.0	1915.1	.6	150.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	1915.0	1915.3	.6D	600.0			QL=6 ST=2 TYP=5
30	245	LEAR	43 NS	0200.0	0437.8	494.0D	230.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0805.6	494.0D	56.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1043.0	1156.8	700.0D	70.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1043.0	1452.3	700.0D	600.0			QL=6 ST=2 TYP=1
	4995	LEAR	4 S/F	0612.0	0616.6	12.0D	47.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0612.1	0616.8	47.2	47.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0612.6	0616.8	48.0	130.0			QL=5 ST=2 TYP=4
	8800	LEAR	4 S/F	0613.3	0616.3	1438.7D	119.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0614.3	0616.5	3.7	26.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0758.3	0804.6	10.3D	17.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0801.6	0805.1	22.2	36.0			QL=5 ST=2 TYP=4
	4995	ATHN	4 S/F	0803.5	0805.1	20.3	17.0			QL=6 ST=2 TYP=4
	606	MANI	4 S/F	0803.6	0806.3	6.2	950.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	0804.1	0805.1	18.5D	20.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1105.8	1109.0	21.0	86.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1106.6	1109.0	17.5D	48.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1108.0	1109.3	8.3D	6.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1126.8	1133.3	13.0D	71.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1127.5	1133.5	13.8	31.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1129.8	1135.8	11.8D	85.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1130.0	1135.1	11.5D	43.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	2151.3	2157.3	11.3	1300.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2152.1	2157.1	6.9	2400.0			QL=6 ST=2 TYP=5

118
Misc
Oct 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
01	410	LEAR	43 NS	0200.0	0341.8	496.0D	56.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0544.1	496.0D	1100.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1044.0	1147.8	697.0D	300.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1044.0	1206.0	697.0D	36.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1645.0	0040.1	701.0D	620.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1645.0	0324.6	701.0D	110.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1645.0	2032.5	698.0D	240.0		QL=6 ST=2 TYP=1	
	4995	PALE	47 GB	0100.0	1645.0	1094.6D	80.0		QL=6 ST=2 TYP=5	
	2695	ATHN	4 S/F	0557.1	0559.1	6.5D	22.0		QL=6 ST=2 TYP=4	
	4995	ATHN	4 S/F	0557.6	0559.3	15.5D	37.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	0558.0	0559.6	14.0	24.0		QL=6 ST=2 TYP=4	
	8800	MANI	4 S/F	0723.1	0724.8	3.9	42.0		QL=6 ST=2 TYP=4	
	4995	MANI	4 S/F	0723.3	0724.6	4.7D	70.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0921.0	0921.8	4.1D	119.0		QL=6 ST=3 TYP=3	
	15400	LEAR	8 S	0921.1	0921.8	1.7	34.0		QL=6 ST=3 TYP=3	
	4995	LEAR	4 S/F	0921.1	0922.1	3.9D	55.0		QL=6 ST=3 TYP=3	
	4995	SGMR	4 S/F	1133.8	1135.5	7.7D	89.0		QL=6 ST=2 TYP=3	
	15400	SGMR	4 S/F	1134.0	1135.6	7.5	130.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1134.0	1135.6	9.1D	270.0		QL=6 ST=2 TYP=3	
	1415	PALE	8 S	1757.8	1758.5	1.3D	16.0		QL=6 ST=2 TYP=3	
	606	PALE	8 S	1757.8	1758.5	1.3D	130.0		QL=6 ST=2 TYP=3	
410	PALE	8 S	1757.8	1758.5	1.3D	74.0		QL=6 ST=2 TYP=3		
245	PALE	8 S	1757.8	1758.5	1.3	160.0		QL=6 ST=2 TYP=3		
02	245	LEAR	43 NS	0200.0	0539.1	496.0D	330.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0200.0	0810.0	496.0D	36.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1045.0	1537.0	694.0D	110.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1045.0	1857.1	694.0D	37.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1645.0	2019.6	697.0D	210.0		QL=6 ST=2 TYP=1	
	4995	PALE	47 GB	0100.0	1645.0	1159.0D	80.0		QL=6 ST=2 TYP=5	
	1415	ATHN	8 S	0936.5	0937.1	2.0D	39.0		QL=6 ST=2 TYP=3	
	2695	ATHN	8 S	0936.8	0937.0	1.5D	28.0		QL=6 ST=2 TYP=3	
	4995	ATHN	8 S	0936.8	0937.0	.8D	13.0		QL=6 ST=2 TYP=3	
	8800	ATHN	8 S	0936.8	0937.0	.5	11.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0959.1	1000.6	3.7D	23.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	0959.8	1000.8	2.8	11.0		QL=6 ST=2 TYP=4	
	606	SGMR	8 S	1403.0	1403.5	.8	51.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1403.1	1404.0	1.0D	62.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1441.6	1445.6	24.0D	32.0		QL=6 ST=2 TYP=4	
	2695	ATHN	4 S/F	1441.8	1445.6	23.8	52.0		QL=6 ST=2 TYP=4	
	2695	SGMR	47 GB	1442.6	1452.1	19.9	2.0		QL=6 ST=2 TYP=5	
	410	PALE	4 S/F	2153.5	2201.3	15.5	36.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	2155.6	2200.6	14.4D	24.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	2156.0	2200.3	13.0D	24.0		QL=6 ST=2 TYP=3	
	606	PALE	4 S/F	2156.0	2201.0	13.6D	130.0		QL=6 ST=2 TYP=3	
606	SGMR	4 S/F	2156.5	2200.6	13.6D	91.0		QL=6 ST=2 TYP=3		
2695	PALE	4 S/F	2157.0	2200.1	8.0D	119.0		QL=6 ST=2 TYP=3		
1415	SGMR	4 S/F	2157.3	2200.6	6.8	33.0		QL=6 ST=2 TYP=3		
03	410	LEAR	43 NS	0200.0	0205.6	497.0D	11.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0747.3	497.0D	170.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1047.0	1557.6	623.0D	170.0		QL=6 ST=2 TYP=1	
	1415	PALE	8 S	0031.8	0032.1	1.0	55.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0831.3	0833.8	13.8D	27.0		QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	0831.8	0832.5	4.5D	11.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0832.3	0837.8	14.3	13.0		QL=6 ST=2 TYP=4	
04	245	LEAR	43 NS	0200.0	0329.1	495.0D	170.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0200.0	0652.1	495.0D	13.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1048.0	1823.0	688.0D	76.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1648.0	0325.3	690.0D	200.0		QL=6 ST=2 TYP=1	
	1415	ATHN	4 S/F	1049.1	1050.1	6.2D	13.0		QL=6 ST=3 TYP=4	
	2695	ATHN	47 GB	1049.5	1050.6	7.3D	75.0		QL=6 ST=3 TYP=5	
	4995	ATHN	47 GB	1049.6	1050.6	9.0	41.0		QL=6 ST=3 TYP=5	
	8800	SGMR	47 GB	1550.5	1600.8	24.6D	330.0		QL=6 ST=2 TYP=5	
	8800	SGMR	47 GB	1636.3	1640.6	23.7	85.0		QL=6 ST=2 TYP=5	
	8800	PALE	8 S	2103.1	2104.1	2.0D	60.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	2103.3	2104.3	1.5D	210.0		QL=6 ST=2 TYP=3	
	606	PALE	8 S	2103.5	2104.3	1.5	370.0		QL=6 ST=2 TYP=3	
1415	PALE	4 S/F	2103.6	2104.3	2.7D	18.0		QL=6 ST=2 TYP=3		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

119
Misc
Oct 79

OCTOBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean			
04	2695	PALE	4 S/F	2103.8	2104.1	2.2D	49.0			QL=6 ST=2 TYP=3	
	4995	PALE	8 S	2103.8	2104.1	1.8D	35.0			QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	2104.1	2105.1	6.0	24.0			QL=6 ST=2 TYP=3	
05	1415	SGMR	43 NS	1237.0	1203.6	577.0D	450.0			QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1237.0	1249.8	577.0D	400.0			QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1237.0	1310.0	577.0D	69.0			QL=6 ST=2 TYP=1	
	606	SGMR	43 NS	1237.0	1556.1	577.0D	17.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1648.0	1849.8	687.0D	41.0			QL=6 ST=3 TYP=1	
	245	LEAR	4 S/F	0200.0E	0200.3	7.1D	84.0			QL=6 ST=3 TYP=3	
	410	LEAR	4 S/F	0200.0	0200.3	6.3D	57.0			QL=6 ST=3 TYP=3	
	606	LEAR	4 S/F	0200.1	0201.1	5.7	70.0			QL=6 ST=3 TYP=3	
	100	LEAR	8 S	0200.3E	0207.1		2.0			QL=6 ST=2 TYP=4	
	606	LEAR	4 S/F	0225.8	0227.0	9.7	59.0			QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0226.1	0226.8	4.7D	139.0			QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0559.6	0602.5	6.7	21.0			QL=6 ST=2 TYP=3	
	1415	MANI	47 GB	0600.0	0600.6	3.3D	220.0			QL=6 ST=2 TYP=5	
	8800	LEAR	4 S/F	0600.0	0602.5	9.1D	53.0			QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0600.0	0602.6	12.3D	22.0			QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0600.1	0602.6	12.2D	47.0			QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	0600.3	0601.1	3.5D	35.0			QL=5 ST=2 TYP=3	
	1415	LEAR	4 S/F	0600.5	0602.8	3.3D	89.0			QL=6 ST=2 TYP=3	
	4995	ATHN	8 S	0600.6	0601.0	1.0D	17.0			QL=5 ST=2 TYP=3	
	8800	ATHN	8 S	0600.6	0601.0	1.0	25.0			QL=5 ST=2 TYP=3	
	1415	ATHN	8 S	0600.6	0601.3	1.2D	79.0			QL=5 ST=2 TYP=3	
	606	LEAR	8 S	0601.8	0602.3	1.5D	66.0			QL=6 ST=2 TYP=3	
	4995	MANI	8 S	0601.8	0602.5	1.2	11.0			QL=6 ST=2 TYP=4	
	8800	SGMR	47 GB	1144.3	1150.1	52.7D	600.0			QL=6 ST=2 TYP=5	
	15400	SGMR	4 S/F	1146.0	1150.1	51.0	270.0			QL=6 ST=2 TYP=3	
	1415	SGMR	47 GB	1254.6	1258.3	16.0D	52000.0			QL=6 ST=2 TYP=5	
	2695	SGMR	4 S/F	1254.8	1258.8	16.2	220.0			QL=6 ST=2 TYP=3	
606	SGMR	47 GB	1549.1	1606.8	32.7	1500.0			QL=6 ST=2 TYP=5		
06	245	LEAR	43 NS	0200.0	0306.0	495.0D	220.0			QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0200.0	0420.8	495.0D	31.0			QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1050.0	1752.6	682.0D	53.0			QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1050.0	1808.6	682.0D	340.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1648.0	0033.0	687.0D	220.0			QL=6 ST=2 TYP=1	
	606	LEAR	4 S/F	0330.0	0334.1	8.6D	25.0			QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0330.6	0331.1	8.0D	26.0			QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0333.6	0334.1	5.5D	52.0			QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0334.1	0334.6	1.5	33.0			QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0334.3	0334.6	2.3D	4.0			QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0334.3	0334.8	3.5D	16.0			QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0335.1	0337.3	8.0D	59.0			QL=6 ST=2 TYP=3	
	07	245	LEAR	43 NS	0200.0	0332.6	495.0D	210.0			QL=6 ST=2 TYP=1
		410	LEAR	43 NS	0200.0	0904.5	495.0D	89.0			QL=6 ST=2 TYP=1
245		SGMR	43 NS	1051.0	1322.0	680.0D	2800.0			QL=6 ST=2 TYP=1	
410		SGMR	43 NS	1051.0	1452.1	680.0D	57.0			QL=6 ST=2 TYP=1	
245		PALE	43 NS	1649.0	0332.6	686.0D	270.0			QL=6 ST=2 TYP=1	
8800		ATHN	47 GB	1358.3	1412.3	37.8	840.0			QL=5 ST=2 TYP=5	
8800		SGMR	47 GB	1405.1	1412.3	17.0D	500.0			QL=6 ST=2 TYP=5	
15400		SGMR	4 S/F	1409.8	1412.3	7.0	300.0			QL=6 ST=2 TYP=3	
15400		PALE	4 S/F	2251.0	2251.5	4.0D	200.0			QL=6 ST=2 TYP=3	
8800		PALE	4 S/F	2251.0	2251.5	4.0D	180.0			QL=6 ST=2 TYP=3	
410		PALE	4 S/F	2251.0	2251.5	4.0	65.0			QL=6 ST=2 TYP=3	
4995		PALE	4 S/F	2251.0	2251.5	4.0D	139.0			QL=6 ST=2 TYP=3	
1415		PALE	4 S/F	2251.0	2251.5	4.0D	40.0			QL=6 ST=2 TYP=3	
606		PALE	4 S/F	2251.0	2251.5	4.0D	47.0			QL=6 ST=2 TYP=3	
2695		PALE	4 S/F	2251.0	2251.5	4.0D	150.0			QL=6 ST=2 TYP=3	
08	410	LEAR	43 NS	0200.0	0711.8	495.0D	81.0			QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0820.5	495.0D	180.0			QL=6 ST=2 TYP=1	
	606	LEAR	43 NS	0200.0	0905.8	495.0D	11.0			QL=6 ST=2 TYP=1	
	606	SGMR	43 NS	1052.0	1441.6	677.0D	60.0			QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1052.0	2007.3	677.0D	460.0			QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1052.0	2028.3	677.0D	39.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1649.0	0046.0	686.0D	430.0			QL=6 ST=2 TYP=1	
	1415	LEAR	4 S/F	0204.3	0207.1	9.0	210.0			QL=3 ST=3 TYP=3	

120
Misc
Oct 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
08	2695	ATHN	4 S/F	0552.1	0609.6	29.7D	8.0			QL=5 ST=2 TYP=4
	8800	ATHN	4 S/F	0552.6	0608.1	31.0	28.0			QL=5 ST=2 TYP=4
	4995	ATHN	4 S/F	0555.5	0608.3	19.3D	13.0			QL=5 ST=2 TYP=4
	1415	ATHN	4 S/F	0604.3	0610.3	11.0D	4.0			QL=5 ST=2 TYP=4
09	245	LEAR	43 NS	0200.0	0856.5	495.0D	86.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0950.0	495.0D	34.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1052.0	1441.6	677.0D	60.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	1052.0	2007.3	677.0D	460.0			QL=6 ST=3 TYP=1
	410	SGMR	43 NS	1052.0	2028.3	677.0D	39.0			QL=6 ST=3 TYP=1
	410	PALE	43 NS	1649.0	2031.1	683.0D	43.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1649.0	2036.8	683.0D	139.0			QL=6 ST=2 TYP=1
	2695	ATHN	4 S/F	0651.8	0710.6	28.3D	32.0			QL=3 ST=2 TYP=4
	1415	ATHN	4 S/F	0652.5	0705.0	24.5D	22.0			QL=3 ST=2 TYP=4
	8800	ATHN	4 S/F	0654.1	0704.8	20.0	9.0			QL=3 ST=2 TYP=4
	4995	ATHN	4 S/F	0700.6	0703.3	15.9D	16.0			QL=3 ST=2 TYP=4
	245	SGMR	47 GB	1407.1	1409.1	2.2	870.0			QL=6 ST=2 TYP=5
	1415	ATHN	47 GB	1524.6	1526.6	4.5	160.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	1525.3	1526.6	2.2	260.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	1940.8	1941.1	1.5	400.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1941.0	1941.1	1.1D	119.0			QL=6 ST=2 TYP=3
410	PALE	8 S	1941.0	1941.1	1.1D	150.0			QL=6 ST=2 TYP=3	
10	410	LEAR	43 NS	0200.0	0627.3	495.0D	67.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0715.8	495.0D	170.0			QL=6 ST=2 TYP=1
	606	LEAR	43 NS	0200.0	0806.1	495.0D	21.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1054.0	1201.3	672.0D	7.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1054.0	1720.1	672.0D	290.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1649.0	2004.3	682.0D	49.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1649.0	2006.3	682.0D	95.0			QL=6 ST=2 TYP=1
11	410	LEAR	43 NS	0200.0	0726.0	495.0D	139.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0937.1	495.0D	200.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1056.0	2128.3	668.0D	110.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0346.5	0347.6	1.5D	150.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0346.6	0347.5	3.2	13.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0346.8	0347.6	2.8D	23.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0347.0	0347.6	2.1D	2.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	0347.1	0347.3	1.5D	6.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0645.0	0645.6	3.3	11.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0645.0	0646.0	3.1D	7.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0645.0	0646.1	1.6D	490.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0645.0	0646.1	2.0D	370.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0645.5	0645.8	2.1D	21.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0646.0	0646.1	1.1D	44.0			QL=6 ST=3 TYP=3
	1415	ATHN	8 S	1145.5	1145.8	.8D	15.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	1145.5	1146.0	.8D	71.0			QL=6 ST=2 TYP=3
4995	ATHN	8 S	1145.6	1145.8	1.0D	11.0			QL=6 ST=2 TYP=3	
8800	ATHN	8 S	1145.6	1145.8	1.2	8.0			QL=6 ST=2 TYP=4	
12	245	LEAR	43 NS	0200.0	0521.1	495.0D	390.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0747.8	495.0D	35.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1057.0	1120.8	665.0D	1600.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1649.0	2334.0	681.0D	1600.0			QL=6 ST=3 TYP=1
	245	LEAR	47 GB	0721.6	0723.0	2.9D	1900.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0721.8	0722.1	2.7	17.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0729.1	0729.3	.2D	500.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0729.3	0729.3	.3	270.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0810.6	0811.6	3.5	890.0			QL=6 ST=3 TYP=5
	245	LEAR	8 S	0820.8	0820.8	1.2D	260.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0820.8	0821.0	3.2	19.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1034.0	1035.8	12.6D	29.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1034.3	1035.5	10.0D	57.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1034.8	1036.1	5.8D	16.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1034.8	1036.1	11.7	17.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1203.1	1210.8	12.7	13.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1205.6	1210.8	13.5D	19.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1206.1	1210.6	8.4D	11.0			QL=6 ST=2 TYP=3
606	SGMR	4 S/F	1206.3	1210.6	6.7D	119.0			QL=6 ST=3 TYP=3	
1415	ATHN	4 S/F	1206.3	1210.6	10.8D	23.0			QL=6 ST=2 TYP=4	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

121
Misc
Oct 79

O C T O B E R 1 9 7 9

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
12	8800	SGMR	4 S/F	1208.6	1209.6	4.9D	9.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1208.8	1209.8	3.8D	11.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1209.1	1210.5	4.2D	9.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1209.8	1210.8	3.2D	79.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1210.0	1212.3	3.8	180.0			QL=6 ST=3 TYP=3
	245	PALE	4 S/F	1639.0E	1643.1	5.0D	440.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	1639.0	1643.1	5.0D	200.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1639.8	1640.5	4.8D	900.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1640.0	1643.3	4.0D	130.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1641.8	1643.5	2.0	22.0			QL=6 ST=2 TYP=3
13	410	LEAR	43 NS	0235.0	0835.6	460.0D	30.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0235.0	0921.6	460.0D	540.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1058.0	1253.1		200.0			QL=6 ST=3 TYP=1
	1415	PALE	47 GB	0125.8	0141.1	43.3D	870.0			QL=6 ST=2 TYP=5
	606	PALE	4 S/F	0125.8	0143.1	43.3	130.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1440.3	1444.5	13.7	18.0			QL=6 ST=2 TYP=3
	1415	SGMR	47 GB	1442.5	1445.1	13.3D	630.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1958.0	1959.1	5.0D	23.0			QL=6 ST=3 TYP=3
	8800	SGMR	8 S	1958.1	1959.1	2.0D	27.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1958.8	1959.0	8.0D	25.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1959.0	1959.3	7.0	1600.0			QL=6 ST=3 TYP=5
	245	PALE	47 GB	1959.0	1959.3	8.3	2200.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1959.0	1959.3	8.0D	210.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	1959.0	2001.8	7.0D	40.0			QL=6 ST=3 TYP=3
	1415	SGMR	4 S/F	1959.5	1959.6	7.3D	28.0			QL=6 ST=3 TYP=3
14	245	LEAR	43 NS	0200.0	0506.8	495.0D	15.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0556.3	495.0D	3.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1059.0	1148.6	660.0D	130.0			QL=6 ST=3 TYP=1
	410	PALE	43 NS	1647.0	2122.8	683.0D	79.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1647.0	2317.3	683.0D	1300.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1647.0	2348.6	683.0D	74.0			QL=6 ST=2 TYP=1
	1415	MAN1	47 GB	0134.5	0135.6	11.5	230.0			QL=6 ST=3 TYP=5
	245	LEAR	47 GB	0209.3	0209.6	1.2	1100.0			QL=6 ST=2 TYP=5
	245	LEAR	8 S	0650.8	0651.1	1.3	90.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0819.5	0821.1	2.8	72.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1148.1	1148.5	1.9	130.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1148.5	1153.8	6.5D	53.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1211.3	1211.5	.8	34.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1720.0	1721.0	2.3D	17.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1720.1	1721.0	2.9	22.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1720.6	1720.8	1.5D	42.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1720.6	1721.0	1.4D	9.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1720.8	1721.0	1.7D	680.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2322.6	2323.1	.9	1000.0			QL=6 ST=3 TYP=5
	606	PALE	8 S	2322.8	2323.0	.5D	48.0			QL=6 ST=3 TYP=3
1415	PALE	8 S	2322.8	2323.1	.8D	69.0			QL=6 ST=3 TYP=3	
15	245	LEAR	43 NS	0200.0	0553.8	495.0D	67.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0623.3	495.0D	79.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1100.0	2004.0	657.0D	71.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1647.0	1859.8	681.0D	70.0			QL=6 ST=2 TYP=1
	2695	ATHN	4 S/F	1450.3	1451.0	6.7D	30.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1450.3	1451.0	6.7D	66.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1450.3	1451.0	6.7	88.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1450.3	1451.1	6.5D	11.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1450.5	1452.0	5.0	1399.0			QL=6 ST=2 TYP=5
16	245	LEAR	43 NS	0200.0	0233.8	495.0D	23.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0725.1	495.0D	150.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0251.8	0252.3	1.3D	220.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0251.8	0252.5	1.0	40.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0629.6	0631.0	4.5D	30.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0630.0	0631.3	1433.3D	1199.0			QL=6 ST=2 TYP=5
	1415	LEAR	8 S	0630.5	0631.3	1.6	28.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0631.5	0632.3	3.1D	5.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0631.5	0632.3	2.6	4.0			QL=6 ST=2 TYP=4
	606	LEAR	8 S	0631.6	0632.3	1.0D	15.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0742.1	0743.8	1.7D	230.0			QL=6 ST=2 TYP=3

122
Misc
Oct 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
16	410	LEAR	8 S	0742.8	0743.1	.8	450.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0850.6	0850.8	2.0	650.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1202.8	1206.0	6.2	26.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1203.0	1205.3	8.8D	31.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1203.8	1205.5	3.5D	45.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1204.1	1206.1	10.5	13.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1204.3	1205.6	6.5D	29.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1204.3	1205.6	6.8D	18.0			QL=6 ST=2 TYP=4
17	245	LEAR	43 NS	0200.0	0516.5	495.0D	69.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0532.6	495.0D	78.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1103.0	1958.6	651.0D	110.0			QL=6 ST=2 TYP=1
	8800	ATHN	4 S/F	0648.1	0658.6	58.9	130.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	0650.0	0658.6	54.1D	97.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0653.5	0658.3	16.0D	160.0			QL=5 ST=2 TYP=3
	4995	LEAR	4 S/F	0653.8	0658.5	14.0D	97.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	0653.8	0658.6	14.2D	56.0			QL=6 ST=2 TYP=4
	2695	LEAR	4 S/F	0654.8	0703.6	13.8D	53.0			QL=5 ST=2 TYP=3
	410	LEAR	4 S/F	0657.8	0700.1	7.0D	110.0			QL=5 ST=2 TYP=3
	15400	LEAR	8 S	0658.0	0658.5	1.3	160.0			QL=5 ST=2 TYP=3
	1415	LEAR	4 S/F	0658.1	0659.8	5.9D	20.0			QL=5 ST=2 TYP=3
	606	LEAR	4 S/F	0658.1	0700.3	4.2D	94.0			QL=5 ST=2 TYP=3
	245	LEAR	4 S/F	0659.1	0700.8	2.9D	74.0			QL=5 ST=2 TYP=3
	410	LEAR	8 S	0758.3	0759.0	.8	100.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1315.5	1319.3	10.0	55.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1315.8	1319.5	6.5D	69.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1316.3	1319.3	6.0D	27.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1318.1	1319.1	3.7D	31.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1318.3	1319.0	2.7D	64.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1318.5	1319.1	2.5D	36.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1318.8	1319.1	1.7	18.0			QL=6 ST=2 TYP=3
245	SGMR	47 GB	1933.6	1939.3	7.4	550.0			QL=6 ST=2 TYP=5	
18	245	LEAR	43 NS	0200.0	0722.8	495.0D	119.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0831.5	495.0D	100.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1104.0	1822.8	648.0D	200.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1933.0	2009.1	515.0D	1199.0			QL=6 ST=2 TYP=1
	1415	LEAR	4 S/F	0349.1	0350.3	5.0D	16.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0349.3	0351.6	6.3D	110.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0349.6	0350.6	7.0D	25.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0349.6	0350.8	5.2	38.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0349.8	0350.6	6.3D	21.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0349.8	0352.1	4.0D	700.0			QL=6 ST=2 TYP=5
	606	MAN I	47 GB	0350.0	0351.1	3.6	57.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0350.0	0351.5	18.0D	750.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	0350.3	0351.6	17.7D	330.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0906.3	0906.8	1.8	200.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0906.5	0907.0	1.0D	27.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0910.8	0915.6	16.2D	48.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0911.3	0915.6	15.0D	83.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0911.5	0915.1	28.1	98.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0911.6	0912.6	16.0D	26.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0912.0	0915.1	22.8	130.0			QL=6 ST=3 TYP=4
	8800	LEAR	4 S/F	0912.0	0915.3	11.0D	53.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0913.6	0915.5	5.5	48.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1347.0	1347.8	2.5	5.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	1347.0	1348.0	1.5D	110.0			QL=6 ST=3 TYP=3
	2695	SGMR	8 S	1347.5	1348.1	2.0D	13.0			QL=6 ST=3 TYP=3
	245	SGMR	8 S	1347.6	1348.0	.7D	210.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1547.0	1547.8	2.5	5.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1547.0	1548.0	1.5D	110.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1547.5	1548.1	2.0D	13.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1547.6	1548.0	.7D	210.0			QL=6 ST=2 TYP=3
	4995	MAN I	8 S	2352.1	2352.5	1.7D	15.0			QL=6 ST=2 TYP=4
	8800	MAN I	8 S	2352.1	2352.5	1.0	69.0			QL=6 ST=2 TYP=4
19	410	LEAR	43 NS	0200.0	0914.3	495.0D	67.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	0200.0	0952.6	495.0D	170.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	1105.0						QL=6 ST=3 TYP=1
	245	PALE	43 NS	1644.0	2333.6	682.0D	100.0			QL=6 ST=2 TYP=1

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

123
Misc
Oct 79

O C T O B E R 1 9 7 9

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
19	1415	PALE	4 S/F	0019.6	0021.6	5.4	42.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0019.6	0023.1	6.4D	71.0		QL=6 ST=2 TYP=4	
	8800	MANI	4 S/F	0019.6	0023.1	6.4	139.0		QL=6 ST=2 TYP=4	
	4995	PALE	4 S/F	0020.0	0022.5	5.5D	49.0		QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	0020.1	0022.6	6.0D	170.0		QL=6 ST=2 TYP=3	
	15400	PALE	4 S/F	0020.6	0021.0	5.4D	160.0		QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	0020.6	0022.8	4.7D	75.0		QL=6 ST=2 TYP=3	
	2695	MANI	4 S/F	0021.0	0023.1	5.0D	51.0		QL=6 ST=2 TYP=4	
	1415	PALE	4 S/F	0300.1	0301.0	11.2	51.0		QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	0300.1	0304.1	11.2D	170.0		QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	0300.1	0304.3	11.2D	76.0		QL=6 ST=2 TYP=3	
	4995	PALE	4 S/F	0300.3	0304.1	11.0D	93.0		QL=6 ST=2 TYP=3	
	8800	MANI	47 GB	0416.6	0418.6	9.4	2100.0		QL=6 ST=2 TYP=5	
	2695	LEAR	8 S	0452.6	0453.6	1.4	17.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0453.0	0453.3	1.0D	139.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0453.0	0453.6	1.0D	11.0		QL=6 ST=2 TYP=3	
	2695	MANI	4 S/F	0453.0	0501.0	9.0D	28.0		QL=6 ST=2 TYP=4	
	4995	MANI	4 S/F	0453.0	0501.0	9.0	11.0		QL=6 ST=2 TYP=4	
	1415	MANI	47 GB	0453.1	0500.8	8.9D	440.0		QL=6 ST=2 TYP=5	
	8800	LEAR	8 S	0459.0	0500.3	2.0	29.0		QL=6 ST=3 TYP=3	
	4995	LEAR	8 S	0459.0	0500.6	1.8D	21.0		QL=6 ST=3 TYP=3	
	1415	LEAR	8 S	0459.1	0500.5	1.7D	480.0		QL=6 ST=3 TYP=3	
	410	LEAR	4 S/F	0459.3	0500.6	3.7D	40.0		QL=6 ST=3 TYP=3	
	2695	LEAR	8 S	0459.3	0500.8	1.7D	28.0		QL=6 ST=3 TYP=3	
	606	LEAR	8 S	0459.5	0500.6	1.5D	250.0		QL=6 ST=3 TYP=3	
	2695	LEAR	4 S/F	0618.1	0621.1	6.5D	58.0		QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	0619.1	0619.3	3.0D	180.0		QL=6 ST=2 TYP=3	
	1415	ATHN	47 GB	0619.1	0619.3	1.0	130.0		QL=6 ST=2 TYP=5	
	4995	MANI	4 S/F	0619.3	0621.6	5.3D	7.0		QL=6 ST=2 TYP=4	
	1415	ATHN	47 GB	0620.6	0621.6	2.0	74.0		QL=6 ST=2 TYP=5	
	410	LEAR	8 S	0620.8	0621.0	.8D	40.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0620.8	0621.1	1.2D	180.0		QL=6 ST=2 TYP=3	
	2695	ATHN	8 S	0620.8	0621.1	1.8	45.0		QL=5 ST=2 TYP=3	
	8800	LEAR	8 S	0620.8	0621.3	1.0	28.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0621.0	0621.3	1.8D	22.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0621.1	0621.1	2.2	16.0		QL=5 ST=2 TYP=3	
	4995	ATHN	8 S	0621.1	0621.3	2.0	13.0		QL=6 ST=2 TYP=3	
	2695	MANI	47 GB	0621.1	0621.6	1.0D	48.0		QL=6 ST=2 TYP=5	
	8800	MANI	8 S	0621.1	0621.6	2.0	17.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	1101.0	1103.1	11.8	28.0		QL=5 ST=2 TYP=4	
	4995	ATHN	4 S/F	1101.8	1107.6	11.7D	11.0		QL=5 ST=2 TYP=4	
2695	ATHN	4 S/F	1102.6	1106.6	9.4D	8.0		QL=5 ST=2 TYP=4		
8800	ATHN	47 GB	1153.6	1157.1	78.5	6400.0		QL=6 ST=2 TYP=5		
8800	SGMR	47 GB	1155.1	1157.3	15.9	9000.0		QL=6 ST=2 TYP=5		
2695	SGMR	4 S/F	1619.1	1621.1	8.5D	34.0		QL=6 ST=2 TYP=3		
4995	SGMR	4 S/F	1619.1	1621.1	8.7D	55.0		QL=6 ST=2 TYP=3		
8800	SGMR	4 S/F	1620.1	1621.1	9.0D	71.0		QL=6 ST=2 TYP=3		
15400	SGMR	4 S/F	1620.1	1621.6	6.5	42.0		QL=6 ST=2 TYP=3		
8800	MANI	4 S/F	2314.6	2315.8	4.4	44.0		QL=6 ST=2 TYP=4		
4995	MANI	4 S/F	2314.6	2317.3	4.4D	17.0		QL=6 ST=2 TYP=4		
2695	MANI	4 S/F	2316.0	2317.3	3.0D	29.0		QL=6 ST=2 TYP=4		
1415	MANI	4 S/F	2316.0	2317.3	6.0D	8.0		QL=6 ST=2 TYP=4		
20	410	LEAR	43 NS	0200.0	0303.6	494.0D	15.0		QL=6 ST=2 TYP=1	
	606	LEAR	43 NS	0200.0	0340.6	494.0D	15.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0802.1	494.0D	60.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1106.0	1644.6	643.0D	150.0		QL=6 ST=2 TYP=1	
	8800	LEAR	8 S	0256.5	0257.0	1.1D	44.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0256.6	0257.1	1.0	60.0		QL=6 ST=2 TYP=3	
	4995	MANI	8 S	0256.8	0257.1	2.0D	11.0		QL=6 ST=2 TYP=4	
	8800	MANI	8 S	0256.8	0257.1	1.2	30.0		QL=6 ST=2 TYP=4	
	4995	LEAR	8 S	0256.8	0257.1	.7D	18.0		QL=6 ST=2 TYP=3	
	1415	MANI	47 GB	0301.1	0304.0	6.5D	17.0		QL=6 ST=2 TYP=5	
	4995	MANI	4 S/F	0302.1	0304.8	6.7D	130.0		QL=6 ST=2 TYP=3	
	8800	MANI	4 S/F	0302.1	0304.8	4.4	110.0		QL=6 ST=2 TYP=3	
	2695	MANI	4 S/F	0303.6	0304.6	4.2D	119.0		QL=6 ST=2 TYP=3	
	1415	LEAR	47 GB	0520.1	0522.8	3.0	62.0		QL=6 ST=2 TYP=5	
	1415	MANI	47 GB	0520.8	0523.0	3.5	33.0		QL=6 ST=2 TYP=5	
	4995	LEAR	4 S/F	0551.5	0554.1	6.3D	450.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0551.5	0554.1	5.1D	330.0		QL=6 ST=2 TYP=3	

124
Misc
Oct 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
20	606	LEAR	4 S/F	0551.6	0552.1	2.2D	32.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0551.6	0554.3	7.0D	310.0			QL=6 ST=2 TYP=3
	606	MANI	47 GB	0552.0	0552.8	2.5D	10.0			QL=6 ST=2 TYP=5
	4995	MANI	4 S/F	0552.1	0554.5	10.2D	480.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0552.5	0554.1	3.3	280.0			QL=6 ST=2 TYP=3
	8800	MANI	4 S/F	0552.8	0554.5	6.5	430.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0553.1	0554.3	3.5D	32.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0553.6	0554.6	7.7D	290.0			QL=6 ST=2 TYP=3
	1415	MANI	4 S/F	0553.6	0555.0	4.4D	16.0			QL=6 ST=2 TYP=4
	606	MANI	47 GB	0640.0	0640.5	2.1	29.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	0944.3	0947.5	17.5	11.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	0945.1	0947.8	8.7D	13.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	0945.6	0949.8	7.0	24.0			QL=5 ST=2 TYP=4
	4995	ATHN	4 S/F	1151.5	1154.0	11.8D	160.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	1151.5	1154.0	17.0	170.0			QL=6 ST=3 TYP=3
	2695	ATHN	4 S/F	1151.6	1154.1	15.5D	67.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1151.6	1154.5	5.5D	119.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1151.8	1154.6	4.7D	65.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1151.8	1154.6	5.2D	170.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1152.3	1154.6	3.8	61.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1519.0	1520.6	18.6	36.0			QL=6 ST=3 TYP=4
	2695	SGMR	4 S/F	1519.0	1521.3	19.6D	15.0			QL=6 ST=3 TYP=4
	4995	SGMR	4 S/F	1519.6	1520.8	18.4D	18.0			QL=6 ST=3 TYP=4
	245	SGMR	47 GB	1744.0	1744.6	1.5	760.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1822.1	1822.5	5.7D	29.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1822.8	1827.1	20.2D	54.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1823.1	1824.0	19.4D	61.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1823.3	1824.1	20.7	98.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	1823.5	1823.8	9.5D	59.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	1823.5	1823.8	9.5D	110.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	1823.5	1827.6	9.5	56.0			QL=6 ST=2 TYP=3
21	410	LEAR	43 NS	0200.0	0531.0	494.0D	13.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0638.8	494.0D	62.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1108.0	2007.3	640.0D	73.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1646.0	1707.1	675.0D	26.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0336.0	0336.1	.5	119.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0336.0	0336.1	.3D	33.0			QL=6 ST=3 TYP=3
	4995	LEAR	47 GB	0348.3	0353.8	12.7	15.0			QL=6 ST=2 TYP=5
	1415	MANI	47 GB	0348.5	0349.3	3.1	17.0			QL=6 ST=2 TYP=5
	606	MANI	47 GB	0507.1	0517.0	13.7	77.0			QL=6 ST=2 TYP=5
	245	LEAR	8 S	0633.1	0633.1	1.0D	97.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0633.1	0633.3	.7	6.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1212.3	1218.1	8.7D	139.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1212.3	1218.1	8.7D	139.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1214.0	1218.1	7.6D	72.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1214.1	1218.1	7.5	180.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1214.3	1218.0	6.5D	200.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1215.6	1218.3	4.0	60.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1236.0	1242.3	21.3	20.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1236.3	1242.3	17.5D	13.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1323.6	1328.3	11.0D	90.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1323.8	1327.8	10.0D	220.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1325.1	1327.8	10.4D	180.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1325.3	1327.8	16.5D	230.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1325.6	1327.8	16.2	190.0			QL=6 ST=2 TYP=3
15400	SGMR	4 S/F	1327.1	1328.8	4.5	350.0			QL=6 ST=2 TYP=3	
22	245	LEAR	43 NS	0200.0	0445.6	494.0D	48.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0552.6	494.0D	18.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1109.0	1435.3	637.0D	35.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1940.0	2216.1	500.0D	110.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0103.0	0110.6	7.8	740.0			QL=6 ST=2 TYP=5
	4995	ATHN	4 S/F	0631.0	0631.5	9.0D	26.0			QL=3 ST=2 TYP=4
	8800	ATHN	4 S/F	0631.8	0632.0	8.2	21.0			QL=3 ST=2 TYP=4
	4995	SGMR	4 S/F	1542.3	1543.1	7.7D	130.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1542.3	1543.1	5.0D	19.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1542.3	1543.1	5.8D	220.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1542.8	1543.3	3.3	119.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1819.0	1819.6	1.6D	16.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

125
Misc
Oct 79

O C T O B E R 1 9 7 9

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
22	8800	SGMR	4 S/F	1819.1	1820.0	2.7D	51.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1819.3	1819.5	1.5D	51.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1819.8	1820.5	2.2	24.0			QL=6 ST=2 TYP=3
23	410	LEAR	43 NS	0200.0	0701.8	494.0D	34.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	0200.0	0711.6	494.0D	280.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	1110.0	1746.0	635.0D	1900.0			QL=6 ST=2 TYP=1
	606	PALE	8 S	2051.5	2051.6	.3D	160.0			QL=6 ST=3 TYP=3
	245	PALE	47 GB	2051.5	2051.6	.3	500.0			QL=6 ST=3 TYP=5
	410	PALE	47 GB	2051.5	2051.6	.3D	730.0			QL=6 ST=3 TYP=5
24	245	LEAR	43 NS	0200.0	0633.1	494.0D	320.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0430.0	0739.1	344.0D	13.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1111.0	1157.0	632.0D	36.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1111.0	1545.6	632.0D	1399.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1650.0	1833.6	670.0D	650.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1650.0	2127.0	670.0D	360.0			QL=6 ST=2 TYP=1
	245	SGMR	47 GB	1345.3	1347.0	3.2	1100.0			QL=6 ST=3 TYP=5
	410	SGMR	4 S/F	1345.5	1347.0	3.0D	19.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1549.5	1550.6	2.0	190.0			QL=6 ST=3 TYP=5
25	245	LEAR	43 NS	0200.0	0343.8	495.0D	320.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0447.1	495.0D	87.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1112.0						QL=6 ST=3 TYP=1
	245	SGMR	44 NS	1112.0E	1406.8	174.8D	240.0			QL=6 ST=3 TYP=1
	8800	MAN I	4 S/F	0137.1	0138.3	4.7	38.0			QL=6 ST=2 TYP=4
	4995	MAN I	4 S/F	0137.6	0138.6	3.7D	8.0			QL=6 ST=2 TYP=4
	15400	SGMR	4 S/F	2042.5	2047.8	16.0	150.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2045.5	2047.5	7.5D	17.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	2045.6	2047.3	7.4D	29.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2046.1	2047.3	5.9D	37.0			QL=6 ST=2 TYP=3
26	410	LEAR	43 NS	0200.0	0252.6	495.0D	86.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0534.8	495.0D	210.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1114.0	1215.6	626.0D	73.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1114.0	1935.0	626.0D	380.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1650.0	2334.1	672.0D	260.0			QL=6 ST=2 TYP=1
	1415	LEAR	8 S	0449.5	0449.8	.6	9.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0449.6	0449.6	.2D	59.0			QL=6 ST=2 TYP=3
27	245	LEAR	43 NS	0200.0	0234.6	495.0D	170.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0352.6	495.0D	84.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1115.0	1438.3	624.0D	160.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1115.0	1522.8	624.0D	59.0			QL=6 ST=2 TYP=1
28	245	LEAR	43 NS	0200.0	0312.6	496.0D	119.0			QL=5 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0603.0	496.0D	58.0			QL=5 ST=2 TYP=1
	410	SGMR	43 NS	1116.0	1308.1	620.0D	37.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1116.0	1517.5	620.0D	320.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1650.0	1853.3	668.0D	68.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1650.0	2204.1	668.0D	310.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0646.0	0646.3	4.1D	47.0			QL=5 ST=3 TYP=3
	410	LEAR	8 S	0647.1	0648.3	1.5D	230.0			QL=5 ST=3 TYP=3
	1415	LEAR	8 S	0648.3	0648.6	.5	170.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0648.6	0648.6	.2	13.0			QL=5 ST=3 TYP=3
29	410	LEAR	43 NS	0200.0	0613.6	496.0D	73.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0921.6	496.0D	180.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1117.0	1950.1	619.0D	250.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1651.0	2019.8	666.0D	190.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1736.0	1822.8	240.0D	73.0			QL=6 ST=2 TYP=1
	410	LEAR	47 GB	0617.6	0618.1	.7D	1900.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0618.0	0618.1	.3	60.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1205.0	1208.5	4.1D	530.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1206.0	1208.5	3.8	190.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	1208.6	1208.6	1.4D	13.0			QL=6 ST=2 TYP=4
	8800	ATHN	8 S	1208.6	1208.8	1.2	8.0			QL=6 ST=2 TYP=4
	4995	SGMR	4 S/F	1937.3	1939.0	6.2D	96.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1937.8	1939.1	4.8	66.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1938.6	1939.1	1.4D	4000.0			QL=6 ST=2 TYP=5

126
Misc
Oct 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
29	245	PALE	8 S	1949.6	1950.1	1.2	210.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	1949.8	1950.1	1.0D	68.0			QL=6 ST=2 TYP=3
30	410	LEAR	43 NS	0636.0	0730.0	220.0D	72.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0636.0	0817.1	220.0D	280.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1119.0	1312.6	616.0D	20.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1119.0	1322.3	616.0D	170.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1652.0	0038.8	664.0D	150.0			QL=6 ST=2 TYP=1
31	410	SGMR	43 NS	1120.0	1528.5	613.0D	52.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1120.0	2052.0	613.0D	250.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1652.0	0233.8	664.0D	280.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1652.0	0319.8	664.0D	24.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0418.6	0419.1	5.5	190.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	1948.0	1949.8	2.8	100.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1950.0	1950.8	2.0D	82.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	1950.0	1950.8	3.0D	370.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

127
Misc
Nov 79

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
01	245	LEAR	43 NS	0200.0	0233.6	497.0D	220.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0200.0	0806.8	497.0D	97.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1123.0	1520.1	609.0D	65.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1123.0	1520.5	609.0D	19.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1652.0	2148.1	663.0D	360.0		QL=6 ST=2 TYP=1	
	245	LEAR	4 S/F	0800.0	0806.3	11.1D	150.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0803.8	0806.8	5.0	130.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0805.6	0806.6	3.7D	99.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0808.8	0815.0	13.2D	119.0		QL=6 ST=3 TYP=3	
	2695	LEAR	4 S/F	0811.6	0815.5	14.4D	91.0		QL=6 ST=3 TYP=3	
	410	LEAR	47 GB	0811.6	0815.6	14.9D	1700.0		QL=6 ST=3 TYP=5	
	4995	LEAR	4 S/F	0811.8	0815.3	6.3D	130.0		QL=6 ST=3 TYP=3	
	2695	LEAR	4 S/F	0811.8	0815.5	12.3D	78.0		QL=6 ST=3 TYP=3	
	4995	LEAR	8 S	0812.0	0815.5		130.0		QL=6 ST=3 TYP=3	
	1415	LEAR	4 S/F	0812.1	0815.6	6.7D	21.0		QL=6 ST=3 TYP=3	
	8800	LEAR	4 S/F	0812.5	0815.1	13.1D	110.0		QL=6 ST=3 TYP=3	
	4995	ATHN	4 S/F	0812.5	0815.3	7.0D	139.0		QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0812.8	0815.6	9.8	58.0		QL=6 ST=3 TYP=3	
245	LEAR	4 S/F	0813.0	0818.0	15.6D	84.0		QL=6 ST=3 TYP=3		
8800	ATHN	4 S/F	0813.5	0815.3	8.5	82.0		QL=6 ST=2 TYP=3		
1415	ATHN	4 S/F	0813.5	0816.0	3.8D	8.0		QL=6 ST=2 TYP=3		
02	245	LEAR	43 NS	0300.0	0844.1	438.0D	190.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0300.0	0907.6	438.0D	170.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1122.0	1223.6	609.0D	119.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1122.0	1348.1	609.0D	220.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1652.0	2011.0	661.0D	160.0		QL=6 ST=2 TYP=1	
	245	LEAR	8 S	0830.3	0831.1	2.0D	160.0		QL=6 ST=3 TYP=3	
	410	LEAR	8 S	0830.8	0831.1	1.5	250.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0847.0	0848.1	2.0	580.0		QL=6 ST=2 TYP=5	
	606	LEAR	8 S	0947.3	0947.6	1.0	91.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0947.3	0947.8	2.5D	330.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1234.0	1235.0	1.6	150.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1238.6	1238.8	3.7D	110.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1238.6	1239.3	3.4	470.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1303.6	1307.1	7.0D	60.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1303.6	1308.8	7.9	33.0		QL=6 ST=2 TYP=3	
	410	SGMR	47 GB	1450.1	1450.6	2.7	580.0		QL=6 ST=2 TYP=5	
	245	SGMR	8 S	1856.3	1856.5	.3D	220.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1856.3	1856.5	.3	190.0		QL=6 ST=2 TYP=3	
03	245	LEAR	43 NS	0200.0	0909.6	498.0D	74.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1124.0	1450.3	605.0D	660.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1124.0	1631.1	605.0D	25.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1653.0	2139.1	659.0D	220.0		QL=6 ST=2 TYP=1	
	4995	SGMR	47 GB	0314.1	1442.0	688.7D			QL=3 ST=3 TYP=5	
	410	SGMR	47 GB	0346.0	1442.1	657.1D			QL=3 ST=3 TYP=5	
	1415	LEAR	8 S	0758.8	0758.8	.5	34.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0759.6	0800.6	2.0D	480.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1440.1	1442.6	4.2D	420.0		QL=3 ST=3 TYP=3	
	4995	ATHN	4 S/F	1440.1	1442.6	6.7D	22.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	1440.8	1442.5	5.3	22.0		QL=6 ST=2 TYP=4	
	2695	SGMR	8 S	1441.6	1442.3	1.7D	40.0		QL=3 ST=3 TYP=3	
	1415	ATHN	4 S/F	1441.6	1442.8	2.2D	13.0		QL=6 ST=2 TYP=4	
	4995	SGMR	8 S	1441.8	1442.6	1.3D	23.0		QL=3 ST=3 TYP=3	
	410	SGMR	4 S/F	1442.0	1442.8	2.5	45.0		QL=6 ST=3 TYP=3	
	8800	SGMR	8 S	1442.1	1442.6	1.0	15.0		QL=3 ST=3 TYP=3	
	606	SGMR	4 S/F	1442.1	1443.1	2.5	15.0		QL=2 ST=3 TYP=3	
	245	SGMR	47 GB	1800.3	1802.5	5.5D	760.0		QL=6 ST=2 TYP=5	
	4995	SGMR	4 S/F	1800.8	1802.1	3.2	22.0		QL=3 ST=2 TYP=3	
	2695	SGMR	4 S/F	1801.0	1802.0	3.3D	8.0		QL=3 ST=2 TYP=3	
245	PALE	47 GB	1801.1	1802.3	3.0	560.0		QL=6 ST=2 TYP=5		
410	SGMR	4 S/F	1801.1	1803.0	3.4	13.0		QL=6 ST=2 TYP=3		
606	SGMR	8 S	1801.8	1802.0	1.2	9.0		QL=2 ST=2 TYP=3		
05	410	PALE	43 NS	1653.0	0218.5	657.0D	420.0		QL=6 ST=3 TYP=1	
	245	PALE	44 NS	1653.0E	2014.8	657.0D	860.0		QL=6 ST=3 TYP=1	
	1415	PALE	4 S/F	0314.1	0317.5	16.9	230.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1126.0	2014.1	601.0D	840.0		QL=6 ST=2 TYP=5	
	4995	ATHN	4 S/F	1241.1	1302.1	22.9	50.0		QL=6 ST=3 TYP=4	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
05	245	PALE	47 GB	1736.8	1740.6	6.2	1500.0		QL=6 ST=2 TYP=5	
	245	SGMR	47 GB	1738.3	1740.6	4.5	2000.0		QL=6 ST=2 TYP=5	
	245	SGMR	47 GB	1808.0	1809.1	2.0	1800.0		QL=6 ST=2 TYP=5	
	245	PALE	47 GB	1808.1	1809.0	1.5	2000.0		QL=6 ST=2 TYP=5	
	606	PALE	47 GB	1828.3	1830.3	15.7D	1600.0		QL=6 ST=2 TYP=5	
	245	PALE	4 S/F	1828.3	1832.8	15.7	370.0		QL=6 ST=2 TYP=3	
	410	PALE	4 S/F	1828.3	1838.0	15.7D	1100.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1829.5	1831.1	8.5D	18.0		QL=6 ST=3 TYP=3	
	8800	SGMR	4 S/F	1829.5	1831.1	8.5D	35.0		QL=6 ST=3 TYP=3	
	4995	SGMR	4 S/F	1829.5	1831.1	8.5D	27.0		QL=6 ST=3 TYP=3	
	410	SGMR	47 GB	1830.5	1838.3	9.5D	2800.0		QL=6 ST=3 TYP=5	
	245	SGMR	47 GB	1832.0	1832.8	8.0	610.0		QL=6 ST=3 TYP=5	
	1415	PALE	8 S	1922.3	1923.6	1.7	250.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	2003.6	2006.3	3.0	190.0		QL=6 ST=2 TYP=3	
	606	PALE	8 S	2025.1	2025.5	.7	170.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	2034.8	2035.8	4.0D	29.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	2035.0	2035.8	2.6D	40.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	2035.0	2036.1	3.1D	18.0		QL=6 ST=2 TYP=3	
	245	PALE	8 S	2035.3	2035.8	1.0	470.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	2035.3	2035.8	2.2	480.0		QL=6 ST=2 TYP=3	
	410	PALE	47 GB	2035.3	2035.8	1.0D	740.0		QL=6 ST=2 TYP=5	
	410	SGMR	4 S/F	2035.3	2036.0	2.5D	240.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	2044.0	2045.3	3.0D	21.0		QL=6 ST=2 TYP=3	
	4995	SGMR	8 S	2044.8	2045.3	2.0D	27.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	2047.0	2047.5	1.0	90.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	2047.0	2047.5	1.0D	93.0		QL=6 ST=2 TYP=3	
	606	PALE	4 S/F	2105.0	2107.1	7.0	170.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	2105.1	2105.3	6.9D	67.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	2242.6	2258.0	22.4D	36.0		QL=6 ST=2 TYP=4	
	8800	MANI	4 S/F	2242.8	2257.1	22.2	110.0		QL=6 ST=2 TYP=4	
	245	PALE	47 GB	2316.6	2317.1	3.0	690.0		QL=6 ST=2 TYP=5	
	410	PALE	49 GB	2346.5	2347.5	19.5D	5300.0		QL=6 ST=2 TYP=7	
	245	PALE	49 GB	2346.6	2347.0	9.7	3100.0		QL=6 ST=2 TYP=7	
	15400	PALE	49 GB	2346.6	2347.3	9.2D	2600.0		QL=6 ST=2 TYP=7	
606	PALE	49 GB	2346.6	2347.6	17.7D	750.0		QL=6 ST=2 TYP=7		
4995	PALE	49 GB	2346.8	2347.3	12.0D	680.0		QL=6 ST=2 TYP=7		
8800	PALE	49 GB	2346.8	2347.3	12.0D	1399.0		QL=6 ST=2 TYP=7		
2695	PALE	49 GB	2346.8	2347.3	13.0D	610.0		QL=6 ST=2 TYP=7		
1415	PALE	49 GB	2346.8	2348.1	17.5D	480.0		QL=6 ST=2 TYP=7		
8800	MANI	47 GB	2347.0	2347.5	7.6	1500.0		QL=6 ST=3 TYP=5		
4995	MANI	47 GB	2347.0	2347.6	9.8D	800.0		QL=6 ST=3 TYP=5		
2695	MANI	47 GB	2347.1	2347.6	14.4D	62.0		QL=6 ST=3 TYP=5		
1415	MANI	47 GB	2347.1	2347.8	14.4D	470.0		QL=6 ST=3 TYP=5		
06	245	PALE	43 NS	1653.0	2211.6	657.0D	450.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1653.0	2214.1	657.0D	220.0		QL=6 ST=2 TYP=1	
	15400	LEAR	47 GB	0913.6	0920.3	43.4D	240.0		QL=4 ST=2 TYP=5	
07	606	LEAR	43 NS	0200.0	0405.6	504.0D	19.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0200.0	0519.1	504.0D	53.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0731.1	504.0D	390.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1129.0	1615.1	596.0D	500.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1129.0	1910.6	596.0D	44.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1655.0	1916.5	654.0D	220.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1655.0	2138.8	654.0D	72.0		QL=6 ST=2 TYP=1	
	4995	MANI	4 S/F	0101.3	0102.3	6.5D	32.0		QL=6 ST=3 TYP=4	
	8800	MANI	4 S/F	0101.3	0102.8	7.2	73.0		QL=6 ST=3 TYP=4	
	606	MANI	4 S/F	0110.6	0111.0	3.0D	28.0		QL=6 ST=3 TYP=4	
	8800	PALE	47 GB	0200.8	0210.5	14.0	650.0		QL=6 ST=2 TYP=5	
	245	LEAR	47 GB	0302.3	0303.3	3.0D	540.0		QL=6 ST=2 TYP=5	
	410	LEAR	4 S/F	0302.3	0303.5	3.5D	79.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0302.6	0303.5	3.0	139.0		QL=6 ST=2 TYP=3	
	606	LEAR	47 GB	0332.3	0339.6	8.2	25.0		QL=6 ST=2 TYP=5	
	4995	MANI	8 S	0345.3	0346.0	1.8D	16.0		QL=6 ST=2 TYP=4	
	8800	MANI	8 S	0345.3	0346.0	1.8	52.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0402.6	0402.6	2.2	88.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0402.8	0403.0	2.2D	490.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0504.8	0506.8	3.2D	18.0		QL=6 ST=2 TYP=4	
	8800	MANI	4 S/F	0504.8	0506.8	3.3	75.0		QL=6 ST=2 TYP=4	
	8800	LEAR	8 S	0506.1	0506.6	1.9	53.0		QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

129
Misc
Nov 79

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
07	4995	LEAR	8 S	0506.3	0506.6	1.3D	17.0			QL=6 ST=2 TYP=3
	8800	MANI	8 S	0519.6	0520.0	1.9	16.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	0519.6	0520.3	2.2D	16.0			QL=6 ST=2 TYP=4
	8800	LEAR	8 S	0608.0	0608.1	.6D	36.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0608.1	0608.3	1.7	88.0			QL=6 ST=2 TYP=3
	8800	MANI	8 S	0608.3	0608.8	.7	33.0			QL=6 ST=2 TYP=4
	4995	MANI	8 S	0608.3	0608.8	.7D	9.0			QL=6 ST=2 TYP=4
	410	LEAR	8 S	0631.1	0631.3	.4	19.0			QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0631.1	0631.3	.9D	640.0			QL=6 ST=3 TYP=5
	606	LEAR	8 S	0635.5	0635.6	.1	48.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0637.3	0637.8	1.7D	38.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0637.3	0638.8	5.5	38.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0637.5	0637.8	1.6D	330.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	1133.8	1135.1	8.7	26.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1134.0	1135.0	10.8D	29.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1134.0	1135.0	4.1D	37.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	1217.3	1218.6	2.3D	1900.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	1218.1	1218.3	.7	390.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1320.8	1322.0	4.5	22.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	1338.8	1340.1	2.7	880.0			QL=6 ST=2 TYP=5
245	PALE	47 GB	1834.3	1835.1	2.3	1500.0			QL=6 ST=2 TYP=5	
245	SGMR	47 GB	1835.3E	1835.5	1.8D	2200.0			QL=6 ST=2 TYP=5	
09	245	LEAR	43 NS	0200.0	0211.1	506.0D	350.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0511.0	506.0D	260.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1131.0	1226.0	591.0D	49.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1131.0	1756.1	591.0D	180.0			QL=6 ST=2 TYP=1
	2695	LEAR	49 GB	0302.0	0304.8	17.3D	1600.0			QL=6 ST=3 TYP=7
	8800	LEAR	49 GB	0302.0	0305.0	17.1D	3100.0			QL=6 ST=3 TYP=7
	4995	LEAR	49 GB	0302.0	0305.8	16.0D	2000.0			QL=6 ST=3 TYP=7
	15400	LEAR	49 GB	0302.6	0304.8	10.5	6900.0			QL=6 ST=3 TYP=7
	1415	LEAR	49 GB	0303.1	0305.0	13.9D	920.0			QL=6 ST=3 TYP=7
	606	LEAR	49 GB	0303.3	0305.6	24.7D	13999.0			QL=6 ST=3 TYP=7
	410	LEAR	49 GB	0303.3	0306.0	7.7D	25000.0			QL=6 ST=3 TYP=7
	245	LEAR	49 GB	0303.3	0307.0	6.5D	39000.0			QL=6 ST=3 TYP=7
	8800	ATHN	47 GB	0602.1	0603.6	8.9	1600.0			QL=5 ST=3 TYP=5
	4995	ATHN	47 GB	0602.1	0603.6	8.5D	680.0			QL=5 ST=3 TYP=5
	1415	ATHN	4 S/F	0602.1	0604.1	8.2D	200.0			QL=5 ST=3 TYP=3
	2695	LEAR	4 S/F	0924.1	0924.8	2.2D	38.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0924.1	0924.8	1.5D	88.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0924.1	0924.8	2.0	47.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1349.6	1353.3	4.7	43.0			QL=2 ST=2 TYP=3
	2695	SGMR	4 S/F	1352.8	1353.0	2.2	16.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1353.0	1353.6	2.1D	61.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1353.1	1353.3	5.9D	320.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1438.8	1445.8	11.3	1300.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1445.5	1446.1	4.3	110.0			QL=2 ST=2 TYP=3
410	SGMR	4 S/F	1921.5	1922.8	12.5D	340.0			QL=6 ST=3 TYP=3	
245	SGMR	4 S/F	1921.5	1924.5	12.5	390.0			QL=6 ST=3 TYP=3	
606	SGMR	4 S/F	1922.0	1926.3	6.0	53.0			QL=2 ST=2 TYP=3	
2695	SGMR	4 S/F	1923.5	1926.8	4.5D	24.0			QL=6 ST=3 TYP=3	
4995	SGMR	4 S/F	1925.3	1927.0	3.2D	25.0			QL=6 ST=3 TYP=3	
10	606	LEAR	43 NS	0200.0	0309.1	507.0D	11.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0200.0	0630.8	507.0D	35.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0720.6	507.0D	470.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1133.0	1315.0	588.0D	57.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1133.0	1658.3	588.0D	1500.0			QL=6 ST=2 TYP=1
	606	LEAR	4 S/F	0236.8	0245.8	42.8D	70.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0237.0	0240.1	42.6	370.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0237.8	0308.3	41.8D	41.0			QL=6 ST=2 TYP=4
	245	LEAR	47 GB	0407.0	0410.8	5.0D	290.0			QL=6 ST=2 TYP=5
	606	MANI	47 GB	0410.1	0411.1	6.9	22.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0410.3	0410.3	2.8	59.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0547.8	0552.3	5.2	720.0			QL=6 ST=2 TYP=5
	8800	LEAR	49 GB	0640.3	0642.1	9.8D	3600.0			QL=6 ST=2 TYP=7
	4995	LEAR	49 GB	0640.5	0642.1	8.6D	2100.0			QL=6 ST=2 TYP=7
	2695	LEAR	49 GB	0640.5	0642.1	8.5D	1300.0			QL=6 ST=2 TYP=7
	8800	ATHN	47 GB	0640.6E	0642.1	28.7D	3300.0			QL=5 ST=2 TYP=5
	15400	LEAR	49 GB	0640.8	0642.0	8.3	4500.0			QL=6 ST=2 TYP=7

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
10	410	LEAR	49 GB	0640.8	0643.5	20.2D	64000.0		QL=6 ST=2 TYP=7	
	1415	LEAR	49 GB	0641.1	0642.3	13.9D	500.0		QL=6 ST=2 TYP=7	
	606	LEAR	49 GB	0641.1	0643.5	19.7D	4100.0		QL=6 ST=2 TYP=7	
	245	LEAR	49 GB	0641.5	0643.5	7.5D	70000.0		QL=6 ST=2 TYP=7	
	2695	LEAR	4 S/F	0701.0	0705.8	6.6D	86.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0701.5	0705.8	6.1D	680.0		QL=6 ST=2 TYP=3	
	606	LEAR	47 GB	0701.8	0703.8	4.8D	1199.0		QL=6 ST=2 TYP=5	
	8800	LEAR	4 S/F	0702.1	0705.6	4.7	40.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0702.5	0703.1	1.6D	25.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0757.5	0757.8	4.0	1399.0		QL=6 ST=2 TYP=5	
	410	LEAR	4 S/F	0803.1	0809.1	13.9	130.0		QL=6 ST=2 TYP=4	
	8800	LEAR	4 S/F	0907.1	0907.3	4.0D	69.0		QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0907.1	0907.3	4.2	210.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	1156.3	1202.6	38.5D	42.0		QL=5 ST=3 TYP=4	
	8800	ATHN	4 S/F	1156.5	1202.6	38.3	56.0		QL=5 ST=3 TYP=4	
	410	SGMR	4 S/F	1215.0E	1219.0	8.1D	139.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1215.0	1219.0	8.1D	160.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1215.6	1218.8	9.7	360.0		QL=5 ST=3 TYP=3	
	4995	ATHN	4 S/F	1215.6	1219.1	10.7D	240.0		QL=5 ST=3 TYP=3	
	8800	SGMR	4 S/F	1215.6	1219.1	10.7D	93.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1216.0	1219.1	9.0D	139.0		QL=6 ST=2 TYP=3	
	15400	SGMR	4 S/F	1216.1	1219.3	4.7	90.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1216.6	1219.1	6.7D	110.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1217.1	1219.1	4.0D	51.0		QL=5 ST=3 TYP=4	
	4995	ATHN	4 S/F	1310.1	1328.1	58.9D	31.0		QL=5 ST=3 TYP=4	
	8800	ATHN	4 S/F	1311.1	1322.6	57.0	35.0		QL=5 ST=3 TYP=4	
	1415	ATHN	4 S/F	1313.6	1315.8	13.5D	110.0		QL=5 ST=3 TYP=4	
	2695	SGMR	4 S/F	1521.0	1526.8	10.5D	44.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1521.0	1526.8	9.8D	41.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1521.0	1526.8	9.0D	64.0		QL=6 ST=2 TYP=3	
	15400	SGMR	4 S/F	1526.6	1527.8	2.5	16.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1553.0E	1554.0	3.0D	750.0		QL=6 ST=2 TYP=5	
	2695	SGMR	4 S/F	1619.8	1621.5	5.3D	31.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1620.0	1621.5	5.1D	18.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1621.1	1622.8	4.5	21.0		QL=6 ST=2 TYP=3	
8800	SGMR	4 S/F	1828.5	1831.6	10.3D	180.0		QL=6 ST=2 TYP=3		
2695	SGMR	4 S/F	1829.1	1831.5	5.5D	130.0		QL=6 ST=2 TYP=3		
4995	SGMR	4 S/F	1829.1	1831.6	7.7D	220.0		QL=6 ST=2 TYP=3		
15400	SGMR	4 S/F	1831.0	1831.8	2.1	30.0		QL=6 ST=2 TYP=3		
606	MANI	47 GB	2327.5	2327.6	3.8D	160.0		QL=6 ST=3 TYP=5		
4995	MANI	4 S/F	2327.5	2328.1	2.5D	31.0		QL=6 ST=3 TYP=3		
8800	MANI	8 S	2327.5	2328.1	1.5	30.0		QL=6 ST=3 TYP=3		
2695	MANI	4 S/F	2327.5	2328.3	2.5D	43.0		QL=6 ST=3 TYP=3		
1415	MANI	4 S/F	2327.5	2328.3	5.0D	49.0		QL=6 ST=3 TYP=3		
11	606	LEAR	43 NS	0200.0	0316.3	507.0D	77.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0200.0	0323.1	507.0D	96.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	0200.0	0810.6	507.0D	350.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1134.0	1253.8	586.0D	380.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1134.0	1442.8	586.0D	1700.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1657.0	0117.1	649.0D	320.0		QL=6 ST=2 TYP=1	
	245	LEAR	8 S	0515.1	0515.3	1.0D	240.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0515.1	0515.5	1.0D	7.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0515.1	0515.6	1.0D	8.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0515.3	0515.5	.7D	160.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0515.3	0515.6	.8	13.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0515.6	0515.6	.2D	8.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0601.8	0607.6	8.5D	21.0		QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	0602.3	0605.3	8.8D	31.0		QL=6 ST=2 TYP=4	
	606	LEAR	4 S/F	0602.3	0606.3	7.0D	24.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0602.8	0606.1	8.3D	74.0		QL=6 ST=2 TYP=4	
	4995	LEAR	4 S/F	0603.3	0606.1	8.7D	55.0		QL=6 ST=2 TYP=4	
	8800	LEAR	4 S/F	0603.6	0606.1	6.7	17.0		QL=6 ST=2 TYP=4	
	4995	ATHN	4 S/F	0604.3	0606.3	9.0D	45.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	0605.1	0606.6	8.0	8.0		QL=6 ST=2 TYP=4	
	1415	LEAR	4 S/F	0843.6	0844.6	4.0D	45.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0844.0	0844.3	1.8	13.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0844.1	0844.3	2.9D	47.0		QL=6 ST=2 TYP=3	
	606	LEAR	47 GB	0844.8	0845.3	1.2D	1600.0		QL=6 ST=2 TYP=5	
	4995	ATHN	4 S/F	0859.3	0900.6	5.7D	42.0		QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

131
Misc
Nov 79

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
11	8800	ATHN	4 S/F	0859.5	0900.6	5.5	58.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1515.5E	1517.6	4.8D	1199.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1609.5	1612.1	5.5	11.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1609.8	1611.6	6.2D	21.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2200.6	2201.8	2.0	2000.0			QL=6 ST=2 TYP=5
12	410	LEAR	43 NS	0200.0	0252.3	508.0D	119.0			QL=6 ST=2 TYP=1
	606	LEAR	43 NS	0200.0	0348.1	508.0D	22.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0553.8	508.0D	370.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1135.0	1441.8	584.0D	139.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1135.0	1721.8	584.0D	820.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1657.0	1721.6	649.0D	440.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1657.0	1911.5	649.0D	87.0			QL=6 ST=2 TYP=1
	4995	MANI	47 GB	0127.0	0128.3	7.0D	220.0			QL=6 ST=3 TYP=5
	8800	MANI	47 GB	0127.0	0128.6	5.0	460.0			QL=6 ST=3 TYP=5
	245	PALE	47 GB	0127.3	0128.1	6.3	8700.0			QL=6 ST=2 TYP=5
	606	MANI	47 GB	0127.3	0128.1	6.7D	160.0			QL=6 ST=3 TYP=5
	1415	MANI	47 GB	0127.3	0128.5	6.7D	330.0			QL=6 ST=3 TYP=5
	2695	MANI	47 GB	0127.3	0128.6	5.2D	240.0			QL=6 ST=3 TYP=5
	245	PALE	47 GB	0220.1	0220.1	1.4	580.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0220.1	0220.3	1.2	9.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0220.1	0220.3	1.0D	520.0			QL=6 ST=2 TYP=5
	606	PALE	4 S/F	1933.5	1940.1	15.1D	450.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1933.8	1944.3	22.3D	119.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1935.1	1940.0	14.9	320.0			QL=2 ST=3 TYP=3
	1415	PALE	4 S/F	1937.3	1944.6	11.3D	150.0			QL=6 ST=2 TYP=4
	2695	PALE	4 S/F	1938.5	1944.3	11.5D	110.0			QL=6 ST=2 TYP=4
	245	PALE	4 S/F	1938.5	1944.8	12.6	240.0			QL=6 ST=2 TYP=4
	4995	PALE	4 S/F	1938.5	1945.6	11.5D	39.0			QL=6 ST=2 TYP=4
	410	SGMR	4 S/F	1938.8	1942.6	8.8D	91.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1938.8	1945.0	12.8	440.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1939.1	1944.3	20.2D	45.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	1939.6	1942.6	8.0D	130.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	1940.1	1944.6	12.7D	19.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1943.5	1952.3	17.3D	13.0			QL=6 ST=2 TYP=3
	13	410	SGMR	43 NS	1137.0	1242.8	581.0D	119.0		
245		SGMR	43 NS	1137.0	1310.5	581.0D	139.0			QL=6 ST=2 TYP=1
245		PALE	47 GB	0030.8	0034.1	4.3	2200.0			QL=6 ST=2 TYP=5
245		PALE	47 GB	0045.0	0048.1	8.0	530.0			QL=6 ST=2 TYP=5
410		LEAR	8 S	0200.0E	0201.5	2.0D	45.0			QL=6 ST=2 TYP=3
245		LEAR	47 GB	0200.0	0201.6	2.3D	2200.0			QL=6 ST=2 TYP=5
606		PALE	47 GB	0208.1	0209.5	4.0	620.0			QL=6 ST=2 TYP=5
410		LEAR	8 S	0209.1	0210.1	1.4D	25.0			QL=6 ST=2 TYP=3
606		LEAR	4 S/F	0209.3	0210.3	2.8	480.0			QL=6 ST=2 TYP=3
245		PALE	47 GB	0229.8	0237.6	15.3	18000.0			QL=6 ST=2 TYP=5
245		LEAR	47 GB	0747.1	0749.1	4.2D	6200.0			QL=6 ST=2 TYP=5
410		LEAR	8 S	0748.0	0748.6	1.0	99.0			QL=6 ST=2 TYP=3
410		LEAR	4 S/F	1008.0	1008.6	4.1	170.0			QL=5 ST=2 TYP=3
245		LEAR	47 GB	1008.6	1008.6	3.0D	3200.0			QL=5 ST=2 TYP=5
245		SGMR	47 GB	1254.0	1254.8	1.6	670.0			QL=6 ST=2 TYP=5
410		SGMR	8 S	1258.0	1258.3	.6	100.0			QL=6 ST=2 TYP=3
245		SGMR	47 GB	1258.3	1258.5	.5D	1000.0			QL=6 ST=2 TYP=5
245		SGMR	4 S/F	1510.0	1517.0	8.0	32.0			QL=6 ST=2 TYP=3
410		SGMR	47 GB	1510.1	1510.6	1.5D	700.0			QL=6 ST=2 TYP=5
245		PALE	47 GB	1822.1	1822.3	.7	700.0			QL=6 ST=2 TYP=5
245		SGMR	47 GB	1822.3	1822.6	.8	1199.0			QL=6 ST=2 TYP=5
410		PALE	4 S/F	1901.3	1901.3	2.7D	92.0			QL=6 ST=2 TYP=3
410		SGMR	4 S/F	1901.3	1901.5	2.7	119.0			QL=6 ST=2 TYP=3
245		PALE	4 S/F	1902.1	1902.5	2.2	350.0			QL=6 ST=2 TYP=3
245		SGMR	47 GB	1902.6	1902.6	1.5D	650.0			QL=6 ST=2 TYP=5
410		SGMR	47 GB	2036.8	2037.5	1.0	1100.0			QL=6 ST=2 TYP=5
245		PALE	8 S	2037.0	2037.3	1.0	310.0			QL=6 ST=3 TYP=3
245		PALE	47 GB	2106.0	2106.8	3.0	2500.0			QL=6 ST=2 TYP=5
245		SGMR	47 GB	2106.5	2106.8	1.8	2000.0			QL=6 ST=2 TYP=5
410		SGMR	8 S	2113.8	2114.0	.5D	119.0			QL=6 ST=3 TYP=3
245	SGMR	47 GB	2113.8	2114.0	.5	620.0			QL=6 ST=3 TYP=5	
245	PALE	47 GB	2125.8	2128.6	8.2	3300.0			QL=6 ST=3 TYP=5	
14	410	LEAR	43 NS	0200.0	0426.6	509.0D	90.0			QL=6 ST=3 TYP=1

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean			
14	245	LEAR	43 NS	0200.0	0723.5	509.0D	220.0			QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1656.0	2259.5	649.0D	340.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1656.0	2302.0	649.0D	200.0			QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2000.0	0723.5	869.0D	220.0			QL=6 ST=3 TYP=1	
	410	PALE	43 NS	2113.8	2113.8	392.2D	119.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	2113.8	2113.8	392.2D	440.0			QL=6 ST=2 TYP=1	
	410	PALE	4 S/F	0123.1	0125.8	6.9D	190.0				QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0123.5	0127.6	6.5	130.0				QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0212.1	0212.8	2.0	1900.0				QL=6 ST=3 TYP=5
	410	LEAR	4 S/F	0232.3	0232.6	9.2D	370.0				QL=6 ST=3 TYP=3
	606	LEAR	4 S/F	0232.3	0233.6	7.3D	220.0				QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0232.3	0234.6	9.2D	18000.0				QL=6 ST=3 TYP=5
	1415	LEAR	4 S/F	0233.1	0234.6	3.5	11.0				QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	0506.8	0507.8	6.0	180.0				QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0847.0	0847.3	3.1D	2500.0				QL=6 ST=3 TYP=5
	410	LEAR	8 S	0847.1	0847.1	1.9	25.0				QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0942.3	0942.5	.7	630.0				QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0945.1	0945.8	1.0	570.0				QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	1111.3	1112.8	3.5	26.0				QL=5 ST=3 TYP=3
	4995	ATHN	4 S/F	1111.3	1113.0	3.5D	21.0				QL=5 ST=3 TYP=3
	2695	ATHN	8 S	1112.6	1112.8	1.5D	29.0				QL=5 ST=2 TYP=3
	1415	ATHN	8 S	1112.6	1112.8	1.5D	29.0				QL=5 ST=3 TYP=3
	1415	ATHN	4 S/F	1326.6	1331.1	10.0D	13.0				QL=5 ST=2 TYP=4
	4995	ATHN	4 S/F	1328.5	1331.6	8.8D	25.0				QL=5 ST=2 TYP=4
	8800	ATHN	4 S/F	1328.5	1332.3	8.0	30.0				QL=5 ST=2 TYP=4
	245	PALE	4 S/F	1859.3	1900.8	4.5	490.0				QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1900.8	1901.0	.3	680.0				QL=6 ST=2 TYP=5
	606	PALE	4 S/F	2016.5	2024.6	26.0D	42.0				QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2018.0	2024.3	24.5D	180.0				QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2018.1	2024.3	24.4D	110.0				QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	2018.1	2024.6	24.4D	190.0				QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2019.5	2024.1	23.0D	310.0				QL=6 ST=2 TYP=3
	245	PALE	4 S/F	2020.3	2024.1	22.2	96.0				QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2022.5	2027.1	24.5D	250.0				QL=6 ST=3 TYP=3
	4995	PALE	4 S/F	2023.1	2024.8	23.9D	180.0				QL=6 ST=3 TYP=3
	8800	PALE	4 S/F	2023.1	2024.8	23.9D	210.0				QL=6 ST=3 TYP=3
	15400	PALE	4 S/F	2023.1	2024.8	23.9D	95.0				QL=6 ST=3 TYP=3
	2695	PALE	4 S/F	2023.1	2025.0	23.9D	99.0				QL=6 ST=3 TYP=3
	606	PALE	4 S/F	2023.1	2027.1	23.9D	270.0				QL=6 ST=3 TYP=3
	1415	PALE	4 S/F	2023.1	2033.6	23.9D	119.0				QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	2023.3	2024.8	7.7D	150.0				QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	2023.3	2027.3	7.7D	110.0				QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	2023.5	2025.0	7.5D	180.0				QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	2024.0	2027.5	4.8	210.0				QL=2 ST=2 TYP=3
	245	PALE	4 S/F	2025.0	2033.8	22.0	260.0				QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	2025.3	2027.3	3.3	170.0				QL=6 ST=3 TYP=3
	15	245	LEAR	43 NS	0200.0	0624.8	509.0D	62.0			QL=6 ST=2 TYP=1
410		LEAR	43 NS	0200.0	0753.3	509.0D	44.0			QL=6 ST=2 TYP=1	
245		SGMR	43 NS	1139.0	1231.3	577.0D	56.0			QL=6 ST=2 TYP=1	
8800		LEAR	8 S	0531.5	0532.3	1.3	23.0				QL=6 ST=2 TYP=3
606		LEAR	8 S	0531.5	0532.3	1.3D	10.0				QL=6 ST=2 TYP=3
4995		LEAR	8 S	0531.6	0531.8	1.4D	25.0				QL=6 ST=2 TYP=3
1415		LEAR	4 S/F	0531.8	0532.1	2.8D	45.0				QL=6 ST=2 TYP=3
410		LEAR	8 S	0532.0	0532.5	1.0D	50.0				QL=6 ST=2 TYP=3
245		LEAR	8 S	0532.3	0532.8	.8D	56.0				QL=6 ST=2 TYP=3
1415		ATHN	4 S/F	0741.1	0741.3	2.5D	13.0				QL=6 ST=2 TYP=4
4995		ATHN	4 S/F	0741.1	0742.3	5.5D	20.0				QL=6 ST=2 TYP=4
8800		ATHN	4 S/F	0741.5	0742.3	5.3	40.0				QL=6 ST=2 TYP=4
245		LEAR	47 GB	0811.8	0811.8	.3D	2300.0				QL=6 ST=2 TYP=5
410		LEAR	8 S	0811.8	0812.0	.3	320.0				QL=6 ST=2 TYP=3
8800		LEAR	8 S	1006.6	1007.1	1.4D	110.0				QL=5 ST=2 TYP=3
15400		LEAR	4 S/F	1006.6	1007.1	2.4	119.0				QL=5 ST=2 TYP=3
4995		LEAR	8 S	1006.8	1007.1	1.5D	76.0				QL=5 ST=2 TYP=3
2695		LEAR	4 S/F	1007.1	1007.3	4.2D	150.0				QL=5 ST=2 TYP=3
1415		LEAR	4 S/F	1007.1	1007.3	4.7D	110.0				QL=5 ST=2 TYP=3
410		SGMR	4 S/F	1545.3	1547.3	2.7	300.0				QL=6 ST=2 TYP=3
245		SGMR	8 S	1547.0E	1547.5	.8D	380.0				QL=6 ST=2 TYP=3
2695		SGMR	4 S/F	2021.5	2024.6	10.8D	180.0				QL=6 ST=2 TYP=3
410		SGMR	4 S/F	2021.6	2023.6	6.9D	24.0				QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

133
Misc
Nov 79

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
15	245	SGMR	4 S/F	2021.6E	2024.5	5.9D	98.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	2022.1	2024.5	5.7	86.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2022.3	2024.5	5.3D	150.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2022.5	2025.5	4.8	35.0			QL=2 ST=2 TYP=3
	245	PALE	4 S/F	2123.0	2147.5	46.0	60.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2132.1	2150.1	41.9D	110.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	2132.5	2152.5	39.5D	700.0			QL=6 ST=2 TYP=5
16	410	LEAR	43 NS	0200.0	0251.1	510.0D	6.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0434.8	510.0D	38.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1140.0	1454.0	575.0D	33.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1140.0	2023.6	575.0D	82.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0216.8	0221.8	9.8D	100.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0217.8	0222.5	8.2	25.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0701.1	0701.3	1.5	139.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0954.3	1002.6	13.8D	350.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0955.0	1004.6	17.0D	320.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	1000.1	1001.8	9.9	110.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1103.1	1104.6	4.2	19.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1103.1	1104.6	4.0D	17.0			QL=6 ST=2 TYP=4
	245	SGMR	8 S	1840.1	1841.0	1.9	220.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1856.1	1857.1	2.0D	9.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1856.3	1856.8	1.7D	36.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1856.3	1857.0	1.5	88.0			QL=2 ST=2 TYP=3
	8800	SGMR	4 S/F	1856.5	1857.1	3.0	9.0			QL=6 ST=2 TYP=3
1415	PALE	8 S	1857.0	1857.1	1.1D	13.0			QL=6 ST=2 TYP=3	
2695	PALE	8 S	1857.0	1857.1	1.1D	35.0			QL=6 ST=2 TYP=3	
606	PALE	8 S	1857.0	1857.3	.3	180.0			QL=6 ST=2 TYP=3	
17	410	LEAR	43 NS	0200.0	0902.1	510.0D	72.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0935.6	510.0D	170.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1657.0	1937.6	645.0D	53.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1657.0	2104.8	645.0D	430.0			QL=6 ST=2 TYP=1
	1415	MANI	8 S	0022.1	0023.1	1.9D	92.0			QL=6 ST=2 TYP=3
	2695	MANI	8 S	0023.0	0023.1	.8	10.0			QL=6 ST=2 TYP=4
	606	LEAR	4 S/F	0221.3	0237.8	41.0D	34.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0221.6	0245.5	42.9D	31.0			QL=6 ST=2 TYP=4
	15400	LEAR	4 S/F	0221.8	0245.8	45.8	19.0			QL=6 ST=2 TYP=4
	1415	LEAR	4 S/F	0222.1	0231.0	28.9D	26.0			QL=6 ST=2 TYP=4
	4995	LEAR	4 S/F	0222.3	0242.6	43.2D	24.0			QL=6 ST=2 TYP=4
	410	LEAR	47 GB	0222.6	0238.6	24.4D	61.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0233.0	0240.6	20.3	1600.0			QL=6 ST=2 TYP=5
	4995	ATHN	4 S/F	1207.3	1208.3	6.3D	8.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	1208.6	1209.8	5.4	13.0			QL=5 ST=2 TYP=3
18	410	LEAR	43 NS	0200.0	0238.3	511.0D	200.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0614.3	511.0D	150.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1143.0	1356.5	570.0D	23.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1143.0	1956.1	570.0D	99.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1330.0	1321.6	463.0D	57.0			QL=6 ST=2 TYP=1
	4995	ATHN	4 S/F	1104.1	1105.6	12.9D	230.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	1104.3	1105.6	12.8	380.0			QL=5 ST=2 TYP=3
	1415	ATHN	4 S/F	1104.5	1105.8	12.5D	33.0			QL=5 ST=2 TYP=3
	410	SGMR	4 S/F	1321.1	1321.6	3.2D	130.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1321.3	1321.6	3.2D	930.0			QL=6 ST=2 TYP=5
606	SGMR	4 S/F	1321.3	1321.6	3.0	61.0			QL=6 ST=2 TYP=3	
19	410	LEAR	43 NS	0200.0	0704.1	512.0D	19.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0843.3	512.0D	50.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1144.0	2042.5	569.0D	54.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1144.0	2056.5	569.0D	29.0			QL=6 ST=2 TYP=1
	606	LEAR	4 S/F	0614.1	0615.6	3.5	86.0			QL=6 ST=3 TYP=3
	410	LEAR	4 S/F	0614.6	0616.6	3.0D	72.0			QL=6 ST=3 TYP=3
	4995	ATHN	4 S/F	0820.1	0820.8	3.2	23.0			QL=5 ST=2 TYP=3
	606	SGMR	4 S/F	1146.0	1155.8	16.0	85.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1203.0	1228.8	76.8D	57.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1204.0	1228.6	76.5	52.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	1217.1	1234.8	61.5D	60.0			QL=6 ST=2 TYP=4
	4995	SGMR	4 S/F	1226.1	1228.6	13.9D	41.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1226.1	1228.6	13.9D	45.0			QL=6 ST=2 TYP=3

134
Misc
Nov 79

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

NOVEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
19	2695	SGMR	4 S/F	1226.1	1232.3	13.9D	51.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1226.1	1235.0	11.9	82.0			QL=2 ST=2 TYP=3
	245	SGMR	4 S/F	1227.6	1228.3	5.4	31.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1227.6	1228.6	5.4D	48.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1227.6	1228.6	5.4D	11.0			QL=6 ST=2 TYP=3
20	410	SGMR	43 NS	1145.0	1707.8	567.0D	110.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1145.0	2017.8	567.0D	220.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1657.0	1947.3	645.0D	170.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1657.0	2036.1	645.0D	119.0			QL=6 ST=2 TYP=1
	4995	ATHN	4 S/F	0608.8	0609.3	3.5	86.0			QL=5 ST=2 TYP=3
	245	SGMR	47 GB	1319.6	1320.0	1.7D	690.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	1319.8	1320.0	.8	34.0			QL=6 ST=2 TYP=3
21	410	LEAR	43 NS	0200.0	0252.0	513.0D	19.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0746.6	513.0D	78.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	2246.0	2310.8	296.0D	130.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0255.8	0256.3	1.2	150.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0648.5	0650.6	12.0D	47.0			QL=6 ST=3 TYP=3
	606	MANI	47 GB	0648.6	0650.1	12.2D	34.0			QL=6 ST=2 TYP=5
	1415	MANI	4 S/F	0649.1	0654.6	11.2D	10.0			QL=6 ST=2 TYP=4
	410	LEAR	4 S/F	0649.3	0650.3	10.8D	38.0			QL=6 ST=3 TYP=3
	4995	MANI	4 S/F	0650.1	0654.6	9.0D	91.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0650.8	0654.5	9.5D	73.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0651.1	0653.0	6.5D	4.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0651.1	0654.8	9.5D	89.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0651.3	0655.0	6.5D	87.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0651.5	0655.0	6.3D	62.0			QL=6 ST=3 TYP=3
	4995	ATHN	4 S/F	0651.8	0655.1	10.7D	94.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0652.1	0656.6	8.7D	15.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0652.6	0655.3	7.4	63.0			QL=6 ST=2 TYP=3
	8800	MANI	4 S/F	0653.8	0654.6	4.3	84.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0654.1	0655.1	2.7	25.0			QL=6 ST=3 TYP=3
	22	245	LEAR	43 NS	0200.0	0604.1	514.0D	110.0		
410		LEAR	43 NS	0200.0	0748.3	514.0D	13.0			QL=6 ST=2 TYP=1
245		SGMR	43 NS	1148.0	1204.5	562.0D	190.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	2123.0	2203.6	377.0D	170.0			QL=6 ST=2 TYP=1
1415		MANI	8 S	0732.3	0732.3	.3	53.0			QL=6 ST=2 TYP=3
606		MANI	47 GB	0733.3	0733.6	1.0D	42.0			QL=6 ST=2 TYP=5
23	245	LEAR	43 NS	0200.0	0917.3	515.0D	20.0			QL=6 ST=2 TYP=1
	4995	ATHN	4 S/F	1209.5	1211.6	8.5D	76.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1210.8	1211.3	7.2	130.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1210.8	1212.0	7.0D	49.0			QL=6 ST=2 TYP=3
24	245	LEAR	43 NS	0200.0	0509.5	516.0D	61.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1530.0	1657.8	339.0D	520.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1659.0	1722.0	641.0D	620.0			QL=6 ST=2 TYP=1
	1415	LEAR	4 S/F	0258.3	0301.1	6.8D	48.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0258.3	0302.1	9.2D	16.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0258.5	0259.5	3.8D	31.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0258.8	0259.6	8.0D	61.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	0258.8	0259.8	2.0	480.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0259.1	0259.8	4.7D	350.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0259.3	0300.3	6.8	31.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0300.5	0301.1	1.5D	49.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0716.1	0716.8	3.0	53.0			QL=6 ST=2 TYP=3
245	LEAR	4 S/F	0809.8	0810.0	1432.3	119.0			QL=6 ST=2 TYP=3	
245	SGMR	47 GB	1750.3	1752.1	2.5	730.0			QL=6 ST=2 TYP=5	
25	245	LEAR	43 NS	0200.0	0853.5	516.0D	46.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1151.0	1537.3	558.0D	34.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0527.6	0541.1	29.5	6.0			QL=6 ST=2 TYP=4
	245	LEAR	4 S/F	0527.6	0543.3	31.4D	87.0			QL=6 ST=2 TYP=4
	245	LEAR	4 S/F	1004.6	1006.8	6.5	44.0			QL=6 ST=2 TYP=3
26	245	LEAR	43 NS	0454.0	0844.8	342.0D	9.0			QL=6 ST=3 TYP=1
	100	LEAR	8 S	0844.8	1036.0					QL=6 ST=2 TYP=3
28	245	LEAR	43 NS	0200.0	0751.1	518.0D	13.0			QL=6 ST=2 TYP=1
29	245	LEAR	43 NS	0200.0	0519.5	519.0D	58.0			QL=6 ST=2 TYP=1
30	245	LEAR	43 NS	0200.0	0628.5	520.0D	19.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1157.0	1808.3	549.0D	160.0			QL=6 ST=2 TYP=1

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

135
Misc
Dec 79

D E C E M B E R 1 9 7 9

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
01	245	LEAR	43 NS	0200.0	0402.3	520.0D	25.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1152.0	1237.5	554.0D	99.0			QL=6 ST=3 TYP=1
	245	LEAR	4 S/F	0443.8	0444.3	2.3	280.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1408.0	1408.3	1.0D	139.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1408.0	1408.3	1.0	63.0			QL=6 ST=2 TYP=3
02	245	LEAR	43 NS	0200.0	0950.1	520.0D	25.0			QL=6 ST=2 TYP=1
03	245	LEAR	43 NS	0200.0	0707.1	517.0D	41.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1302.3	1445.6	482.7D	130.0			QL=6 ST=2 TYP=1
	1415	SGMR	47 GB	1459.5	1504.6	26.5D	590.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1500.1	1512.8	19.9D	32.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1500.8	1512.8	19.2D	52.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1503.0	1512.8	17.0	28.0			QL=6 ST=2 TYP=3
04	245	LEAR	43 NS	0200.0	0435.1	517.0D	26.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1201.0	1502.5	544.0D	200.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1702.0	1849.1	637.0D	380.0			QL=6 ST=3 TYP=1
	8800	MANI	47 GB	0222.1	0224.6	6.9	780.0			QL=6 ST=2 TYP=5
	4995	PALE	4 S/F	0223.0	0224.5	6.0D	170.0			QL=6 ST=2 TYP=3
	8800	PALE	47 GB	0223.0	0224.5	5.0D	590.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	0223.0	0224.8	3.0	50.0			QL=6 ST=2 TYP=3
	15400	LEAR	47 GB	0223.5	0224.6	3.8	510.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0829.0	0835.1	20.5	76.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1321.3	1323.1	3.7D	21.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1321.6	1324.3	7.5	6.0			QL=2 ST=2 TYP=3
	2695	SGMR	4 S/F	1321.8	1323.1	3.2D	11.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1322.3	1324.5	7.7	9.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1322.8	1323.1	2.5D	17.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1409.5	1409.8	1.3D	970.0			QL=6 ST=2 TYP=5
410	SGMR	8 S	1409.6	1409.8	.9	43.0			QL=6 ST=2 TYP=3	
05	410	LEAR	43 NS	0500.0	0511.6	339.0D	8.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0500.0	0548.3	339.0D	119.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1425.0	1719.3	400.0D	190.0			QL=6 ST=2 TYP=1
06	245	LEAR	43 NS	0200.0	0732.6	519.0D	32.0			QL=3 ST=2 TYP=1
	245	SGMR	43 NS	1204.0	1443.6	541.0D	360.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0320.1	0320.3	.7D	19.0			QL=3 ST=2 TYP=3
	410	LEAR	8 S	0320.1	0320.3	.5D	8.0			QL=3 ST=2 TYP=3
	606	LEAR	8 S	0322.6	0322.8	.7	21.0			QL=3 ST=2 TYP=3
	245	LEAR	8 S	0723.1	0723.6	1.5	170.0			QL=3 ST=3 TYP=3
	410	LEAR	8 S	0723.1	0723.8	1.2D	42.0			QL=3 ST=3 TYP=3
07	245	SGMR	43 NS	1204.0	1247.3	541.0D	65.0			QL=6 ST=3 TYP=1
	4995	MANI	8 S	0152.1	0152.8	.7D	4.0			QL=6 ST=2 TYP=4
	2695	MANI	8 S	0152.3	0152.8	1.7D	25.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	0152.3	0153.1	2.5D	15.0			QL=6 ST=2 TYP=4
08	410	LEAR	43 NS	0200.0	0903.8	520.0D	60.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	1004.3	520.0D	59.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1105.0	1319.3		130.0			QL=6 ST=3 TYP=1
	245	PALE	47 GB	1920.1	1923.1	6.9	2300.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1920.1	1923.8	7.4	2600.0			QL=6 ST=2 TYP=5
09	410	LEAR	43 NS	0200.0	0617.0	520.0D	54.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0804.3	520.0D	100.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1206.0						QL=6 ST=3 TYP=1
	245	PALE	43 NS	1704.0	0109.1	634.0D	300.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1704.0	2208.1	634.0D	139.0			QL=6 ST=2 TYP=1
	410	LEAR	47 GB	0351.6	0353.5	6.9D	139.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0353.1	0353.5	4.5	38.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1255.5	1256.1	1.6	1300.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1345.0	1347.0	4.0	110.0			QL=6 ST=2 TYP=3
10	410	SGMR	43 NS	1207.0	1750.6	537.0D	50.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1207.0	1927.3	537.0D	350.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1704.0	2105.8	634.0D	440.0			QL=6 ST=2 TYP=1
	245	LEAR	47 GB	0632.0	0633.0	14.1D	119.0			QL=6 ST=3 TYP=5
	410	LEAR	47 GB	0632.1	0632.6	14.5	19.0			QL=6 ST=3 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

DECEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (W/m ² Hz)		
11	410	LEAR	43 NS	0200.0	0257.1	522.0D	110.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0200.0	0759.8	522.0D	119.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2151.0	0548.1	772.0D	100.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2151.0	0830.1	772.0D	71.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0331.8	0333.6	4.0D	99.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0332.8	0333.5	2.3D	210.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0333.1	0333.8	1.5	44.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0333.3	0334.1	1.0D	24.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0333.3	0334.3	1.5D	22.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0333.5	0334.1	1.3D	13.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1354.3	1357.1	12.0	85.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1354.6	1359.6	9.7D	1700.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1354.6	1400.6	9.4	350.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1643.3	1643.8	2.2	1600.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	1913.6	1914.6	2.2	84.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1913.8	1914.8	1.7D	70.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	1913.8	1916.3	4.2D	100.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	1914.3	1917.0	3.7D	500.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1915.1	1916.6	2.7D	139.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1915.5	1917.0	2.0	340.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	2314.6	2314.8	.5	6.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	2314.8	2315.0	1.0D	45.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	2314.8	2315.1	1.0D	26.0			QL=6 ST=2 TYP=3
245	LEAR	8 S	2324.6	2325.6	1.5	13.0			QL=6 ST=2 TYP=3	
12	245	SGMR	43 NS	1209.0	1242.8	536.0D	90.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2151.0	0029.3	772.0D	250.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2151.0	2234.0	772.0D	15.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0228.1	0228.6	.7D	6.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0228.3	0228.5	.3	9.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0228.3	0228.6	1.0D	13.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0228.3	0228.6	1.3D	13.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0409.8	0410.5	1.3	6.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0409.8	0410.5	1.3D	310.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	1002.8	1003.1	1.0	25.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1706.6	1716.8	14.4	3100.0			QL=6 ST=2 TYP=5
	4995	PALE	49 GB	1714.1	1714.5		740.0			QL=5 ST=3 TYP=7
	8800	PALE	49 GB	1714.1	1714.5		3200.0			QL=5 ST=3 TYP=7
	2695	PALE	49 GB	1714.1	1714.5		330.0			QL=5 ST=3 TYP=7
	15400	PALE	49 GB	1714.1	1714.5		700.0			QL=5 ST=3 TYP=7
	606	PALE	49 GB	1714.1	1714.8		720.0			QL=5 ST=3 TYP=7
	410	PALE	49 GB	1714.3	1714.8		370.0			QL=5 ST=3 TYP=7
1415	PALE	49 GB	1714.3	1714.8		180.0			QL=5 ST=3 TYP=7	
245	PALE	49 GB	1714.6	1716.1		3300.0			QL=5 ST=3 TYP=7	
13	245	SGMR	43 NS	1210.0	1756.1	535.0D	92.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2152.0	0225.1	772.0D	220.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2152.0	1018.3	772.0D	119.0			QL=6 ST=2 TYP=1
	4995	LEAR	8 S	0859.8	0900.6	1.8D	64.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0859.8	0900.6	2.3	119.0			QL=6 ST=2 TYP=3
	1415	ATHN	8 S	0859.8	0900.6	2.0D	3.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0859.8	0900.6	1.7D	119.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0859.8	0900.8	1.8D	24.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	0859.8	0900.8	2.0D	9.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0900.0	0900.5	1.3D	5.0			QL=6 ST=3 TYP=3
	4995	ATHN	4 S/F	0900.0	0900.6	2.1D	78.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0900.0	0901.3	3.8D	150.0			QL=6 ST=3 TYP=3
	15400	LEAR	8 S	0900.1	0900.6	1.7	80.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0900.3	0900.8	1.0D	110.0			QL=6 ST=3 TP=3
	606	LEAR	8 S	0919.3	0920.6	1.5	52.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0936.1	0937.1	3.7	240.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1350.1	1351.1	3.5	17000.0			QL=6 ST=2 TYP=5
606	SGMR	4 S/F	1802.5	1806.0	5.6	139.0			QL=6 ST=2 TYP=3	
14	245	SGMR	43 NS	1211.0	1842.1	534.0D	1800.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1211.0	1857.1	534.0D	170.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2152.0	0509.3	772.0D	139.0			QL=6 ST=3 TYP=1
	410	LEAR	43 NS	2152.0	0512.8	772.0D	29.0			QL=6 ST=3 TYP=1
	410	LEAR	4 S/F	0251.1	0251.6	2.9D	7.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0251.1	0251.6	2.7	780.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

137
Misc
Dec 79

DECEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
14	2695	LEAR	4 S/F	0251.1	0252.1	3.0D	6.0		QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	0251.1	0252.8	3.0D	18.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0251.3	0251.6	1.8D	590.0		QL=6 ST=2 TYP=5	
	606	LEAR	4 S/F	0251.3	0252.0	2.8D	6.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0251.8	0252.5	2.7	2.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0307.1	0309.1	4.5D	15.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0307.3	0308.1	1.7	100.0		QL=6 ST=2 TYP=3	
	1415	MANI	8 S	0307.5	0308.3	1.6	99.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0348.3	0348.6	.7	119.0		QL=6 ST=2 TYP=3	
	8800	MANI	47 GB	0406.1	0407.3	5.9	100.0		QL=6 ST=2 TYP=5	
	606	LEAR	4 S/F	0415.0E	0415.0	8.0D	340.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0611.1	0613.3	3.7D	110.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0611.5	0613.5	4.5	200.0		QL=6 ST=3 TYP=3	
	1415	ATHN	4 S/F	0611.5	0613.6	4.6D	28.0		QL=6 ST=3 TYP=3	
	2695	ATHN	4 S/F	0611.5	0613.6	4.6D	28.0		QL=6 ST=2 TYP=3	
	410	LEAR	47 GB	0612.0	0617.0	6.3D	250.0		QL=6 ST=2 TYP=5	
	8800	LEAR	4 S/F	0612.1	0613.1	3.9D	150.0		QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	0612.1	0613.6	4.0D	27.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0612.3	0613.8	5.7D	90.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0612.5	0613.3	3.1D	210.0		QL=6 ST=2 TYP=3	
	4995	MANI	47 GB	0612.6	0613.6	3.2D	250.0		QL=6 ST=2 TYP=5	
	15400	LEAR	8 S	0612.8	0613.3	1.8	65.0		QL=6 ST=2 TYP=3	
	8800	MANI	8 S	0612.8	0613.6	1.8	150.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0722.8	0723.8	2.5	88.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0723.0	0723.5	1.1D	67.0		QL=6 ST=2 TYP=3	
	410	LEAR	47 GB	0813.3	0814.5	2.5D	610.0		QL=6 ST=2 TYP=5	
	606	LEAR	4 S/F	0813.3	0814.5	2.5	77.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0813.3	0814.5	5.8	7.0		QL=6 ST=2 TYP=4	
	606	MANI	47 GB	0813.8	0814.5	1.3	25.0		QL=6 ST=2 TYP=5	
	606	LEAR	47 GB	0838.6	0840.3	3.5	100.0		QL=6 ST=2 TYP=5	
	410	LEAR	8 S	0912.5	0914.0	2.0D	47.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0913.3	0914.0	1.3	84.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0939.3	0940.6	3.0D	55.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0940.8	0941.5	1.5	150.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1255.6	1259.8	12.4	37.0		QL=6 ST=2 TYP=4	
	4995	ATHN	4 S/F	1256.0	1300.6	13.1D	37.0		QL=6 ST=2 TYP=4	
	1415	ATHN	4 S/F	1259.5	1300.8	9.6D	15.0		QL=6 ST=2 TYP=4	
	245	SGMR	47 GB	1300.5	1300.8	1.0	280.0		QL=6 ST=2 TYP=5	
	606	SGMR	4 S/F	1454.0	1454.5	10.1D	95.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1454.6	1454.8	2.9	95.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1527.5	1533.6	9.8D	280.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1531.3	1533.8	4.8D	34.0		QL=6 ST=2 TYP=3	
245	SGMR	4 S/F	1531.8	1532.5	3.2	150.0		QL=6 ST=2 TYP=3		
4995	SGMR	4 S/F	1532.3	1533.8	2.7D	21.0		QL=6 ST=2 TYP=3		
1415	SGMR	4 S/F	1532.5	1533.6	4.6D	48.0		QL=6 ST=2 TYP=3		
410	SGMR	4 S/F	1532.6	1534.0	2.9D	119.0		QL=6 ST=2 TYP=3		
8800	SGMR	4 S/F	1533.3	1533.8	2.7D	13.0		QL=6 ST=2 TYP=3		
410	SGMR	4 S/F	1653.0	1653.6	7.3D	83.0		QL=6 ST=2 TYP=3		
245	SGMR	4 S/F	1653.0	1658.1	5.1D	130.0		QL=6 ST=2 TYP=3		
606	SGMR	47 GB	1653.0	1658.1	7.3D	52.0		QL=6 ST=2 TYP=5		
15	245	SGMR	43 NS	1211.0	1546.3	534.0	270.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2152.0	0527.5	773.0D	20.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2152.0	0822.1	773.0D	49.0		QL=6 ST=2 TYP=1	
	245	PALE	8 S	2135.3	2136.1	1.8	430.0		QL=6 ST=2 TYP=3	
16	410	SGMR	43 NS	1212.0	1246.8	533.0D	130.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1212.0	1424.1	533.0D	630.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2153.0	0515.8	772.0D	630.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2153.0	0644.3	772.0D	390.0		QL=6 ST=2 TYP=1	
	410	LEAR	4 S/F	0057.6	0057.6	7730.0D	24.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0057.8	0058.6	.8	23.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0238.0	0239.5	2.6	46.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0238.3	0239.6	2.8D	21.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0651.3	0651.6	3.7D	170.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0651.3	0652.1	2.7D	42.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0651.3	0652.3	3.8D	59.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0651.5	0652.0	6.8D	66.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0651.5	0652.1	1.8D	61.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0651.5	0652.1	2.1	52.0		QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

DECEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
16	1415	ATHN	4 S/F	0651.5	0652.3	3.8D	49.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0651.6	0652.1	1.7	25.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0651.6	0652.1	5.2D	51.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0652.1	0653.1	7.0D	43.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	0652.1	0653.1	6.0D	72.0			QL=6 ST=2 TYP=4
	1415	MANI	47 GB	0652.8	0654.8	5.3D	26.0			QL=6 ST=2 TYP=5
	8800	MANI	4 S/F	0653.0	0653.1	2.1	55.0			QL=6 ST=2 TYP=4
	245	LEAR	8 S	0734.0	0735.1	1.6	410.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0825.6	0826.3	1.4D	24.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0826.0	0826.1	1.0D	13.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0826.0	0826.5	1.0	170.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	2357.8	2358.1	1.0	76.0			QL=6 ST=2 TYP=3
	17	410	PALE	43 NS	0013.0	0024.3	205.0D	260.0		
245		PALE	43 NS	0013.0	0024.3	205.0D	220.0			QL=6 ST=2 TYP=1
410		SGMR	43 NS	1213.0	1331.8	272.0D	110.0			QL=6 ST=2 TYP=1
245		SGMR	43 NS	1213.0	1353.8	272.0D	2000.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	1707.0	0152.1	631.0D	530.0			QL=6 ST=2 TYP=1
410		PALE	43 NS	1707.0	1850.1	631.0D	60.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2154.0	0057.3	772.0D	330.0			QL=6 ST=2 TYP=1
410		LEAR	43 NS	2154.0	2343.1	772.0D	93.0			QL=6 ST=2 TYP=1
410		LEAR	4 S/F	0116.6	0118.3	4.2	65.0			QL=6 ST=2 TYP=3
410		LEAR	8 S	0156.1	0157.3	2.0	160.0			QL=6 ST=3 TYP=3
245		LEAR	8 S	0156.3	0157.0	1.7D	11.0			QL=6 ST=3 TYP=3
245		PALE	47 GB	1746.0	1746.5	1.1	730.0			QL=6 ST=2 TYP=5
18		245	SGMR	43 NS	1213.0	1545.1	533.0D	600.0		
	410	SGMR	43 NS	1213.0	1845.0	533.0D	36.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2154.0	0140.1	772.0D	27.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2154.0	0146.8	772.0D	130.0			QL=6 ST=2 TYP=1
	606	LEAR	4 S/F	0541.6	0543.5	2.2D	9.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0541.6	0543.6	2.2	8.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0543.1	0544.0	3.0D	260.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0543.1	0544.0	2.9D	240.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1902.3	1903.1	7.5D	119.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	1902.3	1903.5	11.2D	260.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1902.3	1903.5	11.2D	110.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1902.3E	1904.8	16.8D	11000.0			QL=6 ST=2 TYP=5
	1415	PALE	4 S/F	1902.3	1907.1	15.7D	88.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	1902.3	1907.3	14.7	340.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1902.5	1907.3	15.1D	82.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1902.6	1903.6	6.0D	300.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1902.8	1907.1	14.0D	370.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1902.8	1907.3	14.3D	190.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1903.0	1903.6	11.3	230.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1903.1	1904.8	14.9D	13000.0			QL=6 ST=2 TYP=5
19	410	SGMR	43 NS	1214.0	1325.1	532.0D	46.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1214.0	1507.8	532.0D	430.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2155.0	0031.3	772.0D	100.0			QL=6 ST=3 TYP=1
	410	LEAR	43 NS	2155.0	1026.3	772.0	63.0			QL=6 ST=3 TYP=1
	245	LEAR	47 GB	0950.8	0951.0	3.0D	720.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0950.8	0951.0	1.0D	36.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0951.1	0951.1	.2	63.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1847.3	1854.8	12.8D	10.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1852.3	1855.3	5.2D	21.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1853.0	1855.3	4.0D	20.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1853.6	1854.0	5.4D	23.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1854.0	1859.6	8.0D	54.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1854.6	1855.3	2.4	34.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2103.1	2103.6	.7	3100.0			QL=6 ST=2 TYP=5
	410	LEAR	49 GB	2200.1	2205.1	39.5D	1399.0			QL=4 ST=3 TYP=7
	245	LEAR	49 GB	2200.3	2215.3	38.0D	8700.0			QL=4 ST=3 TYP=7
	2695	LEAR	49 GB	2201.8	2212.8	17.3D	560.0			QL=4 ST=3 TYP=7
	4995	LEAR	49 GB	2202.8	2212.8	16.3D	730.0			QL=4 ST=3 TYP=7
	606	LEAR	49 GB	2202.8E	2215.1	36.8D	1900.0			QL=4 ST=3 TYP=7
	8800	LEAR	49 GB	2203.1	2214.0	17.7D	1399.0			QL=4 ST=3 TYP=7
	1415	LEAR	49 GB	2203.5	2212.8	26.6D	630.0			QL=4 ST=3 TYP=7
	1415	PALE	49 GB	2204.3	2213.3	34.5D	780.0			QL=1 ST=3 TYP=7
	4995	PALE	49 GB	2204.6	2212.8	19.2D	430.0			QL=1 ST=3 TYP=7

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

139
Misc
Dec 79

DECEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
19	8800	PALE	49 GB	2204.8	2212.3	21.8D	1300.0			QL=1 ST=3 TYP=7
	2695	PALE	49 GB	2205.1	2212.8	23.5D	630.0			QL=1 ST=3 TYP=7
	606	PALE	49 GB	2205.3	2215.0	32.3D	2900.0			QL=1 ST=3 TYP=7
	15400	PALE	49 GB	2205.6	2213.5	22.0D	1900.0			QL=1 ST=3 TYP=7
	245	PALE	49 GB	2206.3	2215.3	25.0	10000.0			QL=1 ST=3 TYP=7
	15400	LEAR	49 GB	2211.1	2213.6	14.9	1399.0			QL=4 ST=3 TYP=7
20	245	SGMR	43 NS	1215.0	1529.8	532.0D	1199.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1215.0	1805.1	532.0D	250.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1708.0	2014.6	630.0D	110.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1708.0	2206.1	630.0D	220.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2155.0	0228.6	772.0D	119.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2155.0	2349.8	772.0D	17.0			QL=6 ST=2 TYP=1
	606	MANI	4 S/F	0012.8	0013.8	3.0D	34.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	0012.8	0014.1	4.3D	26.0			QL=6 ST=2 TYP=4
	2695	MANI	4 S/F	0012.8	0014.1	4.0D	20.0			QL=6 ST=2 TYP=4
	8800	MANI	4 S/F	0012.8	0014.5	3.5	13.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	0013.0	0013.8	4.0D	47.0			QL=6 ST=2 TYP=4
	606	LEAR	4 S/F	0021.5	0023.8	483.8D	31.0			QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0022.0	0022.1	3.1D	670.0			QL=6 ST=3 TYP=5
	410	LEAR	4 S/F	0022.0	0023.6	3.0D	150.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0022.0	0024.0	3.6D	30.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0022.1	0024.0	4.5D	44.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0022.1	0024.0	3.5D	41.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0022.5	0023.6	3.1D	31.0			QL=6 ST=3 TYP=3
	15400	LEAR	4 S/F	0022.8	0024.1	2.8	23.0			QL=6 ST=3 TYP=3
	245	PALE	47 GB	0025.3	0026.3	2.2	560.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0614.1	0616.8	6.7	760.0			QL=6 ST=2 TYP=5
	4995	ATHN	4 S/F	0615.3	0617.8	6.5D	380.0			QL=5 ST=3 TYP=3
	8800	ATHN	47 GB	0615.3	0617.8	6.5	880.0			QL=5 ST=3 TYP=5
	1415	ATHN	4 S/F	0615.3	0617.8	6.8D	260.0			QL=5 ST=3 TYP=3
	410	LEAR	4 S/F	0637.3	0640.0	6.5D	65.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0638.5	0640.1	5.1	320.0			QL=6 ST=2 TYP=3
	606	MANI	8 S	0639.6	0640.1	.9	180.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0924.3	0927.0	5.3	180.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0925.5	0927.1	5.1D	86.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0925.8	0926.6	4.0D	150.0			QL=6 ST=3 TYP=3
	15400	LEAR	8 S	0926.1	0926.6	1.7	130.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0926.1	0927.3	4.0D	50.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1350.1	1350.8	1.0	3900.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1504.1	1508.6	6.0D	23.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1504.5	1508.6	7.5D	13.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1504.6	1506.1	4.0D	8.0			QL=6 ST=3 TYP=3
410	SGMR	8 S	1509.8	1510.1	2.0D	110.0			QL=6 ST=3 TYP=3	
245	SGMR	8 S	1509.8	1510.1	2.0	139.0			QL=6 ST=3 TYP=3	
410	PALE	4 S/F	2026.1	2027.1	4.0D	320.0			QL=6 ST=2 TYP=3	
245	PALE	4 S/F	2026.3	2027.1	3.0	320.0			QL=6 ST=2 TYP=3	
245	SGMR	8 S	2026.8	2027.3	2.0	320.0			QL=6 ST=2 TYP=3	
410	SGMR	8 S	2027.0	2027.3	2.0D	160.0			QL=6 ST=2 TYP=3	
606	SGMR	8 S	2027.1	2028.8	1.9D	36.0			QL=6 ST=2 TYP=3	
245	LEAR	8 S	2205.8	2206.0	.3D	180.0			QL=6 ST=2 TYP=3	
410	LEAR	8 S	2205.8	2206.1	.5	72.0			QL=6 ST=2 TYP=3	
410	LEAR	8 S	2225.0	2225.6	1.1	26.0			QL=6 ST=2 TYP=3	
245	LEAR	47 GB	2225.1	2225.6	1.0D	850.0			QL=6 ST=2 TYP=5	
245	PALE	47 GB	2225.1	2225.8	1.7	1300.0			QL=6 ST=2 TYP=5	
21	410	SGMR	43 NS	1215.0	1410.5	532.0D	57.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1215.0	1937.3	532.0D	190.0			QL=6 ST=2 TYP=1
	245	PALE	44 NS	1900.0E	2117.1	495.0D	190.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0510.3	0510.6	.7	139.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0521.8	0524.3	3.5	22.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0522.3	0522.5	2.0D	56.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1532.1	1532.3	2.5D	25.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1532.3	1532.5	1.5D	110.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1532.3	1533.0	1.5	180.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1532.3	1533.0	2.2D	45.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1900.0	1900.6	1.3	130.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1900.3	1900.6	.5D	21.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1900.5	1900.6	.5D	9.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	2002.1	2003.1	2.7	480.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

DECEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
21	245	SGMR	47 GB	2002.8	2003.6	3.2D	730.0			QL=6 ST=3 TYP=5
	1415	SGMR	4 S/F	2003.6	2003.8	2.9D	11.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	2003.6	2003.8	.7D	41.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	2003.6	2004.0	.9D	100.0			QL=6 ST=3 TYP=3
	2695	SGMR	8 S	2003.8	2003.8	.3	18.0			QL=6 ST=3 TYP=3
22	245	LEAR	43 NS	2156.0	2239.6	772.0D	210.0			QL=6 ST=3 TYP=1
	410	LEAR	43 NS	2156.0	2344.3	772.0D	11.0			QL=6 ST=3 TYP=1
	245	LEAR	8 S	2304.1	2304.6	1.5	21.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	2356.8		3.8	119.0			QL=6 ST=3 TYP=3
23	245	LEAR	43 NS	2157.0	0136.3	772.0D	85.0			QL=6 ST=3 TYP=1
	410	LEAR	4 S/F	0217.6	0219.3	2.5	4.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0224.0	0224.5	.8	16.0			QL=6 ST=2 TYP=3
24	410	LEAR	43 NS	0032.0	0129.3	617.0D	15.0			QL=6 ST=3 TYP=1
25	245	LEAR	43 NS	0011.5	0044.8	637.5	7.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2158.0	0228.3	772.0D	17.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2158.0	0552.1	772.0D	1.0			QL=6 ST=2 TYP=1
	2695	LEAR	47 GB	0656.5	0713.0	30.3D	160.0			QL=6 ST=3 TYP=5
	8800	LEAR	47 GB	0657.0	0704.3	29.0D	190.0			QL=6 ST=3 TYP=5
	2695	MANI	47 GB	0657.0	0713.6	31.0D	139.0			QL=6 ST=3 TYP=5
	4995	LEAR	47 GB	0657.1	0711.6	29.5D	180.0			QL=6 ST=3 TYP=5
	4995	MANI	47 GB	0657.6	0712.3	30.2D	160.0			QL=6 ST=3 TYP=5
	8800	MANI	47 GB	0657.6	0712.3	30.2	110.0			QL=6 ST=3 TYP=5
	1415	MANI	47 GB	0658.0	0712.3	31.0D	46.0			QL=6 ST=3 TYP=5
	1415	LEAR	47 GB	0658.1	0711.8	29.7D	62.0			QL=6 ST=3 TYP=5
	15400	LEAR	47 GB	0659.1	0704.5	16.5	77.0			QL=6 ST=3 TYP=5
	606	MANI	47 GB	0659.6	0712.8	27.7D	95.0			QL=6 ST=3 TYP=5
	245	LEAR	47 GB	0700.3	0722.5	45.0D	130.0			QL=6 ST=3 TYP=5
	410	LEAR	47 GB	0700.6	0722.1	44.5D	230.0			QL=6 ST=3 TYP=5
606	LEAR	47 GB	0701.6	0712.1	30.5D	89.0			QL=6 ST=3 TYP=5	
26	606	LEAR	8 S	0045.1	0050.6	5.5D	6.0			QL=1 ST=2 TYP=4
	410	LEAR	4 S/F	0045.6	0053.6	17.0D	13.0			QL=1 ST=2 TYP=3
	245	LEAR	4 S/F	0046.1	0048.5	15.9D	22.0			QL=1 ST=2 TYP=3
27	245	LEAR	43 NS	2159.0	0057.1	772.0D	13.0			QL=6 ST=2 TYP=1
28	606	LEAR	8 S	0312.1	0312.1	.4	200.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1505.0	1505.1	2.8	67.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2136.1	2137.8	8.7D	89.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	2136.5	2137.1	8.0	139.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2136.8	2138.3	5.3D	13.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	2137.1	2138.5	5.4D	17.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	2137.3	2138.1	6.3D	24.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2137.3	2138.6	5.0D	49.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	2137.3	2138.6	5.5D	88.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2137.3	2138.6	5.5D	119.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	2302.5	2303.1	.8	56.0			QL=6 ST=2 TYP=3
29	410	LEAR	47 GB	0042.1	0043.1	2.0D	820.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0042.1	0043.3	7.7D	1300.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	0042.5	0043.1	8.6	190.0			QL=6 ST=2 TYP=3
	606	MANI	8 S	0042.6	0043.0	.7	520.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0042.8	0043.1	1.2	150.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0208.6	0208.8	3.5D	37.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0208.6	0209.8	3.2D	210.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0208.8	0209.0	2.0	33.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0208.8	0209.0	3.0D	100.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0208.8	0209.1	2.7D	180.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0208.8	0209.1	2.0D	22.0			QL=6 ST=2 TYP=3
	8800	MANI	8 S	0209.5	0210.0	1.5	27.0			QL=6 ST=2 TYP=4
	410	LEAR	4 S/F	0209.6	0209.6	5.5D	170.0			QL=6 ST=2 TYP=3
	1415	MANI	4 S/F	0209.6	0209.8	2.7D	79.0			QL=6 ST=2 TYP=3
	606	MANI	47 GB	0209.6	0209.8	.4D	28.0			QL=6 ST=2 TYP=5
	4995	MANI	8 S	0209.6	0210.1	1.2D	20.0			QL=6 ST=2 TYP=4
245	LEAR	4 S/F	0212.1	0213.1	2.2D	440.0			QL=6 ST=2 TYP=3	
245	PALE	47 GB	0212.5	0214.1	3.1	590.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

141
Misc
Dec 79

DECEMBER 1979

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
29	4995	LEAR	4 S/F	0455.6	0501.1	10.5D	51.0			QL=6 ST=3 TYP=3
	4995	MANI	4 S/F	0456.0	0501.1	9.0D	54.0			QL=6 ST=2 TYP=4
	8800	MANI	4 S/F	0456.0	0501.1	7.0	77.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0457.8	0501.1	7.8D	59.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0458.3	0501.1	7.5D	28.0			QL=6 ST=3 TYP=3
	2695	MANI	4 S/F	0458.8	0501.1	6.2D	31.0			QL=6 ST=2 TYP=4
	1415	LEAR	4 S/F	0458.8	0501.1	5.0D	4.0			QL=6 ST=3 TYP=3
	15400	LEAR	4 S/F	0459.1	0501.1	5.7	23.0			QL=6 ST=3 TYP=3
	4995	ATHN	4 S/F	0706.8	0708.6	6.0D	15.0			QL=6 ST=2 TYP=4
	8800	ATHN	8 S	0707.1	0707.6	1.0	19.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	0707.8	0709.0	2.2D	9.0			QL=6 ST=2 TYP=4
	606	SGMR	4 S/F	1829.5	1832.8	5.1D	43.0			QL=6 ST=3 TYP=3
	606	PALE	4 S/F	1830.1	1831.6	4.9D	44.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	1830.3	1830.8	5.7D	400.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	1830.5	1831.0	5.6	170.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1830.5	1832.3	3.1D	9.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1830.6	1831.0	2.2D	410.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1830.6	1832.1	2.7D	11.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1830.6	1832.5	3.0	18.0			QL=6 ST=3 TYP=3
	245	SGMR	8 S	1830.8	1831.1	1.0D	130.0			QL=6 ST=3 TYP=3
1415	SGMR	4 S/F	1830.8	1832.6	3.3D	9.0			QL=6 ST=3 TYP=3	
30	245	LEAR	43 NS	0554.6	0656.1	297.4D	98.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0420.0E	0420.6	.8D	110.0			QL=5 ST=3 TYP=3
	245	LEAR	8 S	0530.1	0530.3	.7	79.0			QL=6 ST=2 TYP=3
31	245	LEAR	44 NS	0449.0E	0728.1	221.0D	42.0			QL=6 ST=2 TYP=1
	410	LEAR	44 NS	0449.0E	0728.1	221.0D	42.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0320.5	0321.0	1.0	13.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
01	245	LEAR	44 NS	0455.0E	0511.5	358.0D	28.0			QL=6 ST=2 TYP=1
	245	LEAR	44 NS	2201.0E	2337.8	313.1D	7.0			QL=6 ST=2 TYP=1
02	245	LEAR	43 NS	2300.1	0147.5	401.9D	23.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2311.0	0153.1	391.0	13.0			QL=6 ST=2 TYP=1
	1415	LEAR	4 S/F	0125.8	0129.0	4.3D	75.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0126.1	0127.6	6.0D	19.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0126.5	0128.1	5.5D	41.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0126.6E	0128.8	5.7D	11.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0127.0	0128.1	4.0D	50.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0127.0	0128.8	2.8	97.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0127.0	0129.0	3.1D	200.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0127.0	0129.0	4.0D	170.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0127.6	0128.6	2.5D	17.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0129.0	0129.6	.8D	45.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0320.0	0320.1	.6	31.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0431.8	0431.8	.5D	9.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0431.8	0432.1	.5	5.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0519.6	0520.1	1.0D	290.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0519.8	0520.3	.8	150.0			QL=6 ST=3 TYP=3
245	SGMR	8 S	1440.8	1441.5	1.3	170.0			QL=6 ST=2 TYP=3	
410	SGMR	8 S	1441.1	1441.5	.5D	11.0			QL=6 ST=2 TYP=3	
03	245	SGMR	43 NS	1527.8	1654.1	348.2D	79.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2203.0	0917.1	770.0D	63.0			QL=6 ST=2 TYP=1
	245	SGMR	47 GB	1513.5	1513.6	.3	880.0			QL=6 ST=2 TYP=5
04	410	LEAR	43 NS	0829.0	0939.5	144.0D	13.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1532.0	1822.0	345.0D	74.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1826.0	1841.6	171.0D	15.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1830.1	1832.8	166.9D	21.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2103.0	0508.0	830.0D	17.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2203.0	0508.0	770.0D	17.0			QL=6 ST=3 TYP=1
	410	LEAR	43 NS	2203.0	2349.3	770.0D	18.0			QL=6 ST=3 TYP=1
	8800	LEAR	4 S/F	0522.5	0523.1	4.3D	110.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0522.6	0523.3	4.5D	18.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0523.0	0523.3	4.5	91.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1429.6	1429.8	.5	420.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1517.5	1517.8	2.6	3600.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1546.0	1546.1	.3	2100.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1600.6	1603.6	3.7	450.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1601.3	1613.8	12.5D	119.0			QL=6 ST=2 TYP=3
245	SGMR	4 S/F	1713.1	1716.8	10.4	110.0			QL=6 ST=2 TYP=3	
245	PALE	47 GB	1842.1	1843.0	1.7	700.0			QL=6 ST=2 TYP=5	
1415	PALE	47 GB	2116.6	2116.8	.9	61.0			QL=6 ST=2 TYP=5	
05	410	LEAR	43 NS	2203.0	0250.1	770.0D	11.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2203.0	2309.6	770.0D	84.0			QL=6 ST=3 TYP=1
	410	LEAR	4 S/F	0204.1	0204.8	3.7	37.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0248.8	0251.0	2.8D	280.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0249.6	0250.6	2.9	34.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0639.6	0639.8	.9	139.0			QL=6 ST=2 TYP=3
06	245	SGMR	43 NS	1219.0	1354.8	540.0D	420.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2204.0	0727.1	770.0D	94.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0608.0	0608.5	2.6D	130.0			QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	0608.3	0609.1	2.5D	119.0			QL=6 ST=3 TYP=3
	606	LEAR	4 S/F	0608.3	0609.8	3.0	22.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0617.8	0618.6	1.3D	92.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0618.1	0618.1	.2	5.0			QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	1008.3	1008.6	5.5D	110.0			QL=6 ST=3 TYP=3
	606	LEAR	4 S/F	1008.3	1009.1	4.0D	34.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	1008.8	1009.0	3.0	28.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1510.1	1510.5	1.4	880.0			QL=6 ST=2 TYP=5
07	410	LEAR	8 S	0226.3	0227.1	1.5D	16.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0229.1	0231.1	5.7D	7.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0229.1	0231.1	6.0	8.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0229.8	0230.1	4.8D	11.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0648.1	0656.6	15.9	20.0			QL=5 ST=2 TYP=4

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

143
Misc
Jan 80

J A N U A R Y 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
07	1415	ATHN	4 S/F	0650.3	0657.0	17.80	44.0		QL=5 ST=2 TYP=4	
	15400	SGMR	4 S/F	1309.3	1312.8	8.0	110.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1312.0	1313.8	5.30	32.0		QL=5 ST=2 TYP=3	
	8800	ATHN	4 S/F	1312.0E	1313.8	6.10	150.0		QL=5 ST=2 TYP=3	
	4995	ATHN	4 S/F	1312.0	1313.8	5.80	53.0		QL=5 ST=2 TYP=3	
	8800	SGMR	4 S/F	1312.1	1313.8	3.00	93.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1313.0	1313.6	2.10	38.0		QL=6 ST=2 TYP=3	
08	245	LEAR	43 NS	0440.0	0718.5	374.00	38.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0440.0	0856.6	374.00	22.0		QL=6 ST=2 TYP=1	
	4995	LEAR	4 S/F	0412.1	0414.0	5116.70	92.0		QL=6 ST=3 TYP=3	
	15400	LEAR	8 S	0412.3	0413.0	1.50	119.0		QL=6 ST=3 TYP=3	
	8800	LEAR	8 S	0412.3	0413.0	1.5	130.0		QL=6 ST=3 TYP=3	
	2695	LEAR	8 S	0412.3	0413.1	1.70	34.0		QL=6 ST=3 TYP=3	
	4995	ATHN	47 GB	1006.1	1010.6	52.9	200.0		QL=6 ST=3 TYP=5	
	1415	ATHN	47 GB	1006.6	1014.0	54.20	95.0		QL=6 ST=3 TYP=5	
	4995	LEAR	4 S/F	1016.6	1023.5	20.5	34.0		QL=6 ST=2 TYP=3	
	1415	LEAR	47 GB	1017.8	1023.1	24.50	510.0		QL=6 ST=2 TYP=5	
	1415	ATHN	47 GB	1021.3	1023.0	19.0	650.0		QL=6 ST=2 TYP=5	
	2695	LEAR	4 S/F	1021.5	1033.0	20.10	88.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1047.1	1051.3	8.7	190.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1537.5	1537.8	3.0	15.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1539.1	1539.1	.20	21.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1539.3	1539.5	.50	720.0		QL=6 ST=2 TYP=5	
	4995	PALE	4 S/F	2025.0	2028.0	6.00	56.0		QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	2025.0	2028.1	6.00	72.0		QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	2025.0	2028.1	6.00	83.0		QL=6 ST=2 TYP=3	
	606	PALE	4 S/F	2025.0	2028.6	6.00	440.0		QL=6 ST=2 TYP=3	
09	245	LEAR	43 NS	0048.0	0223.6	606.00	21.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	0048.0	0544.6	606.00	25.0		QL=6 ST=2 TYP=1	
	4995	LEAR	4 S/F	0027.6	0032.5	10.00	220.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0027.8	0032.6	9.70	430.0		QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0028.5	0032.6	7.6	340.0		QL=6 ST=2 TYP=3	
	8800	MAN I	4 S/F	0028.8	0032.8	9.5	500.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0029.0	0032.1	8.80	170.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	0029.6	0032.0	10.5	480.0		QL=6 ST=3 TYP=3	
	2695	PALE	4 S/F	0029.6	0032.8	10.70	180.0		QL=6 ST=3 TYP=3	
	4995	PALE	4 S/F	0029.6	0032.8	10.70	170.0		QL=6 ST=3 TYP=3	
	8800	PALE	4 S/F	0029.6	0032.8	10.70	400.0		QL=6 ST=3 TYP=3	
	1415	LEAR	4 S/F	0030.1	0032.1	1437.50	370.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0030.1	0034.3	9.20	41.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0030.5	0033.3	9.10	48.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0031.8	0034.0	9.20	1800.0		QL=6 ST=2 TYP=5	
	8800	LEAR	8 S	0337.0	0337.6	1.60	42.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0337.1	0337.6	1.7	62.0		QL=6 ST=2 TYP=3	
	10	245	SGMR	43 NS	1218.0	2001.6	545.00	240.0		QL=6 ST=2 TYP=1
245		LEAR	43 NS	2206.0	0721.3	768.00	380.0		QL=6 ST=2 TYP=1	
245		LEAR	8 S	0258.0	0258.5	1.3	300.0		QL=6 ST=2 TYP=3	
245		LEAR	47 GB	0341.3	0345.0	11.00	670.0		QL=6 ST=2 TYP=5	
410		LEAR	4 S/F	0343.6	0345.3	3.70	390.0		QL=6 ST=2 TYP=3	
606		LEAR	4 S/F	0344.8	0346.3	2.5	30.0		QL=6 ST=2 TYP=3	
8800		ATHN	47 GB	0537.0E		45.80			QL=5 ST=2 TYP=5	
1415		LEAR	47 GB	0554.3	0556.3	19.70	600.0		QL=6 ST=2 TYP=5	
8800		LEAR	4 S/F	0554.3	0557.6	23.7	67.0		QL=6 ST=2 TYP=3	
2695		LEAR	4 S/F	0554.3	0559.1	24.70	180.0		QL=6 ST=2 TYP=3	
4995		LEAR	4 S/F	0554.3	0559.1	24.80	82.0		QL=6 ST=2 TYP=3	
1415		LEAR	47 GB	0625.0	0628.5	37.0	11.0		QL=6 ST=2 TYP=5	
245		LEAR	4 S/F	0759.1	0759.6	4.90	43.0		QL=6 ST=2 TYP=3	
410		LEAR	4 S/F	0759.6	0759.6	3.7	17.0		QL=6 ST=2 TYP=3	
11	245	SGMR	43 NS	1218.0	1716.8	547.00	390.0		QL=6 ST=2 TYP=1	
	1415	LEAR	8 S	0547.6	0548.6	1.4	6.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0547.8	0547.8	1.30	1500.0		QL=6 ST=2 TYP=5	
	606	LEAR	8 S	0547.8	0548.0	1.50	27.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0547.8	0548.8	2.20	260.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0801.8	0803.0	2.20	1500.0		QL=6 ST=2 TYP=5	
	410	LEAR	4 S/F	0802.1	0803.0	2.5	20.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0914.3	0916.0	2.80	62.0		QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
11	1415	LEAR	4 S/F	0914.6	0916.1	2.2	130.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0914.6	0917.5	3.2D	100.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0915.1	0916.0	2.5D	430.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1139.1	1145.1	14.9D	32.0			QL=5 ST=3 TYP=4
	8800	ATHN	4 S/F	1144.3	1145.1	4.3	10.0			QL=5 ST=3 TYP=4
	4995	ATHN	4 S/F	1350.6	1356.5	13.2D	80.0			QL=5 ST=3 TYP=3
	8800	ATHN	4 S/F	1352.1	1356.5	11.7	76.0			QL=5 ST=3 TYP=3
	1415	SGMR	4 S/F	1354.3	1356.5	6.2D	63.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1356.0	1356.6	3.0D	32.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1356.1	1356.3	2.9	119.0			QL=6 ST=2 TYP=3
	1415	ATHN	47 GB	1356.1	1356.5	1.0D	43.0			QL=5 ST=3 TYP=5
	4995	SGMR	4 S/F	1356.1	1356.5	2.7D	139.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1548.0	1549.5	3.5D	81.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1549.1	1549.5	2.4	64.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1850.3	1852.1	6.7D	61.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1851.1	1853.0	5.9	27.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1851.3	1853.0	5.5D	16.0			QL=6 ST=2 TYP=3
410	SGMR	4 S/F	1851.6	1852.3	4.4D	18.0			QL=6 ST=2 TYP=3	
12	410	LEAR	43 NS	2308.5	0929.8	705.5D	30.0			QL=6 ST=2 TYP=1
	606	LEAR	4 S/F	0030.3	0032.6	6.5	81.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0031.1	0034.6	4.5D	670.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0308.8	0314.3	9.0D	10.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0312.0	0315.3	7.3D	9.0			QL=6 ST=2 TYP=4
	15400	LEAR	4 S/F	0312.0	0315.8	7.3	29.0			QL=6 ST=2 TYP=4
	245	LEAR	4 S/F	0312.1	0312.3	6.2D	58.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0312.1	0315.3	8.2D	44.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0312.3	0315.3	9.3D	30.0			QL=6 ST=2 TYP=3
	4995	MAN I	4 S/F	0355.3	0357.3	4.2	48.0			QL=6 ST=2 TYP=4
	606	SGMR	4 S/F	1359.5	1359.6	6.3D	340.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1400.0	1400.3	8.0	110.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1400.1	1400.1	.9D	200.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1729.3	1730.5	2.2	100.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1729.6	1729.8	1.7D	19.0			QL=6 ST=2 TYP=3
245	LEAR	8 S	2351.1	2351.3	.5	38.0			QL=6 ST=2 TYP=3	
13	245	SGMR	43 NS	1217.0	1501.1	550.0D	57.0			QL=6 ST=2 TYP=1
	1415	MAN I	47 GB	0019.1	0020.1	2.2D	50.0			QL=6 ST=2 TYP=5
	2695	MAN I	4 S/F	0019.1	0020.1	3.2D	34.0			QL=6 ST=2 TYP=4
	4995	MAN I	8 S	0019.8	0020.1	1.7	11.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0319.6	0321.1	2.7	75.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0319.6	0321.1	2.5D	44.0			QL=6 ST=2 TYP=3
	4995	MAN I	4 S/F	0320.0	0321.8	6.6D	47.0			QL=6 ST=2 TYP=4
	8800	MAN I	4 S/F	0320.3	0321.8	6.3	57.0			QL=6 ST=2 TYP=4
	1415	MAN I	8 S	0441.6	0442.1	.9	11.0			QL=6 ST=2 TYP=4
	606	MAN I	4 S/F	0441.6	0443.3	5.4D	28.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0441.8	0442.1	2.0	29.0			QL=6 ST=3 TYP=5
	410	LEAR	4 S/F	0441.8	0443.3	2.3D	75.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	1919.5	1920.8	1.6D	130.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1920.5	1920.6	.6	45.0			QL=6 ST=2 TYP=3
14	410	SGMR	43 NS	1358.6	1412.1	448.4D	23.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1358.6	1540.8	448.4D	77.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2209.0	0520.1	766.0D	64.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2209.0	0856.1	766.0D	350.0			QL=6 ST=2 TYP=1
	606	SGMR	4 S/F	1221.6	1223.8	4.4	130.0			QL=4 ST=2 TYP=3
	245	SGMR	47 GB	1222.1	1222.3	6.4D	660.0			QL=4 ST=2 TYP=5
	410	SGMR	8 S	1315.3	1316.5	1.7D	41.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1315.8	1316.3	1.5	270.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1353.6	1357.5	4.7D	130.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1353.8	1355.3	4.8	39.0			QL=6 ST=2 TYP=3
	15	410	LEAR	43 NS	0500.0	0649.8	355.0D	11.0		
245		SGMR	43 NS	1216.0	1749.8	553.0D	72.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2211.0	0453.1	764.0D	85.0			QL=6 ST=2 TYP=1
410		LEAR	43 NS	2349.8	0653.8	665.2D	13.0			QL=6 ST=2 TYP=1
245		LEAR	4 S/F	0242.6	0243.6	2.7	18.0			QL=6 ST=2 TYP=3
16	245	SGMR	43 NS	1216.0	1249.1	554.0D	580.0			QL=6 ST=2 TYP=1
	606	PALE	4 S/F	0041.3	0042.3	2.7	32.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

145
Misc
Jan 80

J A N U A R Y 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
16	1415	PALE	4 S/F	0041.3	0043.1	2.7D	240.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1010.8	1012.3	5.0D	22.0		QL=6 ST=2 TYP=4	
	606	LEAR	4 S/F	1011.0	1011.6	2.6D	30.0		QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	1011.0	1012.3	2.6D	26.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	1011.0	1012.5	3.0D	11.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	1011.1	1012.1	2.5D	42.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	1011.1	1012.3	2.5	21.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	1011.3	1012.1	4.0	24.0		QL=6 ST=2 TYP=4	
	245	SGMR	47 GB	2037.0	2037.8	3.0	570.0		QL=6 ST=2 TYP=5	
17	245	LEAR	43 NS	2211.0	0006.6	764.0D	62.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2211.0	0812.6	764.0D	23.0		QL=6 ST=2 TYP=1	
18	245	PALE	43 NS	1718.0	1829.6	642.0D	100.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2213.0	0705.1	762.0D	55.0		QL=6 ST=2 TYP=1	
	410	LEAR	8 S	0142.8	0144.0	1.5D	11.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0143.6	0144.0	.5	8.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0830.8	0831.0	2.2	180.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1603.3	1604.1	1.0	19.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1604.1	1604.3	.4D	61.0		QL=6 ST=2 TYP=3	
19	245	SGMR	43 NS	1214.0	2053.3	560.0D	480.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2213.0	0320.1	762.0D	85.0		QL=6 ST=2 TYP=1	
	410	LEAR	4 S/F	0054.1	0100.3	19.9	110.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0057.8	0100.1	14.7D	150.0		QL=6 ST=2 TYP=3	
	410	PALE	4 S/F	0100.0	0100.5	10.0D	190.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1442.5	1442.6	4.5	54.0		QL=6 ST=2 TYP=3	
21	245	LEAR	43 NS	0535.5	0909.3	318.5	41.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2214.0	0444.8	760.0D	9.0		QL=6 ST=2 TYP=1	
	1415	LEAR	4 S/F	0825.3	0831.8	14.8D	16.0		QL=6 ST=2 TYP=4	
	2695	LEAR	4 S/F	0826.8	0834.0	12.8	24.0		QL=6 ST=2 TYP=4	
	245	LEAR	4 S/F	0829.3	0836.5	9.0D	24.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0829.6	0834.3	7.5D	15.0		QL=6 ST=2 TYP=3	
22	245	SGMR	43 NS	1212.0	1427.6	566.0D	77.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2215.0	0804.3	760.0D	110.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2359.0	0922.0	656.0D	19.0		QL=6 ST=2 TYP=1	
23	245	LEAR	43 NS	2216.0	0103.3	758.0D	86.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2216.0	0814.1	758.0D	20.0		QL=6 ST=2 TYP=1	
	410	LEAR	8 S	0150.8	0151.1	.8D	130.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0150.8	0151.3	1.2D	7.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0151.0	0151.3	.8	13.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0151.0	0151.5	.6D	33.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0206.0	0206.5	1.1	22.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0442.5	0443.1	1.0	8.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0444.6	0445.1	1.9D	11.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0444.6	0445.1	1.5D	41.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0545.6	0545.6	.2	39.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0617.0	0617.1	2.6D	20.0		QL=6 ST=3 TYP=3	
	410	LEAR	4 S/F	0617.1	0619.1	2.5	6.0		QL=6 ST=3 TYP=3	
	606	LEAR	4 S/F	0746.5	0747.3	3.5D	25.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0746.5	0747.6	4.0D	85.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0746.6	0747.3	1.7D	200.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0747.3	0747.5	.5	9.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0747.3	0747.5	.7D	7.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1253.1	1253.3	3.2D	90.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	1732.0	1737.0	9.0	720.0		QL=5 ST=2 TYP=5	
245	SGMR	47 GB	1732.6	1737.1	7.7	650.0		QL=6 ST=2 TYP=5		
245	SGMR	47 GB	1757.1	1757.5	3.0	1100.0		QL=6 ST=2 TYP=5		
24	410	SGMR	43 NS	1211.0	1836.5	569.0D	46.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1211.0	1909.0	569.0D	940.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1715.0	1752.1	648.0D	540.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1715.0	2114.3	375.0D	1.0		QL=6 ST=2 TYP=1	
	15400	LEAR	4 S/F	0057.8	0059.1	4.2	25.0		QL=6 ST=3 TYP=3	
	1415	LEAR	4 S/F	0057.8	0100.3	5.3D	35.0		QL=6 ST=3 TYP=3	
	4995	LEAR	4 S/F	0058.1	0058.8	4.0D	24.0		QL=6 ST=3 TYP=3	
	8800	LEAR	4 S/F	0058.1	0100.3	4.0D	29.0		QL=6 ST=3 TYP=3	

146
Misc
Jan 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JANUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
24	2695	LEAR	4 S/F	0058.3	0058.8	3.7D	23.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0106.3	0106.6	1.8	16.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0106.6	0107.0	1.4D	48.0			QL=6 ST=3 TYP=3
	606	LEAR	4 S/F	0641.3	0644.0	3.5	2.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0641.5	0643.0	1.6D	22.0			QL=6 ST=2 TYP=3
25	410	SGMR	43 NS	1530.0	1656.8	372.0D	20.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1530.0	1749.1	372.0D	220.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1715.0	1716.6	648.0	290.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0630.6	0631.5	1.2D	11.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0630.6	0631.6	2.0D	69.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0631.3	0631.5	.8	9.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0950.1	0950.5	1.0	260.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1443.5	1447.1	7.5D	33.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1444.0	1447.1	5.1	13.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1444.1	1447.8	6.0D	31.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1445.8	1446.8	3.0D	110.0			QL=6 ST=2 TYP=3
	1415	ATHN	8 S	1446.6	1447.6	1.7D	20.0			QL=6 ST=2 TYP=4
	8800	ATHN	8 S	1446.8	1447.6	2.0	4.0			QL=6 ST=2 TYP=4
	4995	ATHN	8 S	1446.8	1447.6	2.0D	6.0			QL=6 ST=2 TYP=4
	606	SGMR	4 S/F	1656.5	1658.3	3.3D	26.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1656.6	1657.3	3.7D	850.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1656.8	1656.8	3.0D	26.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1659.5	1659.8	2.3	9.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1717.5	1717.6	2.1D	22.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1717.6	1719.1	3.4D	30.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1717.6	1719.1	4.4D	58.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1718.6	1719.3	2.9	27.0			QL=6 ST=2 TYP=3
	15400	SGMR	47 GB	2058.0	2100.3	44.0D	2000.0			QL=4 ST=2 TYP=5
	1415	MANI	47 GB	2248.3	2251.1	5.5	60.0			QL=6 ST=2 TYP=5
1415	LEAR	4 S/F	2257.0	2303.8	19.8	190.0			QL=6 ST=2 TYP=3	
606	LEAR	4 S/F	2257.1	2304.8	20.4D	160.0			QL=6 ST=2 TYP=3	
1415	MANI	47 GB	2257.8	2303.6	17.2	350.0			QL=6 ST=2 TYP=5	
26	245	LEAR	43 NS	2218.0	0508.1	756.0D	170.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2218.0	0732.5	756.0D	45.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0140.5	0141.6	2.3	52.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0701.8	0704.0	4.2D	44.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0701.8	0704.0	3.8	27.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0702.0	0703.5	2.6D	119.0			QL=6 ST=2 TYP=3
	8800	MANI	47 GB	0702.0	0703.6	2.3	32.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0702.3	0704.0	3.5D	31.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2000.3	2003.0	5.7	110.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2001.1	2002.3	5.4D	11.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2002.0	2002.3	9.5D	24.0			QL=6 ST=2 TYP=3
	27	410	SGMR	43 NS	1208.0	1249.1	576.0D	31.0		
245		SGMR	43 NS	1208.0	1804.1	576.0D	220.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	1802.0	0119.0	603.0D	119.0			QL=6 ST=3 TYP=1
410		PALE	43 NS	1802.0	2312.6	603.0D	28.0			QL=6 ST=3 TYP=1
245		LEAR	43 NS	2218.0	0210.5	756.0D	110.0			QL=6 ST=2 TYP=1
410		LEAR	43 NS	2218.0	0738.3	756.0D	37.0			QL=6 ST=2 TYP=1
2695		MANI	4 S/F	0235.1	0235.8	3.0D	17.0			QL=6 ST=3 TYP=4
1415		MANI	4 S/F	0235.1	0236.0	3.9D	10.0			QL=6 ST=3 TYP=4
4995		MANI	47 GB	0235.1	0236.1	2.2	24.0			QL=6 ST=3 TYP=5
1415		LEAR	4 S/F	0235.1	0236.1	3.0D	17.0			QL=5 ST=2 TYP=3
8800		LEAR	8 S	0235.3	0236.1	1.3	21.0			QL=5 ST=2 TYP=3
4995		LEAR	4 S/F	0235.3	0236.1	2.2D	26.0			QL=5 ST=2 TYP=3
2695		LEAR	8 S	0235.5	0236.1	1.5D	23.0			QL=5 ST=2 TYP=3
606		LEAR	4 S/F	0235.5	0236.6	2.3D	100.0			QL=5 ST=2 TYP=3
4995		LEAR	4 S/F	0339.8	0344.1	8.3D	110.0			QL=5 ST=2 TYP=3
8800		LEAR	4 S/F	0340.8	0344.1	7.2D	150.0			QL=5 ST=2 TYP=3
8800		MANI	47 GB	0341.8	0344.0	6.7	89.0			QL=6 ST=2 TYP=5
15400		LEAR	4 S/F	0342.1	0344.0	4.7	73.0			QL=5 ST=2 TYP=3
2695		LEAR	4 S/F	0342.1	0344.1	4.9D	41.0			QL=5 ST=2 TYP=3
1415		LEAR	4 S/F	0343.1	0344.1	3.0D	11.0			QL=5 ST=2 TYP=3
8800		ATHN	47 GB	1145.5E	1150.6	23.6D	2100.0			QL=5 ST=3 TYP=5
4995		ATHN	47 GB	1145.5	1151.6	33.3	1300.0			QL=6 ST=3 TYP=5
1415		ATHN	47 GB	1145.6	1151.8	28.5D	240.0			QL=6 ST=3 TYP=5
245		SGMR	47 GB	1756.0	1758.8	4.8	630.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

147
Misc
Jan 80

JANUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
27	245	PALE	4 S/F	1758.1	1759.1	3.2	440.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1814.6	1816.3	5.4D	26.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1814.8	1816.3	4.2D	48.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1814.8	1816.5	3.5	43.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2332.1	2334.5	2.9D	180.0			QL=6 ST=3 TYP=3
	4995	PALE	4 S/F	2332.1	2334.5	2.9D	94.0			QL=6 ST=3 TYP=3
	2695	PALE	4 S/F	2332.1	2334.5	2.9	130.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	2332.3	2334.6	4.8D	110.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	2333.0	2335.5	4.8D	160.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	2333.3	2334.6	3.0D	139.0			QL=6 ST=3 TYP=3
	15400	LEAR	8 S	2334.1	2334.6	1.0	47.0			QL=6 ST=3 TYP=3
28	245	SGMR	43 NS	1207.0	1559.5	579.0D	75.0			QL=6 ST=2 TYP=1
	1415	PALE	4 S/F	0259.8	0304.3	8.7D	21.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	0300.0	0306.1	7.5D	130.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0303.8	0306.5	4.5D	31.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	0304.8	0305.0	1.8	41.0			QL=6 ST=2 TYP=3
	4995	MANI	4 S/F	0733.6	0738.3	6.9	59.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1848.3	1849.8	4.0D	31.0			QL=6 ST=2 TYP=4
	8800	SGMR	8 S	1849.0	1850.0	2.0D	13.0			QL=6 ST=2 TYP=4
	245	SGMR	4 S/F	1853.8	1854.0	3.2	119.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	2333.0	2334.8	3.1D	110.0			QL=6 ST=2 TYP=3
	8800	MANI	4 S/F	2333.8	2334.8	2.5	160.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	2334.1	2334.8	3.2D	5.0			QL=6 ST=2 TYP=4
29	245	SGMR	43 NS	1206.0	1530.6	581.0D	1500.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2219.0	0623.1	753.0D	18.0			QL=6 ST=2 TYP=1
	245	SGMR	47 GB	1530.5	1530.6	3.1	1500.0			QL=6 ST=2 TYP=5
	2695	SGMR	8 S	1736.8	1737.8		48.0			QL=6 ST=3 TYP=3
	8800	SGMR	8 S	1736.8	1738.0		91.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	1737.0	1738.1		5.0			QL=6 ST=3 TYP=3
	4995	SGMR	8 S	1737.3	1737.8		58.0			QL=6 ST=3 TYP=3
	15400	SGMR	8 S	1737.5	1737.5		40.0			QL=6 ST=3 TYP=3
30	245	LEAR	43 NS	2220.0	0821.5	752.0D	18.0			QL=6 ST=2 TYP=1
	245	SGMR	8 S	1542.6	1542.6	.2	320.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1732.0	1737.0	10.0D	21.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	1732.0	1737.0	8.0	23.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1732.0	1737.0	10.5D	39.0			QL=6 ST=2 TYP=4
	1415	SGMR	4 S/F	1734.0	1737.1	12.3D	68.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1734.6	1738.8	11.2D	30.0			QL=6 ST=2 TYP=4
	410	SGMR	4 S/F	1734.8	1742.1	10.8D	26.0			QL=6 ST=2 TYP=4
	245	SGMR	4 S/F	1737.1	1744.1	10.0D	81.0			QL=6 ST=2 TYP=4
	245	LEAR	8 S	2254.8	2255.1	1.5D	31.0			QL=6 ST=2 TYP=3
606	LEAR	8 S	2255.0	2255.1	.6	10.0			QL=6 ST=2 TYP=3	
31	245	LEAR	8 S	0316.3	0316.6	1.0D	39.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0316.5	0316.6	.6D	11.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0316.6	0316.8	1.5	150.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0816.6	0816.8	1.0D	150.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0816.6	0816.8	.7	18.0			QL=6 ST=2 TYP=3
245	LEAR	4 S/F	2253.1	2253.3	10.2	35.0			QL=6 ST=2 TYP=3	

148
Misc
Feb 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

FEBRUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
01	245	LEAR	43 NS	0830.0	0925.0	143.0D	26.0			QL=6 ST=2 TYP=1
	410	LEAR	44 NS	2222.0E	0438.1	750.0D	32.0			QL=6 ST=2 TYP=1
	2695	LEAR	4 S/F	0346.8	0348.1	28.7D	63.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0346.8	0348.1	23.8D	56.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0347.6	0348.6	9.5	5.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1011.5	1013.1	5.8D	33.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1011.8	1013.1	6.0	83.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1012.5	1013.1	3.8D	11.0			QL=6 ST=2 TYP=3
02	245	SGMR	43 NS	1202.0	2049.6	590.0D	150.0			QL=6 ST=2 TYP=1
	606	MANI	8 S	0311.8	0312.0	1.3D	7.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	0311.8	0312.6	2.2D	13.0			QL=6 ST=2 TYP=4
	4995	MANI	8 S	0312.0	0312.6	1.0	11.0			QL=6 ST=2 TYP=4
	2695	MANI	8 S	0312.3	0312.6	.3D	11.0			QL=6 ST=2 TYP=4
	410	LEAR	4 S/F	0640.0	0644.3	6.8D	13.0			QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	0641.0	0644.8	9.0D	290.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0643.1	0643.3	1.0	7.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1751.8	1759.0	8.0D	22.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1752.8	1754.5	9.3D	27.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1752.8	1759.0	15.0D	23.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1753.1	1759.0	7.7D	25.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1753.3	1756.6	8.8D	18.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1753.8	1754.3	1.3D	68.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1753.8	1754.6	2.3	420.0			QL=6 ST=2 TYP=3
606	LEAR	4 S/F	2321.3	2321.6	2.7	9.0			QL=6 ST=2 TYP=3	
03	245	SGMR	43 NS	1201.0	1530.1	593.0D	240.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1201.0	1755.1	593.0D	44.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1532.8	1543.6	381.2D	54.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2252.0	0225.8	719.0D	78.0			QL=6 ST=2 TYP=1
	410	LEAR	47 GB	0859.8E	0901.3	4.8D	550.0			QL=6 ST=2 TYP=5
	245	LEAR	8 S	0910.6	0911.3	1.0D	87.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0910.8	0911.0	.5	44.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1002.3	1010.1	35.3D	90.0			QL=5 ST=2 TYP=4
	1415	ATHN	4 S/F	1004.8	1009.8	27.3D	100.0			QL=5 ST=2 TYP=4
	4995	ATHN	4 S/F	1005.1	1010.3	32.9	31.0			QL=5 ST=2 TYP=4
	8800	ATHN	4 S/F	1007.1	1010.5	30.5	53.0			QL=2 ST=3 TYP=4
	245	LEAR	47 GB	1032.0	1034.1	4.0D	1399.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	1033.3	1034.1	2.5D	46.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	1035.3	1035.6	.7	23.0			QL=6 ST=2 TYP=3
	4995	ATHN	47 GB	1317.8	1339.3	88.5	510.0			QL=5 ST=2 TYP=5
	8800	SGMR	47 GB	1320.0	1339.8	69.0D	360.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	1325.3	1339.6	79.8	400.0			QL=2 ST=2 TYP=4
	15400	SGMR	4 S/F	1334.1	1340.6	15.2	82.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1506.0	1510.5	26.8	15000.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1550.1	1551.1	2.9	260.0			QL=6 ST=2 TYP=3
245	SGMR	4 S/F	1600.1	1605.3	7.0D	430.0			QL=6 ST=2 TYP=3	
410	SGMR	8 S	1605.0	1605.8	1.3	280.0			QL=6 ST=2 TYP=3	
04	245	SGMR	43 NS	1523.0	1738.1	392.0D	130.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2223.0	0707.0	748.0D	52.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2223.0	2304.1	748.0D	44.0			QL=6 ST=2 TYP=1
	245	LEAR	47 GB	0501.8	0502.8	5.8D	1500.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0502.0	0502.6	5.8D	119.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0502.0	0503.0	1.6D	8.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0502.0	0503.1	1.8	20.0			QL=6 ST=2 TYP=3
	1415	MANI	8 S	0503.6	0504.6	1.5	23.0			QL=6 ST=2 TYP=4
	606	MANI	8 S	0503.8	0504.5	1.5D	8.0			QL=6 ST=2 TYP=4
	245	LEAR	47 GB	0636.1	0645.0	10.2D	220.0			QL=6 ST=3 TYP=5
	410	LEAR	47 GB	0636.1	0645.3	10.0	19.0			QL=6 ST=3 TYP=5
	245	SGMR	47 GB	1523.0	1523.1	2.0	520.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1708.1	1713.3	6.2	2100.0			QL=6 ST=2 TYP=5
05	245	SGMR	43 NS	1159.0	1422.0	597.0D	210.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1159.0	1525.6	597.0D	87.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2224.1	2246.1	745.9D	119.0			QL=6 ST=3 TYP=1
	410	LEAR	8 S	0236.6	0237.3	1.0	8.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0236.8	0238.5	2.5D	64.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0703.3	0704.3	3.3D	61.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0703.3	0704.3	2.2D	19.0			QL=6 ST=3 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

149
Misc
Feb 80

FEBRUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
05	4995	ATHN	8 S	0703.8	0704.1	.8D	17.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0703.8	0704.3	3.0	43.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0704.1	0704.3	2.5	66.0			QL=6 ST=2 TYP=3
	1415	MANI	4 S/F	0737.0	0739.6	14.5	29.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	1023.6	1023.8	.7	100.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	1023.8	1024.1	.8D	170.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	1222.8	1224.3	5.2	37.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1223.3	1224.3	4.7D	9.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	1319.3	1320.3	2.8	70.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1319.3	1320.5	3.7D	32.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1724.5	1725.1	11.6D	60.0			QL=6 ST=3 TYP=3
	8800	SGMR	47 GB	1724.5	1725.1	12.3	430.0			QL=6 ST=3 TYP=5
	4995	SGMR	4 S/F	1724.5	1726.0	11.6D	200.0			QL=6 ST=3 TYP=3
	245	SGMR	8 S	2030.0	2030.8	1.1	27.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2030.0	2030.8	1.6D	73.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2050.8	2051.0	.7	55.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	2311.3	2313.8	3.3D	47.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	2311.5	2313.3	3.1D	110.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	2312.3	2313.3	1.7	62.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	2312.8	2313.1	1.0D	16.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	2312.8	2313.3	1.0D	10.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	2354.0	2357.1	4.8	57.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	2355.0	2355.8	4.3D	62.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	2355.0	2358.1	4.3D	37.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2355.8	2355.8	3.5D	44.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	2356.0	2356.6	3.0D	150.0			QL=6 ST=2 TYP=3
245	PALE	4 S/F	2356.3	2356.8	3.0	180.0			QL=6 ST=2 TYP=3	
06	245	SGMR	43 NS	1158.0	1801.3	600.0D	91.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2224.0	0141.1	746.0D	26.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2224.0	0558.8	746.0D	150.0			QL=6 ST=2 TYP=1
	606	LEAR	4 S/F	0108.0	0108.8	3.6	28.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0108.3	0109.5	1.7D	22.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0108.8	0109.3	2.8D	28.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0244.6	0247.0	3.0	80.0			QL=6 ST=2 TYP=3
	606	MANI	4 S/F	0245.0	0246.8	2.5	54.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0246.1	0247.1	1.4D	83.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0332.1	0334.8	5.5D	11.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0332.6	0334.8	6.7D	21.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0334.6	0335.0	2.0D	43.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0334.6	0335.0	.7	9.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0334.6	0335.1	2.0D	139.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0334.8	0335.1	2.2D	10.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0335.0	0335.8	1.5	64.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0335.5	0335.6	1.3D	41.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	0335.5	0335.6	1.3D	210.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1123.3	1123.8	3.3D	11.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	1123.5	1124.1	3.3	13.0			QL=5 ST=2 TYP=3
	1415	SGMR	8 S	1719.8	1719.8	1.2D	82.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1719.8	1720.1	9.5D	150.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1719.8	1720.1	9.5D	45.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1719.8	1720.1	9.5D	20.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1720.0	1720.1	8.1	150.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1909.8	1909.8	.3	280.0			QL=6 ST=2 TYP=3
410	SGMR	8 S	1910.0	1910.1	1.0D	130.0			QL=6 ST=2 TYP=3	
07	245	SGMR	43 NS	1156.0	1959.1	603.0D	52.0			QL=6 ST=2 TYP=1
	8800	LEAR	4 S/F	0142.1	0146.0	6.5D	35.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0143.5	0146.1	7.0	40.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0144.1	0146.1	3.9D	18.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0433.8	0436.3	9.5D	45.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0433.8	0436.3	8.5D	119.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0434.1	0434.3	6.9D	21.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0434.3	0436.3	4.8	98.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0434.3	0436.6	7.0D	33.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0709.1	0710.5	7.7	33.0			QL=2 ST=2 TYP=3
	4995	ATHN	4 S/F	0709.3	0710.6	6.3	4.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	0717.8	0721.1	6.5	42.0			QL=2 ST=2 TYP=3
	4995	ATHN	4 S/F	0718.1	0722.1	7.5	15.0			QL=5 ST=2 TYP=3
	08	245	SGMR	43 NS	1155.0	1648.3	605.0D	74.0		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

FEBRUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
08	245	PALE	43 NS	1830.0	1959.1	588.0	119.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2225.0	0832.8	744.0D	87.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2225.0	1009.1	744.0D	100.0		QL=6 ST=2 TYP=1	
	8800	LEAR	4 S/F	0142.1	0146.0	6.5D	35.0		QL=6 ST=3 TYP=3	
	15400	LEAR	4 S/F	0143.5	0146.1	48.0	40.0		QL=6 ST=3 TYP=3	
	4995	LEAR	4 S/F	0144.1	0146.1	3.9D	18.0		QL=6 ST=3 TYP=3	
	1415	ATHN	4 S/F	0904.0	0906.3	14.3D	460.0		QL=5 ST=2 TYP=3	
	8800	ATHN	47 GB	0904.3	0906.6	21.3	2200.0		QL=2 ST=2 TYP=5	
	15400	LEAR	47 GB	0904.5	0907.6	11.5	2300.0		QL=6 ST=2 TYP=5	
	2695	ATHN	4 S/F	0904.8	0906.3	13.3	440.0		QL=5 ST=2 TYP=3	
245	PALE	47 GB	2031.1	2038.0	22.0	5700.0		QL=6 ST=2 TYP=5		
09	245	SGMR	43 NS	1154.0	1541.6	608.0D	340.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1710.0	0032.5	668.0D	320.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1710.0	2206.8	668.0D	30.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2226.0	0903.0	742.0D	410.0		QL=2 ST=2 TYP=1	
	410	LEAR	43 NS	2345.0	0903.8	663.0D	26.0		QL=2 ST=2 TYP=1	
	2695	SGMR	4 S/F	1550.1	1551.0	2.2D	11.0		QL=6 ST=3 TYP=3	
	8800	SGMR	4 S/F	1550.1	1551.0	2.2	45.0		QL=6 ST=3 TYP=3	
	4995	SGMR	4 S/F	1550.1	1551.0	2.2D	36.0		QL=6 ST=3 TYP=3	
	245	SGMR	4 S/F	1551.1	1552.0	2.4D	119.0		QL=6 ST=3 TYP=3	
	410	SGMR	4 S/F	1551.1	1552.0	2.4D	160.0		QL=6 ST=3 TYP=3	
	606	SGMR	4 S/F	1551.1	1552.1	2.4D	61.0		QL=6 ST=3 TYP=3	
	245	SGMR	8 S	1611.3	1611.6	1.5D	63.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1611.6	1611.8	2.4	130.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1611.6	1611.8	1.2D	61.0		QL=6 ST=2 TYP=3	
	410	PALE	4 S/F	2106.1	2110.1	4.9D	2.0		QL=6 ST=2 TYP=3	
	245	PALE	8 S	2109.6	2110.0	1.4	260.0		QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	2113.8	2113.8	4.3D	119.0		QL=6 ST=2 TYP=3	
10	245	SGMR	43 NS	1153.0	1619.5	610.0D	380.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1153.0	1903.5	610.0D	75.0		QL=6 ST=2 TYP=1	
	1415	ATHN	43 NS	1532.0	1532.3	7.5D	180.0		QL=5 ST=2 TYP=1	
	410	PALE	43 NS	1710.0	0019.6	668.0D	37.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1710.0	0118.5	668.0D	780.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2226.0	0808.6	742.0D	770.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2226.0	0954.3	22.0D	21.0		QL=6 ST=2 TYP=1	
	4995	MANI	4 S/F	0429.0	0431.3	3.6D	49.0		QL=6 ST=2 TYP=4	
	8800	LEAR	4 S/F	0429.1	0430.8	5.2D	59.0		QL=6 ST=2 TYP=3	
	8800	MANI	4 S/F	0429.6	0431.3	3.0	91.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0429.8	0431.1	3.5D	24.0		QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0430.1	0430.8	4.5	15.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0430.1	0431.1	3.0D	9.0		QL=6 ST=2 TYP=3	
	2695	MANI	4 S/F	0430.5	0431.3	2.6D	9.0		QL=6 ST=2 TYP=4	
	2695	LEAR	8 S	0447.0	0447.6	1.6D	62.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0447.1	0447.6	1.5D	34.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0447.1	0447.6	1.5D	22.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0447.1	0447.6	1.5D	55.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0447.1	0447.6	.9	13.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0735.0	0735.6	2.1	24.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1528.0	1530.6	12.0	190.0		QL=6 ST=2 TYP=5	
	4995	ATHN	4 S/F	1534.3	1534.8	5.0	23.0		QL=5 ST=2 TYP=4	
	245	SGMR	47 GB	1544.0	1556.8	23.0	1000.0		QL=6 ST=2 TYP=5	
	606	SGMR	8 S	1824.3	1824.6	1.2	77.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1849.8	1850.6	4.2D	28.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1850.1	1851.3	2.0	75.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	2014.1	2014.6	1.9D	35.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	2014.3	2014.8	1.5	139.0		QL=6 ST=2 TYP=3	
	606	SGMR	47 GB	2021.0	2025.8	9.1D	220.0		QL=6 ST=3 TYP=5	
	410	SGMR	47 GB	2025.1	2025.8	4.0	680.0		QL=6 ST=3 TYP=5	
	1415	SGMR	4 S/F	2025.1	2025.8	3.4D	15.0		QL=6 ST=3 TYP=3	
	410	LEAR	8 S	2329.6	2330.5	1.7D	76.0		QL=6 ST=3 TYP=3	
	245	LEAR	8 S	2330.0	2330.1	1.5D	290.0		QL=6 ST=3 TYP=3	
8800	LEAR	4 S/F	2330.0	2330.6	3.6D	60.0		QL=6 ST=3 TYP=3		
1415	LEAR	4 S/F	2330.0	2330.8	3.6D	6.0		QL=6 ST=3 TYP=3		
4995	LEAR	4 S/F	2330.1	2330.8	3.4D	15.0		QL=6 ST=3 TYP=3		
2695	LEAR	4 S/F	2330.1	2330.8	2.4D	13.0		QL=6 ST=3 TYP=3		
606	LEAR	4 S/F	2330.3	2330.3	2.8D	79.0		QL=6 ST=3 TYP=3		
15400	LEAR	4 S/F	2330.6	2330.6	2.7	41.0		QL=6 ST=3 TYP=3		
11	245	SGMR	43 NS	1151.0	1303.1	72.1D	550.0		QL=6 ST=3 TYP=1	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

151
Misc
Feb 80

F E B R U A R Y 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
11	245	SGMR	43 NS	1151.0	1310.8	79.8D	1800.0			QL=6 ST=3 TYP=1	
	410	SGMR	43 NS	1151.0	1417.6	613.0D	139.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1710.0	0108.1	668.0D	590.0			QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1710.0	2129.3	668.0D	180.0			QL=6 ST=2 TYP=1	
	245	LEAR	44 NS	2227.0E	0504.3	397.3D	540.0			QL=6 ST=3 TYP=1	
	245	LEAR	44 NS	2227.0E	0605.6	458.6D	1700.0			QL=6 ST=3 TYP=1	
	410	LEAR	43 NS	2227.0	0839.1	740.0D	130.0			QL=3 ST=2 TYP=1	
	410	LEAR	4 S/F	0018.3	0018.6	4.3D	57.0			QL=6 ST=3 TYP=3	
	245	LEAR	4 S/F	0018.3	0018.6	3.7	370.0			QL=6 ST=3 TYP=3	
	8800	LEAR	4 S/F	0018.3	0019.6	2.3D	130.0			QL=6 ST=3 TYP=3	
	4995	LEAR	4 S/F	0019.3	0020.5	2.3D	72.0			QL=6 ST=3 TYP=3	
	2695	LEAR	4 S/F	0019.3	0020.5	4.3D	40.0			QL=6 ST=3 TYP=3	
	1415	LEAR	4 S/F	0019.3	0020.6	5.7D	29.0			QL=6 ST=3 TYP=3	
	15400	LEAR	8 S	0019.8	0020.6	1.8D	81.0			QL=6 ST=3 TYP=3	
	606	LEAR	4 S/F	0022.5	0022.6	3.3D	49.0			QL=6 ST=3 TYP=3	
	606	LEAR	4 S/F	0106.1	0106.8	3.0	130.0			QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	0517.0	0518.3	2.1	180.0			QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1023.5	1024.8	7.3	26.0			QL=2 ST=2 TYP=3	
	4995	ATHN	4 S/F	1023.6	1026.0	4.9	7.0			QL=5 ST=2 TYP=3	
	4995	ATHN	4 S/F	1030.8	1035.6	17.3	11.0			QL=5 ST=2 TYP=3	
	8800	ATHN	4 S/F	1032.1	1034.1	16.7	34.0			QL=2 ST=2 TYP=3	
	606	SGMR	8 S	1257.8	1258.1	2.0D	139.0			QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1258.0	1259.3	1.8	98.0			QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1849.8	1850.3	2.2	850.0			QL=6 ST=2 TYP=5	
	410	SGMR	8 S	2035.3	2035.6	.8	110.0			QL=6 ST=2 TYP=3	
	606	PALE	8 S	2036.6	2037.0	1.4D	380.0			QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	2036.6	2037.3	7.4D	170.0			QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	2036.6	2037.3	7.4D	360.0			QL=6 ST=2 TYP=3	
	2695	PALE	8 S	2036.6	2037.5	1.4D	170.0			QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	2036.8	2037.1	8.2D	200.0			QL=6 ST=2 TYP=3	
	1415	PALE	8 S	2036.8	2037.3	1.2D	139.0			QL=6 ST=2 TYP=3	
	8800	PALE	47 GB	2036.8	2037.5	1.2D	1300.0			QL=6 ST=2 TYP=5	
	4995	PALE	8 S	2036.8	2037.5	1.2D	370.0			QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	2036.8	2037.5	5.8D	130.0			QL=6 ST=2 TYP=3	
	410	PALE	8 S	2037.0	2037.3	1.0	210.0			QL=6 ST=2 TYP=3	
	8800	SGMR	47 GB	2037.3	2044.8	4131.5D	940.0			QL=6 ST=2 TYP=5	
	12	410	PALE	43 NS	1709.0	0142.0	669.0D	150.0			QL=6 ST=2 TYP=1
		245	PALE	43 NS	1709.0	2330.6	669.0D	960.0			QL=6 ST=2 TYP=1
		410	LEAR	43 NS	2228.0	0142.1	738.0	270.0			QL=6 ST=2 TYP=1
		245	LEAR	43 NS	2228.0	2231.6	738.0D	610.0			QL=6 ST=2 TYP=1
606		LEAR	8 S	0437.8	0439.3	1.8	280.0			QL=6 ST=2 TYP=3	
1415		LEAR	47 GB	0832.5	0837.6	18.0D	950.0			QL=6 ST=3 TYP=5	
8800		LEAR	4 S/F	0832.6	0841.3	18.0D	300.0			QL=6 ST=3 TYP=3	
2695		LEAR	4 S/F	0833.8	0841.3	17.2D	110.0			QL=6 ST=3 TYP=3	
15400		LEAR	4 S/F	0834.0	0841.1	16.0	290.0			QL=6 ST=3 TYP=3	
4995		LEAR	4 S/F	0834.1	0841.5	19.9D	210.0			QL=6 ST=3 TYP=3	
606		LEAR	4 S/F	0836.0	0840.1	12.5D	150.0			QL=6 ST=3 TYP=3	
8800		MANI	47 GB	0839.0	0841.8	6.0	260.0			QL=6 ST=2 TYP=5	
15400		LEAR	4 S/F	0841.1	0850.0	4847.7	290.0			QL=6 ST=2 TYP=3	
4995		ATHN	4 S/F	0909.3	0912.8	8.5	11.0			QL=5 ST=2 TYP=4	
8800		ATHN	4 S/F	0909.6	0912.5	8.2	27.0			QL=2 ST=2 TYP=4	
1415		LEAR	4 S/F	0910.6	0912.1	6.2D	110.0			QL=6 ST=3 TYP=3	
2695		ATHN	4 S/F	0910.8	0911.6	10.8	43.0			QL=2 ST=2 TYP=3	
2695		LEAR	4 S/F	0910.8	0911.6	7.2D	65.0			QL=6 ST=3 TYP=3	
1415		ATHN	4 S/F	0910.8	0912.3	6.3	99.0			QL=5 ST=2 TYP=3	
8800		LEAR	4 S/F	0911.6	0912.5	3.0	15.0			QL=6 ST=3 TYP=3	
606		LEAR	4 S/F	0911.6	0913.0	5.4D	69.0			QL=6 ST=3 TYP=3	
245		SGMR	47 GB	1722.0	1723.0	11.6	680.0			QL=6 ST=2 TYP=5	
245		PALE	4 S/F	1957.0	2002.8	18.1	119.0			QL=6 ST=2 TYP=4	
410		PALE	4 S/F	2001.6	2007.8	16.5D	43.0			QL=6 ST=2 TYP=3	
606		PALE	4 S/F	2005.8	2006.8	3.5D	25.0			QL=6 ST=2 TYP=3	
1415		PALE	8 S	2011.5	2012.1	1.6D	17.0			QL=6 ST=2 TYP=3	
245		PALE	47 GB	2156.0	2156.1	1.5	1000.0			QL=6 ST=2 TYP=5	
13		245	SGMR	44 NS	1149.0E	1309.1	80.1D	240.0			QL=6 ST=3 TYP=1
		410	PALE	43 NS	1710.0	1833.1	668.0D	87.0			QL=6 ST=2 TYP=1
		245	PALE	43 NS	1710.0	2329.1	668.0D	710.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2228.0	0310.1	738.0D	620.0			QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2228.0	0519.8	738.0D	2100.0			QL=6 ST=2 TYP=1	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

FEBRUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (10 ⁻²² W/m ² Hz)		
13	606	LEAR	4 S/F	0015.6	0017.8	2.9	38.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0516.0	0516.6	.8D	25.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0516.1	0516.6	.7	139.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0640.3	0641.1	1.3D	65.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0640.6	0641.1	1.0D	20.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0640.8	0641.0	.7D	530.0		QL=6 ST=2 TYP=5	
	8800	LEAR	8 S	0640.8	0641.1	.8D	29.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0640.8	0641.3	1.2	39.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0641.0	0641.3	.8D	8.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0641.1	0641.1	.5D	150.0		QL=6 ST=2 TYP=3	
	410	SGMR	47 GB	1223.5	1224.5	6.0D	1000.0		QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1223.5	1224.5	6.0	250.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1320.5	1326.5	11.3D	350.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1324.3	1327.3	6.5	139.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1326.1	1328.3	5.2D	27.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1509.3	1509.8	1.3	59.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1509.6	1509.8	.7D	300.0		QL=6 ST=2 TYP=3	
	606	PALE	47 GB	1926.0	1927.5	3.8	1199.0		QL=1 ST=3 TYP=5	
	606	SGMR	47 GB	1926.3	1927.6	3.7	1300.0		QL=6 ST=2 TYP=5	
	15400	PALE	8 S	2137.3	2138.0	1.3D	110.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	2137.3	2138.1	4.3	150.0		QL=6 ST=2 TYP=3	
8800	PALE	4 S/F	2137.8	2138.0	8.3	170.0		QL=6 ST=2 TYP=3		
14	245	SGMR	43 NS	1147.0	1255.6	621.0D	460.0		QL=6 ST=2 TYP=1	
	410	SGMR	43 NS	1147.0	1852.8	621.0D	56.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1710.0	0058.1	668.0D	47.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1710.0	2211.8	668.0D	320.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2229.0	2308.6	736.0D	180.0		QL=6 ST=2 TYP=1	
	8800	LEAR	4 S/F	0028.3	0029.1	3.8D	220.0		QL=6 ST=2 TYP=3	
	8800	MANI	8 S	0028.5	0029.3	1.5	270.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0028.6	0029.1	1.2	170.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0508.5	0509.3	6.8D	150.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0509.0	0509.5	1.3	64.0		QL=6 ST=2 TYP=3	
	8800	MANI	8 S	0509.0	0509.8	2.0	200.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0511.3	0512.1	2.0D	1100.0		QL=6 ST=2 TYP=5	
	1415	MANI	8 S	0517.5	0517.8	1.1D	18.0		QL=6 ST=2 TYP=4	
	8800	LEAR	4 S/F	0717.8	0718.8	6.7D	86.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0718.6	0718.8	1.0	40.0		QL=6 ST=2 TYP=3	
15	245	SGMR	44 NS	1146.0E	1244.8	58.8D	119.0		QL=6 ST=3 TYP=1	
	245	PALE	43 NS	1709.0	2000.5	671.0D	670.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1709.0	2013.3	671.0D	41.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2229.0	0435.1	736.0D	260.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2229.0	2359.8	736.0D	23.0		QL=6 ST=2 TYP=1	
	410	LEAR	4 S/F	0057.8	0058.1	2.3D	24.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0059.3	0100.3	2.0D	8.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0059.5	0100.3	.8D	4.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0059.8	0100.3	.8D	21.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0100.0	0100.1	.6	19.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0100.0	0100.5	1.1D	5.0		QL=6 ST=2 TYP=3	
	606	SGMR	47 GB	1455.6	1455.8	3.4	130.0		QL=6 ST=2 TYP=5	
	410	SGMR	47 GB	2103.1	2105.3	14.7D	119.0		QL=6 ST=2 TYP=5	
	1415	SGMR	4 S/F	2103.6	2117.1	15.4D	13.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	2104.3	2106.8	26.7	740.0		QL=6 ST=2 TYP=5	
	2695	SGMR	4 S/F	2109.0	2113.3	10.5D	43.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	2109.1	2113.8	8.5D	33.0		QL=6 ST=2 TYP=3	
606	SGMR	4 S/F	2109.8	2110.0	5.2D	21.0		QL=6 ST=2 TYP=3		
8800	SGMR	4 S/F	2110.0	2113.3	8.0	58.0		QL=6 ST=2 TYP=3		
16	245	SGMR	43 NS	1145.0	1935.6	546.0D	64.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	2100.0	2122.8	440.0D	22.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2230.0	0449.8	734.0D	52.0		QL=6 ST=2 TYP=1	
	606	LEAR	8 S	0240.6	0240.8	.5	25.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1446.0	1446.6	2.1	72.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1446.1	1447.1	2.0D	100.0		QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	1446.6	1447.1	3.5D	11.0		QL=6 ST=2 TYP=3	
17	245	SGMR	43 NS	1143.0	1943.1	629.0D	150.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1710.0	1942.8	670.0D	230.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2230.0	2321.1	734.0D	130.0		QL=6 ST=2 TYP=1	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

153
Misc
Feb 80

F E B R U A R Y 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
17	4995	MANI	4 S/F	0312.5	0313.5	2.3	30.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	0840.5	0841.6	5.5	27.0			QL=5 ST=2 TYP=4
19	245	LEAR	43 NS	2232.0	0014.8	730.0D	67.0			QL=6 ST=2 TYP=1
20	2695	SGMR	4 S/F	2016.0	2017.3	3.0D	16.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2016.1	2017.3	3.0D	22.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	2016.6	2017.5	2.0	46.0			QL=6 ST=2 TYP=3
21	245	LEAR	43 NS	2232.0	0011.1	730.0D	42.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2232.0	0804.8	730.0D	28.0			QL=6 ST=2 TYP=1
	245	SGMR	8 S	1353.6	1353.8	.5	74.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1354.0	1357.6	4.1	180.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1357.1	1357.8	.9D	8.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1632.3	1632.5	.8	230.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1640.0	1640.3	.6	86.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1723.8	1724.0	.5	66.0			QL=6 ST=2 TYP=3
22	245	LEAR	43 NS	2233.0	0658.8	728.0D	42.0			QL=6 ST=3 TYP=1
23	245	LEAR	43 NS	2234.0	0547.1	726.0D	21.0			QL=6 ST=2 TYP=1
25	410	SGMR	8 S	1621.3	1621.5	.8D	220.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1621.3	1621.6	5.8D	80.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1621.3	1621.6	6.8D	90.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1621.3	1621.6	2.5	24.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1621.5	1622.0	6.3D	40.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1949.3	1952.3	3.5	83.0			QL=6 ST=2 TYP=5
26	245	LEAR	43 NS	2235.0	2256.1	722.0D	43.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0219.1	0220.8	2.2	11.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0843.6	0845.1	3.5	17.0			QL=5 ST=2 TYP=3
	606	LEAR	4 S/F	0844.3	0846.3	2.7D	260.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0844.6	0844.6	2.4	7.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0844.6	0845.1	.7D	65.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0844.8	0845.1	2.2D	17.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0845.0	0845.0	.6D	16.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1151.3	1152.1	1.8	650.0			QL=6 ST=3 TYP=5
	1415	ATHN	8 S	1151.6	1152.3	1.0D	13.0			QL=5 ST=2 TYP=3
	2695	ATHN	8 S	1151.6	1152.3	1.4D	31.0			QL=5 ST=2 TYP=3
	4995	ATHN	8 S	1151.8	1152.3	1.7	10.0			QL=5 ST=2 TYP=3
	410	SGMR	8 S	1152.1	1152.3	1.0D	170.0			QL=6 ST=3 TYP=3
	245	SGMR	8 S	1152.3	1152.5	1.5D	160.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1448.1	1449.3	2.4D	64.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1448.3	1450.1	5.0D	310.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1449.3	1449.8	1.0D	17.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1449.3	1449.8	1.2D	200.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1449.5	1450.0	1.5	11.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1449.5	1450.0	1.0D	63.0			QL=6 ST=2 TYP=3
606	SGMR	4 S/F	1741.0	1745.0	11.6D	18.0			QL=6 ST=2 TYP=4	
1415	SGMR	4 S/F	1741.5	1750.8	16.6	39.0			QL=6 ST=2 TYP=4	
2695	SGMR	4 S/F	1742.1	1748.0	16.9D	30.0			QL=6 ST=2 TYP=4	
27	245	LEAR	43 NS	2235.0	0005.8	153.1	37.0			QL=6 ST=2 TYP=1
	606	PALE	4 S/F	0326.0	0327.1	43.5D	77.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0326.6	0327.1	3.0D	65.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0326.6	0327.3	3.7D	26.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0326.6	0327.3	4.0	24.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0335.0	0356.5	32.3	160.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0337.6	0356.1	25.7D	22.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0338.0	0401.0	34.0D	94.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0338.0	0401.1	34.0D	130.0			QL=6 ST=2 TYP=3
	1415	MANI	47 GB	0340.0	0346.0	7.0D	53.0			QL=6 ST=2 TYP=5
	4995	PALE	4 S/F	0340.0	0400.6	32.0D	79.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0343.3	0345.5	5.3	8.0			QL=6 ST=2 TYP=4
	8800	MANI	47 GB	0347.8	0400.6	23.8	91.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	2104.8	2107.1	3.3D	40.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2105.0	2107.0	3.0D	11.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2107.6	2108.1	1.2	89.0			QL=6 ST=2 TYP=3
28	245	LEAR	8 S	0115.3	0116.6	1.8	26.0			QL=6 ST=2 TYP=3

154
Misc
Feb 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

FEBRUARY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
28	245	LEAR	8 S	0948.8	0949.0	1.5	119.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1205.1	1206.1	30.7	280.0			QL=5 ST=2 TYP=3
	4995	SGMR	4 S/F	1205.1	1206.3	7.4D	290.0			QL=4 ST=3 TYP=3
	2695	ATHN	4 S/F	1205.1	1206.3	11.5D	180.0			QL=5 ST=2 TYP=3
	410	SGMR	47 GB	1205.1	1206.5	5.9D	13999.0			QL=4 ST=3 TYP=5
	15400	SGMR	47 GB	1205.1	1206.8	7.7D	580.0			QL=4 ST=3 TYP=5
	8800	ATHN	47 GB	1205.5	1206.3	30.5	610.0			QL=2 ST=2 TYP=5
	8800	SGMR	47 GB	1206.0	1206.3	6.8D	730.0			QL=4 ST=3 TYP=5
	245	SGMR	47 GB	1206.0	1206.6	4.5	50000.0			QL=4 ST=3 TYP=5
	2695	SGMR	4 S/F	1206.0	1207.1	7.0D	290.0			QL=4 ST=3 TYP=3
	410	PALE	8 S	2246.3	2246.6	1.0D	39.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2246.3	2246.6	1.0	119.0			QL=6 ST=2 TYP=3
29	1415	SGMR	4 S/F	1443.8	1443.8	3.2D	33.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1447.0	1449.1	3.0	26.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

155
Misc
Mar 80

MARCH 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
01	245	LEAR	43 NS	0330.0	0409.0	425.0D	11.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2237.0	0547.3	717.0D	62.0			QL=6 ST=2 TYP=1
02	410	LEAR	43 NS	0139.0	0823.5	535.0D	17.0			QL=6 ST=2 TYP=1
	245	LEAR	44 NS	2237.0E	0249.8	298.0D	25.0			QL=6 ST=3 TYP=1
	245	LEAR	4 S/F	0139.1	0139.8	2.5	130.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0304.1	0307.0	5.0D	26.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0305.8	0307.3	3.3	15.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1633.5	1637.5		130.0			QL=6 ST=3 TYP=3
	4995	SGMR	8 S	1633.5	1637.5		370.0			QL=6 ST=3 TYP=3
	8800	SGMR	47 GB	1633.8	1637.5		900.0			QL=6 ST=3 TYP=5
	15400	SGMR	47 GB	1634.5	1638.8		1100.0			QL=6 ST=3 TYP=5
	410	PALE	4 S/F	1900.1	1905.8	12.7D	49.0			QL=6 ST=2 TYP=4
	245	PALE	4 S/F	1900.1	1909.6	13.4	180.0			QL=6 ST=2 TYP=4
	606	PALE	4 S/F	1900.6	1905.8	10.2D	42.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	1901.3	1909.6	9.3	330.0			QL=6 ST=2 TYP=5
03	245	LEAR	8 S	0236.1	0236.3	.5	150.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0357.3	0358.6	1.8	20.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2008.1	2008.5	.7D	29.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2008.3	2008.6	.5	76.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	2049.8	2052.1	4.0	97.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2050.0	2051.3	3.1D	49.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2050.3	2052.5	2.8	130.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2050.5	2051.0	4.5D	16.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2050.5	2051.0	4.5D	35.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	2050.5	2051.1	5.1D	55.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2050.5	2051.5	2.1D	10.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2050.5	2051.5	2.1D	18.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2050.6	2051.6	2.2D	50.0			QL=6 ST=2 TYP=3
04	4995	ATHN	8 S	1009.1	1009.5	1.2D	24.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	1009.1	1009.5	1.0	69.0			QL=6 ST=2 TYP=3
	1415	ATHN	8 S	1009.3	1009.6	1.0D	13.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	1009.5	1009.8	.8D	8.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	1018.5	1019.6	1.8D	24.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	1018.8	1019.5	1.5D	65.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	1019.0	1019.5	2.5D	24.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	1019.0	1019.6	1.5D	13.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	1019.1	1019.3	2.4	58.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	1019.1	1019.8	1.7D	49.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	1019.5	1019.8	.6D	13.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1348.8	1349.8	1.8D	27.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1349.0	1349.8	2.0D	82.0			QL=6 ST=2 TYP=3
410	SGMR	4 S/F	1349.1	1349.8	2.2D	240.0			QL=6 ST=2 TYP=3	
245	SGMR	4 S/F	1349.1	1350.1	2.2	260.0			QL=6 ST=2 TYP=3	
05	245	LEAR	43 NS	2239.0	0132.3	332.0D	26.0			QL=6 ST=2 TYP=1
06	2695	ATHN	4 S/F	1052.8	1054.6	7.2D	11.0			QL=5 ST=2 TYP=3
	1415	ATHN	4 S/F	1053.1	1054.3	9.0D	37.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	1054.0	1054.5	4.8	6.0			QL=5 ST=2 TYP=3
09	245	LEAR	47 GB	0205.6	0206.3	6.5	119.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0214.3	0218.0	10.2	72.0			QL=6 ST=2 TYP=5
	245	LEAR	8 S	0355.1	0356.1	2.0	250.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1400.0	1400.3	2.0	150.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1400.0	1400.5	2.0D	15.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	2054.1	2056.0	3.9	270.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	2215.0	2215.1	.3	8.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	2215.0	2215.1	.6D	130.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	2315.0	2315.1	.3	8.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	2315.0	2315.1	.6D	130.0			QL=6 ST=2 TYP=3
10	245	LEAR	43 NS	2240.0	2247.8	706.0D	25.0			QL=6 ST=3 TYP=1
	245	LEAR	4 S/F	0623.1	0624.0	5.0	41.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1952.1	1954.1	2.4	119.0			QL=6 ST=2 TYP=3
11	245	PALE	8 S	0053.5	0054.1	1.8	410.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0053.6E	0054.1	2.0D	350.0			QL=6 ST=2 TYP=3

156
Misc
Mar 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MARCH 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
11	410	LEAR	8 S	0703.8	0703.8	.2	10.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0703.8	0704.0	.5D	74.0		QL=6 ST=2 TYP=3	
12	245	SGMR	8 S	2105.1	2105.3	.7	470.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	2105.1	2105.3	.7D	7.0		QL=6 ST=2 TYP=3	
13	245	LEAR	4 S/F	0637.3	0638.6	4.7	19.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0812.8	0813.6	1.5D	11.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0813.1	0813.3	.9D	7.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0813.3	0813.5	.8	11.0		QL=6 ST=2 TYP=3	
15	245	LEAR	4 S/F	0231.3	0231.6	2.8	13.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0411.3	0411.6	.5	11.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0905.5	0910.1	5.0D	27.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0908.1	0910.1	2.4	54.0		QL=6 ST=2 TYP=3	
19	245	LEAR	43 NS	0143.0	0657.6	516.0D	62.0		QL=6 ST=2 TYP=1	
	410	LEAR	47 GB	0319.3	0319.5	4.8D	530.0		QL=6 ST=2 TYP=5	
	606	LEAR	4 S/F	0319.3	0319.8	2.7	52.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0522.8	0524.3	4.3D	34.0		QL=6 ST=2 TYP=3	
	606	MANI	47 GB	0523.1	0523.3	2.9D	160.0		QL=6 ST=2 TYP=5	
	8800	LEAR	4 S/F	0523.1	0524.1	3.2	29.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0523.3	0524.1	3.8D	23.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0523.6	0524.1	2.4	20.0		QL=2 ST=2 TYP=3	
	2695	ATHN	8 S	0523.6	0524.3	1.0D	26.0		QL=5 ST=2 TYP=3	
	4995	ATHN	4 S/F	0523.6	0524.5	2.4	13.0		QL=5 ST=2 TYP=3	
	410	LEAR	8 S	0524.0	0524.1	1.3D	130.0		QL=6 ST=2 TYP=3	
	2695	MANI	8 S	0524.0	0524.5	1.1	27.0		QL=6 ST=2 TYP=4	
	1415	LEAR	8 S	0524.0	0524.5	2.0D	29.0		QL=6 ST=2 TYP=3	
	1415	MANI	4 S/F	0524.0	0524.6	2.1D	23.0		QL=6 ST=2 TYP=4	
	606	LEAR	8 S	0524.1	0524.1	1.4D	360.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0524.3	0524.8	1.0D	13.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0726.6	0726.8	.5	41.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0726.6	0727.1	1.2D	220.0		QL=6 ST=2 TYP=3	
	410	LEAR	47 GB	0735.3	0737.3	2.3D	130.0		QL=6 ST=2 TYP=5	
	606	LEAR	8 S	0735.5	0735.8	2.0	7.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0805.5	0806.6	2.6	100.0		QL=5 ST=2 TYP=3	
	8800	ATHN	8 S	0805.6	0806.5	2.0	150.0		QL=2 ST=2 TYP=3	
	2695	ATHN	4 S/F	0805.6	0806.6	2.9D	55.0		QL=5 ST=2 TYP=3	
	606	MANI	47 GB	0805.6	0806.8	2.4D	340.0		QL=6 ST=2 TYP=5	
	2695	MANI	4 S/F	0805.8	0806.6	4.2D	51.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0806.0	0806.6	5.0D	65.0		QL=6 ST=2 TYP=3	
	1415	MANI	4 S/F	0806.0	0807.5	4.0D	61.0		QL=6 ST=2 TYP=3	
	8800	MANI	4 S/F	0806.1	0806.6	3.0	100.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0929.8	0930.8	1.3D	9.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0930.5	0930.6	.5	6.0		QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	1436.8	1440.3	5.2D	62.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1437.1	1439.8	4.7D	119.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1437.1	1439.8	4.4D	21.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1437.1	1440.3	5.0	42.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1439.0	1440.5	2.8D	25.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1439.1	1440.5	3.0D	20.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1439.8	1440.1	2.5D	13.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1735.6	1737.5	4.0D	8.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1735.6	1737.5	4.0D	19.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1736.0	1737.5	3.0	34.0		QL=6 ST=2 TYP=3	
245	SGMR	8 S	1925.0	1925.5	1.1	100.0		QL=6 ST=2 TYP=3		
245	SGMR	4 S/F	1946.3	1948.5	4.8D	49.0		QL=6 ST=2 TYP=3		
410	SGMR	4 S/F	1946.3	1948.5	4.7D	46.0		QL=6 ST=2 TYP=3		
606	SGMR	4 S/F	1946.3	1948.5	4.5D	16.0		QL=6 ST=2 TYP=3		
1415	SGMR	4 S/F	1946.3	1948.5	6.2D	17.0		QL=6 ST=2 TYP=3		
4995	SGMR	4 S/F	1947.0	1948.3	5.5	7.0		QL=6 ST=2 TYP=3		
2695	SGMR	4 S/F	1947.0	1948.3	5.5D	13.0		QL=6 ST=2 TYP=3		
245	LEAR	47 GB	2302.0	2304.6	3.5D	310.0		QL=6 ST=2 TYP=5		
410	LEAR	8 S	2304.3	2304.5	.5D	22.0		QL=6 ST=2 TYP=3		
606	LEAR	8 S	2304.3	2304.5	.7	41.0		QL=6 ST=2 TYP=3		
21	245	PALE	4 S/F	0132.5	0147.3	19.5	400.0		QL=6 ST=2 TYP=3	
	606	PALE	8 S	0149.8	0150.0	1.5D	29.0		QL=6 ST=2 TYP=3	
	1415	PALE	8 S	0150.0	0150.3	1.3D	22.0		QL=6 ST=2 TYP=3	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

157
Misc
Mar 80

MARCH 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
22	245	LEAR	8 S	0950.5	0951.0	1.5D	29.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0950.6	0950.6	1.0	9.0			QL=6 ST=2 TYP=3
23	245	LEAR	43 NS	2244.0	0346.6	690.0D	63.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0117.8	0118.0	.3	130.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1207.3	1207.3	1.0D	7.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1207.5	1207.6	.8D	13.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1207.5	1207.6	.8	150.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1223.6	1223.8	.7	55.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1223.6	1223.8	.5D	33.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1655.6	1657.3	3.7D	26.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1656.0	1657.5	4.0D	21.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1656.8	1657.1	3.2D	13.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1656.8	1657.8	3.2D	28.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1656.8	1658.1	2.5D	25.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1658.5	1658.6	.6	34.0			QL=6 ST=2 TYP=3
24	245	LEAR	43 NS	2245.0	0435.8	688.0D	70.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0957.3	0957.8	.8	26.0			QL=6 ST=2 TYP=3
25	245	LEAR	43 NS	2246.0	0707.5	686.0	240.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0254.1	0254.1	.2	11.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0425.6	0426.6	4.4D	130.0			QL=5 ST=2 TYP=3
	606	LEAR	8 S	0427.1E	0428.1	2.0D	4.0			QL=5 ST=2 TYP=3
	410	LEAR	4 S/F	0427.3	0428.1	2.7D	30.0			QL=5 ST=2 TYP=3
	2695	LEAR	8 S	0856.0	0856.6	1.1D	23.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0856.0	0856.6	1.1D	22.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0856.0	0856.6	1.0D	16.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0856.1	0856.6	1.0	76.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0856.1	0856.6	1.0D	34.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	1001.6	1001.8	.9	26.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	1001.6	1002.0	1.5D	230.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1924.1	1924.6	.9	190.0			QL=6 ST=3 TYP=3
	2695	SGMR	8 S	1924.3	1924.6	.8D	10.0			QL=6 ST=3 TYP=3
	4995	SGMR	8 S	1924.3	1924.6	.8D	9.0			QL=6 ST=3 TYP=3
	1415	SGMR	8 S	1924.5	1924.8	.6D	8.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	1924.6	1924.6	.2D	13.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	2145.1	2145.1	1260.4	1399.0			QL=6 ST=3 TYP=5
410	SGMR	8 S	2145.1	2145.1	.2D	250.0			QL=6 ST=3 TYP=3	
26	245	SGMR	43 NS	1040.0	2114.3	738.0D	88.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2246.0	0331.6	686.0D	170.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2246.0	0755.3	686.0D	96.0			QL=6 ST=2 TYP=1
	1415	PALE	4 S/F	0001.3	0007.8	7.7	28.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	0003.1	0006.3	5.9D	150.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0003.1	0008.6	5.9D	139.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0004.1	0007.3	4.9D	139.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0005.3	0007.8	3.7D	78.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0517.1	0517.3	2.0D	220.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0517.3	0517.8	1.0	13.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0517.6	0517.8	1.0D	8.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	0821.8	0822.5	1.3	20.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0822.0	0822.6	1.3D	8.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1326.0	1330.3	6.5D	13.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1328.0	1332.0	6.0D	13.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1328.1	1328.6	3.2D	15.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1328.1	1330.3	3.9D	83.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1328.3	1330.3	4.0	51.0			QL=2 ST=2 TYP=3
	15400	SGMR	4 S/F	1328.5	1330.0	5.1	83.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1328.6	1330.8	3.9D	16.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1329.6	1330.8	2.0D	35.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1329.6	1330.8	4.0D	17.0			QL=5 ST=2 TYP=3
	245	SGMR	8 S	1329.8	1331.1	1.8D	190.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1330.1	1330.8	3.9	19.0			QL=5 ST=2 TYP=3
	2695	SGMR	4 S/F	1420.0	1422.0	3.0D	6.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1420.0	1423.0	3.5D	27.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1420.1	1421.0	2.2D	250.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1420.1	1421.1	2.7	7.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1420.6	1420.8	1.7D	13.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2002.1	2002.8	1.0	200.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MARCH 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
27	245	LEAR	43 NS	2246.0	0316.3	684.00	42.0			QL=6 ST=2 TYP=1
28	245	SGMR	43 NS	1037.0	2218.5	743.00	99.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1037.0	2224.3	743.00	110.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	2031.0	2326.1	481.00	700.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2247.0	0328.0	682.00	250.0			QL=6 ST=2 TYP=1
	606	LEAR	47 GB	0436.0E	0447.8	17.00	760.0			QL=6 ST=2 TYP=5
	1415	LEAR	47 GB	0436.8	0441.5	13.2	110.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0953.8	0954.3	8.7D	480.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0954.0	0956.3	6.00	200.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0954.0	0956.3	7.00	119.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0954.0	0958.1	7.1D	190.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0954.1	0956.5	4.7D	210.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0954.5	0956.6	19.1	320.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	0954.5	0956.6	5.1D	170.0			QL=5 ST=2 TYP=3
	1415	ATHN	4 S/F	0954.6	0956.6	11.0D	97.0			QL=5 ST=2 TYP=3
	8800	LEAR	4 S/F	0955.3	0956.1	3.3D	220.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0955.3	0956.1	2.2	230.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1000.0	2003.6	607.5	74.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1937.3	1941.8	14.0	1700.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1939.0	1942.0	10.8	1800.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1958.0	2003.1	9.00	43.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1958.0	2003.5	9.5D	51.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2000.0	2003.6	7.5D	31.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2000.0	2003.6	7.5D	45.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2003.0	2004.8	4.0D	30.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2003.3	2004.3	2.5D	72.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2048.8	2054.1	1393.8	580.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2053.0	2054.3	7.3	890.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2157.8	2158.6	12.8	8200.0			QL=6 ST=2 TYP=5
	15400	SGMR	4 S/F	2157.8	2158.8	3.0	160.0			QL=6 ST=2 TYP=3
	1415	SGMR	47 GB	2157.8	2200.5	4.5D	3000.0			QL=6 ST=2 TYP=5
	606	MAN I	47 GB	2200.0	2204.6	11.3	119.0			QL=1 ST=2 TYP=5
	410	LEAR	47 GB	2325.6	2326.1	2.4D	1600.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	2325.6	2326.3	.9	270.0			QL=6 ST=2 TYP=3
410	LEAR	4 S/F	2352.0	2352.8	3.0D	91.0			QL=6 ST=2 TYP=3	
245	PALE	47 GB	2352.5	2352.8	.6	810.0			QL=6 ST=2 TYP=5	
245	LEAR	47 GB	2352.6	2353.0	.7D	940.0			QL=6 ST=2 TYP=5	
606	LEAR	8 S	2352.8	2353.1	.5	11.0			QL=6 ST=2 TYP=3	
29	2695	ATHN	43 NS	0511.5	0514.1	5.5	61.0			QL=2 ST=2 TYP=1
	1415	ATHN	43 NS	0910.6	0918.5	14.9D	130.0			QL=1 ST=3 TYP=1
	245	PALE	43 NS	1655.0	0135.3	697.0D	390.0			QL=6 ST=2 TYP=1
	1415	LEAR	4 S/F	0041.3	0044.1	7.7D	27.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	0041.6	0043.3	2.7	660.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0041.8	0043.3	5.3D	410.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0042.3	0044.1	3.5D	27.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0042.8	0044.3	2.2D	48.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0043.1	0044.0	1.9D	19.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0043.1	0044.3	1.9	42.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0203.0	0205.3	3.0D	42.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0203.0	0207.1	9.0	40.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0242.8	0243.0	3.7D	30.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0244.8	0245.0	2.2	71.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0328.6	0330.8	5.4	630.0			QL=6 ST=3 TYP=5
	606	PALE	47 GB	0328.6	0331.3	6.4D	590.0			QL=6 ST=3 TYP=5
	606	LEAR	47 GB	0328.8	0331.6	7.2D	510.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0329.1	0329.5	5.0	7.0			QL=6 ST=2 TYP=3
	606	MAN I	47 GB	0329.3	0331.8	6.3	240.0			QL=6 ST=2 TYP=5
	245	LEAR	8 S	0400.1	0401.1	2.0D	290.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0400.1	0401.5	2.0	56.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0400.3	0401.1	1.8D	97.0			QL=6 ST=2 TYP=3
	2695	LEAR	47 GB	0510.8	0512.3	11.3D	2300.0			QL=6 ST=2 TYP=5
	1415	ATHN	47 GB	0510.8	0512.5	7.3	1800.0			QL=1 ST=2 TYP=5
	2695	MAN I	47 GB	0511.8	0515.0	4.7	48.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0528.1	0529.5	7.7D	250.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0528.3	0529.1	2.5	13.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0528.3	0529.5	10.8D	260.0			QL=6 ST=2 TYP=3
	1415	MAN I	47 GB	0553.6	0556.1	7.7	6.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0555.0	0559.1	10.3	97.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

159
Misc
Mar 80

MARCH 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
29	410	LEAR	4 S/F	0555.3	0559.1	12.3D	170.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0555.3	0604.1	13.3D	3300.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	0612.6	0614.0	2.4	26.0			QL=2 ST=2 TYP=4
	245	LEAR	4 S/F	0645.6	0645.6	1400.2D	46.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0645.6	0645.8	.2	1.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0645.6	0655.6	123.0D	13.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0713.6	0714.3	1.0	71.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0713.8	0714.1	2.0D	63.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0714.0	0714.3	.6D	220.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0736.0	0736.5	3.5	119.0			QL=2 ST=2 TYP=3
	606	MANI	47 GB	0736.0	0736.6	3.8	119.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0744.1	0745.5	6.9D	210.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0744.6	0745.6	7.0D	610.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0744.8	0745.3	4.0D	260.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0744.8	0745.8	2.5	34.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0815.1	0816.8	4.2D	130.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0815.6	0816.6	3.9D	160.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0816.1	0817.8	1.9	13.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0816.8	0817.6	1021.3D	240.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0839.1	0839.3	2.0D	79.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0839.3	0839.6	.5D	28.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0839.6	0839.6	1.5	9.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0858.1	0858.6	1.2D	970.0			QL=6 ST=2 TYP=5
	15400	LEAR	8 S	0858.1	0858.6	.9	35.0			QL=6 ST=2 TYP=3
	1415	MANI	47 GB	0859.8	0900.1	1.5	740.0			QL=6 ST=2 TYP=5
	606	LEAR	49 GB	0910.1	0918.0	17.5D	650.0			QL=6 ST=3 TYP=7
	1415	LEAR	49 GB	0910.6	0919.1	12.0D	119.0			QL=6 ST=3 TYP=7
	410	LEAR	49 GB	0911.6	0918.1	16.2D	260.0			QL=6 ST=3 TYP=7
	2695	ATHN	47 GB	0911.8	0918.5	10.7	52.0			QL=1 ST=3 TYP=5
	2695	LEAR	49 GB	0913.0	0918.3	9.5D	23.0			QL=6 ST=3 TYP=7
	245	LEAR	49 GB	0916.6	0919.1	12.2D	850.0			QL=6 ST=3 TYP=7
	4995	LEAR	49 GB	0916.8	0918.1	4.2D	139.0			QL=6 ST=3 TYP=7
	8800	LEAR	49 GB	0916.8	0918.1	3.0D	480.0			QL=6 ST=3 TYP=7
	15400	LEAR	49 GB	0917.3	0918.1	2.3	960.0			QL=6 ST=3 TYP=7
	8800	ATHN	47 GB	0917.5	0918.5	5.1	850.0			QL=2 ST=3 TYP=5
	1415	LEAR	47 GB	0939.6	0941.0	3.2D	1800.0			QL=6 ST=2 TYP=5
	2695	LEAR	4 S/F	0940.0	0940.6	2.3D	60.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0940.3	0941.3	2.2D	46.0			QL=6 ST=2 TYP=3
	4995	MANI	47 GB	0940.8	0942.1		55.0			QL=6 ST=2 TYP=5
	8800	LEAR	8 S	0941.0	0941.1	.8	990.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0951.1	0955.1	11.5D	790.0			QL=6 ST=3 TYP=5
	8800	LEAR	47 GB	0954.6	0955.1	2.0D	570.0			QL=6 ST=3 TYP=5
	15400	LEAR	8 S	0954.6	0955.1	2.0	380.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0954.6	0955.1	1.7D	130.0			QL=6 ST=3 TYP=3
	1415	LEAR	47 GB	0954.6	0955.3	2.7D	7000.0			QL=6 ST=3 TYP=5
	8800	ATHN	47 GB	0954.6	0955.5	3.5	370.0			QL=2 ST=2 TYP=5
	4995	LEAR	4 S/F	0954.8	0955.3	2.3D	110.0			QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	0954.8	0955.3	5.7D	170.0			QL=6 ST=3 TYP=3
	606	LEAR	47 GB	0955.0	0955.6	5.1D	2900.0			QL=6 ST=3 TYP=5
	2695	ATHN	47 GB	0955.1	0955.5	2.7	110.0			QL=1 ST=2 TYP=5
	410	SGMR	4 S/F	1138.8	1139.3	3.2D	220.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1139.1	1139.8	4.0D	330.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1139.8	1141.6	2.8	94.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1216.3	1216.8	.8D	16.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1217.0	1217.1	.6	1399.0			QL=6 ST=3 TYP=5
	410	SGMR	8 S	1217.0	1217.1	.3D	23.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1248.1	1249.6	2.7	28.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1249.1	1253.1	4.0D	75.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	1249.3	1249.6	1.5D	19.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1357.1	1357.5	4.0	180.0			QL=6 ST=3 TYP=3
	606	SGMR	47 GB	1442.1	1444.1	8.0D	3000.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	1443.0	1444.8	6.8	33.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	2017.8	2018.5	3.0	1500.0			QL=6 ST=2 TYP=5
	606	SGMR	47 GB	2018.0	2018.5	1.1D	870.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	2018.6	2018.8	.5	43.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2039.5	2041.5	2.3D	350.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2040.3	2041.8	3.0	71.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	2041.0	2042.3	7.0D	29.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	2128.1	2130.1	4.9	3100.0			QL=6 ST=2 TYP=5
	606	SGMR	47 GB	2130.5	2130.6	1.8	2200.0			QL=6 ST=2 TYP=5

160
Misc
Mar 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MARCH 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
29	4995	MANI	4 S/F	2232.3	2235.1	4.2D	24.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	2234.0	2235.1	2.5D	10.0			QL=6 ST=2 TYP=4
	606	MANI	4 S/F	2234.1	2235.1	2.4D	3.0			QL=6 ST=2 TYP=4
	8800	MANI	8 S	2234.3	2235.1	2.0	59.0			QL=6 ST=2 TYP=3
	2695	MANI	8 S	2234.5	2235.1	1.8D	17.0			QL=6 ST=2 TYP=4
	606	MANI	4 S/F	2303.6	2304.5	6.9D	16.0			QL=6 ST=2 TYP=3
	1415	MANI	4 S/F	2303.8	2310.0	7.2	38.0			QL=6 ST=2 TYP=3
30	245	SGMR	43 NS	1033.0	1927.5	750.0D	250.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1033.0	2000.3	750.0D	110.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2247.0	0716.1	680.0D	60.0			QL=6 ST=2 TYP=1
	606	PALE	47 GB	0156.3	0156.8	3.0D	1199.0			QL=6 ST=2 TYP=5
	410	PALE	4 S/F	0156.5	0156.6	3.8	59.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0156.6	0156.8	1.5	1300.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0205.3	0206.1	1.0D	49.0			QL=6 ST=3 TYP=3
	245	PALE	47 GB	0205.3	0209.1	5.5	5100.0			QL=6 ST=2 TYP=5
	4995	LEAR	8 S	0205.5	0205.6	.5	5.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0205.5	0205.6	.5D	5.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0205.5	0205.6	.6D	5.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0205.5	0205.6	1.1D	380.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	0205.6	0205.8	1.0D	7.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0208.8	0209.1	.7D	5.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0209.0	0209.0	1.0	420.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0209.0	0209.1	.6D	110.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0209.0	0209.1	.1	6.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0209.1	0209.1	2.0D	6100.0			QL=6 ST=2 TYP=5
	1415	LEAR	8 S	0209.1	0209.3	1.2D	180.0			QL=6 ST=2 TYP=3
	1415	MANI	8 S	0209.1	0209.5	1.2	139.0			QL=6 ST=2 TYP=3
	100	MANI	8 S	0209.3	0209.8		30.0			QL=3 ST=3 TYP=4
	410	LEAR	8 S	0251.5	0252.3	1.5	190.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0252.1	0252.8	1.2D	110.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0301.5	0302.6	2.1	76.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0301.6	0302.5	2.0D	200.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0301.6	0302.6	2.0	160.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0302.0	0302.6	2.1D	64.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0322.1	0322.6	.7D	100.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0322.1	0322.6	1.4	34.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0322.3	0322.6	.8D	110.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0348.1	0348.3	.5D	36.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0348.3	0348.6	.5	380.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0428.8	0429.1	.8	11.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0429.1	0429.3	1.4D	190.0			QL=6 ST=2 TYP=3
	1415	MANI	47 GB	0641.6	0650.3	16.5	31.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0649.8	0650.1	1.5	580.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0655.3	0656.1	4.3D	34.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0655.6	0656.1	2.4	130.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1525.0	1525.6	1.6D	13.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1525.0	1525.6	1.1	130.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1525.0	1526.3	24.3D	130.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1525.0	1527.1	4.5D	170.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1525.1	1525.8	1.7D	28.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1525.3	1526.0	4.3	25.0			QL=2 ST=2 TYP=3
	245	SGMR	47 GB	1619.8	1620.0	3.5	2600.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	1840.6	1844.3	5.9	2100.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1841.0	1844.3	9.5	2000.0			QL=6 ST=3 TYP=5
	8800	SGMR	8 S	1841.3	1841.8	1.3D	23.0			QL=6 ST=3 TYP=3
	606	SGMR	47 GB	1841.3	1841.8	7.7D	110.0			QL=6 ST=3 TYP=5
	4995	SGMR	8 S	1841.3	1842.1	1.5D	11.0			QL=6 ST=3 TYP=3
	410	SGMR	47 GB	1841.5	1850.3	9.5D	660.0			QL=6 ST=3 TYP=5
	245	PALE	4 S/F	1958.0	2005.6	12.1	260.0			QL=6 ST=2 TYP=3
410	PALE	4 S/F	1959.3	2000.3	8.2D	130.0			QL=6 ST=2 TYP=3	
606	PALE	4 S/F	1959.8	2000.1	7.5D	180.0			QL=6 ST=2 TYP=3	
606	PALE	4 S/F	2040.0	2045.3	11.0D	300.0			QL=6 ST=2 TYP=3	
606	SGMR	4 S/F	2044.5	2045.0	6.3D	230.0			QL=6 ST=2 TYP=3	
410	PALE	4 S/F	2044.8	2049.6	7.5D	280.0			QL=6 ST=2 TYP=3	
245	PALE	4 S/F	2045.8	2049.6	5.8	210.0			QL=6 ST=2 TYP=3	
410	SGMR	8 S	2049.1	2050.0	1.5D	200.0			QL=6 ST=2 TYP=3	
1415	PALE	8 S	2049.3	2049.5	.5D	58.0			QL=6 ST=2 TYP=3	
1415	SGMR	8 S	2049.3	2049.6	.7D	60.0			QL=6 ST=2 TYP=3	
245	SGMR	8 S	2049.3	2049.8	1.3	130.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

161
Misc
Mar 80

MARCH 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
30	2695	MANI	4 S/F	2227.5	2239.1	18.0D	70.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	2227.5	2239.3	18.0	61.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	2227.5	2239.6	19.5D	50.0			QL=6 ST=2 TYP=4
	245	SGMR	4 S/F	2236.1	2240.5	6.5D	210.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2236.8	2238.8	8.7	67.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2237.0	2238.5	8.5D	13.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2237.5	2238.8	3.8D	71.0			QL=6 ST=2 TYP=3
31	245	SGMR	43 NS	1100.0	1947.0	724.0D	76.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1508.0	1533.1	476.0D	17.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0049.0	0050.1	7.3D	139.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0049.1	0050.1	2.9D	2600.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0049.1	0050.1	3.0D	61.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0049.1	0050.5	10.0D	290.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0049.3	0050.3	5.5D	190.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0049.3	0052.0	2.7	2700.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0049.6	0050.1	5.0D	119.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0049.6	0050.1	3.4	210.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0049.6	0050.1	4.5D	42.0			QL=6 ST=2 TYP=3
	2695	MANI	8 S	0050.6	0051.3	1.4D	43.0			QL=6 ST=2 TYP=3
	1415	MANI	8 S	0050.6	0051.3	1.5D	47.0			QL=6 ST=2 TYP=3
	4995	MANI	4 S/F	0050.6	0051.3	2.9D	86.0			QL=6 ST=2 TYP=3
	8800	MANI	8 S	0050.8	0051.3	1.7	200.0			QL=6 ST=2 TYP=3
	606	MANI	47 GB	0050.8	0051.6	5.0D	200.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0202.0	0202.1	1.0	79.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0202.0	0202.3	.3D	139.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0202.0	0202.5	1.3D	510.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0202.0	0202.6	1.0	680.0			QL=6 ST=2 TYP=5
	1415	LEAR	8 S	0206.8	0207.1	.8	210.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0558.1	0558.8	1.2	200.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0630.3	0630.8	1.0D	32.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0630.6	0631.0	.7	6.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0630.6	0631.1	1.2D	460.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0633.1	0633.6	1.2	710.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0705.5	0706.0	.8	119.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1123.6	1124.1	2.9	22.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	1123.6	1124.1	2.7	119.0			QL=2 ST=2 TYP=3
	1415	ATHN	8 S	1123.6	1124.1	1.4D	16.0			QL=5 ST=2 TYP=3
	410	SGMR	47 GB	1123.8	1124.1	.8	2300.0			QL=6 ST=2 TYP=5
	410	PALE	4 S/F	1930.8	1932.3	2.7	45.0			QL=6 ST=2 TYP=3
606	PALE	4 S/F	1931.0	1931.8	4.0D	220.0			QL=6 ST=2 TYP=3	
1415	PALE	4 S/F	1932.6	1933.0	4.2D	31.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
01	245	SGMR	43 NS	1030.0	2050.6	755.0D	220.0		QL=6 ST=2 TYP=1	
	606	LEAR	8 S	0159.8	0200.8	1.3	78.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1519.1	1526.0	10.9	34.0		QL=2 ST=2 TYP=3	
	4995	SGMR	4 S/F	1523.8	1526.3	6.3D	32.0		QL=6 ST=3 TYP=3	
	410	SGMR	47 GB	1524.5	1525.8	4.3D	610.0		QL=6 ST=3 TYP=5	
	8800	SGMR	4 S/F	1524.5	1526.3	4.8D	22.0		QL=6 ST=3 TYP=3	
	245	SGMR	4 S/F	1524.6	1527.3	4.2	119.0		QL=6 ST=3 TYP=3	
	606	SGMR	4 S/F	1525.6	1525.6	3.5D	35.0		QL=6 ST=3 TYP=3	
	4995	SGMR	4 S/F	1800.0	1801.1	3.3D	13.0		QL=6 ST=2 TYP=3	
	2695	SGMR	8 S	1800.3	1801.1	2.0D	2.0		QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1800.5	1801.1	1.3D	30.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1800.6	1800.8	.7	139.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1800.8	1801.0	.7D	54.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	2020.5	2020.8	.6	119.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	2337.1	2337.3	1.7	250.0		QL=6 ST=2 TYP=3	
02	245	SGMR	43 NS	1028.0	1400.5	758.0D	170.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2248.0	0414.8	678.0D	92.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2248.0	0516.5	678.0D	280.0		QL=6 ST=2 TYP=1	
	245	LEAR	8 S	0031.1	0031.6	1.5D	68.0		QL=6 ST=3 TYP=3	
	410	LEAR	8 S	0031.3	0031.6	1.0D	45.0		QL=6 ST=3 TYP=3	
	1415	LEAR	8 S	0031.5	0031.8	1.0	15.0		QL=6 ST=3 TYP=3	
	606	LEAR	8 S	0031.6	0032.1	.7D	37.0		QL=6 ST=3 TYP=3	
	245	LEAR	4 S/F	0902.1	0902.3	2.4D	290.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0902.3	0902.6	.8	35.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0902.3	0903.5	2.7D	80.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0903.1	0903.3	.7D	11.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1120.1	1121.3	2.4D	38.0		QL=6 ST=2 TYP=3	
	4995	SGMR	8 S	1120.8	1121.3	1.3D	73.0		QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1121.0	1121.5	1.5D	139.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1121.1	1121.3	1.0	41.0		QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	1121.1	1121.5	3.5	36.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1121.1	1121.5	2.2	139.0		QL=2 ST=2 TYP=3	
	1415	ATHN	8 S	1121.3	1121.6	1.3D	15.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1659.8	1700.5	4.2	95.0		QL=6 ST=2 TYP=3	
	8800	SGMR	47 GB	1944.1	1950.8	14.5	59.0		QL=6 ST=2 TYP=5	
410	PALE	47 GB	1945.3	1945.6	6.5	520.0		QL=6 ST=2 TYP=5		
03	245	SGMR	43 NS	1026.0	1114.5	761.0D	110.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1900.0	2005.3	575.0D	87.0		QL=6 ST=2 TYP=1	
	2695	LEAR	4 S/F	0114.3	0117.6	6.0D	39.0		QL=6 ST=2 TYP=3	
	1415	MANI	4 S/F	0115.0	0117.8	5.1D	30.0		QL=6 ST=2 TYP=4	
	8800	LEAR	4 S/F	0117.1	0117.5	2.2	42.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0117.1	0117.8	3.0	40.0		QL=6 ST=2 TYP=4	
	2695	MANI	8 S	0117.1	0117.8	1.5D	30.0		QL=6 ST=2 TYP=4	
	4995	LEAR	4 S/F	0117.1	0117.8	3.0D	43.0		QL=6 ST=2 TYP=3	
	2695	ATHN	47 GB	0636.1	0721.3	70.7	95.0		QL=5 ST=3 TYP=5	
	8800	ATHN	47 GB	0636.6	0720.0	73.2	1300.0		QL=2 ST=3 TYP=5	
	4995	MANI	4 S/F	0637.0	0638.6	6.3	52.0		QL=6 ST=2 TYP=4	
	606	MANI	47 GB	0637.0	0638.8	3.8D	100.0		QL=6 ST=2 TYP=5	
	2695	MANI	4 S/F	0637.3	0638.6	6.0D	22.0		QL=6 ST=2 TYP=4	
	1415	MANI	4 S/F	0637.3	0639.1	3.2D	8.0		QL=6 ST=2 TYP=4	
	606	LEAR	4 S/F	0651.1	0706.5	50.9D	190.0		QL=6 ST=3 TYP=4	
	245	LEAR	47 GB	0652.0	0718.5	57.0D	610.0		QL=6 ST=3 TYP=5	
	410	LEAR	4 S/F	0652.0	0719.0	48.0D	130.0		QL=6 ST=3 TYP=4	
	1415	LEAR	4 S/F	0658.5	0721.0	51.5D	350.0		QL=6 ST=3 TYP=4	
	4995	LEAR	47 GB	0700.0	0720.0	50.3D	1300.0		QL=6 ST=3 TYP=5	
	2695	LEAR	47 GB	0700.0	0721.0	50.0D	1000.0		QL=6 ST=3 TYP=5	
8800	LEAR	47 GB	0704.0	0720.0	46.0D	1100.0		QL=6 ST=3 TYP=5		
8800	MANI	47 GB	0705.1	0720.0	35.4	1199.0		QL=6 ST=2 TYP=5		
15400	LEAR	47 GB	0706.5	0721.0	43.5	420.0		QL=6 ST=3 TYP=5		
04	245	SGMR	43 NS	1025.0	1242.5	763.0D	85.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1652.0	0009.3	703.0D	190.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2249.0	0619.6	674.0D	230.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2249.0	0622.3	674.0D	28.0		QL=6 ST=2 TYP=1	
	245	LEAR	8 S	0709.8	0710.3	.8D	250.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0710.0	0710.1	1.0D	170.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0710.0	0710.1	1.0	110.0		QL=6 ST=2 TYP=3	
	606	MANI	8 S	0710.1	0710.3	.5	52.0		QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

163
Misc
Apr 80

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (10 ⁻²² W/m ² Hz)		
04	8800	ATHN	4 S/F	1139.3	1140.0	3.0	61.0			QL=2 ST=2 TYP=3
	410	SGMR	8 S	1139.5	1140.0	.6	50.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1139.8	1139.8	.3D	119.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1139.8	1139.8	1.2D	18.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1139.8	1140.0	1.2D	60.0			QL=6 ST=2 TYP=3
	2695	ATHN	47 GB	1453.6	1507.3	70.7	580.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	1458.3	1507.5	63.3	130.0			QL=2 ST=2 TYP=3
	05	245	SGMR	43 NS	1023.0	1635.3	767.0D	890.0		
410		SGMR	43 NS	1023.0	1646.8	767.0D	56.0			QL=6 ST=2 TYP=1
606		SGMR	43 NS	1611.1	1839.6	418.9D	32.0			QL=6 ST=2 TYP=1
410		PALE	43 NS	1650.0	0316.3	707.0D	79.0			QL=6 ST=2 TYP=1
606		PALE	43 NS	1650.0	2256.0	707.0D	43.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	1650.0	2308.3	707.0D	430.0			QL=6 ST=2 TYP=1
606		MANI	4 S/F	0553.3	0556.0	12.7D	24.0			QL=6 ST=2 TYP=4
4995		MANI	4 S/F	0553.8	0556.5	9.5	24.0			QL=6 ST=2 TYP=4
1415		MANI	4 S/F	0554.3	0556.5	11.7D	6.0			QL=6 ST=2 TYP=4
8800		ATHN	4 S/F	1041.1	1041.6	6.2	65.0			QL=2 ST=2 TYP=3
245		SGMR	47 GB	1542.1	1553.5	30.9	1399.0			QL=6 ST=2 TYP=5
4995		MANI	4 S/F	2252.8	2256.1	7.3	48.0			QL=6 ST=2 TYP=4
1415		MANI	4 S/F	2253.0	2256.1	5.5D	25.0			QL=6 ST=2 TYP=4
8800		LEAR	4 S/F	2253.8	2254.0	2.5D	38.0			QL=5 ST=2 TYP=3
15400		LEAR	4 S/F	2254.0	2254.3	2.6	38.0			QL=5 ST=2 TYP=3
606		MANI	4 S/F	2254.8	2256.1	5.3D	27.0			QL=6 ST=2 TYP=4
1415		LEAR	4 S/F	2255.1	2256.0	2.7D	40.0			QL=5 ST=2 TYP=3
4995		LEAR	8 S	2255.5	2256.0	.8D	35.0			QL=5 ST=2 TYP=3
410		LEAR	4 S/F	2255.6	2256.0	2.4D	36.0			QL=5 ST=2 TYP=3
2695		LEAR	8 S	2255.6	2256.3	1.0D	32.0			QL=5 ST=2 TYP=3
606		LEAR	8 S	2255.8	2256.1	2.0D	18.0			QL=5 ST=2 TYP=3
2695		MANI	8 S	2256.0	2256.1	1.8D	23.0			QL=6 ST=2 TYP=4
06	410	SGMR	43 NS	1021.0	1701.1	770.0D	119.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1021.0	1701.8	770.0D	980.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1631.0	1634.1	400.0D	65.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1659.0	0113.6	698.0D	500.0			QL=6 ST=2 TYP=1
	606	PALE	43 NS	1659.0	0131.6	698.0D	60.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1659.0	0314.8	698.0D	350.0			QL=6 ST=2 TYP=1
	606	LEAR	43 NS	2249.0	0205.5	672.0D	110.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2249.0	0454.6	672.0D	150.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2250.0	2308.1	672.0D	350.0			QL=6 ST=2 TYP=1
	1415	MANI	4 S/F	0519.8	0521.3	3.3	26.0			QL=6 ST=2 TYP=4
	606	MANI	8 S	0521.0	0521.8	1.3D	30.0			QL=6 ST=2 TYP=3
	1415	MANI	47 GB	0527.6	0530.1	4.5	26.0			QL=6 ST=2 TYP=5
	15400	SGMR	47 GB	1419.8	1426.1	74.0	510.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1621.0	1623.3	19.0D	46.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1622.3	1624.6	17.7D	27.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1623.1	1624.8	16.9	73.0			QL=6 ST=2 TYP=3
07	245	SGMR	43 N	1020.0	1831.6	772.0D	720.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1020.0	2018.3	772.0D	139.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1426.0	1529.0	526.0D	46.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2250.0	0515.5	670.0D	90.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2250.0	0913.8	670.0D	840.0			QL=6 ST=2 TYP=1
	4995	LEAR	4 S/F	0048.8	0105.3	25.0D	37.0			QL=6 ST=3 TYP=4
	410	LEAR	47 GB	0050.1	0103.8	18.7D	680.0			QL=6 ST=3 TYP=5
	4995	MANI	4 S/F	0050.8	0052.1	15.0	13.0			QL=6 ST=2 TYP=4
	606	LEAR	4 S/F	0050.8	0105.1	23.0D	170.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0051.0	0108.1	22.8	54.0			QL=6 ST=3 TYP=4
	2695	LEAR	4 S/F	0051.1	0054.0	15.0D	32.0			QL=6 ST=3 TYP=4
	2695	MANI	4 S/F	0051.6	0053.6	14.2D	29.0			QL=6 ST=2 TYP=4
	1415	MANI	47 GB	0051.6	0102.6	18.4D	139.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0052.0	0053.8	14.0D	160.0			QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0053.0	0106.5	16.5D	870.0			QL=6 ST=3 TYP=5
	1415	MANI	4 S/F	0138.6	0139.1	3.9D	13.0			QL=6 ST=2 TYP=4
	2695	MANI	8 S	0138.6	0139.3	1.7D	61.0			QL=6 ST=2 TYP=3
	4995	MANI	8 S	0138.8	0139.1	.8D	19.0			QL=6 ST=2 TYP=4
	8800	MANI	8 S	0138.8	0139.1	.8	47.0			QL=6 ST=2 TYP=4
	606	MANI	4 S/F	0344.6	0347.3	5426.7D	30.0			QL=6 ST=2 TYP=3
1415	MANI	4 S/F	0344.6	0400.6	29.0D	64.0			QL=6 ST=2 TYP=3	
2695	MANI	4 S/F	0346.1	0400.5	24.5D	45.0			QL=6 ST=2 TYP=4	

164
Misc
Apr 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m 2 Hz)	Mean			
07	4995	MANI	4 S/F	0347.1	0400.5	20.5	34.0			QL=6 ST=2 TYP=4	
	606	MANI	4 S/F	0446.0	0500.1	23.3	29.0			QL=6 ST=2 TYP=3	
	2695	ATHN	47 GB	0521.1	0554.8	56.7	77.0			QL=6 ST=2 TYP=5	
	8800	ATHN	4 S/F	0521.6	0540.8	57.0	130.0			QL=2 ST=2 TYP=4	
	8800	LEAR	4 S/F	0530.0	0540.8	50.0D	160.0			QL=6 ST=3 TYP=3	
	8800	MANI	4 S/F	0530.1	0541.0	1414.0	130.0			QL=6 ST=3 TYP=3	
	4995	LEAR	47 GB	0530.3	0540.8	51.8D	86.0			QL=6 ST=3 TYP=5	
	2695	LEAR	47 GB	0530.6	0544.8	50.7D	76.0			QL=6 ST=3 TYP=5	
	15400	LEAR	4 S/F	0530.8	0544.1	44.5	85.0			QL=6 ST=3 TYP=4	
	4995	MANI	4 S/F	0531.0	0540.8	36.0D	67.0			QL=6 ST=3 TYP=3	
	2695	MANI	47 GB	0531.3	0554.6	25.2D	56.0			QL=6 ST=3 TYP=5	
	1415	LEAR	47 GB	0532.8	0554.8	41.2D	43.0			QL=6 ST=3 TYP=5	
	410	LEAR	47 GB	0535.0	0554.5		500.0			QL=6 ST=3 TYP=5	
	606	LEAR	47 GB	0535.8	0539.6		590.0			QL=6 ST=3 TYP=5	
	606	MANI	47 GB	0536.5	0539.6	26.5D	290.0			QL=6 ST=3 TYP=5	
	245	LEAR	47 GB	0536.5	0540.1		1800.0			QL=6 ST=3 TYP=5	
	1415	MANI	47 GB	0538.5	0539.6	18.3D	40.0			QL=6 ST=3 TYP=5	
	1415	LEAR	8 S	0540.0	0540.5		90.0			QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1408.6	1413.1	21.4	750.0			QL=6 ST=2 TYP=5	
	410	SGMR	47 GB	1452.0	1501.5	13.5D	260.0			QL=6 ST=2 TYP=5	
	606	SGMR	4 S/F	1457.5	1500.1	6.8	180.0			QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1840.1	1844.1	6.0	44.0			QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1840.3	1844.0	12.5D	7.0			QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1841.6	1844.1	8.5D	30.0			QL=6 ST=2 TYP=3	
	08	606	SGMR	43 NS	1018.0	1142.6	775.0D	83.0			QL=6 ST=2 TYP=1
		410	SGMR	43 NS	1018.0	1811.5	775.0D	62.0			QL=6 ST=2 TYP=1
245		SGMR	43 NS	1018.0	1816.0	775.0D	560.0			QL=6 ST=2 TYP=1	
410		PALE	43 NS	1644.0	1758.8		240.0			QL=6 ST=3 TYP=1	
245		PALE	44 NS	1644.0E	1829.8	105.8D	540.0			QL=6 ST=3 TYP=1	
245		LEAR	43 NS	2251.0	0109.8	668.0D	540.0			QL=5 ST=2 TYP=1	
410		LEAR	43 NS	2251.0	0829.6	668.0D	46.0			QL=5 ST=2 TYP=1	
1415		LEAR	4 S/F	0259.8	0306.1	15.7D	16.0			QL=6 ST=3 TYP=3	
4995		LEAR	4 S/F	0300.0	0307.0	22.0D	130.0			QL=6 ST=3 TYP=3	
2695		LEAR	4 S/F	0300.0	0307.0	22.0D	74.0			QL=6 ST=3 TYP=3	
8800		LEAR	4 S/F	0300.1	0306.6	22.9D	200.0			QL=6 ST=3 TYP=3	
2695		PALE	4 S/F	0300.5	0307.1	64.5	81.0			QL=8 ST=2 TYP=3	
4995		PALE	4 S/F	0300.6	0306.8	64.4D	130.0			QL=8 ST=2 TYP=3	
8800		PALE	4 S/F	0300.8	0306.6	64.2D	180.0			QL=8 ST=2 TYP=3	
15400		PALE	4 S/F	0300.8	0306.6	64.2D	74.0			QL=8 ST=2 TYP=3	
15400		LEAR	4 S/F	0303.1	0306.6	18.9	59.0			QL=6 ST=3 TYP=4	
606		MANI	4 S/F	0523.3	0529.1	8.2D	20.0			QL=6 ST=2 TYP=3	
410		LEAR	4 S/F	0524.3	0525.6	5.8D	220.0			QL=6 ST=2 TYP=3	
8800		MANI	4 S/F	0524.8	0529.3	7.8	100.0			QL=6 ST=2 TYP=4	
4995		MANI	4 S/F	0524.8	0529.6	7.8D	59.0			QL=6 ST=2 TYP=4	
606		LEAR	4 S/F	0525.1	0529.3	6.4D	30.0			QL=6 ST=2 TYP=3	
1415		LEAR	4 S/F	0525.1	0529.3	7.0D	18.0			QL=6 ST=2 TYP=3	
4995		LEAR	4 S/F	0525.1	0529.8	6.7D	47.0			QL=6 ST=2 TYP=3	
1415		MANI	4 S/F	0525.3	0529.1	8.0D	38.0			QL=6 ST=2 TYP=3	
8800		LEAR	4 S/F	0525.3	0529.3	5.5	35.0			QL=6 ST=2 TYP=3	
2695		LEAR	4 S/F	0525.3	0529.3	6.8D	40.0			QL=6 ST=2 TYP=3	
2695		MANI	4 S/F	0525.6	0529.3	5.9D	41.0			QL=6 ST=2 TYP=4	
1415		ATHN	4 S/F	0528.5	0529.5	2.5D	18.0			QL=5 ST=2 TYP=3	
2695		ATHN	4 S/F	0528.5	0529.6	6.6	33.0			QL=5 ST=2 TYP=3	
8800		ATHN	4 S/F	0528.6	0529.5	4.9	23.0			QL=2 ST=2 TYP=3	
2695		SGMR	8 S	1219.0	1219.6	2.0D	27.0			QL=6 ST=2 TYP=3	
4995		SGMR	8 S	1219.3	1219.8	1.3D	32.0			QL=6 ST=2 TYP=3	
8800	SGMR	8 S	1219.3	1219.8	1.3D	19.0			QL=6 ST=2 TYP=3		
410	SGMR	8 S	1219.6	1219.6	.9	130.0			QL=6 ST=2 TYP=3		
09	410	SGMR	43 NS	1016.0	1512.8	778.0D	39.0			QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	1016.0	1914.3	778.0D	340.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1641.0	0117.0	714.0D	540.0			QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1641.0	2315.1	714.0D	210.0			QL=6 ST=2 TYP=1	
	15400	LEAR	8 S	0316.5	0316.8	1.1	73.0			QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0515.6	0516.8	3.0D	139.0			QL=6 ST=2 TYP=3	
	8800	MANI	4 S/F	0515.6	0516.8	3.0	200.0			QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0516.0	0516.6	2.0D	200.0			QL=6 ST=3 TYP=3	
	4995	LEAR	8 S	0516.1	0516.8	1.5D	100.0			QL=6 ST=3 TYP=3	
	8800	ATHN	4 S/F	0516.1	0517.0	4.9	119.0			QL=2 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

165
Misc
Apr 80

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
09	2695	LEAR	8 S	0516.3	0516.6	.8D		8.0		QL=6 ST=3 TYP=3
	15400	LEAR	8 S	0516.5	0516.8	1.1		73.0		QL=6 ST=3 TYP=3
	2695	ATHN	8 S	0516.6	0516.8	.7		3.0		QL=5 ST=2 TYP=4
10	410	SGMR	43 NS	1014.0						QL=6 ST=3 TYP=1
	245	SGMR	44 NS	1014.0E	1150.0	96.0D		86.0		QL=6 ST=3 TYP=1
	245	PALE	43 NS	1641.0	2027.1	716.0D		530.0		QL=6 ST=2 TYP=1
	410	PALE	43 NS	1641.0	2038.1	716.0D		1900.0		QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2251.0	0454.1	666.0D		560.0		QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2251.0	0517.5	666.0D		110.0		QL=6 ST=2 TYP=1
	8800	LEAR	4 S/F	0124.5	0125.3	3.0D		39.0		QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0124.6	0125.8	3.2		9.0		QL=6 ST=2 TYP=3
	4995	MANI	4 S/F	0237.3	0238.3	1407.2D		27.0		QL=6 ST=2 TYP=4
	2695	LEAR	4 S/F	0237.5	0248.6	24.3D		13.0		QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0237.6	0238.1	32.7D		45.0		QL=6 ST=3 TYP=3
	8800	MANI	8 S	0237.6	0238.3	1.7		41.0		QL=6 ST=2 TYP=4
	4995	LEAR	4 S/F	0237.6	0238.3	32.4D		30.0		QL=6 ST=3 TYP=3
	15400	LEAR	4 S/F	0246.0	0251.3	18.6		24.0		QL=6 ST=3 TYP=3
	245	PALE	47 GB	0251.0E	0251.1	1.1D		13000.0		QL=6 ST=2 TYP=5
	410	LEAR	8 S	0251.0	0251.3	1.1D		58.0		QL=6 ST=3 TYP=3
	245	LEAR	47 GB	0251.1	0251.1	1.5D		15000.0		QL=6 ST=3 TYP=5
	1415	LEAR	4 S/F	0251.1	0251.8	15.0D		21.0		QL=6 ST=3 TYP=3
	606	LEAR	4 S/F	0251.1	0253.0	11.4D		11.0		QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0916.6	0918.6	14.4D		150.0		QL=5 ST=3 TYP=3
	2695	LEAR	4 S/F	0917.0	0918.6	8.3D		60.0		QL=5 ST=3 TYP=3
	8800	LEAR	47 GB	0917.0	0920.8	9.6D		180.0		QL=5 ST=3 TYP=5
	8800	MANI	47 GB	0917.0	0921.0	7.6		190.0		QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	0917.5	0918.6	6.0D		60.0		QL=2 ST=2 TYP=4
	8800	ATHN	4 S/F	0917.6	0920.8	7.0		119.0		QL=2 ST=2 TYP=4
	15400	LEAR	4 S/F	0917.8	0920.8	6.8		77.0		QL=5 ST=3 TYP=3
	15400	PALE	4 S/F	1721.5	1724.5	18.3D		290.0		QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1721.8E	1724.1	3.3D		240.0		QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	1722.0	1724.3	17.8D		250.0		QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1722.0	1724.5	12.0D		190.0		QL=6 ST=2 TYP=3
2695	SGMR	4 S/F	1722.0	1724.6	11.3D		26.0		QL=6 ST=2 TYP=3	
4995	SGMR	4 S/F	1722.1	1724.5	11.4D		119.0		QL=6 ST=2 TYP=3	
2695	PALE	4 S/F	1722.6	1724.6	17.2		37.0		QL=6 ST=2 TYP=3	
4995	PALE	4 S/F	1722.8	1724.5	17.0D		70.0		QL=6 ST=2 TYP=3	
1415	SGMR	8 S	1723.8	1724.1	1.2D		36.0		QL=6 ST=2 TYP=3	
11	245	SGMR	43 NS	1013.0	1300.8	783.0D		490.0		QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1013.0	1902.0	783.0D		47.0		QL=6 ST=2 TYP=1
	410	PALE	43 NS	1642.0	0118.8	728.0D		11.0		QL=6 ST=2 TYP=1
	245	PALE	43 NS	1642.0	2304.1	728.0		290.0		QL=6 ST=2 TYP=1
	245	LEAR	8 S	0655.0	0655.3	1.6D		240.0		QL=6 ST=2 TYP=3
	606	LEAR	8 S	0655.0	0655.3	1.3		95.0		QL=6 ST=2 TYP=3
	410	LEAR	8 S	0655.0	0655.3	1.6D		130.0		QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1348.6	1349.6	3.2		11.0		QL=5 ST=2 TYP=3
	4995	PALE	4 S/F	1725.1	1725.8	2.9D		38.0		QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	1725.3	1726.0	3.0D		85.0		QL=6 ST=2 TYP=3
	2695	PALE	8 S	1725.3	1726.1	1.7		34.0		QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	1726.3	1727.1	2.2D		53.0		QL=6 ST=2 TYP=3
	4995	PALE	8 S	1821.0	1821.3	1.3D		32.0		QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	1821.0	1821.6	2.1D		42.0		QL=6 ST=2 TYP=3
	606	PALE	4 S/F	1821.0	1821.8	7.0		24.0		QL=6 ST=2 TYP=3
	1415	PALE	8 S	1821.0	1822.0	2.0D		11.0		QL=6 ST=2 TYP=3
	245	PALE	47 GB	1821.3E	1821.8	1.2D		860.0		QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1821.8	1822.1	1.0		990.0		QL=6 ST=2 TYP=5
	245	PALE	47 GB	1851.3E	1851.8	1.2D		860.0		QL=6 ST=2 TYP=5
	1415	PALE	47 GB	2139.0	2142.8	6.0		190.0		QL=6 ST=2 TYP=5
8800	PALE	4 S/F	2307.6	2310.8	12.2		56.0		QL=6 ST=2 TYP=3	
606	LEAR	8 S	2316.0	2316.3	1.3		370.0		QL=6 ST=2 TYP=3	
12	245	SGMR	43 NS	1011.0	1925.1	786.0D		3300.0		QL=6 ST=2 TYP=1
	410	PALE	43 NS	1642.0	0421.3	728.0D		270.0		QL=6 ST=2 TYP=1
	245	PALE	43 NS	1642.0	2130.3	728.0		740.0		QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2251.0	0127.5	666.0D		350.0		QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2251.0	0323.5	666.0D		430.0		QL=6 ST=2 TYP=1
	606	LEAR	43 NS	2252.0	0453.3	664.0D		73.0		QL=6 ST=2 TYP=1
	606	LEAR	8 S	0342.3	0342.3	.8		67.0		QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
12	410	LEAR	8 S	0518.1	0518.3	1.4	110.0			QL=6 ST=2 TYP=3
	4995	MANI	4 S/F	0547.5	0556.0	15.5D	70.0			QL=6 ST=2 TYP=4
	8800	MANI	4 S/F	0547.5	0559.0	16.1	74.0			QL=6 ST=2 TYP=4
	2695	LEAR	4 S/F	0552.3	0555.8	7.0D	11.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0554.0	0555.6	6.1D	53.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0554.0	0558.1	6.3D	57.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0554.0	0558.3	9.8	56.0			QL=2 ST=2 TYP=4
	2695	ATHN	4 S/F	0554.6	0556.1	4.5	6.0			QL=5 ST=2 TYP=4
	15400	LEAR	4 S/F	0557.8	0558.1	2.3	33.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0629.8	0638.0	21.8	33.0			QL=2 ST=2 TYP=4
	1415	ATHN	4 S/F	0630.8	0637.6	10.8D	11.0			QL=5 ST=2 TYP=4
	2695	ATHN	4 S/F	0632.6	0638.3	12.7	6.0			QL=5 ST=2 TYP=4
	8800	LEAR	8 S	0845.8	0846.1	1.3	27.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0845.8	0846.1	2.3D	15.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0845.8	0846.8	1.5D	8.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0845.8	0846.8	2.2D	76.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2036.0E	2045.0	24.0D	520.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	2037.6	2047.5	15.4D	170.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2038.5	2039.1	13.1D	42.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	2038.8	2039.3	14.2	40.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2038.8	2042.8	13.0	24.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2039.0	2047.3	18.0D	240.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2040.1	2048.1	12.5D	19.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2040.3	2047.3	15.8D	260.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	2042.1	2047.1	12.5D	170.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2043.3	2049.3	13.7D	25.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	2043.6	2047.0	10.4D	119.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	2225.0	2227.1	10.3D	220.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2226.0	2227.1	6.0D	63.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	2226.0	2227.3	6.5D	100.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2226.0	2228.1	7.0	75.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	2226.1	2226.1	3.2D	2400.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2226.3	2226.3	3.2	720.0			QL=6 ST=2 TYP=5
1415	PALE	4 S/F	2226.3	2228.0	15.7D	150.0			QL=6 ST=2 TYP=3	
606	LEAR	4 S/F	2300.1	2300.5	4.0D	40.0			QL=6 ST=2 TYP=3	
1415	LEAR	4 S/F	2300.1	2302.1	2.5D	75.0			QL=6 ST=2 TYP=3	
410	LEAR	4 S/F	2300.3	2302.3	3.0D	190.0			QL=6 ST=2 TYP=3	
2695	LEAR	8 S	2302.1	2302.6	1.0D	21.0			QL=6 ST=2 TYP=3	
8800	LEAR	8 S	2302.1	2302.6	1.0D	70.0			QL=6 ST=2 TYP=3	
4995	LEAR	8 S	2302.1	2302.8	1.0D	35.0			QL=6 ST=2 TYP=3	
15400	LEAR	8 S	2302.5	2302.6	.3	48.0			QL=6 ST=2 TYP=3	
13	606	MANI	43 NS	0825.1	0828.8	19.9D	93.0			QL=6 ST=2 TYP=1
	1415	MANI	43 NS	0830.6	0835.5	13.7	51.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1010.0	1416.0	789.0D	190.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1010.0	1621.1	789.0D	77.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	1706.3	718.0D	220.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1645.0	1850.1	718.0D	380.0			QL=6 ST=2 TYP=1
	8800	PALE	4 S/F	0229.8	0231.1	3.0	100.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	0230.0	0231.0	7.3	110.0			QL=6 ST=2 TYP=3
	606	MANI	47 GB	0230.0	0231.0	6.0D	72.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0230.1	0230.8	4.5	710.0			QL=6 ST=2 TYP=5
	8800	MANI	4 S/F	0230.3	0231.1	2.5	77.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	0230.3	0231.1	3.8D	47.0			QL=6 ST=2 TYP=4
	410	LEAR	47 GB	0230.5	0230.8	1.5D	640.0			QL=6 ST=3 TYP=5
	2695	MANI	4 S/F	0230.5	0231.1	2.6D	28.0			QL=6 ST=2 TYP=4
	8800	LEAR	8 S	0230.5	0231.1	1.8D	78.0			QL=6 ST=3 TYP=3
	4995	LEAR	8 S	0230.5	0231.1	2.0D	49.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0230.5	0231.1	1.8D	24.0			QL=6 ST=3 TYP=3
	1415	MANI	4 S/F	0230.5	0231.1	2.5D	10.0			QL=6 ST=2 TYP=4
	606	LEAR	8 S	0230.6	0231.1	1.7D	150.0			QL=6 ST=3 TYP=3
	15400	LEAR	8 S	0230.8	0231.1	.7	28.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	0230.8	0231.1	1.2D	11.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0253.0	0253.1	.8	290.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0403.3	0405.3	4.7D	64.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0403.3	0405.3	4.7D	62.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0404.5	0405.3	2.8	61.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0822.5	0829.3	16.3D	330.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0823.5	0830.1	8.5D	150.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0827.8	0835.3	11.0	25.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

167
Misc
Apr 80

A P R I L 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
13	1415	LEAR	4 S/F	0829.1	0831.8	3.7D	34.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0834.3	0838.1	7.5	23.0			QL=2 ST=2 TYP=3
	410	LEAR	4 S/F	0858.6	0901.3	10.0D	210.0			QL=6 ST=2 TYP=3
	8800	MANI	47 GB	0900.6	0904.6	14.9	110.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0901.0	0904.1	7.0D	110.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0903.0	0903.8	2.3D	39.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0903.0	0904.1	3.0D	44.0			QL=6 ST=2 TYP=3
	1415	ATHN	8 S	0903.0	0904.3	2.0	33.0			QL=2 ST=2 TYP=3
	8800	LEAR	4 S/F	0903.1	0904.1	2.9D	110.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0903.5	0904.0	2.5	119.0			QL=2 ST=2 TYP=3
	2695	LEAR	4 S/F	0903.5	0904.5	2.6D	64.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0903.8	0904.1	1.0	80.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0903.8	0904.5	2.2	51.0			QL=2 ST=2 TYP=3
	245	SGMR	47 GB	1024.0	1024.6	1.0	730.0			QL=4 ST=2 TYP=5
	245	SGMR	47 GB	1229.6	1230.0	1.5	2200.0			QL=6 ST=2 TYP=5
	1415	ATHN	8 S	1229.6	1230.1	1.0D	34.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1229.6	1230.1	1413.9	16.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	1229.8	1230.1	.5	21.0			QL=2 ST=2 TYP=3
	606	SGMR	8 S	1239.5	1240.1	1.5D	69.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1239.8	1240.3	1.0	65.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1240.1	1240.3	.7D	22.0			QL=6 ST=2 TYP=3
410	SGMR	47 GB	2133.6	2133.8	.4	780.0			QL=6 ST=2 TYP=5	
606	SGMR	4 S/F	2258.1	2259.3	4.9	88.0			QL=6 ST=2 TYP=3	
14	410	SGMR	43 NS	1008.0	1031.8	792.0D	100.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1008.0	2123.8	792.0D	190.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	2124.8	718.0D	230.0			QL=6 ST=2 TYP=1
	8800	PALE	47 GB	0144.1	0145.5	2.0	810.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0408.6	0412.6	7.4	119.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0411.8	0415.3	5.5D	139.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1151.8	1153.5	2.5D	13.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	1152.3	1153.5	2.0	73.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1215.8	1216.0	3.0D	98.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1217.0	1218.0	1.8D	160.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1217.5	1217.8	1.3	28.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	2003.6	2005.5	6.5	100.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2003.8	2005.3	3.5D	87.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2003.8	2005.3	5.2D	98.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2004.0	2005.3	3.3D	32.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2004.3	2005.3	2.5D	34.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2004.6	2005.3	1.7	100.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2004.6	2005.3	2.0D	50.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2004.8	2005.3	3.3	110.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2004.8	2005.3	7.7	130.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2005.0	2005.6	1.1D	47.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	2005.1	2006.3	5.4	70.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2136.0	2137.0	2.1	139.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2136.1	2136.8	4.0D	50.0			QL=6 ST=2 TYP=3
410	SGMR	4 S/F	2136.3	2136.8	3.0D	36.0			QL=6 ST=2 TYP=3	
245	SGMR	8 S	2137.3	2138.1	1.8	110.0			QL=6 ST=2 TYP=3	
15	410	LEAR	43 NS	0320.0	0736.6	394.0D	5.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0320.0	0933.0	394.0D	370.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1006.0	1410.8	795.0D	00.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1643.0	0100.5	720.0D	1199.0			QL=1 ST=2 TYP=1
	245	PALE	47 GB	0203.1	0205.5	8.9	970.0			QL=6 ST=2 TYP=5
	1415	LEAR	8 S	0204.3	0204.8		17.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0204.3	0204.8		19.0			QL=6 ST=3 TYP=3
	1415	MANI	4 S/F	0204.6	0206.0	4.9D	20.0			QL=6 ST=2 TYP=4
	606	MANI	4 S/F	0204.6	0206.8	2.9D	13.0			QL=6 ST=2 TYP=4
	4995	LEAR	8 S	0204.8	0204.8		37.0			QL=6 ST=3 TYP=3
	8800	LEAR	8 S	0204.8	0205.8		2.0			QL=6 ST=3 TYP=3
	2695	MANI	8 S	0205.0	0206.0	2.0D	13.0			QL=6 ST=2 TYP=4
	4995	MANI	8 S	0205.0	0206.0	2.0	3600.0			QL=6 ST=2 TYP=4
	410	LEAR	4 S/F	0546.1	0550.6	8.0D	19.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0546.5	0548.8	10.5D	56.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0547.0	0548.8	10.1D	11.0			QL=6 ST=2 TYP=3
	1415	MANI	4 S/F	0547.0	0549.1	4.0D	24.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0547.1	0548.8	11.0D	33.0			QL=6 ST=2 TYP=3
	4995	MANI	4 S/F	0547.5	0548.8	2.5D	68.0			QL=6 ST=2 TYP=3

168
Misc
Apr 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
15	8800	MAN I	4 S/F	0547.5	0549.0	2.5	27.0			QL=6 ST=2 TYP=4
	245	LEAR	4 S/F	0547.5	0550.6	6.8D	190.0			QL=6 ST=2 TYP=3
	2695	MAN I	4 S/F	0547.6	0548.8	3.4D	86.0			QL=6 ST=2 TYP=3
	606	MAN I	47 GB	0548.0	0549.1	6.0D	47.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0548.0	0549.1	7.1D	130.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0548.1	0548.6	9.2D	33.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0548.3	0548.8	.8	11.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1404.3	1404.5	.7	67.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1508.3	1511.5	11.5	150.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1508.6	1510.0	6.0D	190.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1508.6	1511.3	5.7D	110.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1508.8	1510.0	5.5D	270.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1508.8	1510.3	5.0D	110.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1508.8	1511.3	4.5D	84.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1509.0	1511.3	5.1	97.0			QL=2 ST=2 TYP=3
	15400	SGMR	8 S	1509.8	1511.0	1.8	100.0			QL=6 ST=2 TYP=3
16	245	LEAR	43 NS	2254.0	0321.3	658.0D	77.0			QL=6 ST=2 TYP=1
	245	LEAR	47 GB	0037.6	0039.3	3.0D	730.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0038.3	0039.5	1.7	20.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0038.6	0039.3	1.5D	19.0			QL=6 ST=2 TYP=3
	8800	MAN I	4 S/F	0103.0	0103.8	2.1	37.0			QL=6 ST=2 TYP=4
	410	SGMR	8 S	1531.6	1532.0	1.5	84.0			QL=6 ST=2 TYP=3
17	245	LEAR	47 GB	0120.6	0124.1	6.5D	640.0			QL=6 ST=3 TYP=5
	410	LEAR	4 S/F	0121.0	0124.8	8.5D	91.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0124.6	0125.0	1.4	86.0			QL=6 ST=3 TYP=3
	410	LEAR	4 S/F	0749.1	0752.8	4.0D	6.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0749.6	0752.8	3.5D	35.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0750.8	0752.8	4.3	27.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1644.6	1644.8	.5	59.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2052.8	2054.8	2.8	15.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2053.0	2054.8	3.3D	41.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2053.0	2054.8	3.3D	119.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2212.8	2213.1	.7D	43.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2212.8	2213.1	.7	75.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2253.0	2254.0	1.6	67.0			QL=6 ST=2 TYP=3
18	245	SGMR	43 NS	1002.0	1216.5	802.0D	99.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1639.0	1709.8	719.0D	130.0			QL=1 ST=2 TYP=1
	245	LEAR	43 NS	2253.0	0639.1	658.0D	57.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0552.1	0552.1	1.0	100.0			QL=6 ST=2 TYP=3
	1415	MAN I	47 GB	0803.6	0809.6	9.9D	100.0			QL=6 ST=2 TYP=5
	1415	ATHN	8 S	0808.8	0809.0	2.0D	37.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	0808.8	0809.0	.7	11.0			QL=2 ST=2 TYP=3
	2695	ATHN	4 S/F	0808.8	0809.1	3.7	63.0			QL=5 ST=2 TYP=3
	1415	LEAR	4 S/F	0809.1	0809.3	5.5D	52.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0809.1	0809.5	3.9	39.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0809.1	0809.5	4.0D	78.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0809.3	0810.3	2.0D	65.0			QL=6 ST=2 TYP=3
	4995	MAN I	4 S/F	0809.6	0809.8	3.4	44.0			QL=6 ST=2 TYP=3
	2695	MAN I	4 S/F	0809.6	0809.8	3.4D	77.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	1708.3	1708.5	1.2	130.0			QL=1 ST=3 TYP=3
	245	SGMR	8 S	1708.3	1708.6	1.3	86.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	1713.3	1713.3	.8	100.0			QL=1 ST=2 TYP=3
245	LEAR	8 S	2353.0E	2353.8	1.3D	59.0			QL=5 ST=2 TYP=3	
19	245	SGMR	43 NS	1000.0	1450.8	805.0D	77.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2254.0	0902.1	656.0D	100.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2254.0	2306.5	386.0	15.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0341.1	0346.3		1000.0			QL=6 ST=3 TYP=5
	245	LEAR	47 GB	0344.1	0344.3	3.5D	139.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0345.6	0346.3	1.2	11.0			QL=6 ST=2 TYP=3
20	245	LEAR	43 NS	0230.0	0141.0	440.0D	64.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0230.0	0251.8	440.0D	13.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	2213.6	715.0D	230.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	2157.6	2217.0	88.4D	84.0			QL=6 ST=2 TYP=1
	4995	LEAR	4 S/F	0639.0	0643.5	6.6	16.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0639.1	0643.3	5.9D	23.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

169
Misc
Apr 80

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
20	1415	LEAR	4 S/F	0639.8	0644.1	4.8D	54.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1714.0	1714.8	1.1	83.0			QL=6 ST=2 TYP=3
21	245	SGMR	43 NS	0957.0	1949.3	811.0D	100.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2256.0	0641.3	652.0D	20.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2256.0	2318.3	652.0D	59.0			QL=6 ST=2 TYP=1
22	245	SGMR	43 NS	0955.0	1555.3	814.0D	180.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0955.0	1555.3	814.0D	80.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1642.0	0438.5	723.0D	230.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2255.0	0559.0	652.0D	37.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2255.0	0612.0	652.0D	220.0			QL=6 ST=2 TYP=1
23	410	SGMR	43 NS	0954.1	2054.1	815.9D	24.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1400.0	1832.8	570.0D	27.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1638.0	1645.6	725.0D	670.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2256.0	0721.8	650.0D	170.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2345.0	0802.8	601.0D	27.0			QL=6 ST=2 TYP=1
24	245	SGMR	43 NS	0952.0	1938.0	819.0D	67.0			QL=6 ST=2 TYP=1
	410	LEAR	47 GB	0556.6	0557.1	2.7D	900.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0557.0	0557.6	2.6D	11.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0557.0	0557.8	2.1D	23.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0557.1	0557.6	2.4	26.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0557.1	0557.6	2.5D	33.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0557.1	0558.1	2.4D	19.0			QL=6 ST=2 TYP=3
	4995	MANI	8 S	0557.5	0558.0	1.8	30.0			QL=6 ST=2 TYP=4
	2695	MANI	8 S	0557.5	0558.0	1.8D	23.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	0557.5	0559.3	3.1D	93.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	0557.8	0558.1	1.8	24.0			QL=2 ST=2 TYP=4
	2695	ATHN	8 S	0557.8	0558.3	2.0	13.0			QL=6 ST=2 TYP=4
	4995	LEAR	8 S	0830.0	0831.1	1.8	19.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0830.3	0830.6	3.5D	850.0			QL=6 ST=2 TYP=5
	2695	LEAR	8 S	0830.5	0831.0	1.6D	17.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0830.5	0831.1	1.5D	15.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0830.6	0831.0	1.7D	13.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0930.0	0931.1	1.8	19.0			QL=6 ST=3 TYP=3
	410	LEAR	47 GB	0930.3	0930.6	3.5D	850.0			QL=6 ST=3 TYP=5
	245	LEAR	47 GB	0930.3	0930.8	3.7D	930.0			QL=6 ST=3 TYP=5
2695	LEAR	8 S	0930.5	0931.0	1.6D	17.0			QL=6 ST=3 TYP=3	
1415	LEAR	8 S	0930.5	0931.1	1.5D	15.0			QL=6 ST=3 TYP=3	
606	LEAR	8 S	0930.6	0931.0	1.7D	13.0			QL=6 ST=3 TYP=3	
25	410	SGMR	43 NS	0951.0	1857.5	821.0D	139.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0951.0	1930.8	821.0D	139.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1639.0	2316.3	719.0D	1500.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1940.0	2259.6	543.0D	160.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2257.0	0558.1	648.0D	240.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2257.0	0608.3	648.0D	110.0			QL=6 ST=2 TYP=1
	410	PALE	8 S	1857.0	1857.1	.6	160.0			QL=6 ST=2 TYP=3
	26	606	SGMR	43 NS	0949.0	1309.0	824.0D	45.0		
245		SGMR	43 NS	0949.0	1614.3	824.0D	119.0			QL=6 ST=2 TYP=1
410		SGMR	43 NS	0949.0	2136.8	824.0D	110.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	1635.0	0259.5	729.0D	139.0			QL=6 ST=2 TYP=1
410		LEAR	43 NS	2257.0	0444.3	647.0D	52.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2257.0	0928.0	647.0D	240.0			QL=6 ST=2 TYP=1
606		PALE	4 S/F	2029.5	2031.5	3.1	170.0			QL=6 ST=2 TYP=3
606		SGMR	4 S/F	2029.6	2031.6	3.0D	95.0			QL=6 ST=2 TYP=3
1415		PALE	4 S/F	2031.0	2032.1	6.0D	41.0			QL=6 ST=2 TYP=3
4995		PALE	4 S/F	2031.0	2032.1	4.8D	150.0			QL=6 ST=2 TYP=3
8800		PALE	4 S/F	2031.0	2032.1	4.0D	190.0			QL=6 ST=2 TYP=3
15400		SGMR	4 S/F	2031.1	2031.3	2.5	110.0			QL=6 ST=2 TYP=3
2695		SGMR	4 S/F	2031.1	2032.1	7.7D	150.0			QL=6 ST=2 TYP=3
4995		SGMR	4 S/F	2031.1	2032.1	4.5D	200.0			QL=6 ST=2 TYP=3
8800		SGMR	4 S/F	2031.1	2032.1	3.4D	190.0			QL=6 ST=2 TYP=3
2695		PALE	4 S/F	2031.1	2032.3	4.9D	119.0			QL=6 ST=2 TYP=3
1415		SGMR	4 S/F	2031.1	2032.3	3.4D	42.0			QL=6 ST=2 TYP=3
15400		PALE	8 S	2031.6	2031.8	1.9D	139.0			QL=6 ST=2 TYP=3
410		PALE	8 S	2031.6	2032.3	1.4	44.0			QL=5 ST=3 TYP=3

170
Misc
Apr 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
26	245	PALE	8 S	2034.0E	2034.3	.8D	22.0			QL=5 ST=2 TYP=3
	606	SGMR	8 S	2254.6	2255.0	1.0D	61.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	2254.6	2255.0	1.0	61.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2254.8	2255.3	.7D	110.0			QL=6 ST=2 TYP=3
27	245	LEAR	43 NS	2258.0	0041.6	646.0D	110.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2258.0	0706.8	646.0D	66.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0025.3	0026.1	1.3D	10.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0025.8	0026.1	1.0D	11.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0025.8	0026.1	1.0D	139.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0025.8	0026.3	1.0D	6.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0025.8	0026.3	1.2D	3.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0025.8	0026.3	.8	11.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0113.0	0113.3	.8	10.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0143.0	0143.3	.8	10.0			QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	0224.3	0229.3	10.0D	330.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0225.3	0229.1	8.8D	110.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0227.5	0229.1	5.5	42.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0228.0	0229.6	5.0	139.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0228.0	0229.6	5.0	350.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	0228.0	0231.1	5.0	150.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0228.3	0232.1	5.8D	150.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0251.0	0257.0	11.8D	19.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0251.1	0252.5	8.9D	310.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0251.1	0254.0	3.2D	83.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0251.1	0256.8	11.0D	79.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0251.6	0252.1	8.7D	11.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0251.8	0256.8	8.5D	16.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0254.8	0256.8	6.2	39.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	2004.0	2007.0	10.0	119.0			QL=6 ST=2 TYP=4
	606	SGMR	4 S/F	2004.0	2007.0	10.0	130.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2047.3	2048.0	4.0	139.0			QL=6 ST=2 TYP=3
410	SGMR	8 S	2048.0	2048.1	1.1D	70.0			QL=6 ST=2 TYP=3	
28	245	SGMR	43 NS	0947.0	1135.1	828.0D	200.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0947.0	1308.0	828.0D	910.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1636.0	2154.0	731.0D	230.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2258.0	0312.8	644.0D	83.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2258.0	0629.8	644.0D	92.0			QL=6 ST=2 TYP=1
	606	PALE	8 S	0236.3	0236.8	.8	320.0			QL=5 ST=2 TYP=3
	606	LEAR	8 S	0237.6	0238.0	.7	290.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0238.6	0239.0	.7D	18.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0900.6	0901.3	3.2D	17.0			QL=6 ST=3 TYP=3
	606	LEAR	47 GB	0900.6	0902.1	3.4D	500.0			QL=6 ST=3 TYP=5
	8800	LEAR	4 S/F	0900.6	0902.3	4.0D	34.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0900.6	0902.6	4.4D	27.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0900.6	0902.6	2.7D	18.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0900.8	0902.3	2.0D	110.0			QL=6 ST=3 TYP=3
	15400	LEAR	4 S/F	0900.8	0902.3	2.8	39.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0900.8	0902.8	6.2	33.0			QL=2 ST=2 TYP=4
	2695	ATHN	4 S/F	0902.5	0903.1	3.0	15.0			QL=5 ST=2 TYP=4
	1415	ATHN	4 S/F	0902.6	0903.0	3.0D	19.0			QL=5 ST=2 TYP=4
	245	SGMR	47 GB	1202.1	1204.0	4.9	3200.0			QL=6 ST=2 TYP=5
	1415	ATHN	4 S/F	1203.5	1204.8	4.6D	160.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	1203.6	1204.1	1.7	190.0			QL=2 ST=2 TYP=3
	2695	ATHN	4 S/F	1203.8	1204.5	2.5	110.0			QL=5 ST=2 TYP=3
	1415	ATHN	4 S/F	1236.8	1238.6	3.5D	87.0			QL=5 ST=2 TYP=4
	2695	ATHN	4 S/F	1236.8	1239.0	3.2	48.0			QL=5 ST=2 TYP=4
	8800	ATHN	4 S/F	1237.0	1237.6	3.1	51.0			QL=2 ST=2 TYP=4
	245	SGMR	47 GB	1243.6	1244.0	2.7	850.0			QL=6 ST=2 TYP=5
	1415	ATHN	4 S/F	1244.1	1244.6	2.9D	79.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1244.3	1244.8	2.5	30.0			QL=5 ST=2 TYP=3
	8800	SGMR	4 S/F	1533.5	1534.3	2.1	16.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1533.5	1534.5	2.0D	8.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1533.8	1534.5	1.5D	3.0			QL=6 ST=2 TYP=3
410	SGMR	8 S	1534.5	1534.6	.8D	73.0			QL=6 ST=2 TYP=3	
245	PALE	47 GB	1707.0	1707.5	1.0	1000.0			QL=6 ST=2 TYP=5	
245	SGMR	47 GB	1707.1	1708.1	1.2	970.0			QL=6 ST=2 TYP=5	
1415	PALE	8 S	2038.0	2040.0		40.0			QL=6 ST=3 TYP=3	
410	PALE	47 GB	2038.0	2040.0		1600.0			QL=6 ST=3 TYP=5	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

171
Misc
Apr 80

A P R I L 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
28	606	PALE	8 S	2038.0	2040.0		130.0			QL=6 ST=3 TYP=3
	245	PALE	47 GB	2038.0	2040.0		3700.0			QL=6 ST=3 TYP=5
	4995	PALE	8 S	2039.3	2039.8		170.0			QL=6 ST=3 TYP=3
	15400	PALE	47 GB	2039.3	2040.0		750.0			QL=6 ST=3 TYP=5
	8800	PALE	8 S	2039.3	2040.0		390.0			QL=6 ST=3 TYP=3
	2695	PALE	8 S	2039.3	2040.1		100.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	2039.8	2040.0	1.5	3600.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	2115.3	2115.6	4.7D	940.0			QL=6 ST=2 TYP=5
	410	PALE	4 S/F	2115.3	2116.1	2.7	330.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	2115.5	2116.0	2.0	210.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	2115.6E	2116.5	2.0D	230.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2115.6	2116.6	6.0D	90.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	2116.1	2116.3	2.0D	770.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	2313.0	2315.3	2.6D	33.0			QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	2313.3	2314.6	2.5D	65.0			QL=6 ST=3 TYP=3
606	LEAR	4 S/F	2313.6	2314.0	2.9	400.0			QL=6 ST=3 TYP=3	
29	245	SGMR	43 NS	0945.0	1039.8	54.8D	53.0			QL=6 ST=3 TYP=1
	410	SGMR	43 NS	0945.0	1111.1	832.0D	29.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1635.0	2202.6	595.0D	65.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1802.0	0428.6	644.0D	180.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2258.0	0328.6	644.0D	190.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2258.0	0600.0	644.0D	15.0			QL=6 ST=2 TYP=1
	606	PALE	8 S	0048.8	0049.1	.5	360.0			QL=5 ST=2 TYP=3
	606	LEAR	8 S	0049.0	0049.1	.3	490.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0201.5	0203.8	4.8D	35.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0201.6	0203.8	4.0	22.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0201.8	0202.3	2.0D	190.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0201.8	0204.0	5.2D	33.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0302.8	0303.3	2.0D	75.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0302.8	0303.3	1.8	160.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0302.8	0303.5	1.7	960.0			QL=6 ST=2 TYP=5
	606	LEAR	47 GB	0303.0	0303.3	1.0D	980.0			QL=6 ST=2 TYP=5
	4995	LEAR	8 S	0303.1	0303.3	1.7D	17.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0303.1	0303.3	1.2D	13.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0303.3	0303.5	1.5D	6.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1244.6	1307.1	47.2	130.0			QL=2 ST=2 TYP=4
	1415	SGMR	4 S/F	1250.0	1305.8	40.0	150.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1250.5	1305.0	39.5D	150.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1250.8	1305.0	39.2D	250.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1251.8	1305.1	38.2D	88.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1336.0	1410.1	68.8D	62.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1337.3	1404.8	67.0	61.0			QL=6 ST=2 TYP=4
	606	SGMR	4 S/F	1340.0	1402.1	48.0	48.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1340.0	1404.6	48.0D	43.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1340.0	1409.1	48.0D	93.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1340.0	1409.3	48.0D	78.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1359.8	1403.1	10.2	20.0			QL=2 ST=2 TYP=4
	410	SGMR	8 S	1427.5	1427.6	1.6D	85.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1427.6	1427.8	2.2	139.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1428.1	1428.3	7.0D	91.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1428.1	1428.3	5.9D	32.0			QL=6 ST=2 TYP=3
2695	SGMR	4 S/F	1825.8	1828.6	6.2	180.0			QL=3 ST=2 TYP=3	
1415	SGMR	47 GB	1827.0	1830.5	5.0	520.0			QL=6 ST=2 TYP=5	
2695	PALE	4 S/F	1828.0	1828.6	4.6	220.0			QL=6 ST=2 TYP=3	
1415	PALE	47 GB	1829.6	1830.6	2.0	460.0			QL=6 ST=2 TYP=5	
8800	PALE	4 S/F	2016.1	2021.0	8.9D	34.0			QL=6 ST=2 TYP=3	
15400	PALE	8 S	2017.5	2018.3	1.5D	46.0			QL=6 ST=2 TYP=3	
2695	SGMR	4 S/F	2020.0	2021.1	2.5D	20.0			QL=3 ST=2 TYP=3	
2695	PALE	4 S/F	2020.0	2021.1	3.1	19.0			QL=6 ST=2 TYP=3	
4995	PALE	4 S/F	2020.3	2021.1	4.3D	20.0			QL=6 ST=2 TYP=3	
4995	SGMR	4 S/F	2020.3	2021.1	4.3D	26.0			QL=3 ST=2 TYP=3	
8800	SGMR	4 S/F	2020.3	2021.3	3.3	28.0			QL=3 ST=2 TYP=3	
30	245	SGMR	43 NS	0944.0	1132.5	834.0D	200.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1817.6	1818.1	625.4D	340.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2259.0	0023.1	642.0D	290.0			QL=6 ST=2 TYP=1
	606	PALE	4 S/F	0147.8	0149.8	7.7	20.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0148.0	0150.0	4.8D	100.0			QL=6 ST=3 TYP=3
	410	LEAR	4 S/F	0148.1	0149.6	2.5D	8.0			QL=6 ST=3 TYP=3

172
Misc
Apr 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

APRIL 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
30	4995	LEAR	4 S/F	0148.1	0150.0	5.5D	62.0			QL=6 ST=3 TYP=3
	4995	PALE	4 S/F	0148.1	0150.1	7.4D	61.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0148.1	0150.1	7.4D	41.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0148.1	0150.1	7.4D	43.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0148.3	0150.0	4.3	37.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0148.3	0150.1	4.7D	29.0			QL=6 ST=3 TYP=3
	2695	PALE	4 S/F	0148.3	0150.1	7.2D	32.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0148.3	0150.1	7.2D	72.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0148.6	0149.1	3.5D	28.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0148.6	0150.3	3.9D	9.0			QL=6 ST=3 TYP=3
	2695	LEAR	47 GB	0335.1	0403.3	76.9	170.0			QL=6 ST=2 TYP=5
	4995	LEAR	47 GB	0345.5	0403.1	70.5	150.0			QL=5 ST=2 TYP=5
	1415	PALE	47 GB	0350.5	0403.3	45.3	139.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	0358.1	0402.8	20.7D	98.0			QL=5 ST=2 TYP=4
	1415	ATHN	4 S/F	0358.1	0403.5	21.0D	73.0			QL=5 ST=2 TYP=4
	8800	ATHN	4 S/F	0358.1	0405.8	20.5	76.0			QL=5 ST=2 TYP=4
	606	SGMR	4 S/F	1142.1	1142.6	3.0D	28.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1142.8	1143.1	3.3	80.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1530.1	1534.1	5.9	77.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1532.1	1532.6	4.5D	240.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1532.5	1533.0	3.0D	160.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1547.6	1547.8	1.2D	560.0			QL=6 ST=2 TYP=5
	4995	SGMR	8 S	1548.0	1548.3	1.6D	9.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1548.1	1548.6	2.9	17.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1548.1	1548.8	1.9D	10.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1548.1	1549.0	2.5D	17.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2022.0	2027.8	7.8	54.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2022.1	2022.8	2.2D	18.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2022.3	2022.6	1.7D	16.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2022.3	2023.3	2.5D	17.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	2022.3	2023.3	2.7D	18.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2022.3	2023.8	2.3	41.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	2022.8	2023.8	2.0D	40.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2023.0	2026.1	7.0D	20.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

173
Misc
May 80

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
01	245	SGMR	43 NS	0942.0	1547.3	837.0D	150.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0942.0	2220.8	837.0D	210.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2259.0	0105.3	642.0D	270.0			QL=6 ST=2 TYP=1
	245	PALE	8 S	0022.6	0023.1	2.0	450.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0022.6	0023.6	1.2D	60.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0211.8	0212.6	2.2	80.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	0330.8	0331.3	1590.8	510.0			QL=6 ST=3 TYP=5
	8800	SGMR	4 S/F	1555.0	1558.1	7.0D	42.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1555.1	1557.8	7.9D	13.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1557.6	1558.3	1.4	32.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1558.1	1558.3	.7D	63.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1621.0	1623.8	15.0	920.0			QL=2 ST=2 TYP=5
	1415	ATHN	4 S/F	1621.1	1624.1	12.0D	89.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1621.1	1624.1	12.0	240.0			QL=5 ST=2 TYP=3
	4995	PALE	47 GB	1913.8	1916.0	136.2D	1300.0			QL=6 ST=2 TYP=5
	2695	PALE	49 GB	1913.8	1916.1	136.2D	660.0			QL=6 ST=2 TYP=7
	606	PALE	49 GB	1915.3	1915.6	116.7D	11000.0			QL=6 ST=2 TYP=7
	410	PALE	49 GB	1915.3	1916.0	107.7D	18000.0			QL=6 ST=2 TYP=7
	1415	PALE	49 GB	1915.3	2011.0	134.7D	11999.0			QL=6 ST=2 TYP=7
	245	PALE	49 GB	1915.6	1916.0	107.4D	5900.0			QL=6 ST=2 TYP=7
	410	SGMR	47 GB	1915.8	1916.1	81.8D	18000.0			QL=6 ST=2 TYP=5
	245	SGMR	49 GB	1916.0	1916.3	68.5	7300.0			QL=6 ST=2 TYP=7
	1415	SGMR	47 GB	1938.1	1950.0		2000.0			QL=6 ST=3 TYP=5
4995	SGMR	8 S	2100.5	2101.3	1.5D	70.0			QL=6 ST=2 TYP=3	
2695	SGMR	8 S	2100.6E	2101.5	1.7D	38.0			QL=6 ST=2 TYP=3	
1415	SGMR	8 S	2100.8	2101.1	1.5	22.0			QL=6 ST=2 TYP=3	
02	245	SGMR	43 NS	0941.0	1505.3	839.0D	260.0			QL=6 ST=3 TYP=1
	410	SGMR	43 NS	0941.0	1549.6	839.0D	42.0			QL=6 ST=3 TYP=1
	245	PALE	43 NS	1633.0	1645.0	734.0D	150.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2300.0	0721.8	640.0D	210.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0436.0	0437.1	2.6D	31.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0436.1	0436.5	1.0D	24.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0436.1	0436.6	1.0D	4.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0436.3	0436.5	.8	10.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0436.3	0436.6	.8D	150.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0436.3	0436.6	.8D	7.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0436.5	0436.6	.6D	4.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0553.1	0555.1	3.5D	54.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0553.5	0555.6	3.1	16.0			QL=6 ST=3 TYP=3
	606	LEAR	47 GB	0628.5	0628.6	.6D	600.0			QL=6 ST=2 TYP=5
	1415	LEAR	8 S	0628.6	0628.8	.5D	8.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0628.8	0628.8	.2	23.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	2046.6	2047.3	2.4	240.0			QL=6 ST=2 TYP=3
410	SGMR	47 GB	2047.0	2047.1	.5	710.0			QL=6 ST=2 TYP=5	
410	PALE	47 GB	2047.0	2047.1	2.1D	940.0			QL=6 ST=2 TYP=5	
03	245	SGMR	43 NS	0940.0	2048.1	841.0D	590.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0940.0	2107.1	841.0D	139.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1334.0	1551.5	607.0D	54.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1632.0	2048.0	733.0D	720.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2300.0	0851.8	640.0D	400.0			QL=6 ST=2 TYP=1
	606	PALE	4 S/F	0204.0	0204.6	3.0	180.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0204.0	0205.1	3.0	75.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0204.0	0205.1	3.0	89.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0204.0	0205.1	3.0	139.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0204.0	0205.3	3.0	66.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0204.0	0205.3	3.0	81.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0204.1	0205.0	8.7D	160.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0204.1	0205.0	7.7D	150.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0204.1	0205.1	7.7D	85.0			QL=6 ST=3 TYP=3
	606	LEAR	4 S/F	0204.3	0204.6	4.3D	160.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0204.3	0205.5	11.8D	55.0			QL=6 ST=3 TYP=3
	15400	LEAR	4 S/F	0204.6	0205.6	7.0	48.0			QL=6 ST=3 TYP=3
	410	LEAR	4 S/F	0204.8	0205.3	2.3D	71.0			QL=6 ST=3 TYP=3
	4995	PALE	4 S/F	0205.0	0207.0	3.0D	150.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	0355.1	0355.3	1.2	210.0			QL=6 ST=2 TYP=5
606	LEAR	8 S	0355.3	0355.5	1.2D	230.0			QL=6 ST=2 TYP=3	
2695	LEAR	4 S/F	0355.3	0355.6	4.0	8.0			QL=6 ST=2 TYP=3	
1415	LEAR	4 S/F	0355.3	0355.6	3.8D	11.0			QL=6 ST=2 TYP=3	

174
Misc
May 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
03	245	LEAR	47 GB	0701.1	0701.8	1.2	500.0			QL=6 ST=2 TYP=5
	2695	LEAR	4 S/F	0759.1	0800.6	2.5D	119.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0759.1	0800.6	2.5D	210.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0759.6	0800.6	4.0D	92.0			QL=5 ST=2 TYP=3
	410	LEAR	8 S	0800.3	0800.3	.3D	370.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0800.3	0800.5	1.2D	32.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0800.3	0800.5	1.2D	1500.0			QL=6 ST=2 TYP=5
	8800	LEAR	8 S	0800.3	0800.5	.8D	190.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0800.3	0800.6	2.5D	42.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0800.5	0800.6	.3	52.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0800.5	0800.6	2.5D	160.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	0800.5	0800.6	1.5	190.0			QL=5 ST=2 TYP=3
	1415	ATHN	8 S	0800.6	0800.6	1.5D	40.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1242.3	1309.3	53.3D	119.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	1242.3	1310.5	61.8D	200.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	1246.6	1309.8	32.5D	88.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1249.5	1309.8	30.5	84.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	1259.0	1345.1	52.0	500.0			QL=6 ST=2 TYP=5
	1415	ATHN	4 S/F	1615.5	1622.6	7.3D	61.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1617.3	1620.3	10.2D	100.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1619.3	1619.3	5.2D	11.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1619.3	1620.1	5.2	240.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1619.3	1620.3	5.5D	7.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	1619.8	1620.1	.8	13.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1748.1	1752.1	17.9D	25.0			QL=6 ST=2 TYP=4
	4995	SGMR	4 S/F	1748.1	1752.1	17.9D	29.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	1748.1	1800.1	17.9D	21.0			QL=5 ST=2 TYP=4
	1415	SGMR	4 S/F	1748.8	1751.8	7.2	11.0			QL=6 ST=2 TYP=4
	410	PALE	47 GB	2127.5	2127.6	.8	520.0			QL=6 ST=2 TYP=5
	410	SGMR	47 GB	2127.6	2127.8	.5	800.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	2356.3	2357.1	2.3D	15.0			QL=5 ST=2 TYP=3
	2695	LEAR	4 S/F	2356.3	2357.6	3.5D	16.0			QL=5 ST=2 TYP=3
	8800	LEAR	8 S	2356.8E	2357.3	1.7D	8.0			QL=5 ST=2 TYP=3
1415	LEAR	4 S/F	2356.8	2357.6	3.5D	7.0			QL=5 ST=2 TYP=3	
04	606	SGMR	43 NS	0938.0	1211.6	844.0D	52.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0938.0	1737.6	844.0D	39.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0938.0	2156.6	844.0D	1199.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2301.0	0628.1	638.0D	119.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2301.0	0653.1	638.0D	1700.0			QL=6 ST=3 TYP=1
	4995	SGMR	4 S/F	1507.1	1509.6	2.9D	7.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1508.1	1508.8	3.2D	13.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1508.1	1509.0	3.5	10.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1508.3	1509.8	1.7D	2.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	1823.8	1827.3	4.3	830.0			QL=6 ST=2 TYP=5
	606	SGMR	47 GB	1823.8	1827.3	7.2	650.0			QL=6 ST=2 TYP=5
	4995	SGMR	8 S	2014.8	2015.0	.8D	15.0			QL=6 ST=3 TYP=3
	2695	SGMR	8 S	2014.8	2015.1	1.0D	13.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	2014.8	2015.1	1.2D	160.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	2014.8	2015.1	6.7	780.0			QL=6 ST=3 TYP=5
	1415	SGMR	8 S	2015.0	2015.1	.6D	23.0			QL=6 ST=3 TYP=3
	8800	SGMR	8 S	2015.0	2015.1	1.0D	18.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	2015.0	2015.3	.6D	32.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	2020.0	2020.1	4.1D	8.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2020.0	2021.8	4.1D	23.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2020.5	2020.8	.5	25.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2020.6	2020.8	.4D	21.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2020.6	2021.0	2.4D	4.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2202.5	2203.5	2.5	750.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2202.8	2203.6	2.7	720.0			QL=6 ST=2 TYP=5
	1415	PALE	8 S	2336.3	2337.1	1.5	51.0			QL=5 ST=3 TYP=3
	05	606	LEAR	43 NS	0030.0	0338.0	549.0D	38.0		
245		SGMR	43 NS	0937.0	0957.3	20.3D	310.0			QL=6 ST=3 TYP=1
410		SGMR	44 NS	0937.0E	1011.0	34.0D	95.0			QL=6 ST=3 TYP=1
245		PALE	43 NS	1632.0	1653.0	733.0D	550.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	1632.0	2156.3	735.0D	2300.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2302.0	0728.3	636.0D	230.0			QL=6 ST=2 TYP=1
1415		PALE	4 S/F	0407.0	0407.8	2.6D	20.0			QL=6 ST=2 TYP=3
606		PALE	8 S	0407.3	0408.1	1.8	58.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

175
Misc
May 80

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
05	1415	LEAR	4 S/F	0524.3	0525.6	2.8D	220.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0525.0	0525.3	1.1D	25.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0525.0	0525.6	2.1D	6.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0525.1	0525.5	1.0	34.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0525.3	0525.5	.8D	5.0		QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	0625.1	0630.3	7.2D	210.0		QL=6 ST=3 TYP=3	
	2695	LEAR	4 S/F	0627.6	0630.3	5.7D	11.0		QL=6 ST=3 TYP=3	
	8800	LEAR	4 S/F	0627.6	0630.3	4.4	16.0		QL=6 ST=3 TYP=3	
	1415	LEAR	4 S/F	0628.0	0630.3	4.3D	210.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0628.3	0630.3	3.7D	13.0		QL=6 ST=3 TYP=3	
	606	LEAR	47 GB	0715.0	0715.3	1.1	1800.0		QL=6 ST=2 TYP=5	
	606	SGMR	4 S/F	1427.0	1438.8	24.0D	130.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1439.0	1444.3	6.5	25.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1439.0	1444.3	6.1D	28.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1439.0	1444.3	6.5D	38.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1440.1	1441.5	2.4D	440.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1443.5	1444.6	2.3D	16.0		QL=5 ST=2 TYP=3	
	2695	ATHN	4 S/F	1443.5	1444.6	7.1	28.0		QL=5 ST=2 TYP=3	
	245	SGMR	47 GB	1536.0	1537.0	2.8D	760.0		QL=6 ST=2 TYP=5	
	8800	SGMR	4 S/F	1536.0	1537.1	3.0	16.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1536.1	1537.1	4.4D	13.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	1656.3E	1656.6	.7D	840.0		QL=5 ST=2 TYP=5	
	410	SGMR	47 GB	1930.8	1931.1	.5D	530.0		QL=6 ST=2 TYP=5	
	245	SGMR	8 S	1930.8	1931.1	.7	94.0		QL=6 ST=2 TYP=3	
	410	PALE	47 GB	1931.1	1931.3	.5	690.0		QL=5 ST=2 TYP=5	
	245	PALE	8 S	1951.3E	1951.6	1.3D	310.0		QL=6 ST=2 TYP=3	
	410	PALE	8 S	2007.1	2007.3	.5	139.0		QL=6 ST=2 TYP=3	
	245	PALE	4 S/F	2008.3E	2012.5	7.2D	260.0		QL=6 ST=2 TYP=3	
	410	PALE	4 S/F	2009.0	2011.8	6.0	16.0		QL=6 ST=2 TYP=3	
	606	PALE	4 S/F	2009.5	2012.3	4.6D	19.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	2212.1	2212.8	1.0	220.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	2212.3	2212.6	.8D	119.0		QL=6 ST=2 TYP=3	
06	245	SGMR	44 NS	0936.0E	1040.1	64.1D	73.0		QL=6 ST=3 TYP=1	
	245	PALE	43 NS	1631.0	2129.5	735.0D	100.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2302.0	0845.5	636.0D	139.0		QL=6 ST=2 TYP=1	
	410	LEAR	8 S	0005.8	0006.0	1.3D	310.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0005.8	0006.0	1.3	23.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1800.0	1809.1	18.0	93.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1807.1	1809.8	4.2D	22.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1807.8	1809.8	3.0D	15.0		QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	1809.1	1809.8	4.9D	32.0		QL=6 ST=2 TYP=3	
	245	PALE	4 S/F	1841.8E	1849.1	8.8D	210.0		QL=6 ST=2 TYP=3	
	410	PALE	4 S/F	1847.1	1848.8	3.5	32.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	1928.5E	1930.6	2.8D	620.0		QL=6 ST=2 TYP=5	
	245	SGMR	47 GB	1929.0	1930.8	2.3	420.0		QL=6 ST=2 TYP=5	
	4995	PALE	8 S	1930.1	1930.3	.4	13.0		QL=6 ST=2 TYP=3	
	245	PALE	4 S/F	1953.8E	1955.8	9.2D	24.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	2111.0	2111.1	2.0	37.0		QL=6 ST=2 TYP=3	
	245	PALE	8 S	2123.6E	2123.8	1.2D	370.0		QL=6 ST=3 TYP=3	
	410	PALE	8 S	2123.6	2124.1	1.0	139.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	2124.0	2124.1	.5D	60.0		QL=6 ST=3 TYP=3	
	245	SGMR	8 S	2124.0	2124.1	.5	360.0		QL=6 ST=3 TYP=3	
410	PALE	4 S/F	2339.6	2340.8	4.0D	34.0		QL=6 ST=3 TYP=3		
245	PALE	4 S/F	2339.6	2341.0	4.0	210.0		QL=6 ST=3 TYP=3		
07	410	LEAR	43 NS	0705.0	0851.0	153.0D	15.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	0935.0	2242.8	850.0D	48.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1633.0	0142.1	735.0D	390.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1633.0	2240.1	735.0D	540.0		QL=6 ST=2 TYP=1	
	410	LEAR	43 NS	2303.0	0819.1	634.0D	52.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2303.0	0918.1	634.0D	220.0		QL=6 ST=2 TYP=1	
	606	PALE	47 GB	0402.1	0405.6		5100.0		QL=6 ST=2 TYP=5	
	4995	LEAR	4 S/F	0402.6	0403.6	6.4D	139.0		QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	0402.6	0403.8	15.0D	260.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0402.8	0403.1	1.7	180.0		QL=6 ST=2 TYP=3	
	410	PALE	8 S	0402.8	0403.6		119.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0402.8	0403.6	4.7D	200.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0402.8	0403.6	12.3D	130.0		QL=6 ST=2 TYP=3	
2695	ATHN	4 S/F	0403.0	0403.6	9.3	110.0		QL=5 ST=2 TYP=3		

176
Misc
May 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int†	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
07	1415	ATHN	4 S/F	0403.0	0403.6	7.30	270.0			QL=5 ST=2 TYP=3
	606	LEAR	47 GB	0403.0E	0405.8	7.60	4600.0			QL=5 ST=2 TYP=5
	8800	ATHN	4 S/F	0403.1	0403.5	11.9	170.0			QL=2 ST=2 TYP=3
	606	LEAR	8 S	0439.3	0439.8	1.3	98.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0627.1	0631.1	4.5	99.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0709.3	0710.1	2.2	119.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0736.8	0737.3	2.0	150.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0829.5	0829.8	.8	110.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0856.3	0859.1	3.5	96.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1011.3	1011.8	.80	52.0			QL=4 ST=2 TYP=3
	1415	SGMR	8 S	1011.8	1011.8	.30	39.0			QL=4 ST=2 TYP=3
	245	SGMR	8 S	1011.8	1012.0	.3	370.0			QL=4 ST=2 TYP=3
	410	SGMR	8 S	1011.8	1012.0	.30	21.0			QL=4 ST=2 TYP=3
	2695	SGMR	4 S/F	1119.8	1121.6	6.50	43.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1119.8	1122.8	7.00	110.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1120.0	1122.6	7.00	71.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1120.1	1121.6	6.70	30.0			QL=6 ST=2 TYP=4
	1415	SGMR	4 S/F	1120.1	1122.8	5.00	95.0			QL=6 ST=3 TYP=3
	606	SGMR	47 GB	1120.1	1126.0	7.2	1100.0			QL=6 ST=3 TYP=5
	4995	SGMR	4 S/F	1120.8	1121.8	5.00	36.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	1120.8	1122.6	5.7	170.0			QL=6 ST=2 TYP=4
	15400	SGMR	4 S/F	1121.1	1122.6	3.20	46.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	1307.5	1308.8	3.30	380.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1307.6	1320.3	25.70	290.0			QL=6 ST=3 TYP=3
	1415	ATHN	47 GB	1307.6	1320.3	21.70	8000.0			QL=6 ST=3 TYP=5
	1415	SGMR	8 S	1308.1	1309.0	1.5	37.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1313.6	1317.8	14.5	720.0			QL=6 ST=3 TYP=5
	4995	SGMR	4 S/F	1314.0	1317.8	14.00	290.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1314.3	1320.1	7.70	280.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1317.1	1317.8	9.90	440.0			QL=3 ST=3 TYP=3
	15400	SGMR	4 S/F	1317.1	1320.0	5.5	270.0			QL=3 ST=3 TYP=3
	8800	SGMR	4 S/F	1454.0	1456.0	4.00	85.0			QL=3 ST=2 TYP=3
	2695	ATHN	4 S/F	1454.1	1456.6	8.90	260.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1454.1	1456.6	8.50	220.0			QL=3 ST=2 TYP=3
	15400	SGMR	4 S/F	1454.8	1456.0	5.7	49.0			QL=3 ST=2 TYP=3
	1415	ATHN	47 GB	1454.8	1456.1	8.50	4700.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1454.8	1456.6	6.20	78.0			QL=3 ST=2 TYP=3
	8800	ATHN	4 S/F	1455.1	1456.1	3.7	139.0			QL=6 ST=2 TYP=3
	1415	SGMR	47 GB	1455.1	1456.1	6.4	5500.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2044.3	2046.5	3.2	630.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	2045.1	2046.6	2.4	540.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	2045.3	2046.6	2.2	6000.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	2045.5	2046.6	2.0	810.0			QL=6 ST=2 TYP=5
	15400	PALE	8 S	2045.8	2046.6	1.7	87.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2045.8	2046.6	1.7	65.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2045.8	2046.6	1.7	65.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2045.8	2046.6	1.7	66.0			QL=6 ST=2 TYP=3
2695	SGMR	4 S/F	2046.1	2046.8	2.40	130.0			QL=3 ST=2 TYP=3	
4995	SGMR	8 S	2046.3	2046.8	1.70	139.0			QL=3 ST=2 TYP=3	
8800	SGMR	8 S	2046.3	2046.8	1.8	150.0			QL=3 ST=2 TYP=3	
245	SGMR	47 GB	2046.5	2047.0	1.1	860.0			QL=6 ST=2 TYP=5	
4995	PALE	4 S/F	2322.0	2323.0	5.00	36.0			QL=6 ST=2 TYP=3	
1415	PALE	4 S/F	2322.0	2323.0	5.0	5.0			QL=6 ST=2 TYP=3	
2695	PALE	4 S/F	2322.1	2323.1	4.70	19.0			QL=6 ST=2 TYP=3	
08	245	PALE	43 NS	1632.0	0204.3	737.00	46.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2302.0	0204.3	634.00	42.0			QL=6 ST=3 TYP=1
	8800	LEAR	4 S/F	0056.3	0057.1	5.30	290.0			QL=6 ST=3 TYP=3
	15400	LEAR	4 S/F	0056.3	0057.1	2.5	150.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0056.3	0057.3	8.00	170.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0056.3	0057.8	8.00	350.0			QL=6 ST=3 TYP=3
	245	PALE	47 GB	0056.3	0059.0	6.8	19000.0			QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0056.5	0057.3	5.50	240.0			QL=6 ST=3 TYP=3
	606	LEAR	47 GB	0056.5	0057.6	18.50	22000.0			QL=6 ST=3 TYP=5
	245	LEAR	47 GB	0056.5	0059.0	7.60	19000.0			QL=6 ST=3 TYP=5
	410	LEAR	47 GB	0056.5	0059.1	6.80	7700.0			QL=6 ST=3 TYP=5
	606	PALE	4 S/F	0127.0	0130.6	19.0	29.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	0419.6	0419.8	.5	840.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0753.8	0754.3	1.3	77.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0758.0	0759.1	2.6	92.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

177
Misc
May 80

M A Y 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
08	606	LEAR	8 S	0813.6	0814.0	.7	190.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0819.1	0819.3	1.5	250.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1122.8	1127.1	8.2	100.0			QL=3 ST=2 TYP=3
	15400	SGMR	4 S/F	1125.0	1128.3	6.5D	35.0			QL=3 ST=2 TYP=3
	2695	SGMR	4 S/F	1126.3	1127.1	5.7	62.0			QL=3 ST=2 TYP=3
	245	SGMR	47 GB	1126.5	1126.8	4.1	1199.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1126.5	1127.0	5.1D	78.0			QL=3 ST=2 TYP=3
	2695	ATHN	4 S/F	1126.6	1127.1	5.7D	54.0			QL=3 ST=2 TYP=3
	8800	SGMR	4 S/F	1126.6	1127.1	4.9D	46.0			QL=3 ST=2 TYP=3
	1415	ATHN	4 S/F	1126.6	1127.1	6.0D	60.0			QL=3 ST=2 TYP=3
	1415	SGMR	4 S/F	1339.8	1343.3	5.8	29.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1339.8	1344.3	7.7D	55.0			QL=3 ST=2 TYP=3
	606	SGMR	4 S/F	1340.1	1341.1	3.9D	110.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1340.1	1344.1	8.7D	45.0			QL=3 ST=2 TYP=3
	8800	SGMR	4 S/F	1340.3	1344.3	6.8D	32.0			QL=3 ST=2 TYP=3
	15400	SGMR	4 S/F	1340.8	1344.5	7.2	69.0			QL=3 ST=2 TYP=3
	8800	PALE	47 GB	1909.6	1909.8	.5	119.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1935.5	1937.1	3.6D	66.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1936.0	1937.1	3.1D	51.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1936.0	1937.3	3.1	68.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1936.1	1937.3	3.2D	43.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	1936.6	1937.1	1.0	54.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1936.8	1937.1	.5	55.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	1936.8	1937.3	.8	34.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	1936.8	1937.3	.8	39.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1937.0	1937.3	2.0D	57.0			QL=6 ST=2 TYP=3
	09	245	SGMR	43 NS	0932.0	1935.1	856.0D	210.0		
245		PALE	43 NS	1630.0	1849.3	730.0D	690.0			QL=6 ST=2 TYP=1
410		PALE	43 NS	1849.0	2147.0	178.1D	58.0			QL=6 ST=2 TYP=1
245		LEAR	44 NS	2303.0E	0218.5	632.0D	91.0			QL=6 ST=3 TYP=1
8800		ATHN	4 S/F	0710.6	0712.5	28.7	350.0			QL=6 ST=2 TYP=3
8800		LEAR	4 S/F	0711.0	0712.5	6.8D	370.0			QL=6 ST=3 TYP=3
1415		LEAR	47 GB	0711.0	0713.1	11.8D	110.0			QL=6 ST=3 TYP=5
4995		LEAR	4 S/F	0711.1	0712.5	6.7D	290.0			QL=6 ST=3 TYP=3
15400		LEAR	4 S/F	0711.1	0712.6	6.5	280.0			QL=6 ST=3 TYP=3
2695		LEAR	4 S/F	0711.8	0712.6	6.7D	210.0			QL=6 ST=3 TYP=3
2695		ATHN	4 S/F	0712.0	0712.3	26.8D	250.0			QL=6 ST=2 TYP=3
1415		ATHN	4 S/F	0712.0	0712.3	26.5D	100.0			QL=6 ST=2 TYP=3
410		LEAR	47 GB	0712.1	0714.1	3.0D	840.0			QL=6 ST=3 TYP=5
606		LEAR	4 S/F	0712.1	0714.1	4.0D	260.0			QL=6 ST=3 TYP=3
4995		SGMR	4 S/F	1520.3	1523.8	6.7D	15.0			QL=6 ST=2 TYP=3
8800		SGMR	4 S/F	1521.0	1523.3	5.1	28.0			QL=6 ST=2 TYP=3
606		SGMR	8 S	1849.1	1849.5	.7D	13.0			QL=6 ST=2 TYP=3
245		SGMR	8 S	1849.1	1849.5	.9	450.0			QL=6 ST=2 TYP=3
410		SGMR	8 S	1849.1	1849.5	.7D	11.0			QL=6 ST=2 TYP=3
606		PALE	4 S/F	2110.0	2110.8	4.0	37.0			QL=6 ST=2 TYP=3
245	SGMR	47 GB	2110.8	2111.1	5.2	180.0			QL=6 ST=2 TYP=5	
10	245	SGMR	43 NS	0931.0	1303.3	858.0D	190.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1631.0	0008.6	743.0D	190.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1631.0	0026.0	743.0D	34.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2303.0	0008.5	632.0D	130.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2303.0	0032.3	632.0D	33.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0054.3	0054.6	.5	25.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0054.5	0054.6	.3D	10.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0054.5	0054.6	.1D	13.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0154.3	0154.6	.5	25.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0154.5	0154.6	.1D	13.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0154.5	0154.6	.3D	10.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0331.0	0332.1	1.8D	32.0			QL=5 ST=2 TYP=3
	2695	LEAR	4 S/F	0331.1	0332.1	6.9D	33.0			QL=6 ST=3 TYP=3
	8800	PALE	8 S	0331.1	0332.1	1.5D	27.0			QL=5 ST=2 TYP=3
	4995	LEAR	4 S/F	0331.1	0332.1	6.0D	33.0			QL=6 ST=3 TYP=3
	2695	PALE	8 S	0331.3	0332.1	1.3D	31.0			QL=5 ST=2 TYP=3
	1415	PALE	4 S/F	0331.3	0332.1	2.5D	19.0			QL=5 ST=2 TYP=3
	8800	LEAR	4 S/F	0331.8	0332.1	3.0	29.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0331.8	0332.1	1.8D	89.0			QL=6 ST=3 TYP=3
	606	PALE	8 S	0331.8	0332.1	.8	75.0			QL=5 ST=2 TYP=3
	1415	LEAR	4 S/F	0331.8	0332.1	5.2D	18.0			QL=6 ST=3 TYP=4

178
Misc
May 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean (2 Hz)			
10	245	PALE	47 GB	0454.1	1949.5	897.5	11.0			QL=6 ST=2 TYP=5	
	606	LEAR	8 S	0518.3	0519.3	1.2	190.0			QL=6 ST=3 TYP=3	
	245	LEAR	4 S/F	0828.1	0830.3	5.7	250.0			QL=6 ST=3 TYP=3	
	245	SGMR	8 S	0956.6	0957.1	1.2D	280.0			QL=6 ST=2 TYP=3	
	606	SGMR	8 S	0957.1	0957.5	1.0	27.0			QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1129.6	1130.1	10.5D	19.0			QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1129.6	1133.1	6.4D	45.0			QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1130.0	1131.0	4.5D	61.0			QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1130.0	1131.1	5.3D	200.0			QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1130.0	1132.6	5.8D	170.0			QL=6 ST=2 TYP=3	
	15400	SGMR	4 S/F	1130.0	1132.8	6.0	36.0			QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1130.0	1133.1	4.1D	34.0			QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1130.0	1133.1	5.8D	73.0			QL=6 ST=3 TYP=3	
	2695	ATHN	4 S/F	1130.0	1133.5	5.8D	35.0			QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	1130.1	1133.1	5.0D	55.0			QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1130.1	1133.3	5.9	72.0			QL=6 ST=3 TYP=3	
	8800	SGMR	8 S	1240.8	1240.8	.8	490.0			QL=6 ST=2 TYP=3	
	245	PALE	47 GB	1744.6	1745.3	2.2	790.0			QL=6 ST=2 TYP=5	
	245	SGMR	47 GB	1745.0	1745.3	.8	490.0			QL=6 ST=2 TYP=5	
	245	PALE	47 GB	1755.3	1757.6	6.5	600.0			QL=6 ST=2 TYP=5	
	410	SGMR	47 GB	1756.3	1757.3	2.5D	1199.0			QL=6 ST=2 TYP=5	
	245	SGMR	4 S/F	1756.5	1757.8	3.1	360.0			QL=6 ST=2 TYP=3	
	410	PALE	4 S/F	1949.5	1951.6	12.3	180.0			QL=6 ST=3 TYP=3	
	15400	PALE	4 S/F	1950.1	1952.1	11.7D	130.0			QL=6 ST=3 TYP=3	
	2695	PALE	4 S/F	1950.1	1952.1	11.7D	61.0			QL=6 ST=3 TYP=3	
	4995	PALE	4 S/F	1950.1	1952.1	11.7D	100.0			QL=6 ST=3 TYP=3	
	8800	PALE	4 S/F	1950.1	1952.1	11.7D	290.0			QL=6 ST=3 TYP=3	
	1415	PALE	4 S/F	1950.1	1952.3	11.7D	21.0			QL=6 ST=3 TYP=3	
	245	SGMR	47 GB	1950.6	1952.6	5.2	32.0			QL=6 ST=2 TYP=5	
	606	PALE	47 GB	1950.8	1953.5	11.0D	610.0			QL=6 ST=3 TYP=5	
	606	PALE	47 GB	2021.1	2023.6	3.2	870.0			QL=6 ST=2 TYP=5	
	245	PALE	4 S/F	2021.3	2022.8	2.5	490.0			QL=6 ST=2 TYP=3	
	1415	SGMR	47 GB	2022.0	2022.3	1.8	21.0			QL=6 ST=2 TYP=5	
	410	PALE	47 GB	2023.5	2023.6	.3	160.0			QL=6 ST=2 TYP=5	
	11	245	PALE	43 NS	1630.0	1715.0	735.0D	250.0			QL=6 ST=2 TYP=1
		410	LEAR	8 S	0025.8	0026.0	.5	139.0			QL=6 ST=2 TYP=3
		245	LEAR	8 S	0025.8	0026.1	.8D	65.0			QL=6 ST=2 TYP=3
		245	LEAR	4 S/F	0047.5	0047.6	3.3D	30.0			QL=6 ST=3 TYP=3
		410	LEAR	8 S	0047.5	0047.6	.3D	13.0			QL=6 ST=3 TYP=3
		606	LEAR	8 S	0048.3	0048.5	.3	16.0			QL=6 ST=3 TYP=3
		245	LEAR	8 S	0102.0	0102.6	.8D	23.0			QL=6 ST=3 TYP=3
		410	LEAR	8 S	0102.1	0102.5	1.0D	150.0			QL=6 ST=3 TYP=3
		606	PALE	47 GB	0102.3	0102.3	.8	560.0			QL=6 ST=2 TYP=5
		606	LEAR	47 GB	0102.3	0102.5	1.7	1000.0			QL=6 ST=2 TYP=5
		245	PALE	8 S	0102.3E	0102.6	1.3D	19.0			QL=6 ST=2 TYP=3
410		PALE	8 S	0102.3	0102.6	1.2D	220.0			QL=6 ST=2 TYP=3	
410		LEAR	8 S	0115.1	0115.3	1.9D	92.0			QL=6 ST=2 TYP=3	
410		PALE	8 S	0115.1	0115.3	1.5D	41.0			QL=5 ST=2 TYP=3	
1415		PALE	4 S/F	0115.1	0115.5	2.0D	6.0			QL=5 ST=2 TYP=3	
606		PALE	4 S/F	0115.1	0116.8	2.2	160.0			QL=5 ST=2 TYP=3	
245		LEAR	8 S	0115.3	0115.5	.7D	29.0			QL=6 ST=2 TYP=3	
245		PALE	8 S	0115.3E	0115.5	.5D	21.0			QL=5 ST=2 TYP=3	
606		LEAR	4 S/F	0115.3	0117.0	2.0	300.0			QL=6 ST=2 TYP=3	
245		PALE	47 GB	0210.3E	0211.0	1.8D	820.0			QL=6 ST=3 TYP=5	
410		PALE	47 GB	0210.5	0210.8	1.3D	47.0			QL=6 ST=3 TYP=5	
606		PALE	8 S	0210.6	0210.8	1.2	27.0			QL=6 ST=2 TYP=3	
245		LEAR	47 GB	0210.6	0211.0	1.7D	710.0			QL=6 ST=2 TYP=5	
410		LEAR	8 S	0210.8	0210.8	.3D	50.0			QL=6 ST=2 TYP=3	
606		LEAR	8 S	0210.8	0211.0	.5	50.0			QL=6 ST=2 TYP=3	
410		LEAR	4 S/F	0250.5	0252.8	2.5D	19.0			QL=6 ST=2 TYP=3	
245		LEAR	4 S/F	0251.0	0251.1	2.3D	75.0			QL=6 ST=2 TYP=3	
606		LEAR	8 S	0252.0	0252.8	1.1	83.0			QL=6 ST=2 TYP=3	
410		LEAR	8 S	0313.0E	0313.3	.6D	33.0			QL=5 ST=2 TYP=3	
245		LEAR	8 S	0313.3E	0313.6	.7D	150.0			QL=5 ST=2 TYP=3	
606		PALE	4 S/F	0410.1	0414.0	4.5	27.0			QL=6 ST=2 TYP=3	
1415		PALE	4 S/F	0410.3	0411.8	3.8D	119.0			QL=6 ST=2 TYP=3	
8800		PALE	4 S/F	0410.5	0411.6	5.8D	130.0			QL=6 ST=2 TYP=3	
1415		ATHN	4 S/F	0410.6	0412.1	7.9D	86.0			QL=5 ST=2 TYP=3	
2695		PALE	4 S/F	0411.1	0412.1	5.9D	83.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

179
Misc
May 80

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
11	8800	ATHN	4 S/F	0411.1	0412.1	8.9	100.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	0411.1	0412.1	8.9D	61.0			QL=5 ST=2 TYP=3
	15400	PALE	8 S	0411.3	0411.5	1.8D	139.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0655.1	1656.3	603.2D	25.0			QL=5 ST=3 TYP=4
	606	SGMR	4 S/F	0930.0	1441.8	860.0D	47.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	0930.0	1650.6	860.0D	150.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	0930.0	1725.0	860.0D	310.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1009.8	1010.6	1.2	69.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1010.0	1010.8	1.0D	41.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1049.5	1056.6	8.3	900.0			QL=6 ST=2 TYP=5
	1415	ATHN	4 S/F	1244.8	1253.3	10.5D	139.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1245.3	1253.3	10.2D	79.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1249.3	1253.1	5.7	85.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1252.0	1253.1	2.8D	52.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1252.1	1253.1	3.7D	79.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1252.1	1253.1	2.7D	64.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1252.1	1253.3	2.7	60.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1252.8	1252.8	1.2D	16.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1256.0	1256.8	6.6	110.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1256.8	1257.0	1.0D	60.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1314.1E	1315.8	1.7D	740.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1314.1	1315.8	3.7D	740.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1315.0	1316.8	2.8D	40.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1315.8	1316.6	1.3	18.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1344.1	1350.8	7.2D	150.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1344.5	1345.5	6.8D	380.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1344.5	1347.1	7.0D	71.0			QL=6 ST=3 TYP=3
	2695	SGMR	4 S/F	1344.8	1345.3	3.0D	8.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1345.1	1345.1	3.9D	17.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1345.1	1345.3	3.0	13.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1459.0	1459.1		770.0			QL=6 ST=3 TYP=5
	606	SGMR	47 GB	1512.0	1515.6	12.0D	1399.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	1512.1	1512.3	4.7D	48.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1512.1	1513.0	11.2D	43.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1512.3	1514.8	7.2D	22.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1512.3	1514.8	7.5D	33.0			QL=6 ST=2 TYP=4
	4995	SGMR	4 S/F	1512.3	1515.0	10.5D	100.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1512.3	1515.1	10.7D	270.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1512.3	1515.1	8.7	350.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1512.3	1515.1	5.3	139.0			QL=6 ST=2 TYP=3
410	PALE	47 GB	1654.6	1655.1	5.5	510.0			QL=6 ST=2 TYP=5	
245	PALE	47 GB	1654.8E	1656.0	5.2D	1000.0			QL=6 ST=2 TYP=5	
100	ATHN	47 GB	1655.1	1656.1	4.2	180.0			QL=5 ST=2 TYP=5	
245	SGMR	47 GB	1655.3	1656.1	5.2	1199.0			QL=6 ST=2 TYP=5	
606	PALE	4 S/F	1809.3	1811.6	4.0D	70.0			QL=6 ST=2 TYP=3	
410	PALE	4 S/F	1809.5	1811.8	3.8	139.0			QL=6 ST=2 TYP=3	
1415	PALE	47 GB	1851.8	1853.8	67.8D	9.0			QL=6 ST=3 TYP=5	
245	PALE	47 GB	1852.0E	1852.8	3.0D	920.0			QL=6 ST=2 TYP=5	
245	SGMR	47 GB	1852.1	1852.8	2.0	710.0			QL=6 ST=2 TYP=5	
606	PALE	4 S/F	1852.1	1853.5	7.9D	17.0			QL=6 ST=3 TYP=3	
4995	PALE	4 S/F	1852.1	1853.6	2.5D	33.0			QL=6 ST=3 TYP=3	
8800	PALE	4 S/F	1852.3	1853.6	2.5D	21.0			QL=6 ST=3 TYP=3	
410	PALE	4 S/F	1852.6	1853.5	4.5	54.0			QL=6 ST=3 TYP=3	
2695	PALE	4 S/F	1853.0	1853.8	2.8D	20.0			QL=6 ST=3 TYP=3	
245	PALE	4 S/F	1923.8E	1927.3	6.3D	320.0			QL=6 ST=2 TYP=3	
12	245	SGMR	43 NS	0929.0	2108.1	862.0D	130.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1635.0	1649.3	731.0D	190.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2304.0	2340.8	630.0D	139.0			QL=6 ST=2 TYP=1
	8800	LEAR	49 GB	0253.3	0254.8	8.3	1100.0			QL=6 ST=3 TYP=7
	410	LEAR	49 GB	0253.8	0254.6	12.0D	220.0			QL=6 ST=3 TYP=7
	245	LEAR	47 GB	0253.8	0254.8	13.5D	3200.0			QL=6 ST=3 TYP=5
	8800	LEAR	49 GB	0254.0	0255.0		10000.0			QL=6 ST=3 TYP=7
	1415	LEAR	49 GB	0254.0	0255.0	7.1D	91.0			QL=6 ST=3 TYP=7
	2695	LEAR	49 GB	0254.0	0255.0		200.0			QL=6 ST=3 TYP=7
	606	LEAR	49 GB	0254.1	0254.6	11.9D	92.0			QL=6 ST=3 TYP=7
	410	PALE	49 GB	0254.1	0254.8	15.9D	400.0			QL=6 ST=2 TYP=7
	4995	LEAR	49 GB	0254.1	0255.0	9.2D	300.0			QL=6 ST=3 TYP=7
	606	PALE	49 GB	0254.1	0255.1	15.9D	110.0			QL=6 ST=2 TYP=7
	245	PALE	49 GB	0254.1	0310.0		3300.0			QL=6 ST=2 TYP=7

180
Misc
May 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
12	2695	PALE	49 GB	0254.5	0254.8	15.5D	230.0			QL=6 ST=2 TYP=7
	8800	PALE	49 GB	0254.5	0254.8	15.5D	1000.0			QL=6 ST=2 TYP=7
	4995	PALE	49 GB	0254.5	0255.0	15.5D	310.0			QL=6 ST=2 TYP=7
	15400	PALE	49 GB	0254.6	0254.8	15.4D	1199.0			QL=6 ST=2 TYP=7
	1415	PALE	49 GB	0254.6	0255.0	15.4D	97.0			QL=6 ST=2 TYP=7
	410	LEAR	8 S	0323.1	0323.1	1.0D	17.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0323.1	0323.1	.7	119.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0556.3	0557.3	3.3D	820.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0556.8	0558.3	2.5	32.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	0953.5	0956.3	7.3	270.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	0956.0	0956.1	.3D	64.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1012.8	1013.1	1.8	19.0			QL=4 ST=2 TYP=3
	2695	SGMR	4 S/F	1013.6	1014.1	2.7D	47.0			QL=4 ST=2 TYP=3
	1415	SGMR	4 S/F	1013.6	1014.8	3.4D	32.0			QL=4 ST=2 TYP=3
13	245	SGMR	43 NS	1410.0	1411.3	582.0D	59.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2305.0	0403.3	628.0D	230.0			QL=6 ST=2 TYP=1
14	245	SGMR	43 NS	0927.0	1554.1	866.0D	180.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1725.0	0335.1	685.0D	330.0			QL=6 ST=2 TYP=1
	245	SGMR	4 S/F	1255.8	1257.3	3.5	94.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1256.6	1257.5	2.4D	11.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1256.6	1257.6	3.7D	139.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1256.8	1257.3	3.5	160.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1256.8	1257.6	2.0D	15.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1257.0	1257.3	2.8D	58.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1457.3	1503.1	11.5D	29.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1457.8	1503.1	6.2D	33.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1457.8	1503.3	9.2	160.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1519.8	1521.1	2.8D	36.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1520.5	1521.3	1.8D	38.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1521.1	1522.0	1.9	19.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1627.6	1632.8	4381.2	700.0			QL=6 ST=2 TYP=5
	245	PALE	4 S/F	1720.3	1720.6	2.5	170.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1721.1	1722.3	1.2D	28.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1721.6	1722.0	1.5	75.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1836.1	1836.1	.2D	45.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1836.1	1836.1	.4	190.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1905.3	1919.8	30.0	500.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1913.5	1920.1	17.0	440.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	2339.6	2341.3	2.5	690.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2339.8	2341.5	2.7	410.0			QL=6 ST=2 TYP=5
245	PALE	47 GB	2341.1	2341.3	.5	960.0			QL=6 ST=2 TYP=5	
15	245	PALE	43 NS	1627.0	2143.8	750.0D	290.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2305.0	0348.1	627.0D	39.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0101.3	0103.1	5.7	1100.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0101.6	0103.1	4.0D	2000.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0102.0	0102.8	7.6D	190.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0102.1	0102.8	1.5	119.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0102.1	0102.8	5.2D	440.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0102.1	0103.1	4.5D	180.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0102.1	0103.1	3.2D	66.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0102.3	0103.0	2.8D	110.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0401.8	0402.8	1.7	58.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0435.1	0436.0	1.7D	21.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0435.1	0436.1	1.7D	39.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0435.3	0436.0	1.2D	18.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	0435.5	0435.6	1.3	17.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0708.6	0708.8	1.0D	150.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0708.6	0709.3	1.0	270.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0731.3	0731.5	.3	69.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	1235.3	1236.1	2.0D	15.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1235.8	1236.0	1.3D	62.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1236.0	1236.1	.3	18.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2037.6	2041.1	6.7D	58.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2038.0	2040.8	4.0	53.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	2038.0	2041.0	4.0	54.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2038.8	2040.8	3.0D	170.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	2039.0	2040.6	3.0	190.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

181
Misc
May 80

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak	Mean		
							(10	-22 W/m	2 Hz)	
15	410	PALE	4 S/F	2039.3	2040.3	2.7	41.0		QL=6	ST=2 TYP=3
	410	SGMR	4 S/F	2039.3	2040.8	2.5D	41.0		QL=6	ST=2 TYP=3
	245	SGMR	8 S	2039.8	2041.0	2.0	230.0		QL=6	ST=2 TYP=3
	245	PALE	8 S	2040.0	2041.0	2.0	280.0		QL=6	ST=2 TYP=3
	410	LEAR	8 S	2327.3	2327.6	1.0D	100.0		QL=6	ST=2 TYP=3
	410	PALE	8 S	2327.5	2327.8	1.1	86.0		QL=6	ST=2 TYP=3
	410	SGMR	8 S	2327.5	2327.8	.8	49.0		QL=6	ST=2 TYP=3
	606	PALE	8 S	2327.6	2327.8	1.0D	42.0		QL=6	ST=2 TYP=3
	606	LEAR	8 S	2327.6	2327.8	.9	37.0		QL=6	ST=2 TYP=3
606	SGMR	8 S	2327.6	2327.8	.5D	19.0		QL=6	ST=2 TYP=3	
16	245	SGMR	43 NS	0925.0	1648.0	870.0D	180.0		QL=6	ST=2 TYP=1
	245	PALE	43 NS	1626.0	1647.8	753.0D	310.0		QL=6	ST=2 TYP=1
	245	LEAR	43 NS	2306.0	0526.3	626.0D	53.0		QL=6	ST=2 TYP=1
	410	PALE	47 GB	0133.6	0134.8	2.2	5100.0		QL=6	ST=2 TYP=5
	606	PALE	8 S	0330.1	0330.3	.4D	22.0		QL=5	ST=2 TYP=3
	410	PALE	8 S	0330.3	0330.5	.3	60.0		QL=5	ST=2 TYP=3
	606	SGMR	8 S	1636.1	1636.8	1.0	43.0		QL=6	ST=2 TYP=3
	8800	SGMR	4 S/F	2038.0	2040.5	6.0	27.0		QL=6	ST=2 TYP=3
	4995	SGMR	4 S/F	2039.1	2040.0	7.0D	13.0		QL=6	ST=2 TYP=3
	15400	PALE	4 S/F	2201.3	2205.6	14.7D	27.0		QL=3	ST=2 TYP=4
	2695	PALE	4 S/F	2203.3	2210.1	10.5D	43.0		QL=3	ST=2 TYP=3
	8800	PALE	4 S/F	2203.6	2210.1	10.2D	43.0		QL=3	ST=2 TYP=3
	4995	PALE	4 S/F	2203.6	2210.1	10.2D	55.0		QL=3	ST=2 TYP=3
	1415	PALE	4 S/F	2203.8	2210.1	9.7	8.0		QL=3	ST=2 TYP=4
	245	SGMR	8 S	2211.1	2211.8	1.0	28.0		QL=6	ST=2 TYP=3
1415	PALE	8 S	2345.8	2346.1	.7	57.0		QL=5	ST=2 TYP=3	
17	245	PALE	43 NS	1627.0	0058.3	501.0D	62.0		QL=6	ST=2 TYP=1
	245	LEAR	43 NS	2306.0	2334.0	626.0D	57.0		QL=6	ST=2 TYP=1
	8800	PALE	4 S/F	0201.6	0202.8	7.0D	22.0		QL=6	ST=2 TYP=3
	4995	PALE	4 S/F	0202.3	0203.5	2.8	8.0		QL=6	ST=2 TYP=3
	245	PALE	8 S	0407.8	0408.6	1.0	410.0		QL=5	ST=2 TYP=3
	245	LEAR	8 S	0408.3	0408.6	.5	340.0		QL=6	ST=2 TYP=3
	8800	LEAR	4 S/F	0731.1	0734.8	11.0	240.0		QL=6	ST=2 TYP=3
	1415	LEAR	4 S/F	0731.6	0734.8	9.4D	62.0		QL=6	ST=2 TYP=3
	4995	LEAR	4 S/F	0731.6	0735.8	11.4D	100.0		QL=6	ST=2 TYP=3
	2695	LEAR	4 S/F	0731.6	0736.3	8.0D	35.0		QL=6	ST=2 TYP=3
	8800	ATHN	4 S/F	0731.8	0735.0	32.0	310.0		QL=6	ST=2 TYP=4
	245	LEAR	4 S/F	0732.3	0735.8	12.7D	46.0		QL=6	ST=2 TYP=3
	2695	ATHN	4 S/F	0732.3	0735.8	19.5D	36.0		QL=6	ST=2 TYP=4
	606	LEAR	4 S/F	0733.3	0735.1	9.8D	56.0		QL=6	ST=2 TYP=3
	1415	ATHN	4 S/F	0733.6	0735.0	20.0D	33.0		QL=6	ST=2 TYP=4
	410	LEAR	4 S/F	0733.6	0735.1	12.4D	119.0		QL=6	ST=2 TYP=3
	2695	SGMR	4 S/F	1900.5	1902.3	4.1D	10.0		QL=6	ST=2 TYP=3
	4995	SGMR	4 S/F	1901.6	1902.3	2.7D	16.0		QL=6	ST=2 TYP=3
	8800	SGMR	4 S/F	1901.6	1902.5	3.0	19.0		QL=6	ST=2 TYP=3
	245	SGMR	8 S	1905.0	1905.8	1.5D	310.0		QL=6	ST=2 TYP=3
	1415	PALE	8 S	2043.8	2044.6	1.3	39.0		QL=5	ST=2 TYP=3
1415	PALE	8 S	2146.0	2146.1	.3	20.0		QL=6	ST=2 TYP=3	
410	SGMR	8 S	2333.8	2334.0	.3	180.0		QL=6	ST=2 TYP=3	
245	SGMR	8 S	2333.8	2334.1	.5D	45.0		QL=6	ST=2 TYP=3	
18	245	SGMR	43 NS	0923.0	1500.5	874.0D	43.0		QL=6	ST=2 TYP=1
	410	LEAR	8 S	0058.1	0058.3	.5	100.0		QL=6	ST=2 TYP=3
	245	LEAR	8 S	0058.1	0058.3	.5D	50.0		QL=6	ST=2 TYP=3
	1415	LEAR	4 S/F	0104.5	0107.0	8.0D	130.0		QL=6	ST=2 TYP=3
	2695	LEAR	4 S/F	0104.6	0107.0	7.5D	28.0		QL=6	ST=2 TYP=3
	4995	LEAR	4 S/F	0104.6	0107.0	7.9D	30.0		QL=6	ST=2 TYP=3
	1415	PALE	47 GB	0105.1	0106.8	5.0	130.0		QL=6	ST=2 TYP=5
	606	LEAR	4 S/F	0105.1	0109.6	7.7D	430.0		QL=6	ST=2 TYP=3
	8800	LEAR	8 S	0106.3	0106.8	1.5	10.0		QL=6	ST=2 TYP=3
	2695	PALE	47 GB	0106.3	0107.1	1.5	39.0		QL=6	ST=2 TYP=5
	410	LEAR	4 S/F	0106.3	0108.1	8.7D	100.0		QL=6	ST=2 TYP=3
	4995	PALE	47 GB	0106.6	0106.8	.9	31.0		QL=6	ST=2 TYP=5
	245	LEAR	4 S/F	0107.3	0111.5	8.0D	62.0		QL=6	ST=2 TYP=3
	410	PALE	47 GB	0109.0	0109.5	3.1	62.0		QL=6	ST=2 TYP=5
	606	PALE	47 GB	0109.1	0109.6	1.0	52.0		QL=6	ST=2 TYP=5
	245	PALE	47 GB	0110.0	0111.3	2.8	79.0		QL=6	ST=2 TYP=5
	15400	PALE	8 S	0110.5	0111.1	.6D	28.0		QL=6	ST=2 TYP=3

182
Misc
May 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

				MAY		1980				
Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean	Int	Remarks
18	1415	LEAR	8 S	0551.3	0551.5	.3	11.0			QL=6 ST=3 TYP=3
19	245	LEAR	43 NS	0230.0	0233.3	32.0	11.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0922.0	1447.8	876.00	300.0			QL=6 ST=2 TYP=1
	245	PALE	4 S/F	0213.1	0214.5	3.9	130.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0213.5	0214.3	3.30	170.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0214.0	0214.6	2.10	119.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0214.1	0214.5	.9	6.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0214.3	0214.5	2.00	119.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0538.3	0538.8	2.20	36.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0538.6	0539.3	2.2	25.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0538.6	0539.8	2.00	100.0			QL=6 ST=3 TYP=3
	606	LEAR	47 GB	0538.6	0540.1	2.70	900.0			QL=6 ST=3 TYP=5
	8800	ATHN	4 S/F	1417.8	1418.1	3.3	36.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1644.3	1645.5	1.7	260.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1645.1	1645.3	.90	11.0			QL=6 ST=2 TYP=3
20	245	SGMR	43 NS	0921.0	1826.6	878.00	300.0			QL=6 ST=2 TYP=1
	606	SGMR	4 S/F	1403.0	1410.3	10.30	92.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1404.3	1410.8	10.00	62.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1409.6	1411.3	3.5	62.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1425.8	1427.6	4.50	33.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1426.3	1427.1	4.0	13.0			QL=6 ST=2 TYP=4
21	245	PALE	43 NS	2020.5	2028.5	504.50	119.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	2135.0	2145.8	430.00	37.0			QL=5 ST=2 TYP=1
	8800	SGMR	4 S/F	1445.6	1448.6	8.4	50.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1448.1	1448.6	6.4	47.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	2055.1	2059.1	32.2	2000.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	2140.6	2141.0	3.4	119.0			QL=6 ST=3 TYP=3
22	245	SGMR	43 NS	1103.0	1618.5	778.00	55.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1630.0	0306.3	745.00	110.0			QL=5 ST=2 TYP=1
	245	PALE	43 NS	1630.0	1653.5	745.00	150.0			QL=5 ST=2 TYP=1
	245	SGMR	47 GB	2053.0	2107.8	18.5	119.0			QL=6 ST=2 TYP=5
	1415	PALE	4 S/F	2153.3	2156.1	5.0	68.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	2153.5	2156.1	4.8	56.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2153.8	2155.3	1.50	28.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2155.3	2157.3	2.0	30.0			QL=6 ST=2 TYP=3
23	1415	ATHN	43 NS	0744.6	0749.8	36.0	190.0			QL=2 ST=2 TYP=1
	245	SGMR	43 NS	0919.0	2120.8	883.00	300.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1630.0	2123.0	735.00	280.0			QL=5 ST=2 TYP=1
	245	LEAR	43 NS	2310.0	0832.6	620.00	290.0			QL=6 ST=2 TYP=1
	1415	LEAR	4 S/F	0048.8	0050.3	4.80	34.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0049.1	0050.3	3.50	49.0			QL=6 ST=3 TYP=3
	606	LEAR	4 S/F	0049.6	0050.8	4.0	24.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0746.3	0749.8	6.8	139.0			QL=3 ST=2 TYP=3
	8800	SGMR	4 S/F	1355.0	1356.1	3.00	82.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1355.0	1356.1	3.0	51.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1355.5	1356.0	4.8	97.0			QL=2 ST=2 TYP=3
	2695	SGMR	8 S	1439.5	1441.1	2.00	3.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1440.0	1441.5	3.0	37.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1440.1	1441.6	6.90	72.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1440.6	1441.5	4.50	10.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1440.6	1441.6	3.5	78.0			QL=2 ST=2 TYP=3
	2695	SGMR	8 S	1549.8	1550.8	1.3	40.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2258.6	2259.1	.7	39.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2259.0	2259.1	.1	17.0			QL=6 ST=2 TYP=3
24	245	SGMR	43 NS	0918.0	1816.5	885.00	310.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1230.0	1452.8	693.00	74.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1629.0	0257.1	741.00	130.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1629.0	2143.0	741.00	830.0			QL=6 ST=2 TYP=1
	2695	MANI	4 S/F	0049.3	0050.8	3.30	26.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	0049.3	0051.1	2.5	17.0			QL=6 ST=2 TYP=4
	1415	MANI	8 S	0049.6	0050.3	2.00	33.0			QL=6 ST=2 TYP=4
	1415	PALE	8 S	0049.8	0050.3	1.0	39.0			QL=6 ST=3 TYP=3
	2695	PALE	8 S	0050.6	0050.8	.2	11.0			QL=6 ST=3 TYP=3
	606	MANI	4 S/F	0621.6	0623.0	3.00	19.0			QL=6 ST=2 TYP=4

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

183
Misc
May 80

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
24	1415	MANI	8 S	0622.3	0623.6	1.5D	10.0			QL=6 ST=2 TYP=4
	2695	MANI	4 S/F	0622.6	0623.6	2.7	13.0			QL=6 ST=2 TYP=4
	2695	MANI	4 S/F	0651.0	0652.3	3.1	26.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	0651.8	0653.0	4.2D	13.0			QL=6 ST=2 TYP=4
	245	LEAR	8 S	0840.5	0841.0	1.0D	590.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0841.0	0841.1	.6	130.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1152.8	1158.3	8.2	860.0			QL=6 ST=3 TYP=5
	606	SGMR	4 S/F	1209.0	1216.1	11.0D	91.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1209.5	1216.0	10.5	23.0			QL=6 ST=2 TYP=3
25	245	SGMR	43 NS	0917.0	1034.3	886.0D	2200.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	0917.0	1404.0	886.0D	200.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0917.0	1404.1	886.0D	350.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1625.0	1958.8	750.0D	490.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1625.0	2328.0	750.0D	530.0			QL=6 ST=2 TYP=1
	606	LEAR	43 NS	2310.0	0743.1	620.0D	119.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2310.0	0758.1	620.0D	1500.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2310.0	0833.5	620.0D	139.0			QL=6 ST=2 TYP=1
	1415	LEAR	4 S/F	0126.0	0139.1	24.0D	31.0			QL=6 ST=2 TYP=4
	4995	LEAR	4 S/F	0126.0	0142.0	24.0D	19.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0126.1	0141.8	23.9	28.0			QL=6 ST=2 TYP=4
	2695	LEAR	4 S/F	0127.0	0132.1	23.0D	21.0			QL=6 ST=2 TYP=4
	410	LEAR	4 S/F	0128.3	0129.8	21.7D	51.0			QL=6 ST=2 TYP=4
	8800	PALE	4 S/F	0128.3	0145.1	26.2	43.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0129.1	0130.5	20.9D	29.0			QL=6 ST=2 TYP=4
	2695	PALE	4 S/F	0129.3	0132.1	25.2	26.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	0137.1	0139.1	17.4	27.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0138.6	0139.6	15.9	35.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0143.6	0143.8	10.9	139.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0325.1	0325.8	2.9D	460.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0327.0	0327.8	4.0	56.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0327.3	0327.5	1.7D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1410.1	1412.3	5.2	20.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1410.6	1412.1	5.5D	18.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1550.0	1551.0	2.1	56.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1550.6	1551.0	1.2D	13.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1653.0	1653.5	.5	25.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1703.6	1705.6	2.0D	30.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	2353.5	2355.6	6.0D	119.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	2355.0	2355.8	4.8D	46.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	2355.1	2355.8	4.7D	36.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	2355.1	2356.5	4.7	33.0			QL=6 ST=2 TYP=3
606	LEAR	4 S/F	2355.1	2357.1	4.4D	13.0			QL=6 ST=2 TYP=3	
1415	PALE	8 S	2355.3	2355.6	1.3	139.0			QL=6 ST=2 TYP=3	
410	LEAR	4 S/F	2355.3	2356.3	3.5D	38.0			QL=6 ST=2 TYP=3	
2695	PALE	8 S	2355.5	2355.8	1.1	46.0			QL=6 ST=2 TYP=3	
4995	PALE	8 S	2355.6	2355.8	.7	35.0			QL=6 ST=2 TYP=3	
26	245	PALE	43 NS	1625.0	1851.1		1300.0			QL=6 ST=3 TYP=1
	410	PALE	43 NS	1625.0	1935.3	750.0D	62.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2311.0	0313.6	618.0D	86.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2311.0	0856.3	618.0D	420.0			QL=6 ST=2 TYP=1
	4995	SGMR	8 S	1523.3	1524.3	1.8	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1530.3	1530.6	1.2	180.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1530.6	1530.8	.4D	10.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1725.6	1729.0	6.4	28.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1726.1	1729.0	5.7D	11.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1727.8	1728.8	4.7D	45.0			QL=6 ST=2 TYP=3
	4995	PALE	47 GB	1728.0	1728.3	1.5	47.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	1728.1	1728.3	.4	33.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1851.8	1851.8	.3	1600.0			QL=6 ST=3 TYP=5
	8800	SGMR	4 S/F	1855.5	1855.8	3.5D	11.0			QL=6 ST=3 TYP=4
	245	PALE	47 GB	2042.3	2042.5	1.3	550.0			QL=6 ST=2 TYP=5
	1415	PALE	8 S	2043.0	2043.3	.8	62.0			QL=6 ST=2 TYP=3
27	410	SGMR	43 NS	0916.0	1003.1		32.0			QL=6 ST=3 TYP=1
	245	SGMR	44 NS	0916.0E	1011.3	55.3D	420.0			QL=6 ST=3 TYP=1
	245	PALE	43 NS	1628.0	0323.8		1000.0			QL=6 ST=3 TYP=1
	410	PALE	43 NS	1628.0	2024.0	751.0D	280.0			QL=2 ST=2 TYP=1
	606	LEAR	43 NS	2311.0	0116.8	569.0D	32.0			QL=3 ST=2 TYP=1

184
Misc
May 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

MAY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
27	410	LEAR	43 NS	2311.0	0124.6	569.00	170.0			QL=3 ST=2 TYP=1
	245	PALE	4 S/F	0304.8E	0305.1	3.20	380.0			QL=6 ST=2 TYP=3
	2695	MAN I	4 S/F	0501.0	0503.1	3.00	15.0			QL=6 ST=2 TYP=4
	4995	MAN I	4 S/F	0501.0	0503.1	4.0	10.0			QL=6 ST=2 TYP=4
	1415	MAN I	4 S/F	0501.8	0503.0	2.20	4.0			QL=6 ST=2 TYP=4
	1415	MAN I	47 GB	0707.1	0709.3	2.9	86.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	0810.0	0821.6	25.60	28.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	0810.5	0820.6	21.80	18.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0813.6	0822.1	22.0	38.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1600.1	1600.8	5.70	20.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1600.3	1601.3	5.5	62.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	1601.0	1602.6	5.3	1300.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	1828.5	1828.8	1.1	660.0			QL=5 ST=2 TYP=5
	410	SGMR	4 S/F	1839.5	1844.1	13.30	200.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1840.0	1842.8	6.8	340.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1841.8	1842.5	3.7	1399.0			QL=5 ST=2 TYP=5
	606	PALE	8 S	1842.1	1842.1	1.7	27.0			QL=5 ST=2 TYP=3
	245	SGMR	47 GB	1842.1	1843.0	11.40	1199.0			QL=6 ST=2 TYP=5
410	PALE	8 S	1843.5	1843.6	1.3	220.0			QL=5 ST=2 TYP=3	
28	410	SGMR	43 NS	0915.0	1238.5	891.00	92.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0915.0	1301.3	891.00	550.0			QL=6 ST=2 TYP=1
	1415	SGMR	43 NS	1420.0	1608.1	586.00	31.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	1420.0	1913.1	586.00	38.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2311.0	0647.5	618.0	87.0			QL=3 ST=2 TYP=1
	245	LEAR	43 NS	2311.0	0726.3	618.00	350.0			QL=3 ST=2 TYP=1
	8800	MAN I	47 GB	0208.6	0215.3	7.2	59.0			QL=6 ST=2 TYP=5
	410	LEAR	47 GB	0539.3	0540.1	1.2	930.0			QL=6 ST=3 TYP=5
	1415	LEAR	8 S	0540.1	0540.3	.20	29.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1417.3	1420.1	5.20	29.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1418.3	1419.8	5.30	93.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1419.0	1420.0	2.5	36.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1419.1	1420.0	2.40	8.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1419.3	1419.6	2.50	15.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1419.3	1420.1	2.30	13.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1528.1	1532.8	6.2	15.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1528.3	1529.1	5.00	8.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1529.0	1530.1	3.30	5.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1549.8	1552.3	10.20	11.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	1550.0	1553.5	18.00	57.0			QL=6 ST=3 TYP=3
	8800	ATHN	47 GB	1550.6	1554.1	20.5	119.0			QL=6 ST=2 TYP=5
	4995	SGMR	47 GB	1551.0	1552.8	22.50	85.0			QL=6 ST=3 TYP=5
	2695	SGMR	47 GB	1551.0	1553.0	19.00	81.0			QL=6 ST=3 TYP=5
	15400	SGMR	47 GB	1552.0	1554.6	18.00	43.0			QL=6 ST=3 TYP=5
	8800	SGMR	47 GB	1552.0	1554.6	18.50	130.0			QL=6 ST=3 TYP=5
	410	SGMR	4 S/F	1552.0	1555.6	19.50	150.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1552.3	1554.0	14.2	290.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1638.0	1638.8	4.10	15.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1638.0	1639.0	4.10	15.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1638.0	1639.0	4.1	18.0			QL=6 ST=2 TYP=3
	245	PALE	49 GB	1655.6E	1719.1	25.90	510.0			QL=6 ST=3 TYP=7
	15400	SGMR	47 GB	1700.0	1714.6	40.0	2500.0			QL=6 ST=3 TYP=5
	2695	SGMR	47 GB	1700.0E	1718.1	41.10	320.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1700.0	1719.8	23.0	480.0			QL=6 ST=2 TYP=5
	606	PALE	49 GB	1702.0	1728.5	30.3	720.0			QL=6 ST=3 TYP=7
	4995	PALE	49 GB	1710.0	1717.5	26.00	700.0			QL=6 ST=3 TYP=7
8800	PALE	49 GB	1710.1	1718.1	22.90	2300.0			QL=6 ST=3 TYP=7	
15400	PALE	49 GB	1710.3	1717.8	23.70	3100.0			QL=6 ST=3 TYP=7	
2695	PALE	49 GB	1710.5	1717.3	24.50	260.0			QL=6 ST=3 TYP=7	
8800	ATHN	47 GB	1710.6	1717.8	14.4	2200.0			QL=5 ST=2 TYP=5	
410	PALE	49 GB	1712.1	1715.3	21.40	3400.0			QL=6 ST=3 TYP=7	
1415	PALE	49 GB	1713.1	1717.8	21.00	200.0			QL=6 ST=3 TYP=7	
4995	SGMR	4 S/F	1808.6	1810.5	4.20	24.0			QL=6 ST=2 TYP=3	
2695	SGMR	4 S/F	1808.8	1810.8	3.50	25.0			QL=6 ST=2 TYP=3	
8800	SGMR	4 S/F	1809.1	1810.8	4.40	56.0			QL=6 ST=2 TYP=3	
15400	SGMR	4 S/F	1809.1	1810.8	4.5	87.0			QL=6 ST=2 TYP=3	
245	SGMR	47 GB	1940.1	1948.0	28.4	880.0			QL=6 ST=2 TYP=5	
2695	PALE	47 GB	1943.1	1947.6	20.9	1199.0			QL=5 ST=2 TYP=5	
245	PALE	47 GB	1943.3E	1947.1	16.30	1100.0			QL=5 ST=2 TYP=5	
4995	PALE	47 GB	1943.6	1947.6	21.2	2500.0			QL=5 ST=2 TYP=5	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

185
Misc
May 80

M A Y 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
28	410	PALE	47 GB	1943.8E	2000.3	22.3D	3700.0		QL=5 ST=2 TYP=5	
	8800	PALE	47 GB	1944.0	1947.6	23.6	4700.0		QL=5 ST=2 TYP=5	
	1415	PALE	47 GB	1945.5	1947.8	13.5	400.0		QL=5 ST=2 TYP=5	
	606	PALE	47 GB	1945.5	1958.0	18.8	6600.0		QL=5 ST=2 TYP=5	
	15400	PALE	47 GB	1945.6	1947.6	23.7	2500.0		QL=5 ST=2 TYP=5	
	410	SGMR	4 S/F	2203.0	2203.8	2.8D	250.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	2314.1	2351.3	38.0D	230.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	2336.6	2338.5	11.7	1100.0		QL=6 ST=3 TYP=5	
	15400	PALE	4 S/F	2337.6	2343.6	13.4D	270.0		QL=6 ST=3 TYP=3	
	2695	PALE	4 S/F	2337.8	2339.0	13.2D	63.0		QL=6 ST=3 TYP=3	
	8800	LEAR	47 GB	2337.8	2343.5	18.3	370.0		QL=3 ST=2 TYP=5	
	4995	PALE	4 S/F	2338.0	2342.0	13.0D	180.0		QL=6 ST=3 TYP=3	
	8800	PALE	4 S/F	2338.0	2343.6	13.0D	390.0		QL=6 ST=3 TYP=3	
	8800	MANI	47 GB	2338.3	2343.6	15.7	550.0		QL=6 ST=2 TYP=5	
	1415	PALE	4 S/F	2338.5	2339.1	8.5D	82.0		QL=6 ST=3 TYP=3	
	606	PALE	47 GB	2338.5	2341.0	15.5D	540.0		QL=6 ST=3 TYP=5	
	245	SGMR	47 GB	2339.0	2339.1	13.1D	500.0		QL=6 ST=2 TYP=5	
606	SGMR	4 S/F	2339.0	2341.6	13.1D	470.0		QL=6 ST=2 TYP=3		
29	410	SGMR	43 NS	0915.0	1441.3	892.0D	440.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	0915.0	2226.8	892.0D	310.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1628.0	1844.1	744.0D	490.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1628.0	1909.5	744.0D	160.0		QL=6 ST=2 TYP=1	
	2695	LEAR	4 S/F	0333.1	0334.6	3.7D	15.0		QL=3 ST=2 TYP=3	
	245	LEAR	4 S/F	0333.1	0334.8	4.0D	210.0		QL=3 ST=2 TYP=3	
	4995	LEAR	4 S/F	0333.5	0334.6	2.8	13.0		QL=3 ST=2 TYP=3	
	410	LEAR	4 S/F	0333.6	0335.3	3.2D	50.0		QL=3 ST=2 TYP=3	
	1415	LEAR	8 S	0333.8	0334.6	1.5D	7.0		QL=3 ST=2 TYP=3	
	606	LEAR	4 S/F	0334.0	0334.8	2.1D	11.0		QL=3 ST=2 TYP=3	
	8800	ATHN	4 S/F	0503.8	0511.0	39.0	370.0		QL=6 ST=2 TYP=4	
	2695	ATHN	4 S/F	0503.8	0511.3	38.5D	100.0		QL=6 ST=2 TYP=4	
	1415	ATHN	4 S/F	0506.6	0511.1	15.9D	34.0		QL=6 ST=2 TYP=4	
	8800	MANI	47 GB	0509.5	0537.5	28.0D	180.0		QL=6 ST=2 TYP=5	
	8800	LEAR	47 GB	0509.6	0510.8	16.4	240.0		QL=3 ST=2 TYP=5	
	245	SGMR	4 S/F	1843.1	1844.8	3.9D	440.0		QL=6 ST=2 TYP=3	
	15400	SGMR	8 S	1843.5	1843.6	.3D	25.0		QL=6 ST=2 TYP=3	
30	245	SGMR	43 NS	0914.0	2055.6	894.0D	650.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1625.0	1709.8	725.0	47.0		QL=6 ST=3 TYP=1	
	410	PALE	43 NS	1625.0	1727.3	725.0D	33.0		QL=6 ST=3 TYP=1	
	410	LEAR	43 NS	2313.0	0017.5	616.0D	93.0		QL=3 ST=2 TYP=1	
	245	LEAR	43 NS	2313.0	0041.3	616.0D	310.0		QL=3 ST=2 TYP=1	
	410	LEAR	8 S	0120.3	0121.5	2.0	52.0		QL=3 ST=2 TYP=3	
	245	PALE	47 GB	2049.6	2053.8	6.0	850.0		QL=6 ST=2 TYP=5	
	15400	PALE	4 S/F	2051.5	2054.3	3.0	21.0		QL=6 ST=3 TYP=3	
	2695	PALE	8 S	2051.6	2051.8	.9	34.0		QL=6 ST=3 TYP=3	
	8800	PALE	8 S	2051.6	2052.3	.9	17.0		QL=6 ST=3 TYP=3	
	1415	PALE	8 S	2052.3	2052.3	.2	13.0		QL=6 ST=3 TYP=3	
31	410	LEAR	43 NS	0211.0	0714.6	438.0D	11.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1625.0	1911.5	750.0	41.0		QL=6 ST=2 TYP=1	
	4995	LEAR	4 S/F	0743.0	0744.3	2.3D	35.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0743.5	0744.3	1.8	64.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0743.8	0744.1	5.0	46.0		QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1708.6	1708.8	.9	71.0		QL=6 ST=2 TYP=3	
245	SGMR	8 S	2316.1	2316.3	.7	380.0		QL=6 ST=3 TYP=3		

186
Misc
Jun 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
01	245	SGMR	43 NS	0913.0	2117.1	896.0D	54.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1626.0	0416.6	747.0D	100.0			QL=6 ST=3 TYP=1
	410	LEAR	43 NS	2313.0	0049.5	587.0D	46.0			QL=3 ST=2 TYP=1
	245	LEAR	43 NS	2314.0	0416.5	614.0D	71.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0713.1	0713.3	.5	71.0			QL=6 ST=3 TYP=3
	1415	ATHN	8 S	1349.8	1350.1	.8D	9.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1349.8	1350.5	3.0D	13.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1350.1	1350.1	2.2	32.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1350.1	1350.6	2.9D	19.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1350.1	1350.6	2.2D	23.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1350.3	1350.5	2.0D	13.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1350.3	1350.5	.7D	22.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1350.3	1350.5	1.3D	9.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1350.3	1350.8	2.2	30.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1427.6	1428.8	4.2D	29.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1427.8	1428.8	3.8D	15.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1428.1	1429.1	4.0	42.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	1428.3	1428.8	1.3D	11.0			QL=6 ST=3 TYP=3
	606	SGMR	8 S	1428.6	1428.8	.5D	6.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	1519.6	1522.5	4.4D	47.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1519.8	1520.0	.3D	70.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1519.8	1520.1	3.0D	13.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	1519.8	1520.8	4.2	64.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1520.0	1520.1	4.0D	17.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1520.0	1520.8	4.0D	42.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1520.0	1520.8	1.1D	240.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1520.1	1521.1	4.0	63.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1520.5	1520.8	1.1D	5.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1531.3	1532.8	4.3D	7.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1531.5	1532.6	4.0	18.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1532.0	1532.6	2.6D	9.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1652.0	1652.3	1.0D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1652.0	1652.6	1.0	18.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1652.1	1652.5	.7D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1924.1	1924.1	.7	42.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1924.8	1935.1	17.2	7.0			QL=6 ST=2 TYP=4
	4995	SGMR	4 S/F	1927.0	1933.8	15.0D	17.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	1927.0	1934.0	15.0D	20.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	2039.8	2040.1	2.3D	21.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	2040.1	2040.8	2.0	7.0			QL=6 ST=2 TYP=3
2695	PALE	8 S	2040.6	2040.8	.2	23.0			QL=6 ST=2 TYP=3	
4995	SGMR	8 S	2040.6	2041.1	1.4D	17.0			QL=6 ST=2 TYP=3	
606	PALE	8 S	2058.1	2058.3	.4	180.0			QL=6 ST=2 TYP=3	
1415	PALE	8 S	2058.3	2058.3	.3	110.0			QL=6 ST=2 TYP=3	
410	PALE	8 S	2058.3	2058.5	.3	310.0			QL=6 ST=2 TYP=3	
410	SGMR	8 S	2058.3	2059.1	1.8D	190.0			QL=6 ST=2 TYP=3	
245	SGMR	8 S	2058.3	2059.1	.8	21.0			QL=6 ST=2 TYP=3	
1415	SGMR	8 S	2058.5	2058.8	1.3D	130.0			QL=6 ST=2 TYP=3	
606	SGMR	8 S	2058.5	2058.8	1.6D	130.0			QL=6 ST=2 TYP=3	
02	410	LEAR	43 NS	0124.1	0732.0	483.9D	110.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	0126.6	0137.6	206.4D	78.0			QL=6 ST=3 TYP=1
	245	SGMR	43 NS	0913.0	1035.0	897.0D	160.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1652.6	0257.8	726.4D	100.0			QL=5 ST=2 TYP=1
	245	LEAR	43 NS	2314.0	0515.3	614.0D	87.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0445.1	0445.6	1.2	79.0			QL=3 ST=2 TYP=3
	410	LEAR	8 S	0445.3	0445.6	1.0D	24.0			QL=3 ST=2 TYP=3
	410	LEAR	8 S	0657.3	0657.6	.7	21.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0657.5	0657.8	.8D	31.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1259.0	1259.8	4.0D	24.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1259.0	1300.1	3.0D	32.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1259.1	1300.3	3.9	22.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1352.3	1353.8	4.5D	23.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1353.1	1353.1	1.9D	210.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1353.1	1353.8	2.9D	480.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1353.3	1353.6	1.5D	19.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1353.5	1354.1	2.1D	6.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1353.8	1354.0	2.0D	6.0			QL=6 ST=2 TYP=3
8800	SGMR	8 S	1354.1	1354.3	1.4	16.0			QL=6 ST=2 TYP=3	
410	SGMR	47 GB	1407.3	1407.5	.5	820.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

187
Misc
Jun 80

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
02	606	SGMR	8 S	1627.0	1628.1	2.0	67.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1724.3	1724.6	.5	63.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1724.5	1725.1	1.3	51.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1746.0	1747.0	1.5	1199.0			QL=5 ST=2 TYP=5
	245	SGMR	47 GB	1746.1	1748.3	5.7	2000.0			QL=6 ST=2 TYP=5
	606	PALE	8 S	2046.1	2046.1	.2	61.0			QL=1 ST=2 TYP=3
	4995	PALE	47 GB	2130.5	2133.6	11.3	79.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	2130.5	2134.1	14.3D	60.0			QL=6 ST=2 TYP=4
	2695	PALE	4 S/F	2130.5	2136.3	11.3	54.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	2130.8	2134.6	14.2D	22.0			QL=6 ST=2 TYP=4
	8800	PALE	47 GB	2131.1	2133.6	10.4	83.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	2132.0	2134.3	13.1	48.0			QL=6 ST=2 TYP=4
	1415	SGMR	4 S/F	2132.6	2137.0	8.0D	17.0			QL=6 ST=2 TYP=4
	15400	PALE	47 GB	2133.0	2134.3	4.8	37.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	2135.1	2136.1	2.5	55.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	2135.6	2136.8	4.2D	45.0			QL=6 ST=2 TYP=4
1415	PALE	47 GB	2135.8	2136.3	.8	15.0			QL=6 ST=2 TYP=5	
03	245	PALE	43 NS	1628.0	0213.3	756.0D	119.0			QL=5 ST=2 TYP=1
	410	PALE	43 NS	1628.0	1921.0	756.0D	72.0			QL=5 ST=2 TYP=1
	245	LEAR	8 S	0105.0	0105.3	1.3	200.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0743.3	0744.1	4.7D	81.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1139.6	1142.5	7.4	81.0			QL=5 ST=2 TYP=3
	8800	SGMR	4 S/F	1140.3	1143.1	6.0	70.0			QL=6 ST=3 TYP=3
	4995	SGMR	4 S/F	1140.3	1143.1	3.2D	31.0			QL=6 ST=3 TYP=3
	2695	ATHN	4 S/F	1140.8	1143.1	6.0D	4.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	1159.6	1205.3	18.9	43.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1202.8	1205.5	13.3D	26.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1205.0	1205.8	2.5D	32.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1206.3	1207.8	3.3D	35.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1439.5	1440.1	1.5	100.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1918.1	1919.0	5.9	119.0			QL=6 ST=2 TYP=5
	606	PALE	8 S	1920.1	1920.3	.9	33.0			QL=5 ST=2 TYP=3
	410	PALE	8 S	1920.3	1920.6	.8	70.0			QL=5 ST=2 TYP=3
	245	PALE	8 S	1920.6E	1920.8	1.5D	38.0			QL=5 ST=2 TYP=3
	15400	PALE	47 GB	2128.0	2130.8	14.8	500.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	2128.1	2130.8	16.5	460.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	2128.3	2130.3	11.5	85.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	2128.5	2134.8	9.1	80.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	2128.6	2130.8	12.4	119.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2130.8	2131.1	.3	150.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	2131.1	2135.3	6.4	52.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	2132.0	2138.6	9.5	1.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2140.0	2141.1	10.3	93.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	2147.3	2148.6	1.3D	13.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	2208.5	2209.6	3.6D	77.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2208.6	2208.8	6.4D	87.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2209.0	2209.5	3.1	22.0			QL=6 ST=2 TYP=3
15400	PALE	4 S/F	2209.0	2210.6	6.0D	33.0			QL=6 ST=2 TYP=3	
04	410	LEAR	43 NS	0532.0	0541.1	236.0D	49.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0912.0	0956.8	899.0D	150.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0912.0	1453.8	899.0D	540.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1625.0	0243.1	759.0D	310.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1625.0	0246.8	759.0D	1100.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2314.0	0741.5	614.0D	200.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0528.1	0529.0	3.4	190.0			QL=6 ST=3 TYP=3
	8800	ATHN	47 GB	0549.6	0557.8	12.5	330.0			QL=2 ST=2 TYP=5
	8800	MANI	47 GB	0654.6	0655.0	3.2	550.0			QL=6 ST=2 TYP=5
	8800	ATHN	47 GB	0807.6	0832.3	82.7	2700.0			QL=5 ST=2 TYP=5
	8800	MANI	47 GB	0808.0	0839.8	65.0	1399.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0825.0	0832.0	38.8D	990.0			QL=6 ST=3 TYP=5
	2695	SGMR	8 S	1111.1	1111.8	1.7D	24.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1111.3	1111.8	1.5D	25.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1111.8	1112.0	1.0	32.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1349.0	1349.8	1.1	25.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1406.3	1407.1	1.7	57.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1406.3	1407.1	1.8D	6.0			QL=6 ST=2 TYP=4
	8800	SGMR	8 S	1406.6	1407.3	1.5D	11.0			QL=6 ST=2 TYP=4
	4995	SGMR	8 S	1406.8	1407.1	1.0D	13.0			QL=6 ST=2 TYP=4

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
04	15400	PALE	8 S	1710.1	1710.3	.2	28.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1740.5	1744.1	6.3D	66.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1741.0	1744.0	5.1D	2.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1741.0	1744.0	8.1D	40.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1742.0	1743.0	2.8	119.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1742.0	1743.0	1.5D	31.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1742.1	1742.3	.2	13.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	1742.1	1742.3	.4	139.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	1742.1	1742.3	.2	45.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1742.6	1743.0	.7D	13.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1742.6	1743.0	.7D	11.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	1743.3	1743.3	.3	38.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2258.8	2300.1	4.0	460.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	2259.0	2300.8	4.3	200.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2259.0	2300.8	4.0	330.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2259.1	2301.3	10.9	170.0			QL=4 ST=2 TYP=3
	15400	SGMR	4 S/F	2259.3	2301.3	10.7	240.0			QL=4 ST=3 TYP=3
	4995	SGMR	4 S/F	2259.3	2301.3	11.3D	220.0			QL=4 ST=2 TYP=3
	606	SGMR	4 S/F	2259.3	2301.3	5.5D	100.0			QL=6 ST=2 TYP=3
	8800	SGMR	47 GB	2259.3	2301.3	10.7D	540.0			QL=4 ST=2 TYP=5
	1415	SGMR	47 GB	2259.5	2300.6	8.3D	520.0			QL=6 ST=2 TYP=5
	606	PALE	8 S	2259.8	2300.8	1.0	150.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2308.6	2309.0	1.4	170.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	2308.6	2310.1	1.5D	15.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	2308.6	2330.6	27.0	67.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2312.5	2316.1	19.0	200.0			QL=6 ST=2 TYP=5
05	245	PALE	44 NS	1635.0E	1642.5	734.0D	35.0			QL=5 ST=2 TYP=1
	410	PALE	44 NS	1635.0E	1706.1	734.0D	53.0			QL=5 ST=2 TYP=1
	245	LEAR	43 NS	2316.0	0800.0	612.0D	650.0			QL=6 ST=2 TYP=1
	4995	PALE	4 S/F	0023.6	0026.1	10.9	32.0			QL=6 ST=3 TYP=3
	8800	PALE	4 S/F	0024.8	0026.1	2.3	36.0			QL=6 ST=3 TYP=3
	2695	PALE	8 S	0025.6	0026.3	.7D	11.0			QL=6 ST=3 TYP=3
	15400	PALE	8 S	0031.3	0032.3	1.3	32.0			QL=6 ST=3 TYP=3
	606	PALE	8 S	0032.1	0032.3	.2	15.0			QL=6 ST=3 TYP=3
	606	PALE	4 S/F	0045.6	0048.3	3.5	62.0			QL=6 ST=3 TYP=3
	606	PALE	4 S/F	0109.3	0119.0	16.0	290.0			QL=6 ST=3 TYP=3
	245	PALE	8 S	0115.6	0115.8	.2	110.0			QL=6 ST=3 TYP=3
	410	PALE	4 S/F	0116.8	0120.8	4.0D	31.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0242.8	0243.1	.8D	65.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0246.8	0247.0	.8D	1399.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0622.0	0622.1	.5	1800.0			QL=6 ST=2 TYP=5
	2695	ATHN	4 S/F	0645.3	0646.3	3.0D	4.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	0645.6	0645.6	4.0	93.0			QL=5 ST=2 TYP=3
	15400	PALE	8 S	2341.3	2341.3	.3	71.0			QL=6 ST=2 TYP=3
06	245	SGMR	43 NS	0911.0	2004.5	902.0D	840.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0911.0	2048.0	902.0D	370.0			QL=6 ST=2 TYP=1
	1415	MAN I	8 S	0141.0	0141.6	1.0D	1.0			QL=6 ST=2 TYP=4
	8800	MAN I	8 S	0141.0	0141.6	1.0	15.0			QL=6 ST=2 TYP=4
	4995	MAN I	8 S	0141.0	0141.6	1.0D	19.0			QL=6 ST=2 TYP=4
	2695	MAN I	8 S	0141.0	0141.6	2.0D	11.0			QL=6 ST=2 TYP=4
	245	LEAR	47 GB	0857.3	0857.5	3.3D	640.0			QL=1 ST=3 TYP=5
	606	MAN I	4 S/F	0859.8	0900.0	2.2D	18.0			QL=6 ST=2 TYP=4
	1415	MAN I	8 S	0900.0	0900.1	.5D	17.0			QL=6 ST=2 TYP=4
	4995	MAN I	8 S	0900.0	0900.1	.5	13.0			QL=6 ST=2 TYP=4
	2695	MAN I	8 S	0900.0	0900.1	1.0D	15.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	0952.1	0952.5	.7	3200.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1123.8	1126.6	16.0D	170.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1124.5	1125.0	5.5D	2300.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1124.5	1127.6	5.6	340.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1142.1	1142.3	7.4D	27.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1142.1	1142.3	3.0D	19.0			QL=5 ST=2 TYP=3
	15400	SGMR	8 S	1142.1	1142.5	.7D	260.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	1142.3	1142.3	1.2D	18.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	1142.3	1142.5	1.2	73.0			QL=5 ST=2 TYP=3
	245	SGMR	47 GB	1142.3	1142.5	2.0D	3300.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1142.3	1142.6	2.2D	24.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1142.3	1142.6	5.8D	22.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1142.3	1142.6	1.5D	139.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

189
Misc
Jun 80

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
06	8800	SGMR	4 S/F	1142.5	1142.6	2.5D	64.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1142.5	1142.6	3.8D	20.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1323.1	1323.1	4.0D	550.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1323.1	1326.0	4.0D	130.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1323.1	1326.1	4.5D	280.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1323.8	1325.6	2.7	16.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1355.1	1357.0	5.7D	25.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1356.0	1357.0	3.0	13.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1356.8	1357.5	6.5	18.0			QL=5 ST=2 TYP=3
	606	SGMR	4 S/F	1411.1	1419.0	23.9D	310.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1417.3	1418.8	11.8D	18.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1417.6	1418.8	5.0D	30.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1418.3	1419.0	6.7D	39.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1418.3	1420.0	9.7D	16.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1418.6	1419.0	2.9	17.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1550.5	1552.1	2.0D	17.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1551.8	1552.3	1.2	19.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1552.0	1552.3	.6D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	47 GB	1717.0	1718.3	7.0D	40.0			QL=6 ST=3 TYP=5
	2695	SGMR	4 S/F	1717.0	1722.5	7.0D	20.0			QL=6 ST=3 TYP=3
	8800	PALE	8 S	1718.0	1718.1	.1	50.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1718.0	1718.1	.6D	18.0			QL=6 ST=3 TYP=3
	245	SGMR	47 GB	1718.8	1724.3	15.7	480.0			QL=6 ST=3 TYP=5
	410	SGMR	47 GB	1720.6	1727.1	35.4D	320.0			QL=6 ST=3 TYP=5
	606	SGMR	47 GB	1721.5	1722.1	12.5D	86.0			QL=6 ST=3 TYP=5
	410	PALE	8 S	1721.5	1724.1	2.6D	83.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	1721.6	1721.8	.9	96.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	2130.1	2130.3	19.9	11999.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	2130.1	2130.8	1.5	970.0			QL=6 ST=2 TYP=5
	8800	PALE	4 S/F	2130.1	2130.8	3.4	230.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	2130.3	2130.8	3.3	430.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2130.3	2131.0	2.8	119.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2130.3	2131.1	1.3	290.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	2334.1	2334.6	1.2	4700.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	2334.3	2334.8	1.5	2900.0			QL=6 ST=2 TYP=5
	606	PALE	8 S	2334.6	2334.8	.4	60.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2334.6	2334.8	.5	130.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	2334.6	2334.8	.2	64.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	2334.8	2335.0	.5	65.0			QL=6 ST=2 TYP=3
	606	MANI	8 S	2334.8	2335.1	.7D	20.0			QL=6 ST=2 TYP=4
	1415	MANI	8 S	2334.8	2335.3	1.3D	44.0			QL=6 ST=2 TYP=4
	2695	MANI	8 S	2335.0	2335.1	.5	7.0			QL=6 ST=2 TYP=4
	245	PALE	8 S	2339.3	2340.1	1.0	480.0			QL=6 ST=3 TYP=3
07	245	LEAR	43 NS	2316.0	0424.5	612.0D	1500.0			QL=6 ST=2 TYP=1
	410	PALE	8 S	0008.3	0008.5	.5	100.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0116.6	0117.1	5.7	5200.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	0116.8	0117.3	2.5	700.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	0116.8	0118.1	1.8	96.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	0117.0	0117.3	1.6	330.0			QL=6 ST=2 TYP=5
	8800	MANI	47 GB	0117.0	0117.6	6.0	440.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	0117.1	0129.1	19.0	290.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	0117.3	0118.1	1.3	55.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	0117.3	0118.1	1.2	45.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0117.3	0118.6	21.8	300.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0227.3	0227.3	.5	7100.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0248.5	0248.8	.5	510.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0311.8	0312.3	4.0	16000.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	0311.8	0312.8	6.2	130.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	0311.8	0312.8	4.0	170.0			QL=6 ST=2 TYP=3
	1415	PALE	47 GB	0312.0	0312.1	6.1	720.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	0312.0	0312.6	3.8	530.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	0312.1	0312.3	1.0	930.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0312.1	0312.8	3.2	4400.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	0312.1	0312.8	5.0	1900.0			QL=6 ST=2 TYP=5
	8800	MANI	47 GB	0312.1	0312.8	5.9	540.0			QL=6 ST=2 TYP=5
	410	PALE	8 S	0345.6	0345.8	.4	260.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0345.6	0345.8	.5	1300.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0405.3	0405.5	.3	600.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0553.3	0554.3	1.8	700.0			QL=1 ST=2 TYP=5

190
Misc
Jun 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
07	8800	MANI	8 S	0724.5	0724.8	1.5	13.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	0940.5	0941.3	2.0	410.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1105.6	1106.0	.9	240.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	1629.0	1826.0	741.0D	61.0			QL=6 ST=2 TYP=3
08	245	SGMR	43 NS	0911.0	1515.6	903.0D	820.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1720.6	1941.0	174.4	65.0			QL=5 ST=3 TYP=1
	245	PALE	43 NS	1722.0	0106.8	702.0	180.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2316.0	0113.3	612.0D	1500.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0424.3	0424.5	.5	1000.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0727.1	0727.3	1.9D	6800.0			QL=6 ST=2 TYP=5
	245	LEAR	4 S/F	0830.5	0831.5	2.8D	170.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1024.6	1035.1	14.5	51.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1027.1	1032.1	12.7D	68.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1027.1	1032.1	13.7D	200.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1027.3	1033.3	12.5D	66.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1027.6	1032.0	10.4D	26.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1027.6	1032.0	13.5D	139.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1027.8	1031.6	13.0D	74.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1030.5	1034.5	9.5D	84.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1042.6	1047.6	15.2	74.0			QL=2 ST=2 TYP=4
	1415	ATHN	4 S/F	1044.6	1046.3	6.9D	38.0			QL=2 ST=2 TYP=4
	2695	ATHN	4 S/F	1045.0	1047.8	11.1D	80.0			QL=2 ST=2 TYP=4
	606	SGMR	8 S	1327.1	1327.3	.9	97.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1534.5	1535.0	1.3	3300.0			QL=6 ST=2 TYP=5
	2695	SGMR	4 S/F	1653.5	1658.6	17.8D	119.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	1655.0	1659.0	11.0	130.0			QL=5 ST=2 TYP=3
	4995	SGMR	4 S/F	1655.3	1658.8	6.8D	57.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	1656.0	1659.1	13.0	80.0			QL=5 ST=2 TYP=3
	1415	SGMR	4 S/F	1656.3	1659.0	10.8D	74.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1656.3	1659.1	8.0	37.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1656.5	1659.6	8.8D	25.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1656.6	1659.6	10.5D	58.0			QL=2 ST=2 TYP=4
	2695	ATHN	4 S/F	1656.8	1659.6	8.7D	85.0			QL=2 ST=2 TYP=4
	4995	PALE	4 S/F	1657.0	1659.0	6.0	70.0			QL=5 ST=2 TYP=3
	15400	PALE	4 S/F	1658.0	1659.1	3.0	30.0			QL=5 ST=2 TYP=3
	606	PALE	4 S/F	1658.0	1659.5	9.0	25.0			QL=5 ST=2 TYP=3
	8800	ATHN	4 S/F	1658.5	1659.6	6.8	32.0			QL=2 ST=2 TYP=4
	8800	PALE	8 S	1659.0	1659.0	2.0	30.0			QL=5 ST=2 TYP=3
	606	SGMR	4 S/F	1718.1	1723.8	9.0D	32.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	1719.8	1721.8	2.0D	13.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1720.6	1723.6	8.5D	49.0			QL=6 ST=2 TYP=3
	606	PALE	4 S/F	1721.8	1723.1	4.0	32.0			QL=6 ST=2 TYP=4
	1415	SGMR	4 S/F	1721.8	1723.8	5.0	8.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	1722.8	1726.1	4.8	90.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	1723.0	1723.6	.6D	13.0			QL=6 ST=2 TYP=3
410	PALE	4 S/F	1815.8	1816.1	10.2	16.0			QL=6 ST=2 TYP=3	
606	PALE	4 S/F	1816.0	1816.1	8.0	11.0			QL=6 ST=2 TYP=3	
606	PALE	4 S/F	1918.3	1919.8	4.0	29.0			QL=6 ST=2 TYP=3	
245	PALE	4 S/F	1918.3	1920.3	2.5	83.0			QL=6 ST=2 TYP=3	
410	PALE	8 S	1919.3	1920.3	1.0	55.0			QL=6 ST=2 TYP=3	
606	SGMR	4 S/F	1940.3	1944.3	5.8D	47.0			QL=6 ST=2 TYP=3	
606	PALE	4 S/F	1942.0	1944.1	2.6	49.0			QL=6 ST=2 TYP=3	
245	SGMR	47 GB	1942.5	1943.5	3.8D	950.0			QL=6 ST=2 TYP=5	
410	SGMR	4 S/F	1943.1	1944.1	2.7D	59.0			QL=6 ST=2 TYP=3	
245	PALE	47 GB	1943.3	1943.8	1.0	950.0			QL=6 ST=2 TYP=5	
1415	SGMR	8 S	1943.3	1944.1	2.0	54.0			QL=6 ST=2 TYP=3	
1415	PALE	8 S	1943.6	1944.0	.7	52.0			QL=6 ST=2 TYP=3	
09	245	PALE	43 NS	1630.0	1954.6	754.0D	600.0			QL=5 ST=2 TYP=1
	245	SGMR	43 NS	1700.0	1715.8		55.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2316.0	0525.8	612.0D	310.0			QL=6 ST=2 TYP=1
	606	SGMR	4 S/F	0009.8	0011.5	3.8	51.0			QL=4 ST=2 TYP=3
	245	SGMR	4 S/F	0009.8	0012.1	2.8D	440.0			QL=4 ST=2 TYP=3
	410	SGMR	4 S/F	0010.0	0012.0	2.8D	280.0			QL=4 ST=2 TYP=3
	245	LEAR	8 S	0051.8	0052.5	1.5D	320.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0052.5	0052.6	.3	430.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	0052.8	0053.1	.3	66.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0052.8	0053.1	.5	210.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0108.5	0108.6	2.3	160.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

191
Misc
Jun 80

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (10 ⁻²² W/m ² Hz)		
09	245	PALE	47 GB	0113.3	0113.3	.3	1000.0		QL=6 ST=2 TYP=5	
	410	PALE	47 GB	0113.3	0113.3	.5	250.0		QL=6 ST=2 TYP=5	
	245	PALE	47 GB	0124.0	0124.1	.1	110.0		QL=6 ST=2 TYP=5	
	410	PALE	47 GB	0124.1	0124.6	.7	84.0		QL=6 ST=2 TYP=5	
	245	PALE	47 GB	0226.3	0226.6	.3	84.0		QL=6 ST=2 TYP=5	
	410	PALE	47 GB	0226.6	0226.8	.4	40.0		QL=6 ST=2 TYP=5	
	245	PALE	47 GB	0251.1	0251.3	7.5	1900.0		QL=6 ST=2 TYP=5	
	606	PALE	47 GB	0251.3	0251.8	7.3	190.0		QL=6 ST=2 TYP=5	
	410	PALE	47 GB	0251.3	0256.1	7.3	320.0		QL=6 ST=2 TYP=5	
	245	SGMR	8 S	1134.5	1134.8	.5	180.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1335.8	1336.1	1.0	33.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1336.1	1336.3	.5D	88.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1520.6	1520.8	3.5	44.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1844.8	1855.6	11.5	2000.0		QL=6 ST=2 TYP=5	
	245	PALE	47 GB	1851.8	1852.0	.3	1000.0		QL=6 ST=2 TYP=5	
	245	SGMR	47 GB	1954.6	1954.8	.7	890.0		QL=6 ST=2 TYP=5	
	245	SGMR	8 S	2001.6	2002.1	.7	450.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	2300.5	2301.1	3.0	3300.0		QL=6 ST=3 TYP=5	
	245	PALE	47 GB	2301.0	2301.1	1.0	3200.0		QL=6 ST=2 TYP=5	
410	PALE	8 S	2321.3	2321.5	.3	20.0		QL=6 ST=2 TYP=3		
245	PALE	8 S	2321.3	2321.6	.3	180.0		QL=6 ST=2 TYP=3		
10	245	SGMR	43 NS	0910.0	1022.3	905.0D	240.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1630.0	0319.8	752.0D	160.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2317.0	0753.5	611.0D	48.0		QL=6 ST=2 TYP=1	
	245	LEAR	47 GB	0041.5	0041.8	.5	520.0		QL=6 ST=2 TYP=5	
	245	LEAR	8 S	0150.6	0151.6	1.5D	39.0		QL=6 ST=2 TYP=3	
11	245	SGMR	43 NS	0910.0	2017.8	906.0D	119.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2317.0	0614.3	611.0D	24.0		QL=6 ST=2 TYP=1	
	245	LEAR	8 S	0243.3	0243.6	1.3D	65.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0319.3	0319.8	1.2	150.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1624.0	1624.3	.8	23.0		QL=6 ST=2 TYP=3	
2695	SGMR	8 S	1624.1	1624.1	.5D	44.0		QL=6 ST=2 TYP=3		
12	245	SGMR	43 NS	1400.0	1810.1	616.0D	119.0		QL=2 ST=3 TYP=1	
	245	LEAR	43 NS	2318.0	0456.5	610.0D	72.0		QL=3 ST=2 TYP=1	
	606	SGMR	4 S/F	1338.5	1341.8	8.5D	83.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1339.6	1342.8	3.4D	570.0		QL=6 ST=2 TYP=5	
	1415	SGMR	8 S	1339.8	1339.8	2.0	11.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1339.8	1340.1	3.0D	11.0		QL=6 ST=2 TYP=3	
	1415	ATHN	8 S	1453.5	1453.6	.5	71.0		QL=6 ST=2 TYP=3	
	1415	SGMR	8 S	1453.5	1453.6	.6	61.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1517.1	1518.5	4.0D	170.0		QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	1517.3	1518.0	2.3D	13.0		QL=6 ST=2 TYP=4	
	2695	SGMR	4 S/F	1517.3	1518.1	2.5D	43.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1517.3	1518.3	3.3D	65.0		QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	1517.5	1518.1	2.5	22.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1517.5	1518.1	2.8D	51.0		QL=6 ST=2 TYP=3	
	8800	ATHN	8 S	1517.5	1518.3	1.1	84.0		QL=2 ST=2 TYP=3	
	15400	SGMR	4 S/F	1517.8	1518.3	2.7	21.0		QL=6 ST=2 TYP=3	
	1415	ATHN	8 S	1518.0	1518.1	.5D	13.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1518.6	1519.1	1.0D	97.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	2012.5	2012.8	.8	1199.0		QL=2 ST=2 TYP=5	
	410	SGMR	8 S	2012.5	2013.3	1.3	77.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	2202.0	2207.3	7.1D	27.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	2203.6	2207.5	5.9	54.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	2204.0	2207.6	5.0D	19.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	2204.1	2204.5	3.0D	26.0		QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	2206.3	2207.3	2.3	61.0		QL=6 ST=2 TYP=3	
	4995	PALE	8 S	2206.3	2207.3	2.0	39.0		QL=6 ST=2 TYP=3	
	2695	PALE	8 S	2206.6	2207.5	1.5	26.0		QL=6 ST=2 TYP=3	
15400	PALE	8 S	2206.8	2207.3	1.2	31.0		QL=6 ST=2 TYP=3		
245	SGMR	8 S	2236.8	2237.0	1.0D	210.0		QL=6 ST=3 TYP=3		
606	SGMR	8 S	2237.0	2237.3	1.1	150.0		QL=6 ST=3 TYP=3		
13	410	SGMR	43 NS	0910.0	2112.8	907.0D	78.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	0910.0	2114.0	907.0D	260.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2318.0	0423.3	610.0D	35.0		QL=6 ST=2 TYP=1	
	2695	MAN I	4 S/F	0034.8	0035.8	3.7D	44.0		QL=6 ST=2 TYP=4	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
13	4995	MANI	4 S/F	0034.8	0036.1	3.2D	27.0		QL=6 ST=2 TYP=4	
	1415	MANI	4 S/F	0035.0	0036.1	3.5D	55.0		QL=6 ST=2 TYP=4	
	8800	MANI	4 S/F	0035.0	0036.3	3.0	30.0		QL=6 ST=2 TYP=4	
	2695	PALE	8 S	0035.1	0035.8	1.9	51.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	0035.1	0036.0	2.2	56.0		QL=6 ST=2 TYP=3	
	4995	PALE	8 S	0035.3	0036.1	1.0	19.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0035.5	0037.3	5.6D	650.0		QL=3 ST=2 TYP=5	
	410	PALE	8 S	0035.6	0036.0	.7	350.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	0035.8	0036.1	.3	16.0		QL=6 ST=2 TYP=3	
	606	PALE	8 S	0035.8	0036.6	1.0	22.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	0035.8	0037.5	4.3	760.0		QL=6 ST=2 TYP=5	
	245	LEAR	4 S/F	0127.1	0129.1	3.4D	130.0		QL=3 ST=2 TYP=3	
	245	PALE	47 GB	0128.8	0129.1	.5	180.0		QL=6 ST=2 TYP=5	
	245	LEAR	47 GB	0154.0	0155.6	3.3D	860.0		QL=6 ST=3 TYP=5	
	245	PALE	47 GB	0155.0	0155.6	2.0	1100.0		QL=6 ST=3 TYP=5	
	410	PALE	4 S/F	0155.1	0156.1	2.7	50.0		QL=6 ST=3 TYP=3	
	1415	PALE	4 S/F	0155.6	0156.6	3.4	13.0		QL=6 ST=3 TYP=3	
	1415	MANI	47 GB	0247.3	0300.1	14.0D	55.0		QL=6 ST=2 TYP=5	
	8800	MANI	4 S/F	0247.6	0248.1	14.4	220.0		QL=6 ST=2 TYP=3	
	2695	MANI	4 S/F	0247.6	0248.3	12.0D	43.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0247.6	0248.3	13.4D	110.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	0256.5	0258.6	2.8	540.0		QL=6 ST=2 TYP=5	
	410	PALE	47 GB	0257.6	0258.8	1.7	940.0		QL=6 ST=2 TYP=5	
	8800	PALE	47 GB	0258.0	0258.5	3.1	200.0		QL=6 ST=2 TYP=5	
	606	PALE	47 GB	0258.0	0258.6	1.1	63.0		QL=6 ST=2 TYP=5	
	2695	PALE	47 GB	0258.0	0258.6	1.3	46.0		QL=6 ST=2 TYP=5	
	4995	PALE	47 GB	0258.0	0258.6	1.8	110.0		QL=6 ST=2 TYP=5	
	15400	PALE	47 GB	0258.1	0258.5	2.2	87.0		QL=6 ST=2 TYP=5	
	1415	PALE	47 GB	0258.3	0258.6	.5	16.0		QL=6 ST=2 TYP=5	
	245	LEAR	4 S/F	0338.0	0338.5	2.1	38.0		QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	0812.0	0812.5	2.1	15.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1145.5	1145.6	.5	6.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1145.5	1145.8	1.3	52.0		QL=2 ST=2 TYP=3	
245	SGMR	4 S/F	1511.8	1513.0	2.3	92.0		QL=2 ST=2 TYP=3		
410	SGMR	8 S	1512.8	1512.8	.3	7.0		QL=6 ST=2 TYP=3		
4995	SGMR	4 S/F	2231.8	2234.1	4.0D	29.0		QL=4 ST=2 TYP=3		
8800	SGMR	4 S/F	2233.0	2234.1	2.5D	25.0		QL=4 ST=2 TYP=3		
15400	SGMR	4 S/F	2233.1	2234.3	2.5	25.0		QL=4 ST=2 TYP=3		
8800	PALE	47 GB	2233.8	2234.1	.5	30.0		QL=6 ST=2 TYP=5		
15400	PALE	47 GB	2234.0	2234.1	.3	38.0		QL=6 ST=2 TYP=5		
2695	SGMR	8 S	2234.1	2234.8	1.7D	11.0		QL=4 ST=2 TYP=3		
14	245	SGMR	43 NS	0910.0	2020.5	907.0	160.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1637.0	1908.8	747.0D	190.0		QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1637.0	2312.5	747.0D	68.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1645.0	2120.6	735.0D	119.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2318.0	0433.1	610.0D	730.0		QL=6 ST=2 TYP=1	
	8800	ATHN	4 S/F	0348.1	0351.1	4.0	50.0		QL=2 ST=2 TYP=3	
	2695	ATHN	4 S/F	0348.5	0351.0	3.1	11.0		QL=6 ST=2 TYP=3	
	4995	PALE	8 S	0355.1	0355.6	1.0	43.0		QL=6 ST=2 TYP=3	
	4995	MANI	8 S	0355.1	0356.1	1.9D	67.0		QL=6 ST=2 TYP=4	
	8800	MANI	8 S	0355.1	0356.1	1.7	56.0		QL=6 ST=2 TYP=4	
	15400	PALE	8 S	0355.3	0355.6	.5	33.0		QL=6 ST=2 TYP=3	
	2695	PALE	8 S	0355.3	0355.8	1.0	35.0		QL=6 ST=2 TYP=3	
	2695	MANI	8 S	0355.5	0356.1	2.0D	36.0		QL=6 ST=2 TYP=4	
	8800	ATHN	8 S	0449.6	0449.8	1.0	40.0		QL=2 ST=2 TYP=3	
	8800	ATHN	4 S/F	0454.5	0455.0	6.5	80.0		QL=2 ST=2 TYP=3	
	4995	ATHN	4 S/F	1447.8	1450.6	18.5D	19.0		QL=5 ST=2 TYP=4	
	2695	ATHN	4 S/F	1447.8	1450.6	18.5D	19.0		QL=5 ST=3 TYP=4	
	2695	SGMR	4 S/F	1448.0	1449.8	3.5D	20.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1448.0	1449.8	3.6	24.0		QL=5 ST=3 TYP=4	
	4995	SGMR	4 S/F	1448.1	1449.6	3.4D	64.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1448.6	1449.8	2.7	25.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1657.1	1701.8	10.7D	58.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1700.1	1701.8	4.2D	39.0		QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	1700.1	1702.1	4.0D	8.0		QL=5 ST=2 TYP=4	
	245	PALE	4 S/F	1700.3	1701.1	7.8	160.0		QL=2 ST=2 TYP=3	
	2695	ATHN	4 S/F	1700.3	1702.0	4.2D	35.0		QL=5 ST=3 TYP=4	
	4995	ATHN	4 S/F	1700.3	1702.0	4.2D	35.0		QL=5 ST=2 TYP=4	
410	SGMR	4 S/F	1700.5	1701.0	2.6D	26.0		QL=6 ST=2 TYP=3		

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

193
Misc
Jun 80

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
14	8800	SGMR	4 S/F	1700.6	1702.1	2.9	16.0		QL=6	ST=2	TYP=3
	410	PALE	4 S/F	1700.8	1701.8	7.3	30.0		QL=2	ST=2	TYP=3
	1415	SGMR	4 S/F	1700.8	1702.0	2.2D	29.0		QL=6	ST=2	TYP=3
	606	SGMR	4 S/F	1700.8	1702.0	2.2D	22.0		QL=6	ST=2	TYP=3
	245	SGMR	4 S/F	1701.1	1701.8	2.7D	160.0		QL=6	ST=2	TYP=3
	2695	PALE	4 S/F	1701.5	1701.6	13.0	73.0		QL=6	ST=2	TYP=3
	1415	PALE	4 S/F	1701.5	1701.8	6.6	36.0		QL=6	ST=2	TYP=3
	4995	PALE	4 S/F	1701.5	1701.8	13.0	52.0		QL=6	ST=2	TYP=3
	8800	ATHN	8 S	1701.5	1702.0	2.0	11.0		QL=5	ST=3	TYP=4
	8800	PALE	4 S/F	1702.5	1702.8	12.0	50.0		QL=6	ST=2	TYP=3
	15400	PALE	4 S/F	1702.5	1708.0	12.0	16.0		QL=6	ST=2	TYP=3
	4995	SGMR	4 S/F	1822.5	1823.8	2.8D	61.0		QL=6	ST=2	TYP=3
	1415	SGMR	4 S/F	1823.0	1824.0	2.1D	28.0		QL=6	ST=2	TYP=3
	2695	PALE	8 S	1823.1	1823.8	2.0	66.0		QL=6	ST=2	TYP=3
	8800	SGMR	4 S/F	1823.1	1824.1	2.2	24.0		QL=6	ST=2	TYP=3
	4995	PALE	8 S	1823.3	1823.8	1.0	34.0		QL=6	ST=2	TYP=3
	1415	PALE	8 S	1823.3	1824.0	1.2	30.0		QL=6	ST=2	TYP=3
	15400	PALE	4 S/F	1823.3	1826.0	3.8	19.0		QL=6	ST=2	TYP=3
	410	SGMR	8 S	1823.5	1823.8	1.5D	78.0		QL=6	ST=2	TYP=3
	410	PALE	8 S	1823.6	1823.6	.2	50.0		QL=6	ST=2	TYP=3
8800	PALE	8 S	2013.3	2013.3	.3	31.0		QL=6	ST=3	TYP=3	
8800	PALE	47 GB	2021.1	2021.5	1.7	2100.0		QL=2	ST=2	TYP=5	
15	245	SGMR	43 NS	0910.0	1611.1	907.0D	1100.0		QL=6	ST=2	TYP=1
	245	PALE	43 NS	1700.0	1904.8	724.0D	87.0		QL=6	ST=2	TYP=1
	606	SGMR	8 S	1159.8	1200.0	.5D	21.0		QL=6	ST=2	TYP=3
	245	SGMR	8 S	1159.8	1200.0	.7	67.0		QL=6	ST=2	TYP=3
	410	SGMR	8 S	1159.8	1200.1	.5D	23.0		QL=6	ST=2	TYP=3
	1415	SGMR	4 S/F	1315.1	1317.3	6.9	22.0		QL=6	ST=2	TYP=3
	8800	SGMR	4 S/F	1315.3	1318.1	5.8D	20.0		QL=6	ST=2	TYP=3
	2695	SGMR	4 S/F	1315.6	1317.8	5.4D	36.0		QL=6	ST=2	TYP=3
	4995	SGMR	4 S/F	1315.6	1318.1	5.5D	26.0		QL=6	ST=2	TYP=3
	245	SGMR	4 S/F	1528.6	1531.0	4.4	360.0		QL=6	ST=2	TYP=3
	410	SGMR	4 S/F	1529.8	1531.8	3.0D	60.0		QL=6	ST=2	TYP=3
	2695	SGMR	8 S	1727.3	1728.1	1.7D	24.0		QL=6	ST=2	TYP=3
4995	SGMR	8 S	1727.6	1728.0	1.7	21.0		QL=6	ST=2	TYP=3	
16	245	SGMR	43 NS	0910.0	2105.0	908.0D	720.0		QL=6	ST=2	TYP=1
	245	PALE	43 NS	1630.0	0356.6	750.0D	560.0		QL=6	ST=2	TYP=1
	245	LEAR	43 NS	2319.0	0356.8	610.0D	530.0		QL=6	ST=2	TYP=1
	245	LEAR	47 GB	0228.1	0228.5	1.2	680.0		QL=6	ST=2	TYP=5
	245	SGMR	4 S/F	1756.0	1757.0	2.3	91.0		QL=6	ST=2	TYP=3
	245	SGMR	4 S/F	1819.8	1821.3	4.2	170.0		QL=6	ST=2	TYP=3
	606	SGMR	4 S/F	1927.6	1929.8	4.5D	32.0		QL=6	ST=2	TYP=3
	245	SGMR	4 S/F	1927.8	1928.6	2.7	260.0		QL=6	ST=2	TYP=3
	410	SGMR	4 S/F	1928.3	1930.0	2.5D	17.0		QL=6	ST=2	TYP=3
	245	SGMR	4 S/F	2031.0	2033.8	5.0	310.0		QL=6	ST=2	TYP=3
	410	SGMR	8 S	2033.5	2034.1	1.1D	59.0		QL=6	ST=2	TYP=3
	1415	PALE	8 S	2118.0	2118.3	.3D	28.0		QL=6	ST=2	TYP=3
17	245	SGMR	43 NS	0910.0	1759.6	908.0D	1300.0		QL=6	ST=2	TYP=1
	245	PALE	43 NS	1745.0	2148.3	678.0D	230.0		QL=6	ST=3	TYP=1
	1415	ATHN	8 S	0357.3	0357.6	1.0D	15.0		QL=6	ST=2	TYP=3
	8800	ATHN	8 S	0357.3	0358.1	1.0	27.0		QL=6	ST=2	TYP=3
	2695	ATHN	8 S	0357.6	0358.1	1.2D	7.0		QL=6	ST=2	TYP=3
	245	SGMR	47 GB	1455.6	1458.6	4.7	1199.0		QL=6	ST=2	TYP=5
18	245	SGMR	44 NS	0910.0E	0950.1	40.1D	110.0		QL=6	ST=3	TYP=1
	245	LEAR	43 NS	2319.0	0711.8	610.0D	139.0		QL=6	ST=2	TYP=1
	245	LEAR	47 GB	0518.1	0518.6	1.2	560.0		QL=3	ST=2	TYP=5
	8800	SGMR	8 S	1831.1	1832.3	1.7	27.0		QL=6	ST=2	TYP=3
	1415	SGMR	8 S	2337.0	2337.1	1.0	83.0		QL=6	ST=2	TYP=3
19	245	SGMR	43 NS	0910.0	2126.1	909.0D	660.0		QL=6	ST=2	TYP=1
	245	PALE	43 NS	1630.0	0354.3	753.0D	290.0		QL=6	ST=2	TYP=1
	8800	ATHN	4 S/F	0446.3	0527.6	108.2	66.0		QL=6	ST=2	TYP=4
	2695	ATHN	4 S/F	0447.3	0531.0	107.2D	23.0		QL=6	ST=2	TYP=4
	1415	SGMR	47 GB	1831.5	1839.1	11.5D	100.0		QL=6	ST=2	TYP=5
	606	SGMR	4 S/F	1832.0	1838.8	12.1D	40.0		QL=6	ST=2	TYP=3
606	PALE	4 S/F	1837.1	1838.6	7.7D	39.0		QL=6	ST=2	TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
19	4995	PALE	4 S/F	1837.8	1839.1	4.3D	119.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	1838.0	1839.1	5.0D	190.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	1838.1	1839.1	6.2D	100.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1838.8	1839.0	1.2	26.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	1838.8	1839.1	5.8	36.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1838.8	1839.1	1.3D	57.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	1839.0	1839.1	3.6D	110.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1947.3	1951.3	10.7D	59.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1947.6	1951.5	8.4	43.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1948.0	1951.6	8.5D	44.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1949.0	1952.0	7.0D	29.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	2042.1	2043.0	2.7	1100.0			QL=6 ST=2 TYP=5
	20	245	LEAR	43 NS	0336.0	0548.0	354.0D	34.0		
245		LEAR	43 NS	2320.0	0041.0	610.0D	88.0			QL=6 ST=2 TYP=1
8800		ATHN	4 S/F	0450.5	0451.3	2.1	31.0			QL=6 ST=2 TYP=4
2695		ATHN	8 S	0450.6	0451.5	1.4D	7.0			QL=6 ST=2 TYP=4
245		SGMR	8 S	1349.6	1349.8	1.2	73.0			QL=6 ST=2 TYP=3
245		PALE	4 S/F	1906.6E	1907.6	10.0D	30.0			QL=6 ST=2 TYP=3
21	245	SGMR	43 NS	1937.0	1938.6	282.0D	83.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1937.1	1942.3	281.9D	15.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2320.0	0545.5	610.0D	130.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0041.0	0118.6	68.0	560.0			QL=6 ST=2 TYP=5
	245	LEAR	4 S/F	0043.8	0054.3	24.7D	250.0			QL=6 ST=3 TYP=3
	8800	MAN I	47 GB	0049.8	0118.8	38.3	1800.0			QL=6 ST=2 TYP=5
	245	LEAR	4 S/F	0112.5	0117.8	15.3D	400.0			QL=6 ST=3 TYP=3
	8800	ATHN	4 S/F	0553.6	0554.3	4.5	88.0			QL=5 ST=2 TYP=3
	8800	ATHN	8 S	1346.6	1346.8	.7	86.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1813.3	1813.5	1.7	1800.0			QL=5 ST=2 TYP=5
	606	SGMR	8 S	1933.1	1934.8	2.0	46.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2250.5	2251.1	1.3	52.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	2250.6	2251.3	1.7	17.0			QL=4 ST=2 TYP=3
	8800	SGMR	8 S	2250.6	2251.3	1.7D	29.0			QL=4 ST=2 TYP=3
22	245	SGMR	43 NS	0911.0	1804.8	908.0D	330.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1630.0	0209.6	750.0D	280.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0431.0	0432.6	2.6D	290.0			QL=6 ST=2 TYP=5
	1415	MAN I	47 GB	0432.3	0432.8	1.7	19.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1123.5	1124.1	1.5	700.0			QL=6 ST=3 TYP=5
	410	SGMR	8 S	1123.8	1124.5	1.8D	63.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1259.1	1259.8	18.9D	53.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1302.0	1327.1	32.6D	32.0			QL=6 ST=2 TYP=4
	1415	SGMR	4 S/F	1303.3	1315.0	19.7D	30.0			QL=6 ST=2 TYP=4
	606	SGMR	4 S/F	1308.0	1316.1	12.0D	17.0			QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1310.0	1327.3	21.0D	15.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	1310.0	1333.1	26.5	28.0			QL=6 ST=2 TYP=4
	245	SGMR	4 S/F	1315.0	1316.1	3.0D	13.0			QL=6 ST=2 TYP=4
	23	245	SGMR	43 NS	0911.0	1740.8	909.0D	510.0		
245		PALE	43 NS	1635.0	1943.6	745.0D	96.0			QL=6 ST=2 TYP=1
410		PALE	43 NS	1635.0	2035.1	745.0D	28.0			QL=6 ST=2 TYP=1
4995		MAN I	4 S/F	0212.0	0216.1	7.0D	41.0			QL=6 ST=2 TYP=4
2695		MAN I	4 S/F	0212.0	0216.3	7.0D	22.0			QL=6 ST=2 TYP=4
1415		MAN I	4 S/F	0213.0	0213.5	5.6D	35.0			QL=6 ST=2 TYP=4
8800		MAN I	4 S/F	0214.6	0215.1	3.9	38.0			QL=6 ST=2 TYP=4
606		MAN I	4 S/F	0220.3	0221.8	3.0D	32.0			QL=6 ST=2 TYP=3
1415		ATHN	47 GB	0336.6	0337.6	4.2D	66.0			QL=5 ST=2 TYP=5
8800		ATHN	4 S/F	0337.3	0338.8	3.0	23.0			QL=5 ST=2 TYP=3
2695		ATHN	4 S/F	0337.3	0339.0	2.8D	25.0			QL=5 ST=2 TYP=3
410		PALE	47 GB	0338.1	0339.6	4.0	1000.0			QL=6 ST=2 TYP=5
410		PALE	47 GB	0353.8	0355.6	5.0	2700.0			QL=6 ST=2 TYP=5
606		MAN I	4 S/F	0354.0	0355.3	2.5D	17.0			QL=6 ST=2 TYP=3
2695		MAN I	4 S/F	0354.1	0354.5	2.9D	20.0			QL=6 ST=2 TYP=3
4995		MAN I	4 S/F	0354.3	0354.5	2.7D	56.0			QL=6 ST=2 TYP=3
8800		MAN I	4 S/F	0354.3	0354.5	2.3	44.0			QL=6 ST=2 TYP=3
1415		MAN I	4 S/F	0354.3	0355.1	2.3D	9.0			QL=6 ST=2 TYP=3
4995		MAN I	8 S	0523.1	0523.5	1.2	13.0			QL=6 ST=2 TYP=4
2695		MAN I	8 S	0523.1	0523.5	.9D	6.0			QL=6 ST=2 TYP=4
1415	MAN I	47 GB	0523.1	0524.5	6.4D	130.0			QL=6 ST=2 TYP=5	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

195
Misc
Jun 80

JUNE 1980

Day	Freq Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
						Peak (10 -22 W/m ² Hz)	Mean			
23	2695 MAN1	4 S/F	0622.8	0624.6	4.5D	32.0			QL=6 ST=2 TYP=4	
	4995 MAN1	4 S/F	0623.3	0624.6	4.0	30.0			QL=6 ST=2 TYP=4	
	2695 ATHN	4 S/F	0624.1	0625.6	4.5D	29.0			QL=6 ST=2 TYP=3	
	8800 ATHN	8 S	0625.1	0625.8	1.7	11.0			QL=6 ST=2 TYP=3	
	8800 SGMR	4 S/F	1237.1	1238.1	2.9	17.0			QL=6 ST=2 TYP=4	
	4995 SGMR	4 S/F	1237.1	1238.5	3.5D	7.0			QL=6 ST=2 TYP=4	
	4995 SGMR	4 S/F	2310.6	2311.8	2.4D	25.0			QL=4 ST=2 TYP=3	
	8800 SGMR	8 S	2311.6	2312.1	1.4	28.0			QL=4 ST=2 TYP=3	
	410 SGMR	47 GB	2336.0	2342.0	10.1	3500.0			QL=6 ST=2 TYP=5	
24	245 LEAR	43 NS	0400.0	0426.3	330.0D	82.0			QL=6 ST=2 TYP=1	
	410 SGMR	43 NS	0912.0	1009.6	908.0D	57.0			QL=6 ST=2 TYP=1	
	245 SGMR	43 NS	0912.0	1351.1	908.0D	2300.0			QL=6 ST=2 TYP=1	
	245 LEAR	8 S	0812.8	0812.8	1.8	119.0			QL=6 ST=2 TYP=3	
	245 LEAR	4 S/F	0922.0	0923.6	2.3	220.0			QL=6 ST=2 TYP=3	
	245 SGMR	47 GB	1132.1	1132.1	.2	650.0			QL=6 ST=2 TYP=5	
	245 SGMR	47 GB	1137.6	1138.1		11999.0			QL=6 ST=3 TYP=5	
	2695 SGMR	4 S/F	1255.1	1258.8	8.7D	27.0			QL=6 ST=2 TYP=3	
	4995 SGMR	4 S/F	1257.6	1258.8	5.5	17.0			QL=6 ST=2 TYP=3	
	4995 SGMR	4 S/F	1521.1	1522.8	5.0D	28.0			QL=6 ST=2 TYP=3	
	8800 SGMR	4 S/F	1521.8	1522.8	3.3D	38.0			QL=6 ST=2 TYP=3	
	1415 ATHN	4 S/F	1522.3	1524.5	5.2D	9.0			QL=6 ST=2 TYP=4	
	2695 ATHN	4 S/F	1522.5	1523.6	5.1D	13.0			QL=6 ST=2 TYP=4	
	8800 ATHN	4 S/F	1522.6	1523.0	3.9	17.0			QL=6 ST=2 TYP=4	
	15400 SGMR	4 S/F	1522.8	1523.0	2.3	24.0			QL=6 ST=2 TYP=3	
	15400 SGMR	4 S/F	1957.0	1959.0	3.0D	46.0			QL=6 ST=2 TYP=3	
	8800 SGMR	4 S/F	1957.3	1959.0	3.8D	77.0			QL=6 ST=2 TYP=3	
	4995 SGMR	4 S/F	1957.6	1958.1	2.2D	78.0			QL=6 ST=2 TYP=3	
	2695 SGMR	4 S/F	1957.8	1958.1	2.3	29.0			QL=6 ST=2 TYP=3	
	2695 PALE	8 S	1958.0	1958.3	1.0	26.0			QL=6 ST=2 TYP=3	
	4995 PALE	8 S	1958.0	1958.3	1.3	70.0			QL=6 ST=2 TYP=3	
	8800 PALE	8 S	1958.0	1958.8	1.3	64.0			QL=6 ST=2 TYP=3	
	15400 PALE	8 S	1958.5	1958.8	.8	50.0			QL=6 ST=2 TYP=3	
	245 SGMR	8 S	2051.0	2051.8	1.1	160.0			QL=6 ST=2 TYP=3	
	245 PALE	8 S	2051.3	2051.5	.5	190.0			QL=6 ST=2 TYP=3	
	410 SGMR	4 S/F	2051.8	2051.8	3.3D	39.0			QL=6 ST=2 TYP=3	
	8800 SGMR	47 GB	2319.6	2322.6	4.2	790.0			QL=6 ST=2 TYP=5	
	25	245 LEAR	43 NS	0600.0	0755.5	211.0D	61.0			QL=6 ST=2 TYP=1
		245 SGMR	43 NS	0912.0	2125.5	908.0D	70.0			QL=6 ST=2 TYP=1
		245 PALE	43 NS	1631.0	2246.1	746.0D	320.0			QL=6 ST=2 TYP=1
410 SGMR		43 NS	2124.1	2127.8	175.9D	51.0			QL=6 ST=2 TYP=1	
245 LEAR		43 NS	2321.0	0200.8	610.0D	200.0			QL=6 ST=2 TYP=1	
245 PALE		8 S	0010.8	0011.1	.7	78.0			QL=6 ST=2 TYP=3	
4995 PALE		8 S	0148.0	0148.8	1.5	17.0			QL=6 ST=2 TYP=3	
606 SGMR		8 S	1135.1	1135.1	.7	54.0			QL=6 ST=2 TYP=3	
245 SGMR		47 GB	1147.3	1148.6	1.5	1700.0			QL=6 ST=2 TYP=5	
4995 SGMR		4 S/F	1235.8	1238.1	7.2D	46.0			QL=6 ST=2 TYP=3	
15400 SGMR		4 S/F	1236.0	1238.1	4.0	9.0			QL=6 ST=2 TYP=4	
2695 SGMR		4 S/F	1236.1	1238.1	7.7D	27.0			QL=6 ST=2 TYP=3	
8800 ATHN		4 S/F	1236.3	1238.3	4.0	45.0			QL=6 ST=2 TYP=4	
8800 SGMR		4 S/F	1236.6	1238.1	7.5D	37.0			QL=6 ST=2 TYP=3	
2695 ATHN		4 S/F	1237.1	1238.3	3.2D	23.0			QL=6 ST=2 TYP=4	
2695 SGMR		4 S/F	1549.5	1552.0	14.0D	80.0			QL=6 ST=2 TYP=3	
4995 SGMR		4 S/F	1549.5	1553.3	12.5D	190.0			QL=6 ST=2 TYP=3	
15400 SGMR		4 S/F	1549.5	1553.5	12.5	94.0			QL=6 ST=2 TYP=3	
8800 ATHN		47 GB	1549.5	1553.5	16.3	430.0			QL=5 ST=2 TYP=5	
8800 SGMR		4 S/F	1549.5	1553.5	13.5D	270.0			QL=6 ST=2 TYP=3	
606 SGMR	8 S	1742.3	1742.6	.8	170.0			QL=6 ST=2 TYP=3		
26	245 SGMR	43 NS	0912.0	2332.3	908.0D	220.0			QL=6 ST=2 TYP=1	
	245 LEAR	43 NS	2321.0	0852.1	610.0D	690.0			QL=6 ST=2 TYP=1	
	2695 PALE	4 S/F	0119.1	0119.5	3.5	16.0			QL=6 ST=2 TYP=3	
	410 PALE	8 S	0417.6	0418.8	2.0	360.0			QL=5 ST=2 TYP=3	
	245 SGMR	8 S	1220.0	1220.8	1.1	26.0			QL=6 ST=2 TYP=3	
	410 SGMR	8 S	1220.0	1221.3	1.8D	87.0			QL=6 ST=2 TYP=3	
	2695 SGMR	8 S	1401.6	1402.0	1.0	43.0			QL=6 ST=2 TYP=3	
	4995 SGMR	4 S/F	1437.6	1439.3	4.5D	17.0			QL=6 ST=2 TYP=3	
	8800 SGMR	8 S	1438.8	1439.6	1.3	15.0			QL=6 ST=2 TYP=3	
	2695 SGMR	47 GB	1438.8	1440.1	7.2D	11.0			QL=6 ST=2 TYP=5	

196
Misc
Jun 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JUNE 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean			
26	1415	SGMR	8 S	1537.8	1538.0	1.5D	25.0			QL=6 ST=2 TYP=3	
	2695	SGMR	8 S	1537.8	1538.1	.5	91.0			QL=6 ST=2 TYP=3	
	2695	SGMR	8 S	1651.1	1651.3	1.2D	6.0			QL=6 ST=2 TYP=3	
	4995	SGMR	8 S	1651.3	1651.5	.8D	26.0			QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1651.6	1651.6	.7	13.0			QL=6 ST=2 TYP=3	
	410	PALE	8 S	1821.8	1822.1	1.5	48.0			QL=6 ST=2 TYP=3	
	606	PALE	8 S	1821.8	1822.1	1.2	28.0			QL=6 ST=2 TYP=3	
	410	PALE	8 S	1912.6	1912.8	.9	119.0			QL=6 ST=2 TYP=3	
	245	PALE	8 S	1912.8	1912.8	.5	21.0			QL=6 ST=2 TYP=3	
27	410	SGMR	43 NS	0913.0	1457.8	907.0D	22.0			QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	0913.0	1656.3	907.0D	260.0			QL=6 ST=2 TYP=1	
	410	PALE	43 NS	1635.0	2259.0	743.0D	65.0			QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1635.0	2332.8	745.0D	360.0			QL=6 ST=2 TYP=1	
	410	PALE	43 NS	2245.0	2318.1	375.0D	100.0			QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2321.0	0110.3	610.0D	150.0			QL=6 ST=2 TYP=1	
	4995	MANI	4 S/F	0607.0	0609.6	6.3	57.0			QL=6 ST=2 TYP=3	
	2695	MANI	4 S/F	0609.0	0609.5	2.5D	16.0			QL=6 ST=2 TYP=4	
	4995	SGMR	4 S/F	1346.3	1349.3	4.2D	11.0			QL=6 ST=2 TYP=3	
	15400	SGMR	4 S/F	1346.5	1349.5	4.0	11.0			QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1346.8	1349.3	3.7D	15.0			QL=6 ST=2 TYP=3	
	8800	ATHN	47 GB	1613.5	1616.1	14.3	1800.0			QL=6 ST=2 TYP=5	
	15400	SGMR	47 GB	1615.0	1616.1	12.0	830.0			QL=6 ST=2 TYP=5	
	28	245	LEAR	43 NS	0232.0	0128.8	610.0D	46.0			QL=6 ST=2 TYP=1
		4995	PALE	4 S/F	0244.6	0246.3	4.0	160.0			QL=6 ST=2 TYP=3
245		PALE	47 GB	0244.8	0246.1	2.8	630.0			QL=6 ST=2 TYP=5	
2695		PALE	4 S/F	0244.8	0246.6	3.8	110.0			QL=6 ST=2 TYP=3	
8800		PALE	4 S/F	0245.0	0246.0	3.6	170.0			QL=6 ST=2 TYP=3	
245		LEAR	47 GB	0245.1	0246.0	2.2	510.0			QL=6 ST=2 TYP=5	
15400		PALE	4 S/F	0245.3	0246.0	2.5	100.0			QL=6 ST=2 TYP=3	
410		PALE	8 S	0245.5	0246.1	1.3	35.0			QL=6 ST=2 TYP=3	
1415		PALE	4 S/F	0245.5	0246.8	2.6	38.0			QL=6 ST=2 TYP=3	
606		PALE	8 S	0246.1	0246.6	.5D	13.0			QL=6 ST=2 TYP=3	
245		LEAR	4 S/F	0319.0	0327.3	8.3	66.0			QL=6 ST=2 TYP=3	
8800		MANI	47 GB	0319.6	0323.0	9.0	55.0			QL=6 ST=2 TYP=3	
606		PALE	4 S/F	0319.8	0322.3	6.0	119.0			QL=6 ST=2 TYP=3	
4995		PALE	8 S	0320.1	0320.6	.5	17.0			QL=6 ST=2 TYP=3	
2695		PALE	8 S	0320.1	0320.6	.7	16.0			QL=6 ST=2 TYP=3	
1415		PALE	8 S	0321.8	0322.3	.8	38.0			QL=6 ST=2 TYP=3	
8800		PALE	8 S	0323.0	0324.0	1.8	43.0			QL=6 ST=2 TYP=3	
410		PALE	8 S	0323.1	0323.3	.4	27.0			QL=6 ST=2 TYP=3	
15400		PALE	8 S	0323.3	0324.0	1.2	31.0			QL=6 ST=2 TYP=3	
245		PALE	8 S	0327.1	0327.3	.4	71.0			QL=6 ST=2 TYP=3	
2695		PALE	8 S	0329.3	0329.5	1.3	20.0			QL=6 ST=2 TYP=3	
1415		PALE	8 S	0330.1	0330.1	.2	33.0			QL=6 ST=2 TYP=3	
606		MANI	4 S/F	0344.3	0346.6	8.5D	15.0			QL=6 ST=2 TYP=4	
4995		MANI	4 S/F	0344.5	0346.6	7.0D	180.0			QL=6 ST=2 TYP=4	
2695		MANI	4 S/F	0344.6	0346.6	6.9D	110.0			QL=6 ST=2 TYP=4	
8800		MANI	4 S/F	0344.8	0346.1	5.2	180.0			QL=6 ST=2 TYP=4	
1415		MANI	4 S/F	0345.1	0346.6	6.4D	31.0			QL=6 ST=2 TYP=4	
8800		ATHN	4 S/F	0746.6	0747.6	4.0	110.0			QL=5 ST=2 TYP=3	
4995		MANI	4 S/F	0746.8	0747.8	3.7D	19.0			QL=6 ST=2 TYP=4	
8800		MANI	8 S	0747.1	0747.8	1.9	76.0			QL=6 ST=2 TYP=4	
245		LEAR	4 S/F	0747.5	0749.8	3.1	160.0			QL=6 ST=2 TYP=3	
8800		SGMR	8 S	1036.6	1037.0	.9	49.0			QL=6 ST=2 TYP=3	
245		SGMR	8 S	2214.8	2215.3	1.0	27.0			QL=6 ST=2 TYP=3	
245	SGMR	4 S/F	2239.6	2240.5	3.2	88.0			QL=6 ST=2 TYP=3		
2695	SGMR	8 S	2259.3	2259.8	.8D	6.0			QL=4 ST=2 TYP=3		
4995	SGMR	8 S	2259.3	2259.8	.8	24.0			QL=4 ST=2 TYP=3		
29	4995	SGMR	49 GB	1041.0	1042.3	7.3D	800.0			QL=6 ST=2 TYP=7	
	2695	SGMR	49 GB	1041.3	1042.1	8.7D	410.0			QL=6 ST=2 TYP=7	
	245	SGMR	49 GB	1041.5	1041.8	3.3D	21000.0			QL=6 ST=2 TYP=7	
	8800	SGMR	49 GB	1041.5	1042.3	7.3D	1000.0			QL=6 ST=2 TYP=7	
	15400	SGMR	49 GB	1041.5	1042.3	902.8	480.0			QL=6 ST=2 TYP=7	
	8800	ATHN	47 GB	1041.6	1042.3	4.9	1600.0			QL=6 ST=2 TYP=5	
	1415	SGMR	49 GB	1041.6	1042.3	9.7D	290.0			QL=6 ST=2 TYP=7	
	606	SGMR	49 GB	1041.6	1042.6	9.7D	110.0			QL=6 ST=2 TYP=7	
	410	SGMR	49 GB	1041.8	1042.1	7.7D				QL=6 ST=2 TYP=7	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

197
Misc
Jun 80

J U N E J U N E

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean (2 Hz)		
29	4995	SGMR	8 S	1802.1	1802.3	.9D	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1802.1	1802.6	1.4D	11.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1802.1	1805.6	4.0	55.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1802.3	1802.3	.2D	43.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1802.3	1805.8	4.5D	23.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1822.3	1822.6	1.5	620.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1822.3	1822.6	6.7D	68.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	1822.3	1822.6	.7	640.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1822.3	1822.8	6.7	490.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1822.3	1822.8	6.7D	380.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	1822.3	1823.1	2.3	119.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	1822.3	1823.1	1.5	65.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1822.3	1823.3	2.7D	130.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1822.3	1823.3	2.7D	190.0			QL=6 ST=2 TYP=3
	2695	PALE	47 GB	1822.3	1823.3	5.5	190.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	1822.3	1823.6	7.0D	99.0			QL=6 ST=2 TYP=3
	1415	PALE	47 GB	1822.3	1823.6	6.3	160.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	1822.5	1822.6	5.6	37.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1822.6	1823.6	2.4D	119.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	2021.8	2022.0	.3	27.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2026.6	2026.6	.2	53.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	2047.3	2047.6	.3	20.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2144.3	2144.6	.5	119.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2144.3	2146.0	3.2D	13.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2145.1	2146.1	1.4D	200.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2145.3	2145.8	.8	270.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	2145.6	2146.1	2.0D	17.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	2145.8	2146.0	1.2D	20.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2145.8	2146.0	.3D	44.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2145.8	2146.0	.5	22.0			QL=6 ST=2 TYP=3
1415	PALE	8 S	2146.0	2146.1	.1	13.0			QL=6 ST=2 TYP=3	
30	245	LEAR	43 NS	0030.0	0137.0	542.0D	38.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1635.0	2337.1	741.0D	66.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2322.0	0007.1	611.0D	54.0			QL=6 ST=2 TYP=1
	245	LEAR	4 S/F	0105.6	0113.1	18.5	119.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0114.0	0114.3	8.1	100.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	0420.6	0420.8	.4	139.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1334.3	1338.8	5.5D	27.0			QL=3 ST=2 TYP=3
	8800	ATHN	4 S/F	1334.5	1338.8	17.5	66.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1334.8	1339.0	5.0D	62.0			QL=3 ST=2 TYP=3
	8800	SGMR	4 S/F	1335.6	1339.0	4.9	60.0			QL=3 ST=2 TYP=3
	2695	ATHN	4 S/F	1336.6	1339.3	2.7D	39.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1337.0	1338.8	3.6D	44.0			QL=3 ST=2 TYP=3
	606	SGMR	8 S	1338.6	1338.6	.5D	42.0			QL=3 ST=2 TYP=3
	1415	ATHN	8 S	1338.8	1339.0	.3D	31.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1527.8	1528.3	1.3D	11.0			QL=3 ST=2 TYP=3
	4995	SGMR	8 S	1527.8	1528.3	1.3D	39.0			QL=3 ST=2 TYP=3
	8800	SGMR	8 S	1527.8	1528.6	1.8D	61.0			QL=3 ST=2 TYP=3
	15400	SGMR	8 S	1527.8	1528.6	1.8	9.0			QL=3 ST=2 TYP=3
	8800	ATHN	4 S/F	1527.8	1528.6	17.3	53.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1528.0	1528.5	2.1D	119.0			QL=3 ST=2 TYP=3
	1415	ATHN	4 S/F	1528.0	1528.6	2.1D	5.0			QL=6 ST=2 TYP=3
2695	ATHN	4 S/F	1528.0	1528.6	7.0D	100.0			QL=6 ST=2 TYP=3	
4995	PALE	8 S	2133.3	2133.6	1.0	20.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
01	245	SGMR	43 NS	0915.0	1441.6	904.0D	52.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1641.5	1646.1	457.5D	22.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2321.0	0519.1	612.0D	73.0			QL=6 ST=2 TYP=1
	8800	PALE	8 S	0144.8	0146.6	1.8D	11.0			QL=6 ST=2 TYP=3
	4995	SGMR	49 GB	1624.5	1627.8	13.8D	780.0			QL=6 ST=2 TYP=7
	8800	ATHN	47 GB	1625.1	1627.3	34.0	2600.0			QL=5 ST=2 TYP=5
	8800	SGMR	49 GB	1625.1	1627.3	12.9D	1399.0			QL=6 ST=2 TYP=7
	2695	SGMR	49 GB	1625.5	1627.8	13.3D	790.0			QL=6 ST=2 TYP=7
	15400	SGMR	49 GB	1626.0	1627.8	12.0	1300.0			QL=6 ST=2 TYP=7
	1415	SGMR	49 GB	1626.0	1628.3	11.5D	390.0			QL=6 ST=2 TYP=7
	606	SGMR	49 GB	1626.6	1627.1	16.4D	210.0			QL=6 ST=2 TYP=7
	410	SGMR	49 GB	1627.1	1628.1	14.4D	690.0			QL=6 ST=2 TYP=7
	245	SGMR	49 GB	1628.0	1629.0	16.0D	5200.0			QL=6 ST=2 TYP=7
	02	15400	SGMR	4 S/F	1427.0	1429.5	6.6	22.0		
8800		SGMR	4 S/F	1429.3	1429.8	2.3D	11.0			QL=6 ST=2 TYP=3
03	245	LEAR	43 NS	0311.5	0354.1	381.5D	43.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1800.0	1902.5	379.0D	78.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2321.0	0318.8	612.0D	45.0			QL=6 ST=2 TYP=1
	8800	LEAR	8 S	0021.8	0022.0	.3D	86.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0021.8	0022.0	.3D	41.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0021.8	0022.0	.3D	29.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0021.8	0022.1	.3	55.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1253.5	1254.3	1.5	220.0			QL=6 ST=3 TYP=3
	245	SGMR	8 S	1909.3	1909.6	.8D	260.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1909.3	1909.6	.7	24.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1909.6	1909.8	.4D	32.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2158.8	2159.1	.5	74.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2159.1	2159.3	.5D	450.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2159.3	2159.5	.3D	42.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2221.3	2221.6	.5D	310.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2221.6	2221.8	1.0	170.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2221.8	2222.0	.3D	96.0			QL=6 ST=2 TYP=3
04	245	LEAR	43 NS	2322.0	0142.3	612.0D	68.0			QL=6 ST=2 TYP=1
05	245	LEAR	43 NS	2322.0	0731.5	612.0D	170.0			QL=6 ST=2 TYP=1
	1415	MAN I	47 GB	0014.5	0017.5	8.0D	270.0			QL=6 ST=2 TYP=5
	8800	LEAR	4 S/F	0014.8	0019.8	8.5	43.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0015.3	0017.3	4.0	730.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	0015.3	0017.3	3.5	750.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0015.3	0017.3	4.8	210.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0015.6	0017.3	3.7	190.0			QL=6 ST=2 TYP=3
	245	PALE	4 S/F	0016.0	0020.5	5.6	150.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0016.1	0017.0	4.5	32.0			QL=6 ST=2 TYP=3
	2695	MAN I	4 S/F	0016.1	0017.3	6.4D	25.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0016.1	0018.5	3.5	64.0			QL=6 ST=2 TYP=4
	2695	PALE	4 S/F	0016.3	0017.1	3.0	30.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0016.3	0018.6	3.7	85.0			QL=6 ST=2 TYP=3
	4995	MAN I	4 S/F	0016.3	0020.3	6.7D	25.0			QL=6 ST=2 TYP=4
	245	LEAR	4 S/F	0016.3	0020.5	5.2	130.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0016.5	0020.0	5.1	29.0			QL=6 ST=2 TYP=3
	8800	MAN I	4 S/F	0016.5	0020.1	6.5	44.0			QL=6 ST=2 TYP=4
	4995	PALE	4 S/F	0018.5	0019.6	2.5	21.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0018.5	0019.8	2.8	27.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0018.5	0019.8	5.5	33.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0019.1	0019.6	3.0	28.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0158.6	0159.8	15.7	26.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0159.0	0159.6	20.8	40.0			QL=6 ST=3 TYP=3
	410	LEAR	4 S/F	0159.0	0201.8	20.3	31.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0159.8	0200.1	9.8	15.0			QL=6 ST=3 TYP=3
	15400	LEAR	4 S/F	0201.3	0205.5	18.7	16.0			QL=6 ST=3 TYP=4
	8800	LEAR	4 S/F	0201.6	0203.8	18.4	16.0			QL=6 ST=3 TYP=4
	245	LEAR	47 GB	0201.6	0204.8	13.0	73.0			QL=6 ST=3 TYP=5
	2695	ATHN	4 S/F	0733.6	0742.6	16.9D	67.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0735.3	0742.6	15.7	70.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	0735.6	0737.5	14.5D	44.0			QL=6 ST=2 TYP=3
	1415	MAN I	4 S/F	0735.8	0738.6	18.8D	41.0			QL=6 ST=2 TYP=5
	606	MAN I	47 GB	0735.8	0743.3	14.2D	1500.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

199
Misc
Jul 80

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22)	Mean W/m 2 Hz)			
05	2695	MAN I	4 S/F	0735.8	0743.6	14.2D	66.0			QL=6 ST=2 TYP=4	
	4995	MAN I	4 S/F	0736.3	0743.8	13.0D	91.0			QL=6 ST=2 TYP=4	
	8800	MAN I	4 S/F	0736.8	0738.6	8.2	57.0			QL=6 ST=2 TYP=4	
	2695	ATHN	4 S/F	1549.1	1558.1	33.5D	11.0			QL=6 ST=2 TYP=4	
	1415	ATHN	4 S/F	1550.0	1557.0	12.1D	17.0			QL=6 ST=2 TYP=4	
	245	SGMR	4 S/F	1551.8	1555.8	12.2D	130.0			QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1553.1	1557.6	31.4	27.0			QL=6 ST=2 TYP=4	
	606	SGMR	4 S/F	1553.6	1557.8	8.4D	31.0			QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1555.0	1557.3	6.8D	20.0			QL=6 ST=2 TYP=4	
	8800	SGMR	4 S/F	1555.0E	1557.3	4.5D	23.0			QL=6 ST=2 TYP=4	
	2695	SGMR	4 S/F	1555.0	1557.8	8.0D	7.0			QL=6 ST=2 TYP=4	
	410	SGMR	4 S/F	1555.3	1557.3	9.7D	65.0			QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	1555.5	1557.8	3.6	13.0			QL=6 ST=2 TYP=4	
	245	PALE	8 S	1853.8	1854.0	.3	43.0			QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	2219.8	2222.3	3.8D	150.0			QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	2220.1	2222.3	3.4D	18.0			QL=6 ST=2 TYP=3	
	245	SGMR	8 S	2221.0	2221.5	2.0	18.0			QL=6 ST=2 TYP=3	
	1415	MAN I	47 GB	2234.1	2244.8	19.5D	960.0			QL=6 ST=2 TYP=5	
	4995	MAN I	4 S/F	2234.8	2240.1	11.0D	50.0			QL=6 ST=2 TYP=4	
	8800	MAN I	4 S/F	2234.8	2242.6	12.5	58.0			QL=6 ST=2 TYP=4	
	2695	MAN I	4 S/F	2235.6	2239.8	11.7D	110.0			QL=6 ST=2 TYP=4	
	245	SGMR	47 GB	2236.0	2246.1	21.0	1300.0			QL=6 ST=2 TYP=5	
	1415	PALE	47 GB	2245.1	2245.1	2.5	200.0			QL=6 ST=2 TYP=5	
	410	PALE	47 GB	2245.1	2245.3	3.0	770.0			QL=6 ST=2 TYP=5	
	2695	PALE	47 GB	2245.1	2245.6	1.7	32.0			QL=6 ST=2 TYP=5	
	606	PALE	47 GB	2245.1	2245.8	2.4	950.0			QL=6 ST=2 TYP=5	
	245	PALE	47 GB	2245.1	2246.0	6.7	210.0			QL=6 ST=2 TYP=5	
	8800	PALE	47 GB	2245.1	2250.1	9.0	43.0			QL=6 ST=3 TYP=5	
	4995	PALE	47 GB	2245.1	2250.5	5.7	20.0			QL=6 ST=2 TYP=5	
	15400	PALE	47 GB	2246.8	2248.1	7.2	73.0			QL=6 ST=3 TYP=5	
	06	4995	MAN I	4 S/F	0417.8	0421.0	8.5	37.0			QL=6 ST=2 TYP=4
		1415	ATHN	47 GB	0418.0	0419.8	7.5D	540.0			QL=6 ST=2 TYP=5
		8800	ATHN	4 S/F	0418.0	0419.8	6.8	19.0			QL=6 ST=2 TYP=3
2695		ATHN	4 S/F	0418.0	0420.6	7.0D	119.0			QL=6 ST=2 TYP=3	
1415		LEAR	47 GB	0418.1	0419.8	5.5	680.0			QL=6 ST=3 TYP=5	
606		LEAR	4 S/F	0418.1	0420.6	3.5	190.0			QL=6 ST=3 TYP=3	
2695		LEAR	4 S/F	0418.3	0420.5	2.5	119.0			QL=6 ST=3 TYP=3	
1415		MAN I	47 GB	0418.6	0420.8	6.7D	740.0			QL=6 ST=2 TYP=5	
2695		MAN I	4 S/F	0418.6	0421.3	6.5D	119.0			QL=6 ST=2 TYP=4	
410		LEAR	4 S/F	0419.5	0419.8	2.3	84.0			QL=6 ST=3 TYP=3	
8800		LEAR	4 S/F	0419.6	0419.8	2.4	26.0			QL=6 ST=3 TYP=3	
4995		LEAR	4 S/F	0419.6	0419.8	2.5	38.0			QL=6 ST=3 TYP=3	
245		LEAR	8 S	0420.1	0421.3	1.9	84.0			QL=6 ST=3 TYP=3	
8800		ATHN	47 GB	0438.0	0444.3	18.8	670.0			QL=6 ST=2 TYP=5	
8800		LEAR	47 GB	0439.3	0444.1	12.5	520.0			QL=6 ST=3 TYP=5	
4995		LEAR	4 S/F	0439.5	0444.1	7.8	270.0			QL=6 ST=3 TYP=3	
8800		MAN I	47 GB	0440.1	0445.0	13.2	520.0			QL=6 ST=2 TYP=5	
15400		PALE	8 S	0440.6	0444.1	3.5D	450.0			QL=6 ST=3 TYP=3	
2695		PALE	8 S	0440.6	0444.1	3.5D	92.0			QL=6 ST=3 TYP=3	
8800		PALE	8 S	0440.6	0444.1	3.5D	390.0			QL=6 ST=3 TYP=3	
4995		PALE	8 S	0440.6	0444.3	3.7D	230.0			QL=6 ST=3 TYP=3	
606		PALE	8 S	0441.1	0443.6	2.5D	260.0			QL=6 ST=3 TYP=3	
245		PALE	8 S	0441.1	0444.6	3.5D	230.0			QL=6 ST=3 TYP=3	
245		LEAR	4 S/F	0441.1	0445.8	6.5	410.0			QL=6 ST=3 TYP=3	
15400		LEAR	4 S/F	0441.3	0444.1	9.8	390.0			QL=6 ST=3 TYP=3	
410		PALE	8 S	0441.6	0443.3	1.7D	230.0			QL=6 ST=3 TYP=3	
1415		PALE	8 S	0441.6	0443.6	2.0D	190.0			QL=6 ST=3 TYP=3	
606		LEAR	47 GB	0441.6	0445.6	6.2	960.0			QL=6 ST=3 TYP=5	
1415		LEAR	4 S/F	0441.8	0443.6	5.5	230.0			QL=6 ST=3 TYP=3	
2695		LEAR	4 S/F	0441.8	0444.1	4.8	95.0			QL=6 ST=3 TYP=3	
410		LEAR	47 GB	0441.8	0446.1	6.2	600.0			QL=6 ST=3 TYP=5	
1415		LEAR	8 S	0612.1	0616.1	4.0D	170.0			QL=6 ST=2 TYP=3	
1415		LEAR	8 S	0932.8	0934.6	2.0	18.0			QL=6 ST=2 TYP=3	
4995		SGMR	4 S/F	2013.3	2014.6	4.0D	30.0			QL=6 ST=2 TYP=3	
1415		SGMR	4 S/F	2013.5	2014.0	5.5D	47.0			QL=6 ST=2 TYP=3	
8800		PALE	4 S/F	2013.5	2014.6	2.5	25.0			QL=6 ST=2 TYP=3	
1415		PALE	8 S	2013.6	2014.1	1.2	47.0			QL=6 ST=2 TYP=3	
2695	PALE	8 S	2013.6	2014.3	1.5	38.0			QL=6 ST=2 TYP=3		
8800	SGMR	4 S/F	2013.6	2014.6	3.9	26.0			QL=6 ST=2 TYP=3		

200
Misc
Jul 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
06	2695	SGMR	4 S/F	2013.6	2014.6	4.4D	35.0			
	606	PALE	8 S	2013.8	2014.1	.3	36.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2013.8	2018.1	5.2D	139.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2013.8	2018.3	5.2D	39.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2014.1	2014.3	.4D	42.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2014.1	2014.5	.7	19.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2016.5	2017.8	2.1	240.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	2018.1	2018.3	.4	28.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	2018.1	2018.3	.2	20.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2140.5	2142.8	5.3D	32.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	2141.0	2145.1	4.5D	56.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2141.6	2142.8	4.9	17.0			QL=6 ST=2 TYP=3
	07	410	PALE	43 NS	1635.0	1912.1	741.0D	56.0		
245		PALE	43 NS	1635.0	2104.3	741.0D	450.0			QL=6 ST=2 TYP=1
245		SGMR	43 NS	1640.1	1817.0	457.9D	57.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2321.0						QL=6 ST=2 TYP=1
1415		PALE	8 S	0102.6	0103.0	.4D	23.0			QL=6 ST=3 TYP=1
2695		PALE	8 S	0102.6	0103.0	.4D	19.0			QL=6 ST=2 TYP=3
1415		ATHN	4 S/F	1141.1	1143.6	3.7D	18.0			QL=6 ST=2 TYP=3
8800		ATHN	4 S/F	1141.6	1150.6	16.5	46.0			QL=6 ST=2 TYP=4
2695		ATHN	4 S/F	1142.0	1143.6	15.5D	4.0			QL=6 ST=2 TYP=4
245		SGMR	47 GB	1143.0	1143.1	10.3	150.0			QL=6 ST=2 TYP=4
245		SGMR	47 GB	1354.0	1356.6	12.0	320.0			QL=6 ST=2 TYP=5
8800		ATHN	4 S/F	1355.0	1355.6	3.1	51.0			QL=6 ST=2 TYP=5
1415		ATHN	4 S/F	1355.1	1355.8	4.2D	11.0			QL=6 ST=2 TYP=3
2695		ATHN	4 S/F	1355.3	1355.8	2.8D	8.0			QL=6 ST=2 TYP=4
1415		ATHN	4 S/F	1401.1	1404.1	11.0D	28.0			QL=6 ST=2 TYP=4
2695		ATHN	4 S/F	1401.6	1404.3	8.2D	29.0			QL=6 ST=2 TYP=4
8800		ATHN	4 S/F	1402.5	1404.3	6.3	80.0			QL=6 ST=2 TYP=4
245		SGMR	47 GB	1613.8	1615.5	5.5	570.0			QL=6 ST=2 TYP=4
606		SGMR	4 S/F	1751.0	1753.8	9.6D	35.0			QL=6 ST=2 TYP=5
1415		SGMR	4 S/F	1751.5	1752.1	7.6D	22.0			QL=6 ST=2 TYP=3
410		SGMR	47 GB	1751.5	1758.1	10.1D	360.0			QL=6 ST=2 TYP=3
245		PALE	47 GB	1751.6	1751.8	2.7	1600.0			QL=6 ST=2 TYP=5
15400		SGMR	4 S/F	1751.8	1753.1	5.5	26.0			QL=6 ST=2 TYP=5
8800		SGMR	4 S/F	1751.8	1753.1	9.5D	47.0			QL=6 ST=2 TYP=3
8800		PALE	47 GB	1751.8	1753.1	3.2	43.0			QL=6 ST=2 TYP=3
4995		SGMR	4 S/F	1751.8	1753.6	9.0D	16.0			QL=6 ST=2 TYP=5
2695		SGMR	4 S/F	1751.8	1754.0	8.7D	15.0			QL=6 ST=2 TYP=3
410		PALE	47 GB	1752.6	1753.8	6.0	490.0			QL=6 ST=2 TYP=3
4995		PALE	47 GB	1752.8	1753.5	1.3	17.0			QL=6 ST=2 TYP=5
1415		PALE	47 GB	1752.8	1753.8	1.5	20.0			QL=6 ST=2 TYP=5
606		PALE	47 GB	1753.1	1753.8	1.0	36.0			QL=6 ST=2 TYP=5
2695		PALE	47 GB	1753.6	1753.8	.5	18.0			QL=6 ST=2 TYP=5
15400		PALE	47 GB	1754.1	1754.8	1.2	38.0			QL=6 ST=2 TYP=5
245	SGMR	8 S	2104.1	2104.3	.9	460.0			QL=6 ST=2 TYP=5	
606	SGMR	8 S	2104.3	2104.3	.2D	40.0			QL=6 ST=2 TYP=3	
4995	PALE	47 GB	2343.8	2344.3	.8	16.0			QL=6 ST=2 TYP=5	
08	245	SGMR	43 NS	0918.0	2103.1	899.0D	160.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0052.3	0052.5	.7	180.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0052.3	0052.5	.7	70.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0052.3	0052.6	1.0	85.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0242.1	0242.1	.2	180.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0242.1	0242.1	.2	30.0			QL=6 ST=2 TYP=3
	606	SGMR	49 GB	1920.0	1922.0	5.1D	470.0			QL=6 ST=2 TYP=3
	8800	SGMR	49 GB	1920.0	1922.0	5.0D	900.0			QL=6 ST=2 TYP=7
	15400	SGMR	49 GB	1920.0	1922.0	5.0	1000.0			QL=6 ST=2 TYP=7
	410	SGMR	49 GB	1920.0	1922.1	5.1D	950.0			QL=6 ST=2 TYP=7
	245	SGMR	49 GB	1920.0	1922.3	5.0D	1100.0			QL=6 ST=2 TYP=7
	1415	SGMR	49 GB	1920.1	1922.1	5.0D	230.0			QL=6 ST=2 TYP=7
	2695	SGMR	49 GB	1920.1	1922.1	5.0D	200.0			QL=6 ST=2 TYP=7
	4995	SGMR	49 GB	1920.1	1922.1	4.9D	500.0			QL=6 ST=2 TYP=7
	1415	PALE	47 GB	2007.8	2008.0	2.2	11.0			QL=6 ST=2 TYP=7
	410	PALE	47 GB	2007.8	2008.8	3.0	38.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	2008.0	2009.0	3.0	57.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	2008.8	2010.0	1.5	59.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	2009.0	2010.1	1.3	23.0			QL=6 ST=2 TYP=5
8800	PALE	47 GB	2009.8	2010.0	.3	31.0			QL=6 ST=2 TYP=5	

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

201
Misc
Jul 80

J U L Y 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
08	4995	PALE	47 GB	2009.8	2010.0	.3	25.0			QL=6 ST=2 TYP=5
	410	PALE	8 S	2013.8	2013.8	.2	170.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	2058.8	2059.0	.7	32.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2157.8	2158.0	.5	40.0			QL=6 ST=3 TYP=3
	8800	PALE	8 S	2157.8	2158.0	.3	36.0			QL=6 ST=3 TYP=3
	2695	PALE	8 S	2157.8	2158.0	.5	27.0			QL=6 ST=3 TYP=3
09	245	SGMR	43 NS	0920.0	1247.6	897.0D	510.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1635.0	0112.5	740.0D	360.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2321.0	0112.5	614.0D	320.0			QL=6 ST=2 TYP=1
	4995	PALE	8 S	0005.3	0005.8	1.0	29.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0005.6	0005.8	.2	11.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0005.6	0005.8	.4	19.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0005.6	0005.8	.4	22.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0110.3	0111.3	3.5	590.0			QL=5 ST=2 TYP=5
	410	LEAR	47 GB	0111.1	0111.5	1.0	580.0			QL=5 ST=2 TYP=5
	245	PALE	47 GB	0111.6	0111.6	.2	760.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0111.6	0111.6	.2	1100.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0214.6	0214.8	.7	4500.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0214.8	0214.8	1.0	4800.0			QL=6 ST=2 TYP=5
	410	LEAR	47 GB	0214.8	0214.8	1.3	2300.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0214.8	0214.8	.5	4200.0			QL=6 ST=2 TYP=5
	606	PALE	8 S	0215.1	0215.1	.4	40.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0658.1	0659.1	1.5	59.0			QL=3 ST=2 TYP=3
	410	LEAR	8 S	0658.1	0659.1	1.5	38.0			QL=3 ST=2 TYP=3
	245	LEAR	8 S	0659.0	0659.3	1.1	73.0			QL=3 ST=2 TYP=3
	245	SGMR	4 S/F	1157.1	1157.3	2.9	27.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1158.1	1159.3	1.7D	16.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1219.1	1221.1	6.2	119.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1220.3	1221.3	6.8D	37.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1220.5	1221.5	3.8D	10.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1220.6	1221.1	3.7D	25.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1220.8	1221.0	6.3D	40.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1220.8	1221.1	6.3D	130.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1221.0	1221.1	4.0D	11.0			QL=6 ST=2 TYP=4
	606	SGMR	4 S/F	1514.1	1516.1	3.9D	310.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1514.1	1516.3	4.4D	280.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1514.3	1516.1	4.0	76.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1514.5	1517.3	6.8D	85.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1514.6	1514.8	7.2D	48.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1514.6	1516.3	6.7	61.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1514.6	1516.3	7.4D	40.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1514.8	1516.3	4.5D	87.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1514.8	1517.1	7.2D	46.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1515.6	1516.3	2.0D	850.0			QL=6 ST=2 TYP=5
	1415	ATHN	4 S/F	1516.0	1517.0	5.8D	34.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2157.1	2157.3	1.4D	11.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	2157.3	2157.3	.3	670.0			QL=6 ST=2 TYP=5
	1415	SGMR	8 S	2157.3	2157.3	1.2D	20.0			QL=6 ST=2 TYP=3
410	SGMR	8 S	2157.3	2157.5	1.2	340.0			QL=6 ST=2 TYP=3	
606	SGMR	8 S	2203.5	2204.6	1.5D	8.0			QL=6 ST=2 TYP=3	
1415	SGMR	8 S	2203.5	2204.6	1.5D	33.0			QL=6 ST=2 TYP=3	
4995	SGMR	8 S	2204.3	2204.5	1.0D	45.0			QL=6 ST=2 TYP=3	
2695	SGMR	8 S	2204.3	2204.6	1.0D	45.0			QL=6 ST=2 TYP=3	
15400	SGMR	8 S	2204.3	2204.6	1.2	74.0			QL=6 ST=2 TYP=3	
2695	PALE	8 S	2204.3	2204.6	.5	50.0			QL=6 ST=2 TYP=3	
4995	PALE	8 S	2204.3	2204.6	.5	60.0			QL=6 ST=2 TYP=3	
1415	PALE	8 S	2204.3	2204.6	.5	23.0			QL=6 ST=2 TYP=3	
15400	PALE	8 S	2204.3	2204.6	.5	100.0			QL=6 ST=2 TYP=3	
8800	SGMR	8 S	2204.3	2204.6	1.3D	100.0			QL=6 ST=2 TYP=3	
8800	PALE	8 S	2204.3	2204.6	.5	90.0			QL=6 ST=2 TYP=3	
10	245	SGMR	43 NS	0920.0	2156.5	897.0D	350.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1330.0	1957.1	647.0D	50.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1640.0	1822.8	735.0D	130.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2321.0	0624.1	616.0D	220.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0241.3	0242.1	1.8	119.0			QL=6 ST=2 TYP=3
	606	PALE	47 GB	0241.6	0242.1	.7	119.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0241.6	0242.1	1.2D	31.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	0246.8	0247.3	1.5	36.0			QL=6 ST=2 TYP=3

202
Misc
Jul 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
10	410	PALE	8 S	0355.8	0356.5	1.2	46.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0501.1	0502.6	1.7D	96.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0501.3	0502.6	1.3	210.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0618.1	0618.3	1.0	290.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0618.1	0618.5	1.0	19.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0618.1	0618.6	.7	46.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0618.1	0618.6	1.0	390.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0618.6	0618.8	.5	150.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1103.1	1103.5	5.0	310.0			QL=5 ST=2 TYP=3
	245	SGMR	47 GB	1103.1	1103.6	3.7	6500.0			QL=6 ST=2 TYP=5
	1415	ATHN	4 S/F	1103.3	1103.6	4.0D	15.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1103.3	1103.6	4.8D	47.0			QL=5 ST=2 TYP=3
	606	SGMR	8 S	1301.8	1302.1	1.3D	37.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1301.8	1302.1	1.3D	74.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1302.0	1302.3	1.1	68.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1302.0	1303.0	1.1D	44.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1426.0	1426.1	.3	27.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1426.0	1426.1	.6D	100.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1426.0	1426.3	1.5D	1500.0			QL=6 ST=2 TYP=5
	11	245	SGMR	43 NS	0921.0	1853.0	895.0D	79.0		
245		PALE	43 NS	1634.0	0212.8	741.0D	73.0			QL=6 ST=2 TYP=1
410		PALE	43 NS	1741.0	1859.0	93.0	13.0			QL=6 ST=2 TYP=1
410		SGMR	43 NS	1822.8	1913.1	353.2D	37.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2321.0	0224.6	616.0D	72.0			QL=6 ST=2 TYP=1
245		LEAR	47 GB	0619.6	0620.3	1.4	600.0			QL=6 ST=2 TYP=5
8800		ATHN	4 S/F	1051.8	1053.3	2.5	50.0			QL=5 ST=2 TYP=3
2695		ATHN	4 S/F	1052.1	1053.3	3.2D	19.0			QL=5 ST=2 TYP=3
1415		ATHN	4 S/F	1053.0	1053.5	2.1D	11.0			QL=5 ST=2 TYP=3
4995		SGMR	4 S/F	1250.3	1250.8	7.7D	13.0			QL=6 ST=2 TYP=3
2695		SGMR	4 S/F	1250.6	1250.8	6.4D	9.0			QL=6 ST=2 TYP=3
8800		SGMR	4 S/F	1250.8	1255.8	6.2D	16.0			QL=6 ST=2 TYP=3
606		SGMR	8 S	1252.8	1253.0	.7	5.0			QL=6 ST=2 TYP=4
1415		ATHN	4 S/F	1513.1	1513.8	2.5D	8.0			QL=5 ST=2 TYP=3
2695		SGMR	8 S	1513.3	1513.6	1.3D	20.0			QL=6 ST=3 TYP=3
4995		SGMR	8 S	1513.3	1513.6	2.0D	20.0			QL=6 ST=3 TYP=3
245		SGMR	8 S	1513.3	1513.8	.7D	32.0			QL=6 ST=3 TYP=3
2695		ATHN	4 S/F	1513.3	1513.8	2.8	46.0			QL=5 ST=2 TYP=3
8800		ATHN	4 S/F	1513.5	1513.8	2.3	23.0			QL=2 ST=2 TYP=3
410		SGMR	8 S	1513.6	1513.8	.5D	11.0			QL=6 ST=3 TYP=3
8800		SGMR	8 S	1513.6	1513.8	.9	9.0			QL=6 ST=3 TYP=3
2695		SGMR	4 S/F	1641.1	1641.5	4.0D	16.0			QL=6 ST=2 TYP=3
4995		SGMR	4 S/F	1641.5	1643.5	4.3D	24.0			QL=6 ST=2 TYP=3
8800		SGMR	4 S/F	1641.8	1643.6	4.0	26.0			QL=6 ST=2 TYP=3
245		PALE	4 S/F	1839.8	1842.1	3.8	95.0			QL=6 ST=2 TYP=3
8800		SGMR	4 S/F	1850.5	1858.3	14.3D	270.0			QL=6 ST=2 TYP=3
4995		SGMR	4 S/F	1850.6	1858.6	13.5D	190.0			QL=6 ST=2 TYP=3
2695		SGMR	4 S/F	1851.1	1858.6	11.9D	100.0			QL=6 ST=2 TYP=3
15400		SGMR	4 S/F	1852.1	1858.3	9.5	200.0			QL=6 ST=2 TYP=3
1415		SGMR	4 S/F	1856.5	1857.8	5.6D	160.0			QL=6 ST=2 TYP=3
245		SGMR	4 S/F	1857.6	1859.1	3.7D	35.0			QL=6 ST=2 TYP=3
410		SGMR	4 S/F	1857.8	1900.8	4.5D	190.0			QL=6 ST=2 TYP=3
8800		SGMR	4 S/F	2208.0	2216.1	12.0D	480.0			QL=6 ST=2 TYP=3
2695		SGMR	4 S/F	2208.3	2216.1	11.7D	100.0			QL=6 ST=2 TYP=3
4995		SGMR	4 S/F	2208.5	2216.1	11.5D	200.0			QL=6 ST=2 TYP=3
4995		PALE	47 GB	2211.3	2211.8	.8	23.0			QL=6 ST=2 TYP=5
8800		PALE	47 GB	2211.3	2212.0	.8	31.0			QL=6 ST=2 TYP=5
606		SGMR	47 GB	2211.3	2216.3	6.5D	17000.0			QL=6 ST=2 TYP=5
2695		PALE	47 GB	2211.8	2211.8	.3	22.0			QL=6 ST=2 TYP=5
15400		PALE	47 GB	2211.8	2212.0	.2	18.0			QL=6 ST=2 TYP=5
245	PALE	47 GB	2214.1	2216.1	2.5	1100.0			QL=6 ST=2 TYP=5	
410	PALE	4 S/F	2214.1	2216.1	2.5	300.0			QL=6 ST=2 TYP=5	
15400	SGMR	4 S/F	2215.5	2216.3	2.1	390.0			QL=6 ST=2 TYP=3	
4995	PALE	47 GB	2215.8	2216.3	2.2	260.0			QL=6 ST=2 TYP=5	
8800	PALE	47 GB	2215.8	2216.3	6.0	530.0			QL=6 ST=2 TYP=5	
2695	PALE	47 GB	2215.8	2216.3	2.3	160.0			QL=6 ST=2 TYP=5	
15400	PALE	47 GB	2215.8	2216.3	1436.2	490.0			QL=6 ST=2 TYP=5	
1415	SGMR	4 S/F	2215.8	2216.5	3.0D	62.0			QL=6 ST=2 TYP=3	
606	PALE	47 GB	2216.0	2216.1	.8	27000.0			QL=6 ST=2 TYP=5	
1415	PALE	8 S	2216.0	2216.3	1.6	57.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

203
Misc
Jul 80

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
12	245	SGMR	43 NS	0923.0	1741.8	892.0D	31.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2342.0	0550.6	595.0D	100.0			QL=6 ST=2 TYP=1
	8800	ATHN	4 S/F	1109.3	1110.1	16.8	67.0			QL=5 ST=2 TYP=3
	15400	SGMR	4 S/F	1109.6	1110.0	3.4	33.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1109.6	1110.1	3.4D	42.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1109.8	1110.3	3.2D	65.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1341.3	1343.1	4.5	74.0			QL=5 ST=2 TYP=3
	8800	SGMR	8 S	1342.3	1343.1	.8D	52.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1342.8	1343.1	1.3D	25.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1342.8	1343.1	.3D	30.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1342.8	1343.1	4.5D	26.0			QL=5 ST=2 TYP=3
	15400	SGMR	8 S	1342.8	1343.1	1.0D	70.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1343.0	1343.1	.3	65.0			QL=6 ST=2 TYP=3
	8800	SGMR	47 GB	1541.0	1541.6	9.0D	660.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1541.0	1541.8	9.0D	350.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1541.0	1541.8	9.0	100.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1542.1	1543.5	7.5	920.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1735.0	1736.3	4.5D	82.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1735.1	1736.1	3.4	170.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1735.3	1736.3	1.8	220.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	1735.5	1736.3	1.3	85.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1735.5	1736.3	3.6D	119.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	1735.8	1736.3	1.3	70.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	1735.8	1736.5	1.5	39.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1736.1	1736.6	2.7D	43.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1821.3	1824.0	5.0D	26.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1821.5	1824.1	3.8D	19.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1821.6	1823.0	4.2D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1821.8	1824.1	4.7	23.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1822.0	1822.3	.6D	100.0			QL=6 ST=2 TYP=3
15400	PALE	8 S	2043.0	2043.8	1.1	5.0			QL=6 ST=2 TYP=3	
8800	SGMR	8 S	2043.1	2043.8	1.0D	27.0			QL=6 ST=2 TYP=3	
8800	PALE	8 S	2043.3	2043.8	.8	30.0			QL=6 ST=2 TYP=3	
15400	SGMR	8 S	2043.8	2043.8	.3D	45.0			QL=6 ST=2 TYP=3	
4995	SGMR	8 S	2043.8	2043.8	.3	9.0			QL=6 ST=2 TYP=3	
13	15400	LEAR	8 S	0113.8	0114.1	1.0	110.0			QL=6 ST=2 TYP=3
	8800	PALE	47 GB	0113.8	0114.3	1.0	100.0			QL=6 ST=2 TYP=5
	8800	LEAR	8 S	0113.8	0114.3	1.2	91.0			QL=6 ST=2 TYP=3
	15400	PALE	47 GB	0114.0	0114.3	.5	130.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	0114.1	0114.3	.4	22.0			QL=6 ST=2 TYP=5
	2695	LEAR	8 S	0114.1	0114.3	.2	22.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0114.1	0114.3	.2	33.0			QL=6 ST=2 TYP=3
	4995	PALE	47 GB	0114.1	0114.3	.2	33.0			QL=6 ST=2 TYP=5
	2695	LEAR	4 S/F	0604.1	0605.8	2.7	40.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0604.8	0605.8	1.3	23.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0604.8	0605.8	1.3	34.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0605.6	0605.6	.2	23.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0605.6	0605.8	.2	86.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0605.8	0605.8	.3	16.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1712.5	1719.6	15.0D	44.0			QL=5 ST=2 TYP=4
	2695	SGMR	8 S	1717.1	1718.1	2.0	40.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1717.3	1717.8	1.8D	100.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1717.3	1718.0	2.7D	84.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1717.3	1718.1	2.3D	150.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1717.6	1717.8	1.9	119.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	1717.6	1718.0	5.2	170.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	1717.6	1718.1	1.9	81.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1717.8	1718.1	9.3	150.0			QL=5 ST=2 TYP=3
	2695	PALE	8 S	1717.8	1718.1	1.3	40.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1717.8	1725.0	11.2D	41.0			QL=5 ST=2 TYP=4
	4995	SGMR	4 S/F	1759.8	1800.8	2.2D	13.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1800.0	1801.0	2.1	20.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1917.0	1917.3	1.8D	54.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1917.1	1917.3	4.9	69.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1917.8	1918.1	1.3D	23.0			QL=6 ST=2 TYP=3
2695	SGMR	8 S	1917.8	1918.1	2.0D	69.0			QL=6 ST=2 TYP=3	
8800	PALE	47 GB	2157.3	2159.1	3.3	41.0			QL=6 ST=2 TYP=5	
15400	PALE	47 GB	2158.8	2159.1	1.3	32.0			QL=6 ST=2 TYP=5	
14	245	LEAR	43 NS	0014.0	0313.8	563.0D	39.0			QL=6 ST=2 TYP=1

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
14	245	SGMR	43 NS	0923.0	1332.8			86.0		
	8800	LEAR	8 S	0042.3	0042.8	1.8		40.0		QL=6 ST=3 TYP=1
	15400	LEAR	8 S	0042.5	0042.8	1.6		29.0		QL=6 ST=2 TYP=3
	8800	PALE	47 GB	0042.6	0042.8	.4		29.0		QL=6 ST=2 TYP=5
	15400	PALE	47 GB	0042.6	0042.8	.5		33.0		QL=6 ST=2 TYP=5
	4995	LEAR	4 S/F	0746.1	0748.6	3.0		17.0		QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0746.1	0750.6	9.4		25.0		QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0746.3	0751.8	7.7		27.0		QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0823.0	0825.3	13.1		430.0		QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0823.3	0825.3	8.7		260.0		QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0823.8	0826.0	12.3D		61.0		QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0824.0	0825.3	5.3		119.0		QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0824.1	0825.5	6.7D		94.0		QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0824.6	0825.8	6.7		150.0		QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0824.6	0826.0	1.7		67.0		QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0825.0	0825.3	1.3		130.0		QL=6 ST=2 TYP=3
	606	LEAR	8 S	0825.0	0825.8	.8		39.0		QL=6 ST=2 TYP=3
245	PALE	47 GB	2308.6	2309.1	.7		1300.0		QL=6 ST=2 TYP=5	
15	245	SGMR	44 NS	0924.0E	1051.1	87.1D		75.0		QL=6 ST=3 TYP=1
	245	PALE	43 NS	1642.0	2157.1	733.0D		200.0		QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2320.0	0445.8	619.0D		29.0		QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2320.0	0500.1	619.0D		94.0		QL=6 ST=2 TYP=1
	606	LEAR	43 NS	2320.0	0634.1	619.0D		43.0		QL=6 ST=2 TYP=1
	8800	LEAR	4 S/F	0844.8	0845.3	2.7		23.0		QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0844.8	0845.3	1.5		18.0		QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0844.8	0845.3	2.5		16.0		QL=6 ST=2 TYP=3
	606	LEAR	8 S	0845.0	0845.3	1.0		91.0		QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0845.1	0845.3	.4		27.0		QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0855.0	0855.1	.1		23.0		QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0855.1	0855.1	.2		19.0		QL=6 ST=2 TYP=3
	245	LEAR	8 S	0855.1	0855.1	.2		82.0		QL=6 ST=2 TYP=3
	410	SGMR	8 S	0953.0	0953.1	.3		60.0		QL=6 ST=2 TYP=3
	606	SGMR	8 S	0953.1	0953.1	.4		170.0		QL=6 ST=2 TYP=3
	245	SGMR	8 S	1106.5	1107.0	1.6		36.0		QL=4 ST=2 TYP=3
	410	SGMR	8 S	1106.8	1107.1	1.2D		139.0		QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1456.3	1456.6	.8D		2300.0		QL=6 ST=2 TYP=3
	606	SGMR	8 S	1457.3	1457.5	.3		18.0		QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1612.1	1612.1	.2		37.0		QL=6 ST=2 TYP=3
	606	SGMR	8 S	1612.3	1612.5	.3D		48.0		QL=6 ST=2 TYP=3
	606	SGMR	8 S	1615.1	1615.3	.5D		60.0		QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1615.1	1615.3	.5		46.0		QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1825.1	1826.1	3.9D		37.0		QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1825.1	1827.0	6.4D		119.0		QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1825.5	1826.1	4.8D		130.0		QL=6 ST=2 TYP=3
	4995	PALE	47 GB	1826.5	1828.0	2.5		100.0		L=6 ST=2 TYP=5
	8800	PALE	47 GB	1826.6	1827.1	1.9		100.0		QL=6 ST=2 TYP=5
	2695	PALE	47 GB	1826.8	1827.1	1.7		48.0		QL=6 ST=2 TYP=5
15400	SGMR	4 S/F	1827.0	1828.1	2.5		35.0		QL=6 ST=2 TYP=3	
15400	PALE	47 GB	1827.1	1828.0	1.2		37.0		QL=6 ST=2 TYP=3	
4995	PALE	4 S/F	2247.1	2247.8	2.2		22.0		QL=6 ST=2 TYP=5	
4995	SGMR	8 S	2247.1	2248.0	1.7D		34.0		QL=6 ST=2 TYP=3	
8800	PALE	8 S	2247.1	2248.0	1.7		21.0		QL=4 ST=2 TYP=3	
8800	SGMR	8 S	2247.1	2248.0	1.2		20.0		QL=6 ST=2 TYP=3	
2695	SGMR	8 S	2247.5	2248.0	.6D		16.0		QL=4 ST=2 TYP=3	
16	410	SGMR	43 NS	0925.0	1313.3	888.0D		36.0		QL=6 ST=2 TYP=1
	606	SGMR	43 NS	0925.0	1337.5	888.0D		67.0		QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0925.0	2009.8	888.0D		290.0		QL=6 ST=2 TYP=1
	245	PALE	43 NS	1730.3	2209.3	680.7D		110.0		QL=6 ST=2 TYP=1
	410	PALE	43 NS	1850.8	1851.6	1.3		40.0		QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2320.0	0445.8	619.0D		29.0		QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2320.0	0500.1	619.0D		94.0		QL=6 ST=2 TYP=1
	606	LEAR	43 NS	2320.0	0634.1	619.0D		43.0		QL=6 ST=2 TYP=1
	8800	PALE	8 S	0204.6	0204.8	1.0		80.0		QL=6 ST=2 TYP=1
	410	PALE	8 S	0341.8	0342.0	.3		22.0		QL=1 ST=2 TYP=3
	410	LEAR	8 S	0341.8	0342.0	.3		22.0		QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1422.3	1423.5	2.3D		8.0		QL=6 ST=2 TYP=3
	410	SGMR	8 S	1422.5	1422.8	.5D		56.0		QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1422.8	1423.5	1.8		16.0		QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

205
Misc
Jul 80

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density (10 ⁻²² W/m ² Hz)		Int	Remarks
							Peak	Mean		
16	606	SGMR	4 S/F	1505.8	1511.1	6.5D	250.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1505.8	1511.1	10.8D	250.0			QL=6 ST=2 TYP=5
	4995	SGMR	4 S/F	1510.1	1510.8	3.7D	21.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1510.3	1511.0	2.0D	59.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1510.5	1511.0	2.3D	21.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1510.6	1510.8	1.7	24.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2029.1	2030.8	3.5D	20.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2029.8	2031.6	1.8D	119.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2030.0	2031.0	5.6	110.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2030.0	2032.1	2.1D	17.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2030.1	2031.1	1.9D	11.0			QL=6 ST=2 TYP=4
	1415	PALE	4 S/F	2030.3	2030.8	2.3	119.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	2030.3	2030.8	1.8D	97.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2030.3	2031.1	1.7	18.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	2030.5	2032.6	2.1D	16.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2339.6	2339.6	.2	38.0			QL=6 ST=2 TYP=3
17	245	SGMR	43 NS	0926.0	1355.1	886.0D	380.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0926.0	1933.8	886.0D	38.0			QL=6 ST=2 TYP=1
	245	LEAR	47 GB	0539.6	0559.1	32.4	1199.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0541.3	0559.0	51.7	330.0			QL=6 ST=2 TYP=4
	606	LEAR	4 S/F	0542.0	0601.0	49.0	200.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	0545.3	0549.5	6.2D	45.0			QL=2 ST=2 TYP=3
	2695	LEAR	47 GB	0545.8	0559.1	47.2	300.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0546.0	0605.5	47.0	440.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0546.1	0549.6	6.5	55.0			QL=2 ST=2 TYP=3
	2695	ATHN	4 S/F	0548.1	0549.3	2.4D	44.0			QL=2 ST=2 TYP=3
	2695	ATHN	4 S/F	0554.5	0559.5	29.1D	290.0			QL=2 ST=2 TYP=3
	8800	ATHN	4 S/F	0555.5	0559.3	35.5	180.0			QL=2 ST=2 TYP=3
	1415	ATHN	4 S/F	0555.6	0605.6	24.5D	440.0			QL=2 ST=2 TYP=3
	8800	LEAR	4 S/F	0557.0	0605.1	33.0	67.0			QL=6 ST=3 TYP=4
	4995	LEAR	4 S/F	0557.0	0605.8	33.0	79.0			QL=6 ST=2 TYP=4
	15400	LEAR	4 S/F	0601.0	0621.0	29.5	42.0			QL=6 ST=2 TYP=4
	245	LEAR	47 GB	0650.1	0651.1	5.9	1000.0			QL=6 ST=3 TYP=5
	606	LEAR	8 S	0650.6	0651.1	.7	72.0			QL=6 ST=3 TYP=3
	245	PALE	47 GB	1751.1	1751.5	.5	39.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1751.3	1752.0	.8	29.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	1754.0	1754.3	.6	230.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1754.0	1754.3	.6	62.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	1754.0	1754.3	.6	34.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	1754.1	1754.3	.5D	47.0			QL=6 ST=2 TYP=3
606	SGMR	8 S	1754.1	1754.3	.2	25.0			QL=6 ST=2 TYP=3	
245	SGMR	8 S	1754.1	1754.3	.7D	220.0			QL=6 ST=2 TYP=3	
8800	SGMR	8 S	1931.0	1931.1	.3	110.0			QL=6 ST=2 TYP=3	
18	245	SGMR	43 NS	0927.0	1336.8	885.0D	510.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	0927.0	1956.1	885.0D	210.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1640.0	0158.8	738.0D	920.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1640.0	2032.8	738.0D	150.0			QL=6 ST=2 TYP=1
	606	LEAR	43 NS	2319.0	0421.6	621.0D	69.0			QL=6 ST=3 TYP=1
	410	LEAR	43 NS	2319.0	0524.6	621.0D	200.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2319.0	0547.8	621.0D	1100.0			QL=6 ST=3 TYP=1
	606	LEAR	8 S	0454.6	0455.1	1.0	38.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0454.8	0455.0	.7	320.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0454.8	0455.3	2.3	94.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0655.3	0655.5	.3	20.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0655.3	0655.5	.3	20.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	1946.0	1946.1	.1D	510.0			QL=6 ST=3 TYP=5
	245	PALE	8 S	1947.1	1947.1	.1D	82.0			QL=6 ST=3 TYP=3
	606	SGMR	4 S/F	2022.0	2029.8	15.6D	68.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2023.3	2028.1	14.2D	240.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2023.6	2028.0	13.5	380.0			QL=6 ST=2 TYP=3
245	SGMR	47 GB	2301.5	2303.3	3.0	940.0			QL=6 ST=2 TYP=5	
245	PALE	47 GB	2302.6	2302.8	.5	840.0			QL=6 ST=2 TYP=5	
19	410	SGMR	43 NS	0928.0	1025.3	883.0D	380.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	0928.0	1655.8	883.0D	37.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0928.0	1905.8	883.0D	580.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1640.0	1700.5	730.0D	660.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1640.0	1901.1	730.0D	400.0			QL=6 ST=2 TYP=1

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1980

Day	Freq Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
						Peak (10 ⁻²² W/m ² Hz)	Mean (10 ⁻²² W/m ² Hz)		
19	606 PALE	43 NS	1640.0	1904.1	730.00	45.0			QL=6 ST=2 TYP=1
	4995 LEAR	8 S	0007.3	0007.6	.7	30.0			QL=6 ST=2 TYP=3
	8800 LEAR	8 S	0007.6	0007.6	.2	19.0			QL=6 ST=2 TYP=3
	245 LEAR	47 GB	0157.8	0158.8	3.3	710.0			QL=6 ST=2 TYP=5
	245 LEAR	47 GB	0216.3	0216.6	10.2	660.0			QL=6 ST=2 TYP=5
	410 LEAR	4 S/F	0217.8	0218.0	2.5	53.0			QL=6 ST=2 TYP=3
	606 LEAR	4 S/F	0218.1	0218.3	3.2	24.0			QL=6 ST=2 TYP=3
	410 SGMR	4 S/F	1321.0	1321.3	3.80	93.0			QL=6 ST=2 TYP=3
	606 SGMR	4 S/F	1321.0	1323.0	2.30	40.0			QL=6 ST=2 TYP=3
	245 SGMR	47 GB	1321.1	1321.5	2.90	170.0			QL=6 ST=2 TYP=5
	1415 SGMR	8 S	1321.1	1321.6	1.7	11.0			QL=6 ST=2 TYP=3
	245 SGMR	47 GB	1529.8	1530.3	2.8	1800.0			QL=6 ST=3 TYP=5
	2695 SGMR	4 S/F	1709.5	1710.8	2.6	13.0			QL=6 ST=2 TYP=3
	2695 SGMR	8 S	2103.3	2103.8	1.0	16.0			QL=6 ST=2 TYP=3
	606 SGMR	47 GB	2103.8	2106.5	4.50	33.0			QL=6 ST=2 TYP=5
1415 SGMR	8 S	2104.0	2104.1	.30	8.0			QL=6 ST=2 TYP=3	
20	245 SGMR	43 NS	0929.0	1509.6	881.00	770.0			QL=6 ST=2 TYP=1
	410 SGMR	43 NS	0929.0	1509.6	881.00	770.0			QL=6 ST=2 TYP=1
	410 LEAR	43 NS	2318.0	0021.6	623.00	139.0			QL=6 ST=2 TYP=1
	245 LEAR	43 NS	2318.0	0021.6	623.00	330.0			QL=6 ST=2 TYP=1
	606 LEAR	8 S	0608.0	0608.3	.3	23.0			QL=6 ST=3 TYP=3
	410 LEAR	8 S	0756.0	0756.1	.3	85.0			QL=6 ST=2 TYP=3
	245 LEAR	8 S	0756.1	0756.1	.5	110.0			QL=6 ST=2 TYP=3
	2695 ATHN	4 S/F	0817.0	0818.3	7.80	24.0			QL=5 ST=2 TYP=3
	1415 ATHN	4 S/F	0817.0	0818.5	8.60	25.0			QL=5 ST=2 TYP=3
	8800 ATHN	4 S/F	0817.1	0818.3	4.9	36.0			QL=5 ST=2 TYP=3
	8800 LEAR	8 S	0817.6	0818.1	1.0	35.0			QL=6 ST=2 TYP=3
	1415 LEAR	8 S	0817.6	0818.3	1.4	30.0			QL=6 ST=2 TYP=3
	4995 LEAR	8 S	0817.8	0818.1	.5	27.0			QL=6 ST=2 TYP=3
	2695 LEAR	8 S	0817.8	0818.1	.5	32.0			QL=6 ST=2 TYP=3
	4995 SGMR	4 S/F	1217.5	1218.8	4.5	10.0			QL=6 ST=3 TYP=3
	2695 SGMR	4 S/F	1217.6	1219.6	3.50	11.0			QL=6 ST=3 TYP=3
	245 SGMR	4 S/F	1217.8	1218.5	3.00	430.0			QL=6 ST=3 TYP=3
	410 SGMR	4 S/F	1217.8	1220.1	3.00	49.0			QL=6 ST=3 TYP=3
	1415 SGMR	4 S/F	1219.0	1219.1	5.10	34.0			QL=6 ST=3 TYP=3
	2695 ATHN	4 S/F	1219.0	1219.8	4.1	8.0			QL=6 ST=2 TYP=4
	1415 ATHN	4 S/F	1219.1	1219.3	3.20	25.0			QL=6 ST=2 TYP=4
	606 SGMR	4 S/F	1219.1	1219.8	65.00	9.0			QL=6 ST=3 TYP=3
	4995 SGMR	4 S/F	1922.6	1925.1	4.70	139.0			QL=6 ST=3 TYP=3
	2695 SGMR	4 S/F	1922.8	1925.1	3.50	83.0			QL=6 ST=3 TYP=3
	606 SGMR	4 S/F	1923.8	1925.3	4.80	33.0			QL=6 ST=3 TYP=3
	1415 SGMR	4 S/F	1924.1	1925.1	3.00	53.0			QL=6 ST=3 TYP=3
	8800 SGMR	4 S/F	1924.1	1925.1	2.5	119.0			QL=6 ST=3 TYP=3
	2695 PALE	47 GB	1924.3	1925.1	1.7	78.0			QL=6 ST=2 TYP=5
	410 PALE	47 GB	1924.6	1925.0	.7	170.0			QL=6 ST=2 TYP=5
	4995 PALE	47 GB	1924.6	1925.1	1.0	110.0			QL=6 ST=2 TYP=5
410 SGMR	8 S	1924.6	1925.1	1.00	95.0			QL=6 ST=3 TYP=3	
1415 PALE	47 GB	1924.6	1925.3	1.5	50.0			QL=6 ST=2 TYP=5	
8800 PALE	47 GB	1925.0	1925.1	.3	65.0			QL=6 ST=2 TYP=5	
15400 PALE	47 GB	1925.1	1925.1	.5	32.0			QL=6 ST=2 TYP=5	
245 PALE	47 GB	2237.3	2237.5	.5	940.0			QL=6 ST=2 TYP=5	
8800 SGMR	4 S/F	2254.1	2256.0	6.20	24.0			QL=6 ST=2 TYP=3	
410 SGMR	4 S/F	2254.1	2257.8	5.40	29.0			QL=6 ST=2 TYP=3	
245 SGMR	4 S/F	2254.3	2254.6	3.7	260.0			QL=6 ST=2 TYP=3	
1415 SGMR	4 S/F	2255.3	2257.1	3.20	45.0			QL=6 ST=2 TYP=3	
606 SGMR	4 S/F	2255.3	2257.1	3.00	47.0			QL=6 ST=2 TYP=3	
21	410 SGMR	43 NS	0929.0	1022.3	880.00	33.0			QL=6 ST=2 TYP=1
	245 SGMR	43 NS	0929.0	2236.3	880.00	400.0			QL=6 ST=2 TYP=1
	245 PALE	43 NS	1640.0	0109.1	735.00	360.0			QL=6 ST=2 TYP=1
	410 PALE	43 NS	1640.0	1920.0	735.00	55.0			QL=6 ST=2 TYP=1
	245 PALE	8 S	0018.1	0018.6	.7	80.0			QL=5 ST=2 TYP=3
	410 PALE	8 S	0018.3	0018.6	.5	40.0			QL=5 ST=2 TYP=3
	606 PALE	8 S	0018.3	0018.6	.5	75.0			QL=5 ST=2 TYP=3
	245 LEAR	47 GB	0123.1	0125.1	6.5	87.0			QL=6 ST=2 TYP=5
	245 LEAR	4 S/F	0253.6	0255.3	7.5	480.0			QL=6 ST=2 TYP=3
	4995 LEAR	47 GB	0253.6	0256.1	7.5	260.0			QL=6 ST=2 TYP=5
	4995 PALE	4 S/F	0253.6	0256.1	4.0	270.0			QL=6 ST=2 TYP=3
	410 LEAR	47 GB	0253.8	0253.8	7.3	300.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

207
Misc
Jul 80

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
21	410	PALE	4 S/F	0253.8	0254.1	3.5	160.0			QL=6 ST=2 TYP=3
	2695	LEAR	47 GB	0253.8	0256.1	7.3	170.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0253.8	0256.1	7.3	970.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	0253.8	0256.1	4.0	960.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	0254.5	0256.1	2.8	180.0			QL=6 ST=2 TYP=3
	8800	MANI	47 GB	0254.5	0256.3	3.6	320.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0254.6	0256.3	6.5	1100.0			QL=6 ST=2 TYP=5
	245	PALE	8 S	0255.0	0255.1	2.0	590.0			QL=6 ST=2 TYP=3
	15400	PALE	47 GB	0255.0	0256.3	2.8	1199.0			QL=6 ST=2 TYP=5
	1415	LEAR	47 GB	0255.1	0256.3	6.0	300.0			QL=6 ST=2 TYP=5
	1415	PALE	8 S	0255.1	0256.3	1.9	70.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0255.3	0256.3	5.8	94.0			QL=6 ST=2 TYP=5
	606	PALE	8 S	0255.8	0256.3	1.3	88.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0328.3	0328.3	.5	43.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0328.3	0328.5	.3	85.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0328.3	0328.5	.3	13.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0656.3	0656.6	.5	250.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0656.5	0656.6	.5	34.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1042.6	1044.1	3.2	270.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1043.8	1044.6	1.3D	17.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1248.6	1249.1	1.2D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1248.8	1249.1	1.0	13.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1248.8	1249.1	.5D	4.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1250.8	1251.1	2.5	720.0			QL=6 ST=2 TYP=5
	606	SGMR	8 S	1434.6	1435.0	.5D	31.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1434.8	1435.1	1.2	45.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1515.1	1517.3	4.2D	10.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1515.5	1517.3	3.6	18.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1515.6	1515.8	2.9D	39.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1916.5	1920.1	5.8D	55.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1918.0	1920.8	3.6	16.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1918.1	1921.0	4.0D	54.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1919.0	1921.0	5.5D	67.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1919.1	1920.8	5.4D	40.0			QL=6 ST=2 TYP=3
606	SGMR	8 S	1919.6	1920.0	1.0D	43.0			QL=6 ST=2 TYP=3	
8800	SGMR	4 S/F	1919.6	1921.3	3.5D	85.0			QL=6 ST=2 TYP=3	
4995	PALE	47 GB	1920.5	1921.0	2.1	57.0			QL=6 ST=2 TYP=5	
2695	PALE	47 GB	1920.5	1921.0	2.0	31.0			QL=6 ST=2 TYP=5	
8800	PALE	47 GB	1920.5	1921.1	2.0	50.0			QL=6 ST=2 TYP=5	
15400	PALE	47 GB	1920.8	1921.0	.2	23.0			QL=6 ST=2 TYP=5	
245	PALE	47 GB	2236.1	2236.3	.9	900.0			QL=5 ST=2 TYP=5	
22	410	SGMR	43 NS	0930.0	1407.0	878.0D	48.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0930.0	1707.3	878.0D	510.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1637.0	0707.3	732.0D	830.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1637.0	1654.6	146.0	35.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2319.0	0346.8	623.0D	220.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0109.0	0109.3	.8	580.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	0113.1	0114.8	3.7	900.0			QL=6 ST=2 TYP=5
	4995	MANI	4 S/F	0116.0	0118.3	3.8D	55.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0116.5	0118.3	3.1D	24.0			QL=6 ST=2 TYP=4
	8800	MANI	4 S/F	0117.0	0117.6	2.6	77.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	0353.3	0353.6	.5	950.0			QL=6 ST=2 TYP=5
	4995	LEAR	8 S	0402.8	0403.5	1.7	44.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0403.0	0403.5	1.3	27.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0403.3	0403.5	.2	13.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1337.0	1338.3	2.3D	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1337.0	1338.5	4.8D	74.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1337.0	1338.6	6.1D	32.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1337.1	1338.6	4.9D	55.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1337.3	1338.5	4.8	100.0			QL=5 ST=2 TYP=3
	2695	ATHN	4 S/F	1337.3	1338.6	4.3D	33.0			QL=5 ST=2 TYP=3
	15400	SGMR	8 S	1337.8	1338.3	1.8	54.0			QL=6 ST=2 TYP=3
23	410	LEAR	43 NS	0228.6	0929.5	433.4D	38.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2318.0	0232.8	624.0D	340.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2318.0	0702.3	624.0D	110.0			QL=6 ST=2 TYP=1
	8800	MANI	47 GB	0053.5	0056.8	34.5	1100.0			QL=6 ST=2 TYP=5
	606	PALE	49 GB	0053.8	0056.3		220.0			QL=6 ST=3 TYP=7
	2695	PALE	49 GB	0053.8	0056.5		660.0			QL=6 ST=3 TYP=7

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

JULY 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Flux Density Mean	Int	Remarks
23	4995	PALE	49 GB	0054.3	0056.8		1199.0			QL=6 ST=3 TYP=7
	8800	PALE	49 GB	0054.8	0056.8		1300.0			QL=6 ST=3 TYP=7
	15400	PALE	49 GB	0055.1	0056.8		670.0			QL=6 ST=3 TYP=7
	1415	PALE	49 GB	0056.5	0056.6		2200.0			QL=6 ST=3 TYP=7
	410	PALE	49 GB	0056.6	0056.8		1600.0			QL=6 ST=3 TYP=7
	245	PALE	49 GB	0105.5	0105.8	.6	310.0			QL=6 ST=2 TYP=7
	4995	SGMR	4 S/F	1659.0	1701.1	4.3D	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1700.3	1701.3	3.0	26.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2013.6	2014.1	.7	45.0			QL=5 ST=2 TYP=3
	410	PALE	8 S	2307.8	2308.1	.3	35.0			QL=6 ST=2 TYP=3
24	245	PALE	43 NS	0232.3	0232.8	136.7	370.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	0932.0	1511.5	875.0D	260.0			QL=6 ST=2 TYP=1
	8800	LEAR	8 S	0303.3	0303.5	.3	25.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0303.3	0303.6	.3	18.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0648.6	0648.8	.5	1300.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0648.6	0648.8	.5	22.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0648.6	0648.8	.5	16.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0908.8	0909.1	.3	21.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0908.8	0909.1	3.3	61.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0908.8	0909.1	1.0	82.0			QL=6 ST=2 TYP=3
25	245	SGMR	43 NS	1501.1	1524.6	544.9D	270.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0004.3	0004.6	.8	66.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2151.3	2151.5	1.7	13.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2151.3	2151.6	1.5	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	2242.0	2242.1	1.0	90.0			QL=4 ST=2 TYP=3
26	245	LEAR	43 NS	0017.0	0823.3	566.0D	130.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	0311.0	0636.0	392.0D	92.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0859.5	0859.6	.3	330.0			QL=6 ST=3 TYP=3
27	245	SGMR	43 NS	0935.0	1106.8	869.0D	139.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1736.5	0004.6	675.5D	119.0			QL=6 ST=2 TYP=1
	245	SGMR	47 GB	1222.1	1222.6	1.4	680.0			QL=6 ST=2 TYP=5
	245	SGMR	8 S	2303.5	2304.3	1.6	170.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2303.6	2304.1	1.2	270.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	2304.0	2304.1	.5	40.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2304.0	2304.3	.6D	8.0			QL=6 ST=2 TYP=3
	28	245	LEAR	43 NS	2316.0	0737.6	628.0D	170.0		
245	SGMR	47 GB	1719.8	1724.8	5.5	46.0			QL=6 ST=2 TYP=5	
410	PALE	47 GB	1829.1	1829.3	.5	1000.0			QL=6 ST=2 TYP=5	
410	SGMR	47 GB	1829.3	1829.5	.5	620.0			QL=6 ST=2 TYP=5	
29	245	PALE	8 S	0342.8	0343.0	.3	210.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0342.8	0343.0	.3	160.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0443.0E	0444.3	3.1D	23.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1440.6	1440.8	.4	230.0			QL=6 ST=2 TYP=3
30	2695	SGMR	4 S/F	1254.8	1257.0	2.5D	26.0			QL=6 ST=3 TYP=3
	4995	SGMR	8 S	1257.6	1257.8	.5	48.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	2031.8	2033.6	2.5D	15.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2033.6	2033.8	.9	62.0			QL=6 ST=2 TYP=3
31	245	SGMR	47 GB	1452.0	1453.8	5.1	2300.0			QL=6 ST=2 TYP=5
	245	SGMR	47 GB	1515.1	1515.3	.5	1600.0			QL=6 ST=2 TYP=5
	2695	SGMR	8 S	1533.0	1533.1	.5	15.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1536.3	1548.8	13.2	2300.0			QL=6 ST=2 TYP=5
	8800	SGMR	8 S	2328.8	2329.1	1.5	200.0			QL=4 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

209
Misc
Aug 80

AUGUST 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
01	245	LEAR	43 NS	0245.0	0537.3	421.0D	87.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2314.0	0040.3	632.0D	38.0		QL=6 ST=2 TYP=1	
04	2695	SGMR	47 GB	1352.3	1354.1	7.8	42.0		QL=6 ST=2 TYP=5	
06	245	PALE	43 NS	2045.0	2102.5	482.0D	56.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2311.0	0506.0	637.0D	85.0		QL=6 ST=2 TYP=1	
07	410	LEAR	43 NS	0655.3	0745.1	172.7D	18.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	0946.0	2027.5	845.0D	83.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1640.0	2029.6	725.0D	220.0		QL=6 ST=2 TYP=1	
08	245	LEAR	43 NS	2309.0	0733.8	639.0D	49.0		QL=6 ST=2 TYP=1	
09	245	SGMR	43 NS	0948.0	1050.6	840.0D	58.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	1712.0	1923.6	690.0D	47.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2314.0	0353.8	634.0D	56.0		QL=6 ST=2 TYP=1	
	245	SGMR	8 S	1139.8	1139.8	.2	10.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1140.1	1140.1	.2D	24.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	2348.8	2349.1	.3	340.0		QL=6 ST=3 TYP=3	
	1415	LEAR	47 GB	2348.8	2349.1	.5	990.0		QL=6 ST=3 TYP=5	
	8800	LEAR	8 S	2349.0	2349.1	.3	15.0		QL=6 ST=3 TYP=3	
	4995	LEAR	8 S	2349.0	2349.1	.3	11.0		QL=6 ST=3 TYP=3	
	2695	LEAR	8 S	2349.0	2349.1	.3	75.0		QL=6 ST=3 TYP=3	
	606	LEAR	47 GB	2349.0	2349.1	.3	610.0		QL=6 ST=3 TYP=5	
	410	LEAR	8 S	2349.0	2349.1	.3	330.0		QL=6 ST=3 TYP=3	
	4995	MANI	8 S	2349.0	2349.6	1.1	25.0		QL=6 ST=2 TYP=4	
	2695	MANI	8 S	2349.0	2349.6	.8D	64.0		QL=6 ST=2 TYP=3	
	1415	MANI	47 GB	2349.0	2349.6	1.1D	570.0		QL=6 ST=2 TYP=5	
10	245	SGMR	43 NS	0950.0	1744.0	837.0D	36.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2309.0	0529.8	641.0D	26.0		QL=6 ST=2 TYP=1	
	410	LEAR	8 S	0306.6	0306.6	.9	110.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0714.6	0714.8	1.0	51.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0714.6	0714.8	1.0	85.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	0714.8	0715.0	3.0	67.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	1236.0	1237.8	2.6D	90.0		QL=6 ST=2 TYP=3	
	1415	SGMR	8 S	1236.5	1237.8	2.0D	43.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1236.6	1237.8	2.5D	30.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1236.8	1237.8	2.2D	31.0		QL=6 ST=2 TYP=3	
	2695	ATHN	8 S	1237.0	1237.8	2.0	11.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1238.1	1238.3	.7	280.0		QL=6 ST=2 TYP=3	
	606	SGMR	4 S/F	2058.6	2100.8	6.9D	13.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	2058.8	2101.0	6.3	52.0		QL=6 ST=2 TYP=3	
	410	PALE	4 S/F	2059.0	2059.8	4.1	40.0		QL=6 ST=3 TYP=3	
	1415	SGMR	4 S/F	2059.5	2103.5	8.3D	119.0		QL=6 ST=2 TYP=3	
	8800	PALE	47 GB	2059.8	2104.0	12.8	700.0		QL=6 ST=3 TYP=5	
	4995	SGMR	47 GB	2100.0	2103.8	10.0D	630.0		QL=4 ST=2 TYP=5	
	4995	PALE	47 GB	2100.0	2104.0	12.0	630.0		QL=6 ST=3 TYP=5	
	2695	SGMR	4 S/F	2100.3	2104.0	9.8	340.0		QL=4 ST=2 TYP=3	
	2695	PALE	4 S/F	2100.3	2104.0	9.5	420.0		QL=6 ST=3 TYP=3	
	1415	PALE	4 S/F	2101.0	2103.5	5.6	119.0		QL=6 ST=3 TYP=3	
	15400	PALE	4 S/F	2101.3	2104.0	9.8	380.0		QL=6 ST=3 TYP=3	
	15400	SGMR	4 S/F	2101.5	2103.8	11.0D	270.0		QL=6 ST=2 TYP=3	
	606	LEAR	4 S/F	2344.3	2345.6	2.8	41.0		QL=6 ST=3 TYP=3	
	410	LEAR	4 S/F	2344.5	2345.8	2.6	57.0		QL=6 ST=3 TYP=3	
	1415	LEAR	8 S	2346.8	2347.1	.3	20.0		QL=6 ST=3 TYP=3	
410	PALE	8 S	2349.0	2349.3	.5	98.0		QL=2 ST=2 TYP=3		
1415	PALE	47 GB	2349.0	2349.3	.5	680.0		QL=2 ST=2 TYP=5		
245	PALE	8 S	2349.0	2349.3	.5	410.0		QL=2 ST=2 TYP=3		
606	PALE	8 S	2349.1	2349.3	.4	470.0		QL=2 ST=2 TYP=3		
11	245	PALE	43 NS	0105.0	0131.6	223.0D	57.0		QL=5 ST=2 TYP=1	
	245	SGMR	43 NS	0951.0	1834.1	834.0D	74.0		QL=6 ST=2 TYP=1	
	606	LEAR	4 S/F	0050.6	0051.6	16.7	62.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0050.6	0058.1	18.2	139.0		QL=6 ST=2 TYP=3	
	606	PALE	4 S/F	0050.8	0051.8	8.0	55.0		QL=6 ST=2 TYP=3	
	410	PALE	47 GB	0052.1	0058.1	10.2	160.0		QL=6 ST=2 TYP=5	
	245	LEAR	4 S/F	0055.8	0059.1	9.5	320.0		QL=6 ST=2 TYP=3	
	245	PALE	47 GB	0057.5	0059.1	5.1	360.0		QL=6 ST=2 TYP=5	

210
Misc
Aug 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

AUGUST 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
11	1415	LEAR	4 S/F	0057.5	0103.1	9.6	50.0		QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	0058.8	0104.0	8.5	56.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0059.5	0104.1	8.3	57.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	0059.6	0103.0	6.5	42.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0102.1	0104.3	8.2	31.0		QL=6 ST=2 TYP=3	
	4995	PALE	4 S/F	0102.3	0104.3	4.7	27.0		QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0102.3	0105.3	13.7	24.0		QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0104.1	0105.3	11.9	21.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	0104.6	0105.0	.4D	24.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0704.1	0704.3	.7	25.0		QL=6 ST=3 TYP=3	
	2695	LEAR	8 S	0704.6	0704.8	.4	16.0		QL=6 ST=3 TYP=3	
	410	LEAR	8 S	0822.1	0822.5	.7	22.0		QL=6 ST=2 TYP=3	
410	SGMR	8 S	1918.8	1919.1	.8	30.0		QL=6 ST=2 TYP=3		
12	245	LEAR	43 NS	0601.6	0602.6	228.4D	27.0		QL=6 ST=2 TYP=1	
	2695	LEAR	8 S	0557.6	0557.8	1.4	11.0		QL=6 ST=2 TYP=4	
	4995	MANI	4 S/F	0604.0	0605.6	3.1	5.0		QL=6 ST=2 TYP=4	
	2695	LEAR	4 S/F	0604.6	0605.5	2.5	39.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0604.8	0605.3	1.8	31.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0605.1	0605.3	.2	15.0		QL=6 ST=2 TYP=3	
	2695	MANI	8 S	0605.1	0605.6	2.0D	24.0		QL=6 ST=2 TYP=4	
	13	245	LEAR	43 NS	0005.0	0859.8	585.0D	44.0		QL=6 ST=2 TYP=1
606		LEAR	8 S	0620.6	0621.1	.5D	13.0		QL=6 ST=2 TYP=3	
410		LEAR	8 S	0620.8	0621.8	1.0D	13.0		QL=6 ST=2 TYP=3	
4995		ATHN	47 GB	1247.6	1254.6	98.7D	1399.0		QL=6 ST=3 TYP=5	
1415		ATHN	47 GB	1247.6	1255.5	63.0D	650.0		QL=6 ST=3 TYP=5	
2695		ATHN	47 GB	1247.8	1255.3	60.5D	1000.0		QL=6 ST=3 TYP=5	
8800		ATHN	47 GB	1248.0	1254.6	66.0	2100.0		QL=6 ST=3 TYP=5	
15400		SGMR	47 GB	1250.3	1254.6	20.2	800.0		QL=6 ST=2 TYP=5	
606		SGMR	47 GB	1321.5	1329.5	11.1	93.0		QL=6 ST=2 TYP=5	
410		SGMR	4 S/F	1407.8	1409.1	6.7	170.0		QL=6 ST=2 TYP=3	
14	245	LEAR	43 NS	0424.5	0855.1	325.5D	27.0		QL=6 ST=2 TYP=1	
	245	LEAR	47 GB	0542.8	0543.8	1.7	1300.0		QL=6 ST=2 TYP=5	
	606	LEAR	8 S	0543.3E	0543.3	.2D	7.0		QL=2 ST=3 TYP=3	
	410	LEAR	8 S	0543.3	0543.3	.2	19.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1317.8	1317.8	.3	100.0		QL=6 ST=2 TYP=3	
	15	245	LEAR	43 NS	0542.0	0834.6	249.0D	73.0		QL=6 ST=2 TYP=1
245		LEAR	43 NS	2304.0	0334.3	647.1D	32.0		QL=6 ST=2 TYP=1	
245		LEAR	8 S	0504.0	0504.3	1.0	11.0		QL=6 ST=2 TYP=3	
245		LEAR	8 S	0519.3	0519.6	.3	32.0		QL=6 ST=2 TYP=3	
606		LEAR	4 S/F	0754.0	0754.1	3.8	13.0		QL=6 ST=3 TYP=3	
16		245	LEAR	43 NS	2303.0	0045.8	648.0D	170.0		QL=6 ST=2 TYP=1
	15400	PALE	8 S	0423.6	0424.1	.5	35.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	0424.5	0424.8	1.3	22.0		QL=6 ST=2 TYP=3	
	4995	PALE	8 S	0424.6	0424.8	.2	13.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	2317.1	2317.3	2.2	130.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	2348.6	2349.6	1.5	290.0		QL=6 ST=2 TYP=3	
	17	410	LEAR	43 NS	0554.5	0920.8	236.5D	60.0		QL=6 ST=2 TYP=1
245		LEAR	43 NS	2303.0	0335.0	649.0D	490.0		QL=6 ST=2 TYP=1	
245		LEAR	8 S	0039.8	0040.5	1.7	310.0		QL=6 ST=2 TYP=3	
606		SGMR	4 S/F	1326.5	1330.3	12.8	92.0		QL=6 ST=3 TYP=3	
410		SGMR	4 S/F	1347.0	1401.6	17.0D	300.0		QL=6 ST=3 TYP=3	
245		SGMR	47 GB	1347.0	1403.1	17.1D	1199.0		QL=6 ST=3 TYP=5	
606		SGMR	47 GB	1347.5E	1347.8	13.0D	260.0		QL=6 ST=3 TYP=5	
1415		SGMR	47 GB	1400.5	1402.0	3.5D	840.0		QL=6 ST=2 TYP=5	
606		SGMR	4 S/F	1400.5	1402.3	4.5	170.0		QL=6 ST=2 TYP=3	
245		SGMR	4 S/F	1417.3	1420.0	11.3	36.0		QL=6 ST=2 TYP=4	
606		SGMR	4 S/F	1510.8	1513.3	8.3	130.0		QL=6 ST=2 TYP=3	
18	410	LEAR	43 NS	0015.0	0122.0	577.0D	32.0		QL=6 ST=2 TYP=1	
	245	SGMR	43 NS	0948.0	1532.3	827.0D	139.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2302.0	0018.6	651.0D	520.0		QL=6 ST=2 TYP=1	
	606	SGMR	8 S	1247.3	1248.6	1.8D	110.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1248.0	1248.3	2.3D	6.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1248.0	1248.8	4.8D	16.0		QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

211
Misc
Aug 80

AUGUST 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
18	4995	ATHN	4 S/F	1248.1	1248.5	3.2D	7.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	1248.6	1249.1	1.4D	4.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	1248.6	1249.1	1.7	13.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1248.8	1249.1	.5	11.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1249.1	1249.3	.5D	88.0			QL=6 ST=2 TYP=3
19	245	SGMR	43 NS	0959.0	1506.1	815.0D	81.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2302.0	0018.6		520.0			QL=6 ST=3 TYP=1
	410	LEAR	8 S	0515.3	0515.6	.5	22.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0636.3	0636.3	.3	350.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0636.5	0636.6	.8	119.0			QL=6 ST=2 TYP=3
20	245	SGMR	43 NS	1000.0	1312.0	812.0D	150.0			QL=6 ST=3 TYP=1
	245	LEAR	43 NS	2300.0	0159.3	653.0D	89.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2300.0	0302.8	653.0D	150.0			QL=5 ST=2 TYP=1
	245	LEAR	8 S	0551.0	0551.1	1.0	11.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0551.3	0551.3	.2	15.0			QL=5 ST=2 TYP=3
	410	LEAR	8 S	0649.8	0650.0	.3	77.0			QL=6 ST=3 TYP=3
	8800	LEAR	4 S/F	0739.1	0740.1	7.7	16.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0739.1	0740.3	4.9	98.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0739.1	0742.1	10.7	13.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0740.1	0740.5	.5	21.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0746.8	0751.0	5.8	41.0			QL=2 ST=2 TYP=3
21	245	SGMR	43 NS	1001.0	1650.1	409.1D	1300.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	1001.0	1651.1	410.1D	82.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2259.0	0746.8	654.0D	37.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0120.0	0121.1	1.3	63.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1342.1	1343.0	2.4D	6.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1342.6	1343.0	5.2	18.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1741.0	1751.1	10.8	420.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1853.0	1857.0	11.0	260.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1853.1	1858.8	10.9D	630.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	1856.1	1857.8	6.5	82.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	1856.8	1857.8	10.2	85.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	1856.8	1857.8	33.2	65.0			QL=6 ST=3 TYP=3
	1415	PALE	4 S/F	1857.1	1858.3	3.4	150.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	1859.0	1907.1	31.0	73.0			QL=6 ST=3 TYP=4
	22	245	LEAR	43 NS	2258.0	0144.8	656.0D	370.0		
8800		LEAR	8 S	0252.8	0253.1	1.5	24.0			QL=6 ST=3 TYP=3
15400		LEAR	8 S	0253.0	0253.1	.1	49.0			QL=6 ST=3 TYP=3
410		LEAR	4 S/F	0300.0	0301.8	3.6	130.0			QL=6 ST=3 TYP=3
245		LEAR	4 S/F	0300.5	0302.1	3.3	78.0			QL=6 ST=3 TYP=3
606		LEAR	8 S	0301.3	0301.6	1.8	11.0			QL=6 ST=3 TYP=3
2695		MAN I	4 S/F	0428.0	0429.5	2.3D	17.0			QL=6 ST=2 TYP=4
606		MAN I	4 S/F	0428.0	0429.5	2.3D	56.0			QL=6 ST=2 TYP=4
1415		MAN I	8 S	0428.3	0429.6	2.0D	11.0			QL=6 ST=2 TYP=3
4995		MAN I	8 S	0428.5	0429.6	1.5	33.0			QL=6 ST=2 TYP=4
245		LEAR	8 S	0501.6	0502.3	1.0	110.0			QL=6 ST=2 TYP=3
1415		LEAR	4 S/F	0514.1	0518.1	8.7	72.0			QL=6 ST=2 TYP=3
245		LEAR	4 S/F	0515.3	0517.1	7.8	110.0			QL=6 ST=2 TYP=3
2695		LEAR	4 S/F	0515.5	0518.1	7.5	30.0			QL=6 ST=2 TYP=3
410		LEAR	4 S/F	0515.6	0515.8	7.4	100.0			QL=6 ST=2 TYP=3
606		LEAR	4 S/F	0515.6	0519.6	8.5	75.0			QL=6 ST=2 TYP=3
1415		ATHN	47 GB	0516.1	0517.6	13.5D	53.0			QL=6 ST=2 TYP=5
4995		ATHN	4 S/F	0516.1	0526.6	15.2D	53.0			QL=6 ST=2 TYP=4
2695		ATHN	4 S/F	0516.8	0527.0	15.0D	48.0			QL=6 ST=2 TYP=4
8800		ATHN	4 S/F	0517.1	0527.6	12.5	24.0			QL=6 ST=2 TYP=4
8800		LEAR	4 S/F	0523.3	0526.6	5.8	42.0			QL=6 ST=2 TYP=3
8800		MAN I	4 S/F	0523.5	0526.3	5.0	50.0			QL=6 ST=2 TYP=4
4995		MAN I	4 S/F	0523.5	0526.5	5.5D	59.0			QL=6 ST=2 TYP=4
2695		MAN I	4 S/F	0523.5	0526.5	6.5D	48.0			QL=6 ST=2 TYP=4
2695		LEAR	4 S/F	0523.6	0526.6	4.9	52.0			QL=6 ST=2 TYP=3
4995		LEAR	4 S/F	0523.8	0526.6	5.3	52.0			QL=6 ST=2 TYP=3
606		MAN I	4 S/F	0524.0	0527.6	5.0D	17.0			QL=6 ST=2 TYP=4
1415		MAN I	4 S/F	0524.6	0525.3	2.4D	31.0			QL=6 ST=2 TYP=4
1415	LEAR	8 S	0525.0	0525.3	.6	32.0			QL=6 ST=2 TYP=3	
15400	LEAR	8 S	0526.1	0526.6	.7	24.0			QL=6 ST=2 TYP=3	
245	LEAR	8 S	0549.3	0549.6	1.0	200.0			QL=6 ST=3 TYP=3	

212
Misc
Aug 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

AUGUST 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
22	245	LEAR	4 S/F	0620.3	0620.6	2.8	170.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0825.8	0829.5	4.5D	15.0			QL=6 ST=3 TYP=4
	2695	ATHN	4 S/F	0826.3	0829.1	4.5D	30.0			QL=6 ST=3 TYP=4
	245	LEAR	8 S	0828.1	0829.1	1.7	450.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0828.1	0829.3	2.7	19.0			QL=6 ST=3 TYP=4
	2695	LEAR	8 S	0828.5	0829.3	1.0	21.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0829.1	0829.3	.2	18.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0829.1	0829.5	.5	40.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0829.3	0829.5	.3	29.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1125.0	1127.0	4.1	360.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1125.3	1127.0	4.7D	119.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1126.6	1127.8	2.2D	2.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1249.1	1249.3	.4	17.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1249.1	1249.3	1.0D	11.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1715.1	1724.0	16.9D				QL=6 ST=2 TYP=4
	2695	SGMR	4 S/F	1716.1	1719.1	15.9D	16.0			QL=6 ST=2 TYP=4
	15400	SGMR	4 S/F	1718.1	1727.0	13.9	18.0			QL=6 ST=2 TYP=4
	8800	SGMR	4 S/F	1718.3	1724.0	13.7D	10.0			QL=6 ST=2 TYP=4
	2695	PALE	4 S/F	2124.6	2125.6	5.4	130.0			QL=6 ST=3 TYP=3
	1415	SGMR	4 S/F	2124.6	2125.8	6.4D	72.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	2125.1	2125.5	.9	33.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2125.1	2125.5	11.4	130.0			QL=6 ST=3 TYP=3
1415	PALE	8 S	2125.1	2125.6	1.0	69.0			QL=6 ST=3 TYP=3	
4995	PALE	4 S/F	2125.1	2125.6	4.9	110.0			QL=6 ST=3 TYP=3	
15400	PALE	4 S/F	2125.3	2125.6	5.3	49.0			QL=6 ST=3 TYP=3	
410	SGMR	4 S/F	2125.6	2125.8	5.0D	220.0			QL=6 ST=2 TYP=3	
606	SGMR	4 S/F	2125.8	2126.0	4.3D	490.0			QL=6 ST=2 TYP=3	
23	245	SGMR	43 NS	1003.0	1147.6	804.0D	139.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0443.8	0444.0	.3	150.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0828.1	0829.1	1.7	450.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0828.5	0829.3	1.0	21.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0829.1	0829.3	.2	18.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0829.1	0829.5	.5	40.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0829.3	0829.5	.3	29.0			QL=6 ST=3 TYP=3
	8800	SGMR	4 S/F	1156.8	1205.3	10.0D	27.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1156.8	1205.3	9.5	15.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1358.5	1358.6	.3D	29.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1405.1	1405.3	.4D	15.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1405.1	1405.3	.4	85.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	2126.1	2128.5	3.5	43.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2126.8	2128.0	4.5	60.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2126.8	2128.0	6.2	100.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	2127.1	2128.6	2.5	36.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	2127.5	2128.6	1.6	64.0			QL=6 ST=2 TYP=3
1415	PALE	8 S	2127.8	2128.8	1.0	16.0			QL=6 ST=2 TYP=3	
24	245	SGMR	43 NS	1004.0	2152.0	802.0D	79.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2257.0	0849.1	657.0D	62.0			QL=6 ST=2 TYP=1
	8800	LEAR	49 GB	0529.3	0539.8	33.8	19.0			QL=6 ST=2 TYP=7
	15400	LEAR	49 GB	0532.3	0534.1	33.2	13.0			QL=6 ST=2 TYP=7
	4995	LEAR	49 GB	0826.3	0827.5	9.2	15.0			QL=6 ST=2 TYP=7
	4995	SGMR	4 S/F	1604.1	1605.6	3.0D	10.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1605.0	1605.5	1.1	13.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1645.5	1647.1	2.5	119.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1703.0	1704.6	2.5	280.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1703.8	1704.3	1.5D	200.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1945.5	1945.8	6.0	13.0			QL=6 ST=2 TYP=4
	4995	SGMR	47 GB	1945.5	1950.8	6.8D	7.0			QL=6 ST=2 TYP=5
	25	410	LEAR	43 NS	0055.0	0107.3	540.0D	19.0		
245		LEAR	43 NS	0055.0	0108.0	540.0D	110.0			QL=6 ST=2 TYP=1
245		SGMR	43 NS	1005.0	1705.8	420.8D	38.0			QL=6 ST=3 TYP=1
410		LEAR	43 NS	2256.0	0634.0	659.0D	30.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2256.0	0830.3	659.0D	260.0			QL=6 ST=2 TYP=1
15400		LEAR	8 S	0056.1	0056.1	.2	24.0			QL=6 ST=2 TYP=3
8800		LEAR	8 S	0136.8	0137.1	.3	11.0			QL=6 ST=2 TYP=3
2695		LEAR	8 S	0400.3	0401.8	2.0	15.0			QL=6 ST=2 TYP=3
606		LEAR	8 S	0400.6	0400.6	1.4	76.0			QL=6 ST=2 TYP=3
8800		PALE	8 S	0400.8	0401.6	1.0	40.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

213
Misc
Aug 80

AUGUST 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
25	606	MANI	47 GB	0401.0	0401.1	3.0D	53.0			QL=6 ST=2 TYP=5
	4995	LEAR	8 S	0401.1	0401.6	.5	26.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0401.1	0401.6	.5	35.0			QL=6 ST=2 TYP=3
	1415	MANI	8 S	0401.1	0402.0	1.9D	18.0			QL=6 ST=2 TYP=3
	8800	MANI	8 S	0401.1	0402.1	1.9	25.0			QL=6 ST=2 TYP=4
	4995	MANI	8 S	0401.1	0402.3	1.9D	26.0			QL=6 ST=2 TYP=4
	2695	MANI	8 S	0401.3	0401.3	1.7D	10.0			QL=6 ST=2 TYP=4
	4995	PALE	8 S	0401.3	0401.6	.5	24.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0401.6	0401.8	.7	800.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0553.8	0554.3	1.2	40.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0554.1	0554.3	.7	48.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0554.1	0554.3	.5	100.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0759.1	0800.3	1.4	36.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1019.6	1019.8	.7	54.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1020.0	1020.1	1.3D	19.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1020.0	1020.3	10.6D	65.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1020.0	1020.5	1.8D	119.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	1252.8	1254.1	3.0D	600.0			QL=6 ST=2 TYP=5
	245	SGMR	4 S/F	1252.8	1254.1	3.2	56.0			QL=6 ST=2 TYP=3
	2695	ATHN	8 S	1253.3	1254.0	1.8D	4.0			QL=5 ST=2 TYP=4
	4995	ATHN	4 S/F	1253.5	1254.3	30.1D	11.0			QL=5 ST=2 TYP=4
	1415	ATHN	47 GB	1253.5	1254.5	3.0D	54.0			QL=5 ST=2 TYP=5
	8800	ATHN	4 S/F	1256.8	1306.3	29.8	10.0			QL=5 ST=2 TYP=4
	410	SGMR	47 GB	1351.1	1354.3	4537.7	610.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	1418.0	1418.1	1.0	19.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1419.1	1420.1	1.2D	27.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1444.6	1445.3	1.2	79.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1445.6	1446.6	1.9D	190.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1616.8	1617.1	1.0	41.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1617.6	1617.8	.4D	48.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1752.8	1754.0	2.7D	6.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1753.0	1753.8	2.5	16.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1859.6	1900.3	2.0	2000.0			QL=6 ST=2 TYP=5
2695	SGMR	8 S	2006.6	2007.0	1.4D	13.0			QL=6 ST=2 TYP=3	
4995	SGMR	8 S	2006.8	2007.0	1.3D	7.0			QL=6 ST=2 TYP=3	
8800	SGMR	8 S	2006.8	2007.1	1.7	9.0			QL=6 ST=2 TYP=3	
26	245	SGMR	43 NS	1006.0	1427.0	797.0D	150.0			QL=6 ST=2 TYP=1
	606	LEAR	8 S	0009.3	0010.0	1.0	77.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0009.3	0010.0	1.0	75.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0009.8	0010.0	.3	320.0			QL=6 ST=3 TYP=3
	1415	PALE	8 S	0353.3	0353.8	.8	30.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	0353.3	0353.8	1.3	30.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0353.6	0353.8	2.4	22.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0353.6	0353.8	2.5	34.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0353.6	0354.0	1.5	18.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0353.6	0354.1	2.5	11.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0353.8	0353.8	.3	35.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0354.0	0354.1	2.3	15.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0354.0	0354.3	1.6	7.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0415.6	0415.6	.5	770.0			QL=6 ST=3 TYP=5
	606	LEAR	8 S	0415.6	0415.8	.2	32.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0415.6	0415.8	.7	51.0			QL=6 ST=3 TYP=3
	245	PALE	47 GB	0415.6	0415.8	.4	1100.0			QL=5 ST=2 TYP=5
8800	SGMR	8 S	1531.0	1531.1	.3	41.0			QL=6 ST=2 TYP=3	
27	245	SGMR	43 NS	1008.0	1338.8	793.0D	3.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	2007.0	2046.0	513.0	70.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2253.0	0204.1	662.0D	53.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2255.0	0238.6	660.0D	23.0			QL=6 ST=2 TYP=1
28	245	SGMR	43 NS	1009.0	2030.3	790.0D	42.0			QL=6 ST=2 TYP=1
	245	PALE	8 S	2029.8	2030.1	.8	40.0			QL=6 ST=2 TYP=3
29	245	SGMR	43 NS	1010.0	2301.6	788.0D	530.0			QL=6 ST=2 TYP=1
	4995	SGMR	43 NS	1220.1	1221.3	2.2D				QL=6 ST=2 TYP=1
	8800	SGMR	43 NS	1220.3	1221.6	5.0	16.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1643.0	2301.6	712.0D	760.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2252.0	2300.3	664.0D	480.0			QL=6 ST=2 TYP=1
	4995	PALE	49 GB	0335.6	0336.0	.4D	16.0			QL=6 ST=3 TYP=7

214
Misc
Aug 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

AUGUST 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
29	245	LEAR	4 S/F	0402.0	0402.3	2.5	150.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0402.0	0404.1	2.3	27.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	0402.1	0404.1	2.2	35.0			QL=6 ST=2 TYP=5
	245	PALE	8 S	0403.8	0404.1	.8	130.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0614.6	0614.8	.2	13.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	1221.3	1222.3	2.0	11.0			QL=6 ST=2 TYP=4
	410	SGMR	8 S	1514.3	1514.6	.5	85.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	1714.3	1714.6	.5	85.0			QL=6 ST=2 TYP=3
30	1415	ATHN	43 NS	0800.0	0805.1	12.5D	68.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1011.0	1716.3	785.0D	570.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2251.0	0329.5	666.0D	25.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2251.0	0655.0	666.0D	390.0			QL=6 ST=2 TYP=1
	410	PALE	8 S	0239.1	0239.3	.2	67.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0304.5	0304.6	.1	18.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0304.6	0305.0	.5	22.0			QL=6 ST=2 TYP=3
	8800	ATHN	8 S	0556.3	0556.6	.7	49.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0713.3	0714.3	2.3	44.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0802.6	0809.6	10.0	6.0			QL=6 ST=2 TYP=4
	606	LEAR	47 GB	0805.1	0805.1	.2	1199.0			QL=6 ST=2 TYP=5
	1415	LEAR	4 S/F	0805.1	0805.3	2.5	78.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0809.0	0809.1	.3	18.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0809.1	0809.1	.2	63.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1054.1	1055.0	4.0	36.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1056.8	1057.0	.8D	250.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1241.1	1243.5	3.7D	34.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1241.3	1243.3	3.8	9.0			QL=6 ST=2 TYP=4
	4995	SGMR	4 S/F	1241.3	1243.3	3.7D	18.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	1242.8	1243.6	1.3D	13.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1242.8	1243.6	2.8	29.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1402.8	1403.5	1.2	270.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1403.1	1403.5	.7D	33.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1445.1	1445.1	.2D	17.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1445.1	1445.3	.7	119.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1749.3	1749.8	1.5	420.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1749.6	1749.8	.5D	66.0			QL=6 ST=2 TYP=3
	31	245	PALE	43 NS	1643.0	0422.8	712.0D	130.0		
4995		LEAR	8 S	0013.3	0013.6	.3	19.0			QL=6 ST=2 TYP=3
606		LEAR	8 S	0823.3	0823.8	2.0	18.0			QL=6 ST=2 TYP=3
2695		LEAR	8 S	0823.6	0823.8	1.4	16.0			QL=6 ST=2 TYP=3
410		LEAR	8 S	0823.6	0824.5	1.5	86.0			QL=6 ST=2 TYP=3
245		LEAR	8 S	0840.5	0841.1	1.0	19.0			QL=6 ST=2 TYP=3
2695		LEAR	8 S	0840.5	0841.1	1.5	18.0			QL=6 ST=2 TYP=3
8800		LEAR	8 S	0840.6	0841.1	1.0	9.0			QL=6 ST=3 TYP=3
1415		LEAR	8 S	0840.8	0841.1	1.2	29.0			QL=6 ST=2 TYP=3
1415		ATHN	4 S/F	0840.8	0841.1	4.8D	24.0			QL=6 ST=2 TYP=3
4995		LEAR	8 S	0841.0	0841.1	.3	15.0			QL=6 ST=2 TYP=3
410		LEAR	8 S	0841.0	0841.1	.8	18.0			QL=6 ST=2 TYP=3
606		LEAR	8 S	0841.0	0841.1	.3	84.0			QL=6 ST=2 TYP=3
4995		ATHN	4 S/F	0841.0	0841.3	5.1D	16.0			QL=6 ST=2 TYP=3
8800		ATHN	4 S/F	0841.0	0841.3	5.5	5.0			QL=6 ST=2 TYP=3
2695		ATHN	4 S/F	0841.0	0841.3	4.6D	19.0			QL=6 ST=2 TYP=3
245		LEAR	47 GB	0923.1	0924.0	4.7	250.0			QL=6 ST=2 TYP=5
410		LEAR	47 GB	0923.3	0923.6	4.0	330.0			QL=6 ST=2 TYP=5
4995		LEAR	47 GB	0923.3	0923.8	4.2	190.0			QL=6 ST=2 TYP=5
4995		ATHN	4 S/F	0923.3	0923.8	7.0D	220.0			QL=6 ST=2 TYP=3
8800		ATHN	4 S/F	0923.3	0923.8	7.3	170.0			QL=6 ST=2 TYP=3
606		LEAR	47 GB	0923.3	0925.6	4.2	700.0			QL=6 ST=2 TYP=5
1415		ATHN	4 S/F	0923.3	0925.6	6.7D	139.0			QL=6 ST=2 TYP=3
2695		ATHN	4 S/F	0923.3	0925.6	7.0D	250.0			QL=6 ST=2 TYP=3
1415		LEAR	47 GB	0923.3	0925.6	5.0	170.0			QL=6 ST=2 TYP=5
2695		LEAR	47 GB	0923.3	0925.6	5.5	250.0			QL=6 ST=2 TYP=5
8800		LEAR	47 GB	0923.6	0923.8	2.0	119.0			QL=6 ST=2 TYP=5
15400		LEAR	47 GB	0923.6	0923.8	.2	54.0			QL=6 ST=2 TYP=5
245		SGMR	4 S/F	1226.1	1227.6	3.7	380.0			QL=6 ST=2 TYP=3
4995		SGMR	4 S/F	1226.3	1227.6	2.8D	10.0			QL=6 ST=2 TYP=4
8800		SGMR	4 S/F	1226.5	1227.6	2.5D	15.0			QL=6 ST=2 TYP=4
1415		SGMR	8 S	1226.8	1227.1	1.0D	20.0			QL=6 ST=2 TYP=3
410		SGMR	8 S	1227.0	1227.8	1.1D	39.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

215
Misc
Aug 80

AUGUST 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
31	606	SGMR	8 S	1227.3	1227.5	.5D	119.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	1248.1	1249.0	11.7	910.0			QL=6 ST=2 TYP=5
	4995	ATHN	4 S/F	1325.3	1330.0	47.8D	81.0			QL=6 ST=2 TYP=4
	2695	ATHN	4 S/F	1326.3	1330.1	29.5D	56.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	1326.6	1331.1	30.0D	28.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	1327.0	1330.1	4.1	1000.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	1328.8	1336.8	40.8	47.0			QL=6 ST=2 TYP=4
	245	SGMR	47 GB	1749.0	1749.1	5.0	2100.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	1749.0	1749.3	1.0	640.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	1749.0	1749.3	1.0	1900.0			QL=6 ST=2 TYP=5
	606	PALE	8 S	1749.0	1749.3	1.0	46.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2150.6	2150.8	.2	100.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
01	245	SGMR	43 NS	1013.0	2245.6	780.0D	420.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1641.0	1945.6	714.0D	139.0			QL=6 ST=2 TYP=1
	410	SGMR	43 NS	2218.0	2245.0	55.0D	139.0			QL=6 ST=2 TYP=1
	606	SGMR	43 NS	2218.0	2246.1	55.0D	119.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2249.0	0700.8	668.0D	130.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2249.0	2343.5	668.0D	45.0			QL=6 ST=2 TYP=1
	8800	LEAR	8 S	0228.3	0228.6	.3	20.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0345.3	0345.6	.5	24.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0345.3	0345.6	.5	19.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0518.8	0524.1	5.3	13.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0518.8	0527.1	9.3	32.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0526.3	0526.8	1.2	68.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0526.6	0527.8	1.2D	79.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0543.1	0543.8	1.0	41.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0543.3	0543.5	.3	170.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0543.3	0543.6	.5	48.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0543.3	0543.6	.3	18.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0543.5	0543.6	.3	32.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0603.6	0604.0	.9	18.0			QL=6 ST=3 TYP=3
	15400	LEAR	8 S	0603.8	0603.8	.8	18.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0639.3	0639.8	.8	33.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0639.6	0639.8	.7	270.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0653.3	0653.5	.3	16.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0701.3	0701.6	.3	520.0			QL=6 ST=2 TYP=5
	8800	LEAR	8 S	0701.5	0701.6	.3	22.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0704.8	0706.8	2.2	40.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0705.1	0705.1	1.9	2500.0			QL=6 ST=2 TYP=5
	8800	ATHN	4 S/F	0729.6	0730.6	4.9	44.0			QL=5 ST=2 TYP=3
	606	LEAR	8 S	0746.0	0747.5	1.8	39.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0747.3	0747.6	.7	39.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1037.6	1038.1	6.4D	19.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1037.8	1038.1	1.2D	36.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1038.1	1038.1	6.9	100.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1038.1	1042.8	6.9D	71.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1223.0	1223.1	3.5	20.0			QL=5 ST=2 TYP=4
	410	SGMR	4 S/F	1224.1	1224.8	2.2D	20.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1225.0	1225.8	1.5	340.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1359.1	1359.3	.7	410.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1359.5	1359.8	.5D	40.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1854.1	1854.8	3.4	20.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1854.5	1855.1	1.6D	9.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	1854.8	1855.1	1.0	19.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1929.0	1930.6	1.6	74.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1933.0	1933.1	1.5D	15.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1944.8	1945.6	1.5	130.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1944.8	1945.6	1.2D	51.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	2325.5	2329.6	4.3	139.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2329.3	2329.8	1.7	50.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	2329.5	2329.6	1.1	59.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	2329.5	2329.6	.1	119.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	2349.8	2350.0	.3	67.0			QL=6 ST=2 TYP=3
02	410	SGMR	43 NS	1014.0	1130.0	286.0D	52.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1014.0	1526.3	777.0D	180.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2249.0	0529.5	668.0D	260.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0110.8	0111.1	2.3	73.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0111.1	0111.6	2.2	54.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0111.1	0111.6	2.7	62.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0111.1	0111.6	1.2	59.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0111.1	0111.8	3.7	63.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0111.1	0111.8	1.2	50.0			QL=6 ST=2 TYP=3
	15400	PALE	4 S/F	0111.1	0111.8	3.7	20.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0111.3	0111.6	.5	55.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0111.3	0111.6	2.0	49.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0111.3	0111.6	.3	15.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0111.5	0111.6	.3	18.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0111.5	0111.6	1.3	16.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0645.3	0645.5	.3	13.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0645.3	0647.8	3.0	22.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0646.8	0647.8	1.3	19.0			QL=6 ST=2 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

217
Misc
Sep 80

SEPTEMBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
02	4995	LEAR	8 S	0654.5	0655.8	1.5	16.0		QL=6 ST=3 TYP=4	
	245	LEAR	8 S	0655.3	0656.3	1.5	100.0		QL=6 ST=3 TYP=3	
	8800	LEAR	8 S	0655.6	0655.8	.4	17.0		QL=6 ST=3 TYP=3	
	245	SGMR	4 S/F	1310.0	1313.8	4.8	110.0		QL=6 ST=2 TYP=3	
	1415	ATHN	47 GB	1310.5	1312.0	5.6D	92.0		QL=5 ST=3 TYP=5	
	4995	ATHN	4 S/F	1310.6	1312.5	5.5D	40.0		QL=5 ST=3 TYP=4	
	2695	ATHN	4 S/F	1310.8	1313.0	5.7D	44.0		QL=5 ST=3 TYP=4	
	8800	ATHN	4 S/F	1312.0	1313.6	3.1	11.0		QL=5 ST=3 TYP=4	
	4995	SGMR	4 S/F	1805.0	1806.3	2.6D	24.0		QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1805.8	1806.5	3.5	13.0		QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1806.1	1806.6	1.5D	11.0		QL=6 ST=2 TYP=3	
	245	PALE	8 S	1900.5	1900.6	1.1	230.0		QL=6 ST=2 TYP=3	
	03	410	LEAR	43 NS	0424.0	0431.3	333.0D	49.0		QL=6 ST=2 TYP=1
245		SGMR	43 NS	1015.0	1825.1	774.0D	220.0		QL=6 ST=2 TYP=1	
410		SGMR	43 NS	1015.0	1947.0	774.0D	48.0		QL=6 ST=2 TYP=1	
245		PALE	43 NS	1655.0	0401.0	700.0D	310.0		QL=6 ST=2 TYP=1	
245		LEAR	43 NS	2247.0	0400.8	668.0D	250.0		QL=6 ST=2 TYP=1	
8800		LEAR	8 S	0219.3	0220.0	1.2	38.0		QL=6 ST=2 TYP=3	
4995		LEAR	8 S	0219.5	0220.0	.8	17.0		QL=6 ST=2 TYP=3	
8800		LEAR	47 GB	0402.3	0408.3	14.5	94.0		QL=6 ST=2 TYP=5	
4995		LEAR	4 S/F	0402.5	0408.3	14.3	130.0		QL=6 ST=2 TYP=4	
606		MANI	47 GB	0404.6	0408.3	15.0D	52.0		QL=6 ST=2 TYP=5	
15400		LEAR	47 GB	0405.0	0408.3	11.8	34.0		QL=6 ST=2 TYP=5	
1415		MANI	4 S/F	0405.0	0408.6	8.1D	36.0		QL=6 ST=2 TYP=4	
2695		LEAR	47 GB	0405.1	0408.1	4.9	54.0		QL=6 ST=2 TYP=5	
8800		MANI	4 S/F	0405.1	0408.6	7.2	86.0		QL=6 ST=2 TYP=4	
1415		LEAR	47 GB	0405.3	0405.6	.3	13.0		QL=6 ST=2 TYP=5	
606		LEAR	47 GB	0405.3	0407.1	1.8D	25.0		QL=6 ST=2 TYP=5	
410		LEAR	47 GB	0405.3	0408.6	4.5	46.0		QL=6 ST=2 TYP=5	
2695		MANI	4 S/F	0405.5	0408.5	7.6D	48.0		QL=6 ST=2 TYP=4	
245		LEAR	47 GB	0406.5	0407.8	2.3	70.0		QL=6 ST=2 TYP=5	
4995		MANI	4 S/F	0407.3	0408.6	5.0D	350.0		QL=6 ST=2 TYP=4	
245		LEAR	47 GB	0418.6	0422.3	4.9	55.0		QL=6 ST=2 TYP=5	
410		LEAR	47 GB	0418.6	0422.8	4.9	70.0		QL=6 ST=2 TYP=5	
2695		LEAR	8 S	0422.1	0422.3	.2	11.0		QL=6 ST=2 TYP=3	
245		PALE	4 S/F	0422.3	0422.8	20.2	70.0		QL=6 ST=2 TYP=3	
410		PALE	4 S/F	0422.5	0422.8	20.3	180.0		QL=6 ST=2 TYP=3	
606		PALE	4 S/F	0424.1	0426.8	10.5	19.0		QL=6 ST=2 TYP=3	
4995		LEAR	8 S	0633.6	0634.6	1.5	16.0		QL=6 ST=2 TYP=3	
8800		LEAR	8 S	0634.0	0634.6	.6	16.0		QL=6 ST=2 TYP=3	
4995		ATHN	4 S/F	1419.6	1421.1	10.5D	23.0		QL=6 ST=2 TYP=4	
8800		ATHN	4 S/F	1420.0	1421.1	4.3	59.0		QL=6 ST=2 TYP=4	
606		PALE	8 S	1736.3	1737.0	1.0	60.0		QL=5 ST=2 TYP=3	
245		PALE	4 S/F	1814.8	1815.3	4.0	68.0		QL=6 ST=2 TYP=3	
2695		SGMR	4 S/F	1923.0	1928.0	13.8D	119.0		QL=6 ST=2 TYP=3	
606		SGMR	4 S/F	1923.1	1928.1	12.5D	200.0		QL=6 ST=2 TYP=3	
8800		SGMR	4 S/F	1923.1	1928.1	13.5D	150.0		QL=6 ST=2 TYP=3	
4995		SGMR	4 S/F	1923.1	1928.1	12.5D	180.0		QL=6 ST=2 TYP=3	
8800		PALE	4 S/F	1924.6	1929.0	8.2	139.0		QL=6 ST=2 TYP=3	
2695		PALE	4 S/F	1924.6	1929.1	7.2	91.0		QL=6 ST=2 TYP=3	
4995		PALE	4 S/F	1924.6	1929.1	7.9	160.0		QL=6 ST=2 TYP=3	
1415		SGMR	4 S/F	1924.8	1928.1	10.8D	84.0		QL=6 ST=2 TYP=3	
15400		PALE	4 S/F	1925.1	1925.1	7.5	21.0		QL=6 ST=2 TYP=3	
245		SGMR	4 S/F	1925.1	1927.1	14.9D	47.0		QL=6 ST=2 TYP=3	
410		SGMR	4 S/F	1925.3	1928.1	13.5D	34.0		QL=6 ST=2 TYP=3	
606	PALE	47 GB	1926.1	1929.0	10.4	200.0		QL=6 ST=2 TYP=5		
15400	SGMR	4 S/F	1926.3E	1928.1	8.3D	36.0		QL=6 ST=2 TYP=3		
1415	PALE	47 GB	1926.5	1929.1	10.0	61.0		QL=6 ST=2 TYP=5		
410	PALE	8 S	1927.5	1929.0	1.6	31.0		QL=6 ST=2 TYP=3		
8800	LEAR	8 S	2323.3	2324.3	1.8	27.0		QL=6 ST=2 TYP=3		
4995	LEAR	8 S	2323.5	2324.3	1.6	22.0		QL=6 ST=2 TYP=3		
4995	PALE	8 S	2323.6	2324.0	1.2	23.0		QL=6 ST=2 TYP=3		
8800	PALE	8 S	2323.6	2324.5	1.7	28.0		QL=6 ST=2 TYP=3		
2695	LEAR	8 S	2323.8	2324.0	.3	16.0		QL=6 ST=2 TYP=3		
2695	PALE	8 S	2324.0	2324.1	.8	15.0		QL=6 ST=2 TYP=3		
8800	PALE	4 S/F	2327.6	2328.8	2.5	47.0		QL=6 ST=2 TYP=3		
15400	PALE	4 S/F	2328.6	2328.8	2.2	21.0		QL=6 ST=2 TYP=3		
04	410	LEAR	43 NS	0227.0	0248.5	448.0D	66.0		QL=6 ST=2 TYP=1	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
04	606	LEAR	43 NS	0227.0	0249.1	448.0D	230.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1016.0	1358.6	771.0D	230.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1641.0	1700.1	709.0D	210.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1641.0	1732.3	709.0D	490.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2247.0	0039.8	671.0D	56.0			QL=6 ST=2 TYP=1
	8800	MANI	47 GB	0153.8	0200.8	13.5	1199.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	0155.8	0201.3	20.0	600.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	0156.1	0201.3	19.7	1199.0			QL=6 ST=2 TYP=5
	2695	PALE	4 S/F	0156.5	0201.5	19.0	410.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0156.6	0201.8	18.9	280.0			QL=6 ST=2 TYP=3
	15400	PALE	47 GB	0156.8	0201.3	19.0	710.0			QL=6 ST=2 TYP=5
	606	PALE	4 S/F	0159.1	0201.6	16.4	350.0			QL=6 ST=2 TYP=3
	410	PALE	4 S/F	0204.6	0207.3	7.2	70.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0217.3	0217.6	.5	29.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0218.0	0229.6	13.5	150.0			QL=6 ST=2 TYP=5
	606	LEAR	47 GB	0219.6	0223.0	6.7	26.0			QL=6 ST=2 TYP=5
	606	PALE	4 S/F	0242.6	0249.1	14.2	250.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0243.0	0244.0	2.0	28.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0243.6	0244.1	1.4	26.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0243.8	0244.0	.8	20.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0243.8	0244.0	1.0	48.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0247.6	0248.6	1.7	28.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0653.8	0657.0	5.2	20.0			QL=6 ST=3 TYP=
	4995	LEAR	8 S	0656.5	0657.6	1.1D	17.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0656.6	0657.6	1.4	24.0			QL=6 ST=3 TYP=3
	8800	MANI	4 S/F	2213.8	2217.3	7.7	170.0			QL=6 ST=2 TYP=4
	15400	SGMR	4 S/F	2214.6	2216.3	2.7	45.0			QL=6 ST=2 TYP=3
	4995	PALE	4 S/F	2215.6	2216.8	2.2	41.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	2215.6	2216.8	2.9	190.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	2216.6	2217.3	1.2	67.0			QL=6 ST=2 TYP=3
05	410	LEAR	43 NS	0040.3	0306.5	557.7D	27.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1017.0	1240.5	769.0D	38.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2246.0	0617.3	672.0D	119.0			QL=6 ST=2 TYP=1
	410	LEAR	8 S	0059.3	0059.6	.7	8.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0059.5	0059.6	.3	97.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0223.3	0224.1	1.5	13.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0223.6	0224.1	.5	119.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	0223.6	0224.1	.7	119.0			QL=6 ST=3 TYP=3
	1415	PALE	8 S	0223.6	0224.1	.7	24.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	0223.6	0224.1	.5	28.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0257.8	0258.8	1.3	11.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0258.0	0258.1	1.1	38.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1317.1	1318.3	4.2D	160.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1317.8	1318.3	.8D	20.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1318.0	1318.1	.5	160.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1345.1	1345.6	2.0D	650.0			QL=6 ST=2 TYP=5
	410	SGMR	8 S	1345.1	1345.6	1.0D	450.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1345.3	1345.8	.7	460.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1759.3	1802.8	3.7	19.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	1801.0	1801.3	.3D	16.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	1801.3	1801.3	.2	13.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1802.3	1803.0	1.2D	31.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1802.6	1802.8	.5D	15.0			QL=6 ST=2 TYP=3
1415	PALE	8 S	1803.3	1803.8	.8	60.0			QL=6 ST=3 TYP=3	
2695	PALE	8 S	1803.3	1803.8	.8	24.0			QL=6 ST=3 TYP=3	
4995	PALE	8 S	1803.6	1803.8	.7	24.0			QL=6 ST=3 TYP=3	
06	245	SGMR	43 NS	1018.0	1403.3	766.0D	82.0			QL=6 ST=2 TYP=1
	1415	LEAR	8 S	0709.6	0709.8	.2	18.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0709.8	0710.1	.3	13.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0826.3	0826.3	.3	16.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0826.3	0826.6	.5	91.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0826.3	0826.6	.3	180.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0854.1	0854.6	6.5D	24.0			QL=5 ST=2 TYP=3
	4995	ATHN	4 S/F	0854.1	0854.6	7.9	11.0			QL=5 ST=2 TYP=3
	4995	LEAR	8 S	0854.1	0854.8	1.0	20.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0854.1	0854.8	1.2	25.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1300.0	1300.8	1.8	490.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1300.8	1301.1	1.0D	11.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

219
Misc
Sep 80

S E P T E M B E R 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
07	245	LEAR	43 NS	0301.8	0746.0	417.2D	45.0			QL=6 ST=2 TYP=1
	8800	LEAR	8 S	0010.1	0010.8	1.7	7.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0010.1	0011.0	2.0	8.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0010.6	0010.8	.5	13.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0318.8	0319.3	1.3	11.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0319.1	0319.1	.2	16.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0319.1	0319.3	.4	16.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0319.1	0319.3	.5	29.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0319.1	0319.3	1.2	33.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0341.1	0341.6	1.5	10.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0341.1	0341.6	1.5	21.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0341.3	0341.3	3.5	21.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0341.3	0341.5	3.5	10.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0341.3	0341.5	3.5	13.0			QL=6 ST=2 TYP=3
	08	245	LEAR	43 NS	0218.5	0359.3	459.5D	93.0		
245		PALE	8 S	0354.0	0355.1	1.6	65.0			QL=5 ST=2 TYP=3
245		PALE	8 S	0359.3	0359.5	.3	75.0			QL=5 ST=2 TYP=3
8800		LEAR	4 S/F	0501.5	0503.8	4.1	160.0			QL=6 ST=2 TYP=3
4995		LEAR	4 S/F	0501.8	0503.8	3.3	91.0			QL=6 ST=2 TYP=3
1415		ATHN	4 S/F	0502.1	0502.6	3.4D	54.0			QL=6 ST=2 TYP=3
2695		LEAR	4 S/F	0502.1	0503.8	2.9	48.0			QL=6 ST=2 TYP=3
15400		LEAR	4 S/F	0502.1	0503.8	2.9	139.0			QL=6 ST=2 TYP=3
2695		ATHN	4 S/F	0502.1	0504.1	4.5	47.0			QL=6 ST=2 TYP=4
1415		LEAR	8 S	0504.0	0504.1	.1	11.0			QL=6 ST=2 TYP=3
410		LEAR	8 S	0504.3	0504.6	.5	94.0			QL=6 ST=2 TYP=3
245		LEAR	8 S	0504.8	0505.1	.8	390.0			QL=6 ST=2 TYP=3
8800		LEAR	47 GB	0523.1	0524.3	17.9	560.0			QL=6 ST=2 TYP=5
2695		LEAR	4 S/F	0523.1	0524.3	17.9	130.0			QL=6 ST=2 TYP=3
4995		LEAR	4 S/F	0523.3	0524.3	17.7	230.0			QL=6 ST=2 TYP=3
15400		LEAR	4 S/F	0523.6	0524.3	17.4	400.0			QL=6 ST=2 TYP=3
606		LEAR	4 S/F	0523.6	0525.1	10.0	36.0			QL=6 ST=2 TYP=3
1415		LEAR	4 S/F	0523.8	0524.8	4.8	77.0			QL=6 ST=2 TYP=3
245		LEAR	4 S/F	0526.0	0526.3	2.6	350.0			QL=6 ST=2 TYP=3
410		SGMR	8 S	1307.3	1307.3	.5	35.0			QL=6 ST=3 TYP=3
245		SGMR	8 S	1307.3	1307.3	.5	85.0			QL=6 ST=2 TYP=3
245		SGMR	8 S	1407.6	1407.8	.5	50.0			QL=6 ST=2 TYP=3
410		SGMR	8 S	1407.6	1407.8	.4D	39.0			QL=6 ST=2 TYP=3
4995		SGMR	8 S	1442.1	1442.8	2.0	17.0			QL=6 ST=2 TYP=3
8800		SGMR	8 S	1442.3	1443.0	1.8D	25.0			QL=6 ST=2 TYP=3
1415		SGMR	8 S	1456.3	1456.5	.5	23.0			QL=6 ST=2 TYP=3
606		SGMR	4 S/F	1909.3	1911.0	2.5	67.0			QL=6 ST=2 TYP=3
8800		SGMR	4 S/F	1909.3	1911.6	4.7D	77.0			QL=6 ST=2 TYP=3
2695		SGMR	4 S/F	1909.3	1911.6	7.3D	110.0			QL=6 ST=2 TYP=3
4995		SGMR	4 S/F	1909.6	1911.6	5.0D	29.0			QL=6 ST=2 TYP=3
1415		SGMR	4 S/F	1910.1	1911.8	7.9D	45.0			QL=6 ST=2 TYP=3
2695		PALE	4 S/F	1911.1	1912.6	10.4	110.0			QL=6 ST=2 TYP=3
4995		PALE	4 S/F	1911.3	1912.6	2.2	66.0			QL=6 ST=2 TYP=3
8800		PALE	8 S	1911.8	1912.6	1.3	67.0			QL=6 ST=2 TYP=3
15400	PALE	8 S	1911.8	1912.6	1.2	37.0			QL=6 ST=2 TYP=3	
1415	PALE	4 S/F	1912.0	1912.6	2.3	44.0			QL=6 ST=2 TYP=3	
245	PALE	8 S	2137.1	2137.8	.7	190.0			QL=5 ST=2 TYP=3	
09	245	LEAR	43 NS	0039.5	0741.6	558.5D	49.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1840.0	1856.8	259.0	46.0			QL=6 ST=2 TYP=1
	15400	PALE	8 S	0256.1	0256.3	.7	48.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0614.6	0615.3	1.7	119.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0614.8	0615.6	1.8	43.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1324.0	1324.1	.3	400.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1356.0	1356.3	.8	40.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1834.6	1836.1	5.0	34.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	2256.5	2256.6	.3	65.0			QL=6 ST=2 TYP=3
	10	245	LEAR	43 NS	2336.0	0646.0	624.0D	41.0		
245		LEAR	8 S	0302.8	0303.1	.3	25.0			QL=6 ST=2 TYP=3
410		SGMR	4 S/F	2133.5	2138.8	5.8D	19.0			QL=6 ST=2 TYP=3
245		SGMR	4 S/F	2133.8	2136.1	5.3	67.0			QL=6 ST=2 TYP=3
1415		SGMR	4 S/F	2158.5	2201.8	6.5D	48.0			QL=6 ST=2 TYP=3
410		SGMR	4 S/F	2159.1	2206.1	1387.9D	30.0			QL=6 ST=2 TYP=3
245		SGMR	8 S	2159.3	2200.1	1.7	43.0			QL=6 ST=2 TYP=3

220
Misc
Sep 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak	Mean		
							(10	-22	W/m ² Hz)	
10	2695	PALE	8 S	2200.3	2200.6	1.5	19.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2200.3	2201.3	2.0	23.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2201.1	2202.1	1.00	22.0			QL=6 ST=2 TYP=3
11	245	SGMR	43 NS	1023.0	1849.6	752.00	71.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1847.6	1848.0	577.40	110.0			QL=6 ST=2 TYP=1
	4995	LEAR	4 S/F	0141.5	0151.3	13.6	11.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0141.8	0216.1	45.5	13.0			QL=6 ST=2 TYP=4
	15400	LEAR	4 S/F	0144.3	0227.1	50.7	13.0			QL=6 ST=2 TYP=4
	245	LEAR	4 S/F	0520.3	0522.5	4.5	34.0			QL=6 ST=2 TYP=3
12	1415	ATHN	43 NS	0545.8	0547.0	3.00	24.0			QL=6 ST=2 TYP=1
	4995	ATHN	43 NS	0545.8	0547.1	3.80	17.0			QL=6 ST=2 TYP=1
	2695	ATHN	43 NS	0546.0	0547.1	2.60	23.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1025.0	1724.0	748.00	24.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2239.0	2247.5	681.00	190.0			QL=6 ST=2 TYP=1
	8800	ATHN	4 S/F	0546.0	0547.1	5.1	11.0			QL=6 ST=2 TYP=4
	1415	LEAR	8 S	0546.1	0546.8	1.7	23.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0546.5	0546.6	1.0	33.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0546.5	0546.8	.5	23.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0546.6	0546.8	.4	19.0			QL=6 ST=2 TYP=3
13	245	LEAR	43 NS	0309.0	0330.3	411.00	28.0			QL=6 ST=2 TYP=1
	245	PALE	8 S	0045.8	0045.8	.2	50.0			QL=5 ST=2 TYP=3
	8800	PALE	8 S	0319.0	0319.8	1.1	25.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	0319.1	0319.8	.9	40.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0319.3	0319.6	.8	10.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0319.5	0319.6	.6	17.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0319.5	0319.6	.6	16.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	0328.6	0330.1	1.7	25.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1847.0	1902.0	17.0	81.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1853.1	1853.6	1.70	7.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1853.1	1853.6	2.50	11.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2035.6	2036.5	.90	110.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2039.1	2040.0	1.40	430.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2039.5	2040.0	.8	34.0			QL=6 ST=2 TYP=3
	14	245	LEAR	43 NS	0300.6	0303.5	419.40	78.0		
245		PALE	8 S	0303.3	0303.5	.7	100.0			QL=5 ST=2 TYP=3
606		SGMR	8 S	1125.1	1126.1	1.70	28.0			QL=6 ST=2 TYP=3
245		SGMR	8 S	1125.3	1126.3	1.7	220.0			QL=6 ST=2 TYP=3
410		SGMR	8 S	1125.3	1126.5	1.70	93.0			QL=6 ST=2 TYP=3
1415		SGMR	8 S	1126.0	1126.5	1.10	33.0			QL=6 ST=2 TYP=3
245		SGMR	4 S/F	1137.3	1141.0	4.7	76.0			QL=6 ST=2 TYP=3
410		SGMR	4 S/F	1427.6	1428.0	2.5	200.0			QL=6 ST=2 TYP=3
245		SGMR	4 S/F	1432.1	1436.0	4.20	139.0			QL=6 ST=2 TYP=3
245		SGMR	8 S	2046.1	2046.1	.5	52.0			QL=6 ST=2 TYP=3
15		15400	LEAR	8 S	0054.0	0054.1	.1	17.0		
	1415	LEAR	4 S/F	0729.3	0730.3	2.8	13.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0729.5	0729.8	2.1	66.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0729.5	0730.1	.8	110.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0729.6	0729.8	2.5	13.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0729.6	0730.1	2.2	25.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0730.0	0730.3	1.5	43.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1138.8	1140.5	3.0	71.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	1944.1	1944.3	.5	60.0			QL=5 ST=2 TYP=3
	245	PALE	8 S	2114.5	2115.6	2.0	170.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	2155.8	2156.1	.5	250.0			QL=5 ST=2 TYP=3
16	245	LEAR	8 S	0234.6	0234.8	.2	48.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0706.0	0706.1	.3	69.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0706.0	0706.6	1.0	20.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1427.8	1428.0	2.2	64.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1659.5	1659.6	.6	41.0			QL=6 ST=2 TYP=3
17	245	LEAR	43 NS	2252.0	0146.3	670.00	56.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0342.5	0342.6	.5	85.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1918.0	1918.3	.3	45.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1918.0	1918.3	.3	45.0			QL=6 ST=3 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

221
Misc
Sep 80

S E P T E M B E R 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
18	4995	SGMR	4 S/F	1802.8	1803.3	2.3	13.0			QL=6 ST=2 TYP=3
19	606	SGMR	8 S	1059.3	1059.8	2.00	59.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1059.5	1100.1	2.1	24.0			QL=6 ST=2 TYP=3
20	245	SGMR	8 S	1916.1	1916.3	.7	38.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	1916.1	1916.6	.7	40.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1932.8	1937.0	11.20	10.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1933.0	1937.0	11.5	27.0			QL=6 ST=2 TYP=3
21	410	LEAR	8 S	0110.8	0111.3	1.5	21.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0111.5	0111.6	.8	19.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0111.6	0111.8	.4	37.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1236.6	1237.8	1.9	69.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1411.3	1412.1	1.5	30.0			QL=6 ST=3 TYP=3
	245	SGMR	4 S/F	1947.8	1956.5	16.20	38.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1948.6	1952.8	4.7	76.0			QL=6 ST=2 TYP=3
	245	PALE	47 GB	1954.1	1956.6	5.9	47.0			QL=6 ST=2 TYP=5
22	245	SGMR	43 NS	0134.0	1417.8	1262.00	51.0			QL=6 ST=2 TYP=1
	606	LEAR	4 S/F	0538.1	0540.3	4.5	17.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0539.1	0540.3	3.0	45.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0539.1	0542.5	4.0	490.0			QL=6 ST=2 TYP=5
	410	SGMR	4 S/F	1638.0	1643.1	6.50	150.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1638.1	1643.1	6.4	13.0			QL=6 ST=2 TYP=4
23	245	LEAR	43 NS	0001.1	0111.1		260.0			QL=1 ST=3 TYP=1
	2695	ATHN	43 NS	1554.6	1600.0	10.40	200.0			QL=5 ST=2 TYP=1
	4995	ATHN	43 NS	1555.5	1600.0	10.50	119.0			QL=5 ST=2 TYP=1
	4995	LEAR	4 S/F	0221.1	0222.3	53.9	13.0			QL=1 ST=2 TYP=4
	2695	LEAR	4 S/F	0221.1	0222.3	53.9	9.0			QL=1 ST=2 TYP=4
	8800	LEAR	4 S/F	0221.1	0230.0	53.9	11.0			QL=1 ST=2 TYP=4
	15400	LEAR	4 S/F	0221.3	0230.1	53.7	16.0			QL=1 ST=2 TYP=4
	8800	LEAR	4 S/F	0439.0	0440.0	19.0	54.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0439.0	0440.0	19.0	22.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0439.0	0440.0	19.0	40.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0439.0	0441.0	19.0	30.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0549.8	0550.1	.5	27.0			QL=6 ST=3 TYP=3
	8800	LEAR	8 S	0550.0	0550.1	.1	22.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0654.6	0654.8	1.5	460.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0654.6	0656.0	1.40	17.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0654.6	0656.0	1.7	160.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0654.6	0656.0	1.7	220.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0654.6	0656.0	2.0	470.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0654.6	0656.1	1.5	31.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	1309.6	1309.8	.5	28.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1552.0	1603.3	16.0	9.0			QL=6 ST=2 TYP=4
	4995	SGMR	4 S/F	1552.1	1600.6	15.70	130.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1552.5	1559.8	12.50	60.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1553.3	1600.6	15.00	150.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1553.8	1559.0	11.20	9.0			QL=6 ST=2 TYP=4
	1415	SGMR	4 S/F	1553.8	1600.8	13.20	37.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1555.0	1600.6	11.00	119.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	1556.1	1557.1	7.90	3.0			QL=5 ST=2 TYP=3
8800	ATHN	4 S/F	1556.3	1600.1	9.70	16.0			QL=5 ST=2 TYP=4	
15400	SGMR	4 S/F	1557.0	1600.1	5.00	27.0			QL=6 ST=2 TYP=3	
24	245	LEAR	43 NS	0251.0	0843.0	433.00	51.0			QL=6 ST=2 TYP=1
	8800	LEAR	47 GB	0545.3	0545.6	.7	1300.0			QL=6 ST=2 TYP=5
	245	LEAR	8 S	0604.8	0605.1	.5	30.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0605.0	0605.1	.3	73.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0728.0	0728.1	1.1	110.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0728.3	0728.3	.7	330.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0730.3	0732.0	3.0	230.0			QL=6 ST=2 TYP=3
	410	LEAR	47 GB	0730.3	0732.6	2.8	290.0			QL=6 ST=3 TYP=5
	4995	ATHN	4 S/F	0730.5	0732.5	4.10	139.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0730.5	0732.6	4.10	139.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0730.5	0732.6	4.10	88.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0730.5	0732.8	3.5	190.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0730.5	0732.8	4.6	130.0			QL=6 ST=2 TYP=3

222
Misc
Sep 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

SEPTEMBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
24	4995	LEAR	4 S/F	0730.6	0732.5	3.2	160.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0730.6	0732.8	3.5	170.0			QL=6 ST=2 TYP=3
	1415	MANI	47 GB	0731.0	0733.3	7.0D	300.0			QL=6 ST=2 TYP=5
	2695	MANI	4 S/F	0731.1	0733.3	4.5D	91.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0731.3	0732.8	2.5	100.0			QL=6 ST=2 TYP=3
	15400	LEAR	4 S/F	0732.0	0732.8	4.1	77.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0732.3	0732.5	1.0	84.0			QL=6 ST=2 TYP=3
	4995	MANI	8 S	0733.0	0733.3	1.8	80.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0742.8	0743.8	1.0D	40.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0743.6	0743.8	.2	30.0			QL=6 ST=2 TYP=3
25	410	LEAR	43 NS	0430.0	0505.6	334.0D	24.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0430.0	0727.1	334.0D	51.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2310.0	0239.6	653.0D	130.0			QL=6 ST=2 TYP=1
	245	PALE	47 GB	0102.3	0102.6	1.0	1100.0			QL=6 ST=2 TYP=5
	245	PALE	8 S	2308.5	2309.1	1.1	160.0			QL=5 ST=2 TYP=3
	245	LEAR	8 S	2308.5	2309.1	.6	88.0			QL=6 ST=2 TYP=3
26	245	SGMR	43 NS	1040.0	1934.1	709.0D	23.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2310.0	0239.6	653.0D	130.0			QL=6 ST=3 TYP=1
	245	PALE	8 S	0239.6	0239.6	.2	150.0			QL=6 ST=2 TYP=3
	410	SGMR	47 GB	2159.1	2201.8	6.7D	880.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	2200.8	2201.5	1.0	1399.0			QL=6 ST=2 TYP=5
	1415	PALE	8 S	2200.8	2201.6	1.8	68.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2200.8	2202.3	2.3D	190.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	2200.8	2202.3	1.8	340.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2201.0	2201.8	2.3	71.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2201.5	2201.6	.3	24.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	2201.5	2201.6	.3	23.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2201.5	2201.6	.3	57.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	2201.6	2201.6	.2	18.0			QL=6 ST=2 TYP=3
27	245	SGMR	43 NS	1041.0	1200.6	706.0D	64.0			QL=6 ST=2 TYP=1
	606	MANI	47 GB	0119.8	0121.1	8.8D	119.0			QL=6 ST=2 TYP=5
	410	PALE	47 GB	0120.6	0120.6	1.5	3100.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	0120.6	0120.6	2.5	500.0			QL=6 ST=2 TYP=5
	4995	PALE	8 S	0120.6	0121.0	1.7	59.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0120.6	0121.0	1.5	97.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	0120.6	0121.0	1.4	71.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	0120.6	0121.0	3.5	360.0			QL=6 ST=2 TYP=3
	2695	PALE	4 S/F	0120.6	0121.8	2.7	75.0			QL=6 ST=2 TYP=3
	2695	MANI	4 S/F	0120.6	0122.5	8.0D	74.0			QL=6 ST=2 TYP=4
	4995	MANI	4 S/F	0121.1	0121.6	7.5D	180.0			QL=6 ST=2 TYP=4
	8800	MANI	4 S/F	0121.1	0121.6	7.5	93.0			QL=6 ST=2 TYP=4
	4995	SGMR	8 S	1459.3	1500.0	1.2D	19.0			QL=6 ST=3 TYP=3
	2695	SGMR	8 S	1459.5	1500.0	1.1D	34.0			QL=6 ST=3 TYP=3
	8800	SGMR	8 S	1459.5	1500.0	.8D	13.0			QL=6 ST=3 TYP=3
	1415	SGMR	8 S	1459.6	1459.8	1.2D	26.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	1459.8	1459.8	.7	100.0			QL=6 ST=3 TYP=3
	410	SGMR	4 S/F	1737.1	1739.5	2.7	91.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	1739.1	1739.1	.5	680.0			QL=5 ST=2 TYP=5
606	PALE	8 S	1914.8	1915.1	1.3	25.0			QL=5 ST=2 TYP=3	
410	PALE	8 S	1914.8	1916.0	1.3	95.0			QL=5 ST=2 TYP=3	
28	410	LEAR	43 NS	0434.0	0438.0	116.0	57.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0441.1	0536.8	168.9	34.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0602.6	0604.6	3.2	42.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0602.6	0604.6	3.2	42.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0955.8	0955.8	.5	99.0			QL=5 ST=2 TYP=3
	245	LEAR	8 S	0955.8	0956.0	.8	27.0			QL=5 ST=2 TYP=3
	410	LEAR	8 S	0955.8	0956.1	.3	24.0			QL=5 ST=2 TYP=3
	606	SGMR	8 S	1354.0	1354.3	1.1	84.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1423.3	1423.6	.7	600.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	2323.8	2324.5	1.8	28.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	2324.8	2325.0	.3	7.0			QL=6 ST=2 TYP=3
	29	245	LEAR	43 NS	0630.5	0631.5	144.5	37.0		
410		LEAR	43 NS	0704.0	0709.8	22.8	13.0			QL=6 ST=2 TYP=1
410		LEAR	8 S	0001.0	0001.1	.5	3.0			QL=6 ST=2 TYP=3
245		LEAR	8 S	0001.0	0001.3	.5	11.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

223
Misc
Sep 80

S E P T E M B E R 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
29	245	LEAR	8 S	0254.8	0254.8	.3	63.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0524.0	0524.1	.5	25.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0839.8	0840.0	.3	79.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0839.8	0840.1	.5	21.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0840.0	0840.1	.3	6.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	2239.0	2239.1	.3	20.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	2239.0	2239.1	.3	75.0			QL=6 ST=3 TYP=3
	606	MANI	8 S	2239.1	2240.0	2.00	7.0			QL=6 ST=2 TYP=4
	4995	MANI	8 S	2239.1	2240.3	2.00	130.0			QL=6 ST=2 TYP=4
	8800	MANI	4 S/F	2239.1	2240.3	2.7	100.0			QL=6 ST=2 TYP=4
	1415	MANI	4 S/F	2239.1	2240.5	3.00	13.0			QL=6 ST=2 TYP=4
	2695	MANI	4 S/F	2239.1	2240.5	3.00	21.0			QL=6 ST=2 TYP=4
	4995	LEAR	8 S	2239.8	2240.0	.5	34.0			QL=6 ST=3 TYP=3
	15400	LEAR	8 S	2239.8	2240.0	.8	1.0			QL=6 ST=3 TYP=3
	8800	LEAR	8 S	2239.8	2240.0	.5	66.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	2239.8	2240.0	1.0	27.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	2239.8	2240.1	.5	15.0			QL=6 ST=3 TYP=3
	1415	LEAR	8 S	2240.0	2240.1	1.1	18.0			QL=6 ST=3 TYP=3
245	LEAR	8 S	2357.1	2357.1	.2	72.0			QL=6 ST=2 TYP=3	
30	245	LEAR	43 NS	2221.0	0837.1	704.00	30.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0743.3	0743.6	1.0	60.0			QL=6 ST=2 TYP=3
	8800	SGMR	47 GB	1812.3	1822.8	25.3	62.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	1814.0	1814.1	.3	13.0			QL=6 ST=2 TYP=5
	2695	PALE	47 GB	1814.1	1814.3	.4	15.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	1814.6	1822.5	20.7	57.0			QL=6 ST=2 TYP=5
	606	PALE	47 GB	1814.8	1830.5	64.2	4300.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	1816.1	1817.5	14.9	110.0			QL=6 ST=2 TYP=5
	15400	PALE	8 S	1818.0	1818.1	.3	22.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	1818.1	1818.3	.4	17.0			QL=6 ST=2 TYP=5

224
Misc
Oct 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 ⁻²² W/m ² Hz)	Mean			
01	1415	LEAR	8 S	0022.0	0022.3	.6	5.0			QL=6 ST=3 TYP=3	
	2695	LEAR	8 S	0022.0	0022.3	.8	8.0			QL=6 ST=3 TYP=3	
	245	LEAR	8 S	0022.1	0022.3	.5	77.0			QL=6 ST=2 TYP=3	
	245	PALE	8 S	0022.6	0023.1	.9	139.0			QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0035.5	0037.3	2.1	21.0			QL=6 ST=3 TYP=3	
	1415	LEAR	4 S/F	0035.6	0036.0	2.2	7.0			QL=6 ST=3 TYP=3	
	2695	LEAR	4 S/F	0035.6	0036.1	2.2	11.0			QL=6 ST=3 TYP=3	
	606	LEAR	4 S/F	0035.6	0037.1	2.2	11.0			QL=6 ST=3 TYP=3	
	4995	LEAR	8 S	0035.6	0037.3	2.0	18.0			QL=6 ST=3 TYP=3	
	410	LEAR	8 S	0035.8	0036.1	2.0	8.0			QL=6 ST=3 TYP=3	
	245	LEAR	47 GB	0035.8	0037.0	1.7	530.0			QL=6 ST=3 TYP=5	
	245	PALE	47 GB	0037.6	0037.8	.5	1000.0			QL=6 ST=2 TYP=5	
	245	LEAR	47 GB	0137.0	0138.5	1.6	1199.0			QL=6 ST=3 TYP=5	
	245	PALE	47 GB	0139.0	0139.3	.5	1199.0			QL=1 ST=2 TYP=5	
	4995	SGMR	4 S/F	1252.5	1253.8	6.6D	17.0			QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1252.5	1255.3	5.8D	16.0			QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	1252.6	1253.5	2.9D	13.0			QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	1252.6	1255.0	5.5D	17.0			QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	1252.8	1253.6	3.7D	13.0			QL=6 ST=2 TYP=3	
	2695	SGMR	4 S/F	1253.0	1254.1	4.0	13.0			QL=6 ST=2 TYP=3	
	15400	SGMR	4 S/F	1253.0	1254.1	4.0D	16.0			QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	1253.1	1255.6	7.2	19.0			QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1506.1	1507.0	5.2	2000.0			QL=6 ST=2 TYP=5	
	1415	ATHN	4 S/F	1506.6	1507.5	3.4D	16.0			QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	1506.8	1507.5	3.7	23.0			QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	1507.0	1507.5	4.6D	45.0			QL=6 ST=2 TYP=3	
	2695	ATHN	8 S	1507.0	1507.5	1.8D	28.0			QL=6 ST=2 TYP=3	
	1415	PALE	8 S	2002.0	2002.5	.6	47.0			QL=6 ST=2 TYP=3	
	02	2695	LEAR	4 S/F	0156.5	0157.3	3.1	88.0			QL=6 ST=2 TYP=3
		606	MANI	4 S/F	0311.6	0313.1	5.4D	13.0			QL=6 ST=2 TYP=4
		2695	MANI	4 S/F	0312.0	0313.1	4.0D	22.0			QL=6 ST=2 TYP=4
		8800	MANI	4 S/F	0312.0	0313.1	4.0	25.0			QL=6 ST=2 TYP=4
		4995	MANI	4 S/F	0312.0	0313.1	4.0D	25.0			QL=6 ST=2 TYP=4
1415		MANI	4 S/F	0312.0	0313.1	4.0D	18.0			QL=6 ST=2 TYP=4	
410		LEAR	8 S	0312.3	0312.5	.5	32.0			QL=6 ST=2 TYP=3	
245		LEAR	8 S	0312.6	0313.1	.7	400.0			QL=6 ST=2 TYP=3	
2695		LEAR	8 S	0312.8	0313.1	.8	23.0			QL=6 ST=2 TYP=3	
4995		LEAR	4 S/F	0312.8	0313.3	2.2	24.0			QL=6 ST=2 TYP=3	
1415		LEAR	8 S	0313.0	0313.3	.5	21.0			QL=6 ST=2 TYP=3	
8800		LEAR	47 GB	0313.0	0314.6	2.1	27.0			QL=6 ST=2 TYP=3	
606		LEAR	8 S	0313.1	0313.1	.2	13.0			QL=6 ST=2 TYP=5	
15400		LEAR	8 S	0314.3	0314.3	.2	13.0			QL=6 ST=2 TYP=3	
245		LEAR	47 GB	0557.3	0558.3	2.2	800.0			QL=6 ST=2 TYP=5	
410		LEAR	8 S	0558.3	0559.1	.8	95.0			QL=6 ST=2 TYP=3	
410		PALE	47 GB	2158.3	2158.5	4.0	1300.0			QL=6 ST=2 TYP=5	
1415		SGMR	4 S/F	2158.6	2159.1	5.7	150.0			QL=6 ST=2 TYP=3	
8800		PALE	47 GB	2158.6	2159.1	1.5	540.0			QL=6 ST=2 TYP=5	
4995		PALE	8 S	2158.6	2159.3	1.4	240.0			QL=6 ST=2 TYP=3	
1415		PALE	4 S/F	2158.6	2159.3	3.7	170.0			QL=6 ST=2 TYP=3	
2695		PALE	8 S	2158.6	2159.3	2.0	190.0			QL=6 ST=2 TYP=3	
606		PALE	4 S/F	2158.6	2159.5	6.0	300.0			QL=6 ST=2 TYP=3	
245		PALE	47 GB	2158.6	2159.5	4.7	3200.0			QL=6 ST=2 TYP=5	
15400		PALE	8 S	2158.8	2159.1	1.3	420.0			QL=6 ST=2 TYP=3	
410		SGMR	47 GB	2158.8	2159.1	6.0D	740.0			QL=6 ST=2 TYP=5	
606		SGMR	4 S/F	2158.8	2159.1	5.5D	260.0			QL=6 ST=2 TYP=3	
03		245	LEAR	8 S	0139.6	0140.0	.7	290.0			QL=6 ST=2 TYP=3
		410	LEAR	8 S	0139.8	0140.0	.5	28.0			QL=6 ST=2 TYP=3
		2695	LEAR	8 S	0535.1	0535.5	.7	35.0			QL=6 ST=2 TYP=3
04		245	LEAR	8 S	0146.1	0146.8	.9	26.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	0146.3	0146.8	.7	30.0			QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0249.1	0249.3	.2	13.0			QL=6 ST=2 TYP=3	
	410	PALE	47 GB	2145.3	2149.3	9.2	50.0			QL=6 ST=2 TYP=5	
05	245	LEAR	8 S	0719.8	0720.1	.5	16.0			QL=6 ST=2 TYP=3	
	245	PALE	4 S/F	2117.1	2117.5	2.5	110.0			QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	2117.8	2118.6	2.5	87.0			QL=6 ST=2 TYP=3	
	410	SGMR	8 S	2118.1	2118.6	.9D	16.0			QL=6 ST=2 TYP=3	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

225
Misc
Oct 80

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m ² Hz)	Mean		
06	245	LEAR	8 S	0009.6	0009.8	.2	51.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0009.6	0009.8	.5	47.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0117.3	0120.1	5.8	119.0		QL=6 ST=2 TYP=3	
	410	LEAR	4 S/F	0118.1	0120.1	4.0	60.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0408.8	0410.1	2.3	57.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0807.1	0807.8	2.9	87.0		QL=6 ST=2 TYP=3	
	8800	MANI	47 GB	0854.8	0855.0	4.2	670.0		QL=6 ST=2 TYP=5	
	410	LEAR	47 GB	0855.0	0855.1	.6	900.0		QL=6 ST=2 TYP=5	
	8800	LEAR	8 S	0855.0	0855.3	1.8	410.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0855.0	0855.3	2.6	280.0		QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0855.0	0855.3	1.5	220.0		QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	0855.0	0855.5	5.8D	90.0		QL=6 ST=2 TYP=3	
	1415	ATHN	4 S/F	0855.0	0855.5	5.8D	37.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0855.1	0855.1	.4	51.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0855.1	0855.3	1.2	29.0		QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0855.1	0855.3	2.7	98.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0855.1	0855.3	.5	150.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0855.1	0855.5	5.7D	300.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0855.3	0855.5	5.5	470.0		QL=6 ST=2 TYP=3	
	2695	SGMR	8 S	1436.5	1436.6	1.0D	13.0		QL=6 ST=3 TYP=3	
245	SGMR	4 S/F	1436.5	1437.3	4.6	77.0		QL=6 ST=3 TYP=3		
07	245	LEAR	43 NS	0347.8	0351.8	379.2D	100.0		QL=6 ST=2 TYP=1	
	8800	LEAR	4 S/F	0425.3	0426.8	2.3	21.0		QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0858.3	0859.0	3.7	119.0		QL=6 ST=2 TYP=3	
	4995	ATHN	8 S	0858.3	0859.0	1.7D	82.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0928.3	0928.8	.8	31.0		QL=6 ST=2 TYP=3	
	4995	ATHN	8 S	0928.3	0929.0	1.7D	40.0		QL=6 ST=3 TYP=3	
	8800	ATHN	4 S/F	0928.3	0929.0	3.7	26.0		QL=6 ST=3 TYP=3	
	8800	LEAR	8 S	0928.5	0928.6	.3	24.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1131.6	1132.6	1.7	87.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1426.6	1430.3	7.0D	15.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1428.5	1430.1	5.1	13.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1507.3	1507.6	.5D	17.0		QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1508.5	1509.0	1.0	39.0		QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1720.3	1721.1	2.0D	70.0		QL=6 ST=2 TYP=3	
	4995	SGMR	8 S	1720.6	1721.1	2.0D	55.0		QL=6 ST=2 TYP=3	
	15400	SGMR	8 S	1720.6	1721.1	1.7	35.0		QL=6 ST=2 TYP=3	
	2695	SGMR	8 S	1720.6	1721.3	1.5D	13.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	1720.8	1721.1	1.5	62.0		QL=6 ST=2 TYP=3	
	15400	PALE	8 S	1721.0	1721.3	.6	47.0		QL=6 ST=2 TYP=3	
	4995	PALE	8 S	1721.1	1721.3	.5	44.0		QL=6 ST=2 TYP=3	
	8800	PALE	4 S/F	1724.3	1727.8	4.3	31.0		QL=6 ST=2 TYP=3	
	15400	PALE	4 S/F	1724.5	1727.8	7.0	45.0		QL=6 ST=2 TYP=3	
	4995	PALE	4 S/F	1725.1	1727.1	4.2	16.0		QL=6 ST=2 TYP=3	
	2695	PALE	4 S/F	1725.3	1727.3	4.2	15.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1854.3	1854.8	.7D	11.0		QL=6 ST=2 TYP=3	
	245	PALE	8 S	1855.8	1855.8	.5	190.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1855.8	1856.0	.7	190.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1855.8	1901.0	6.2D	30.0		QL=6 ST=2 TYP=3	
	4995	LEAR	47 GB	2306.1	2308.6	13.0	530.0		QL=6 ST=2 TYP=5	
	2695	LEAR	4 S/F	2306.1	2308.6	12.4	250.0		QL=6 ST=2 TYP=3	
	4995	PALE	47 GB	2306.5	2308.6	35.3	500.0		QL=6 ST=2 TYP=5	
	8800	LEAR	47 GB	2306.6	2308.6	11.7	530.0		QL=6 ST=2 TYP=5	
	15400	PALE	47 GB	2306.8	2308.6	35.0	300.0		QL=6 ST=2 TYP=5	
	2695	PALE	47 GB	2306.8	2308.6	19.3	220.0		QL=6 ST=2 TYP=5	
	15400	LEAR	47 GB	2307.0	2308.6	8.3	210.0		QL=6 ST=2 TYP=5	
	8800	PALE	47 GB	2307.3	2308.6	34.5	750.0		QL=6 ST=2 TYP=5	
	1415	LEAR	4 S/F	2308.1	2318.0	11.9	110.0		QL=6 ST=2 TYP=3	
	1415	PALE	47 GB	2315.6	2318.1	9.5	94.0		QL=6 ST=2 TYP=5	
	606	PALE	8 S	2317.1	2317.8	1.2	31.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	2317.5	2317.8	.3	20.0		QL=6 ST=2 TYP=3	
1415	LEAR	4 S/F	2321.1	2337.0	28.9	86.0		QL=6 ST=2 TYP=3		
606	LEAR	4 S/F	2321.6	2322.1	2.4	89.0		QL=6 ST=2 TYP=3		
245	LEAR	8 S	2324.8	2324.8	.2	130.0		QL=6 ST=3 TYP=3		
245	LEAR	4 S/F	2325.0	2337.0	60.0	35.0		QL=6 ST=2 TYP=4		
245	PALE	4 S/F	2326.0	2337.3	15.8	48.0		QL=6 ST=2 TYP=4		
08	245	SGMR	43 NS	1800.0	1814.3	248.0	26.0		QL=6 ST=2 TYP=1	
	15400	LEAR	8 S	0141.0	0141.1	.8	27.0		QL=6 ST=3 TYP=3	

226
Misc
Oct 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)	Int	Remarks
08	8800	LEAR	4 S/F	0141.0	0141.5	4.5	45.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0141.0	0142.3	6.5	9.0			QL=6 ST=3 TYP=3
	15400	PALE	8 S	0141.1	0141.3	.2	30.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0141.1	0141.5	2.0	29.0			QL=6 ST=3 TYP=3
	4995	PALE	8 S	0141.1	0141.5	1.0	30.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0141.1	0141.5	1.4	20.0			QL=6 ST=3 TYP=3
	8800	PALE	8 S	0141.1	0141.5	1.0	51.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0141.1	0142.0	1.5	20.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0141.3	0141.5	1.5	1.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0141.6	0141.8	1.0	26.0			QL=6 ST=3 TYP=3
	245	LEAR	4 S/F	0141.8	0142.1	2.3	26.0			QL=6 ST=3 TYP=3
	410	PALE	8 S	0142.0	0142.1	.1	78.0			QL=6 ST=3 TYP=3
	8800	LEAR	8 S	0206.6	0206.8	1.4	19.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0217.0	0217.5	1.5	35.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0222.3	0222.6	.5	24.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	1153.6	1155.1	7.5D	28.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1154.0	1155.1	8.6D	27.0			QL=5 ST=2 TYP=4
	606	SGMR	4 S/F	1154.1	1154.3	5.9D	48.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1154.1	1155.0	2.9D	18.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1154.1	1155.1	10.4D	47.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1154.1	1155.8	22.0	35.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1154.3	1155.1	8.3	22.0			QL=5 ST=2 TYP=4
	1415	ATHN	4 S/F	1154.3	1155.3	3.3D	13.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	1154.5	1154.6	2.1D	11.0			QL=5 ST=2 TYP=4
	1415	SGMR	4 S/F	1154.8	1156.1	5.2D	16.0			QL=5 ST=2 TYP=4
	410	SGMR	8 S	1156.1	1156.1	.5D	10.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1314.1	1314.3	.4	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	407.3	1411.8	7.0D	41.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1410.6	1411.8	6.0D	20.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1410.8	1411.8	2.2D	17.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1411.0	1411.6	3.0	24.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1412.1	1412.8	11.0D	139.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1412.3	1412.8	1.3D	18.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1534.8	1535.6	2.3	280.0			QL=6 ST=2 TYP=3
	606	SGMR	47 GB	1535.0	1535.5	4.0D	540.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1535.6	1535.8	3.4D	470.0			QL=6 ST=2 TYP=5
	8800	SGMR	4 S/F	1915.8	1916.5	3.3	19.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1916.0	1916.5	2.1D	17.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1916.1	1916.5	2.9D	17.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2021.3	2028.3	12.7D	280.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	2022.8	2028.1	16.2D	170.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2023.0	2025.3	11.0D	62.0			QL=6 ST=2 TYP=3
	410	PALE	47 GB	2023.1	2024.8	7.9	37.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	2023.3	2028.3	15.7D	220.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	2023.8	2029.1	11.2D	40.0			QL=6 ST=2 TYP=3
	2695	PALE	47 GB	2024.3	2028.3	7.2	110.0			QL=6 ST=2 TYP=3
	4995	PALE	47 GB	2024.8	2028.3	6.3	150.0			QL=6 ST=2 TYP=5
	245	PALE	47 GB	2025.1	2025.1	6.2	310.0			QL=6 ST=2 TYP=5
	1415	SGMR	4 S/F	2025.3	2028.8	9.7D	59.0			QL=6 ST=2 TYP=5
8800	SGMR	4 S/F	2025.5	2028.5	13.5D	230.0			QL=6 ST=2 TYP=3	
8800	PALE	47 GB	2026.1	2028.3	4.5	190.0			QL=6 ST=2 TYP=3	
15400	SGMR	4 S/F	2026.5	2028.6	6.5	78.0			QL=6 ST=2 TYP=5	
1415	PALE	47 GB	2026.6	2028.6	4.5	48.0			QL=6 ST=2 TYP=3	
15400	PALE	4 S/F	2027.1	2028.5	5.7	84.0			QL=6 ST=2 TYP=5	
606	PALE	4 S/F	2027.1	2029.1	4.4	32.0			QL=6 ST=2 TYP=3	
09	245	LEAR	43 NS	0159.3	0718.3	488.7D	200.0			QL=6 ST=2 TYP=1
	245	PALE	8 S	0205.3	0205.5	.3	47.0			QL=6 ST=3 TYP=3
	4995	LEAR	8 S	0236.0	0236.1	.6	24.0			QL=6 ST=3 TYP=3
	8800	LEAR	8 S	0236.0	0236.5	.5	17.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0238.6	0239.6	2.2	18.0			QL=6 ST=2 TYP=4
	8800	LEAR	4 S/F	0238.6	0239.6	6.5	24.0			QL=6 ST=2 TYP=4
	606	LEAR	8 S	0240.1	0240.8	1.9	21.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0240.3	0240.3	.2	21.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0240.3	0240.5	.3	25.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0240.6	0242.6	2.0D	16.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0321.6	0321.8	.7	29.0			QL=6 ST=2 TYP=4
	4995	PALE	8 S	0321.6	0322.1	.7	24.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0321.8	0322.1	.3D	13.0			QL=6 ST=3 TYP=3
	8800	PALE	8 S	0322.0	0322.3	.3	19.0			QL=6 ST=2 TYP=3

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

227
Misc
Oct 80

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
09	1415	LEAR	8 S	0357.3	0357.6	1.5	55.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0357.3	0358.5	1.7	150.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0357.8	0358.1	.5	18.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0357.8	0358.3	.5	17.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0742.3	0742.8	.7	97.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0743.0	0743.5	.8	21.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0743.1	0743.3	.4	18.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0743.1	0743.3	.7	24.0		QL=6 ST=2 TYP=3	
	4995	ATHN	47 GB	1123.5	1124.8	37.10	830.0		QL=6 ST=3 TYP=5	
	4995	SGMR	47 GB	1123.5	1125.1	10.50	850.0		QL=6 ST=3 TYP=5	
	8800	SGMR	47 GB	1123.5	1125.1	10.50	2900.0		QL=6 ST=3 TYP=5	
	8800	ATHN	47 GB	1123.6	1125.1	42.2	1300.0		QL=6 ST=3 TYP=5	
	15400	SGMR	47 GB	1123.8	1124.8	9.2	680.0		QL=6 ST=3 TYP=5	
	2695	SGMR	47 GB	1123.8	1128.3	10.20	350.0		QL=6 ST=3 TYP=5	
	2695	ATHN	47 GB	1123.8	1128.3	42.80	360.0		QL=6 ST=3 TYP=5	
	245	SGMR	4 S/F	1124.0	1125.1	5.80	23.0		QL=6 ST=3 TYP=3	
	1415	ATHN	4 S/F	1124.0	1128.6	31.50	94.0		QL=6 ST=3 TYP=4	
	1415	SGMR	4 S/F	1125.1	1128.8	9.90	76.0		QL=6 ST=3 TYP=3	
	606	SGMR	4 S/F	1142.3	1142.6	2.70	33.0		QL=6 ST=2 TYP=3	
	1415	SGMR	4 S/F	1143.0	1146.5	5.0	15.0		QL=6 ST=2 TYP=3	
	410	SGMR	4 S/F	1144.1	1144.8	2.20	100.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1145.6	1145.6	.40	39.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1748.8	1749.8	2.80	8.0		QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1749.1	1749.8	1.4	13.0		QL=6 ST=2 TYP=3	
	2695	SGMR	47 GB	1849.6	1857.6	10.7	51.0		QL=6 ST=2 TYP=5	
	4995	SGMR	4 S/F	1928.3	1930.0	3.80	13.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1929.6	1930.0	2.5	30.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	1929.6	1930.0	.5	27.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1930.8	1931.1	.50	48.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	1946.1	1946.3	.5	110.0		QL=6 ST=2 TYP=3	
15400	PALE	8 S	1946.1	1946.3	.5	99.0		QL=6 ST=2 TYP=3		
15400	SGMR	8 S	194.1	1946.3	1.4	68.0		QL=6 ST=2 TYP=3		
8800	SGMR	8 S	1946.1	1946.5	1.50	119.0		QL=6 ST=2 TYP=3		
4995	SGMR	8 S	1946.1	1946.5	.90	9.0		QL=6 ST=2 TYP=3		
4995	SGMR	4 S/F	1956.8	1959.1	5.20	17.0		QL=6 ST=2 TYP=3		
8800	SGMR	4 S/F	1957.5	1959.1	3.6	27.0		QL=6 ST=2 TYP=3		
8800	PALE	8 S	1958.5	1959.1	.8	26.0		QL=6 ST=2 TYP=3		
4995	PALE	8 S	1958.8	1958.8	.2	13.0		QL=6 ST=2 TYP=3		
8800	PALE	8 S	2219.6	2220.3	1.9	21.0		QL=6 ST=2 TYP=3		
10	245	SGMR	43 NS	1055.0	1900.6	669.00	170.0		QL=6 ST=2 TYP=1	
	245	PALE	43 NS	2130.0	0242.1	390.00	119.0		QL=6 ST=2 TYP=1	
	2695	PALE	8 S	0126.5	0126.8	.6	28.0		QL=6 ST=2 TYP=3	
	2695	LEAR	8 S	0126.5	0126.8	.5	26.0		QL=6 ST=2 TYP=3	
	8800	LEAR	8 S	0126.6	0126.8	.4	25.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	0126.6	0126.8	.5	27.0		QL=6 ST=2 TYP=3	
	4995	PALE	8 S	0126.6	0126.8	.5	38.0		QL=6 ST=2 TYP=3	
	4995	LEAR	8 S	0126.6	0126.8	.5	44.0		QL=6 ST=2 TYP=3	
	410	LEAR	47 GB	0346.3	0346.5	.5	240.0		QL=6 ST=2 TYP=5	
	245	LEAR	47 GB	0346.3	0346.6	.8	430.0		QL=6 ST=2 TYP=5	
	606	LEAR	47 GB	0346.3	0346.6	.7	55.0		QL=6 ST=2 TYP=5	
	245	LEAR	8 S	0612.6	0612.8	.5	38.0		QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	1047.6	1053.6	21.00	22.0		QL=6 ST=2 TYP=4	
	8800	ATHN	4 S/F	1047.8	1053.6	22.0	36.0		QL=6 ST=2 TYP=4	
	2695	ATHN	4 S/F	1048.0	1050.6	12.80	8.0		QL=6 ST=2 TYP=4	
	4995	SGMR	4 S/F	1509.1	1511.3	4.90	11.0		QL=6 ST=2 TYP=4	
	8800	SGMR	4 S/F	1509.5	1511.3	3.1	13.0		QL=6 ST=2 TYP=4	
	245	SGMR	8 S	1510.8	1510.8	.70	73.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1944.0	1945.1	3.3	29.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	1944.8	1945.0	.3	28.0		QL=6 ST=2 TYP=3	
2695	PALE	8 S	2105.0	2105.1	.3	19.0		QL=6 ST=2 TYP=3		
245	LEAR	8 S	2254.6	2254.8	.4	85.0		QL=6 ST=2 TYP=3		
11	245	SGMR	43 NS	1057.0	1943.8	666.00	360.0		QL=6 ST=3 TYP=1	
	245	PALE	43 NS	1646.0	1651.3	672.00	52.0		QL=6 ST=2 TYP=1	
	245	LEAR	43 NS	2342.0	0134.1	627.0	69.0		QL=6 ST=2 TYP=1	
	8800	LEAR	4 S/F	0349.5	0357.6	15.5	180.0		QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0357.1	0357.6	7.9	67.0		QL=6 ST=2 TYP=3	
	4995	MANI	4 S/F	0357.1	0357.6	5.20	78.0		QL=6 ST=2 TYP=4	
	2695	MANI	4 S/F	0357.3	0357.5	4.50	34.0		QL=6 ST=2 TYP=4	

228
Misc
Oct 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks	
							Peak (10 -22 W/m ² Hz)	Mean			
11	606	MANI	4 S/F	0357.3	0357.6	3.2D	17.0			QL=6 ST=2 TYP=4	
	2695	LEAR	4 S/F	0357.3	0357.6	6.2	28.0			QL=6 ST=2 TYP=3	
	15400	LEAR	4 S/F	0357.3	0357.6	14.7	46.0			QL=6 ST=2 TYP=4	
	410	LEAR	8 S	0357.5	0357.6	.5	110.0			QL=6 ST=2 TYP=3	
	1415	LEAR	4 S/F	0357.5	0357.6	4.6	19.0			QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0530.8	0531.3	2.7	16.0			QL=6 ST=2 TYP=3	
	8800	LEAR	4 S/F	0610.1	0610.3	2.9	22.0			QL=6 ST=2 TYP=3	
	15400	LEAR	8 S	0610.3	0610.6	.8	17.0			QL=6 ST=2 TYP=3	
	4995	ATHN	4 S/F	0842.1	0845.5	10.5D	67.0			QL=6 ST=2 TYP=3	
	2695	ATHN	4 S/F	0842.5	0845.5	7.8D	34.0			QL=5 ST=2 TYP=3	
	8800	LEAR	8 S	0844.1	0845.3	1.7	36.0			QL=6 ST=2 TYP=3	
	2695	LEAR	4 S/F	0844.1	0845.3	2.5	28.0			QL=6 ST=2 TYP=3	
	4995	LEAR	4 S/F	0844.1	0845.3	2.5	34.0			QL=6 ST=2 TYP=3	
	8800	ATHN	4 S/F	0844.1	0846.0	6.5	20.0			QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1323.5	1324.6	1.3D	99.0			QL=6 ST=2 TYP=3	
	2695	SGMR	8 S	1324.3	1324.6	.7D	13.0			QL=6 ST=2 TYP=3	
	4995	SGMR	8 S	1324.6	1324.8	.4	7.0			QL=6 ST=2 TYP=3	
	4995	SGMR	8 S	1337.1	1337.6	1.2D	17.0			QL=6 ST=2 TYP=3	
	8800	SGMR	8 S	1337.1	1337.8	1.4	11.0			QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1337.8	1338.8	1.3D	65.0			QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1626.8	1626.8	.3	450.0			QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1626.8	1626.8	.3D	57.0			QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1626.8	1627.0	.3D	87.0			QL=6 ST=2 TYP=3	
	8800	PALE	8 S	1741.1	1741.6	1.7	130.0			QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	2013.0	2017.5	7.3D	11.0			QL=6 ST=3 TYP=3	
	8800	SGMR	4 S/F	2014.3	2017.3	4.8D	52.0			QL=6 ST=2 TYP=3	
	1415	SGMR	8 S	2016.0	2016.3	1.0	87.0			QL=6 ST=2 TYP=3	
	2695	PALE	8 S	2108.6	2109.0	.4D	15.0			QL=6 ST=2 TYP=3	
	4995	PALE	8 S	2109.0	2109.1	.1	11.0			QL=6 ST=2 TYP=3	
	245	LEAR	8 S	2304.6	2304.8	.2	58.0			QL=6 ST=2 TYP=3	
	606	LEAR	8 S	2344.6	2344.6	.2	36.0			QL=6 ST=2 TYP=3	
	12	245	SGMR	43 NS	1058.0	1156.1	663.0D	63.0			QL=6 ST=2 TYP=1
		245	LEAR	43 NS	2238.0	2259.8	692.0D	270.0			QL=6 ST=2 TYP=1
4995		LEAR	8 S	0007.0	0007.3	.3	16.0			QL=6 ST=3 TYP=3	
606		LEAR	8 S	0137.8	0138.1	.5	40.0			QL=6 ST=2 TYP=3	
410		LEAR	8 S	0137.8	0138.1	.5	82.0			QL=6 ST=2 TYP=3	
606		LEAR	8 S	0158.6	0158.8	1.5	260.0			QL=6 ST=2 TYP=3	
1415		LEAR	8 S	0258.6	0258.8	.4	88.0			QL=6 ST=2 TYP=3	
245		LEAR	8 S	0258.6	0258.8	.4	97.0			QL=6 ST=2 TYP=3	
410		LEAR	8 S	0259.1	0259.3	.2	88.0			QL=6 ST=2 TYP=3	
606		LEAR	4 S/F	0428.0E	0430.3	4.5D	320.0			QL=6 ST=2 TYP=3	
1415		LEAR	4 S/F	0429.0	0430.5	2.1	15.0			QL=6 ST=2 TYP=3	
410		LEAR	4 S/F	0429.5E	0430.1	2.5D	70.0			QL=6 ST=2 TYP=3	
245		LEAR	4 S/F	0540.1	0542.3	3.0	24.0			QL=6 ST=2 TYP=3	
1415		LEAR	4 S/F	0715.8	0725.5	25.2	9.0			QL=6 ST=2 TYP=3	
4995		LEAR	4 S/F	0716.3	0724.3	24.5	20.0			QL=6 ST=2 TYP=4	
8800		LEAR	4 S/F	0716.3	0728.3	23.3	15.0			QL=6 ST=2 TYP=4	
2695		LEAR	4 S/F	0718.0	0729.0	23.5	16.0			QL=6 ST=2 TYP=4	
606		LEAR	4 S/F	0718.1	0724.6	11.0	45.0			QL=6 ST=2 TYP=3	
15400		LEAR	4 S/F	0721.0	0728.3	18.0	9.0			QL=6 ST=2 TYP=4	
245		LEAR	8 S	0818.6	0819.3	.7	51.0			QL=6 ST=2 TYP=3	
410		LEAR	8 S	0923.3	0923.5	.8	55.0			QL=6 ST=2 TYP=3	
606		LEAR	4 S/F	0923.3	0923.5	13.8	55.0			QL=6 ST=3 TYP=3	
410		LEAR	4 S/F	0928.6	0929.6	3.5	33.0			QL=6 ST=3 TYP=3	
245		LEAR	4 S/F	0941.3	0941.6	2.5	49.0			QL=6 ST=2 TYP=3	
606		SGMR	8 S	1320.5	1320.6	.6D	110.0			QL=6 ST=2 TYP=3	
1415		SGMR	8 S	1320.6	1320.8	.5	8.0			QL=6 ST=2 TYP=3	
245		SGMR	4 S/F	1519.0	1521.1	6.0	119.0			QL=6 ST=2 TYP=3	
1415		SGMR	4 S/F	1519.0	1521.1	4.6D	33.0			QL=6 ST=2 TYP=3	
2695		SGMR	4 S/F	1519.1	1521.1	5.9D	65.0			QL=6 ST=2 TYP=3	
410		SGMR	4 S/F	1519.1	1521.8	5.4D	150.0			QL=6 ST=2 TYP=3	
606		SGMR	4 S/F	1519.6	1521.6	4.4D	27.0			QL=6 ST=2 TYP=3	
4995		SGMR	4 S/F	1520.3	1521.1	4.7D	57.0			QL=6 ST=2 TYP=3	
8800		SGMR	4 S/F	1520.3	1521.1	4.7D	32.0			QL=6 ST=2 TYP=3	
15400		SGMR	4 S/F	1520.3	1521.1	2.8D	9.0			QL=6 ST=2 TYP=3	
8800		SGMR	4 S/F	1553.1E	1554.0	2.4D	100.0			QL=5 ST=2 TYP=3	
4995		SGMR	4 S/F	1553.1	1554.0	2.5D	41.0			QL=5 ST=2 TYP=3	
245		SGMR	8 S	1609.0	1609.8	1.1	310.0			QL=6 ST=2 TYP=3	
2695	SGMR	4 S/F	1636.0	1637.1	2.8D	43.0			QL=6 ST=2 TYP=3		

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

229
Misc
Oct 80

O C T O B E R 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
12	4995	SGMR	4 S/F	1636.0	1637.1	3.0D	39.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1636.1	1636.3	3.0	15.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1636.1	1637.1	3.0D	39.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	2258.6	2300.1	3.4	28.0			QL=6 ST=2 TYP=3
13	410	SGMR	43 NS	1059.0	1245.8	660.0D	46.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1059.0	1636.1	660.0D	139.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2209.0	0648.6	721.0D	250.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2209.0	0826.0	721.0D	48.0			QL=6 ST=2 TYP=1
	245	LEAR	8 S	0107.6	0108.0	.5	250.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	0107.6	0108.1	.5	280.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0117.3	0117.6	.5	19.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0616.8	0617.6	2.8D	72.0			QL=6 ST=2 TYP=4
	4995	ATHN	4 S/F	0616.8	0617.8	4.3D	47.0			QL=6 ST=2 TYP=3
	1415	ATHN	8 S	0616.8	0617.8	1.7D	30.0			QL=6 ST=2 TYP=4
	606	LEAR	4 S/F	0617.1	0617.3	2.2	100.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0617.1	0617.5	1.4	59.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0617.1	0617.6	1.2	31.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0617.1	0617.6	1.5	41.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0617.1	0617.8	4.5	35.0			QL=6 ST=2 TYP=4
	410	LEAR	4 S/F	0617.1	0619.1	2.2	56.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0617.3	0617.6	1.8	150.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0617.6	0617.6	.2	23.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0743.0	0745.5	5.3	19.0			QL=6 ST=3 TYP=3
	4995	LEAR	4 S/F	0743.0	0745.5	4.6	21.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0745.1	0745.5	1.0	19.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0943.3	0943.5	.5	28.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0943.3	0943.8	.7	38.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0943.3	0944.0	3.0	61.0			QL=6 ST=2 TYP=3
	4995	ATHN	8 S	0943.3	0944.1	1.7	82.0			QL=2 ST=2 TYP=3
	2695	ATHN	8 S	0943.3	0944.5	1.7	26.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1504.8	1505.8	2.3D	20.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1505.1	1505.3	.7D	119.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1505.1	1506.0	1.9	11.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1647.8	1648.5	1.2D	19.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1648.0	1648.1	1.3	22.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1931.3	1932.1	2.5D	30.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1931.6	1932.1	2.4	17.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	1931.8	1932.3	1.2	28.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	1932.1	1932.1	.5	26.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	1932.1	1932.3	.2	17.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1956.3	1956.8	5.7D	29.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1956.5	1958.1	4.6D	28.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	1956.8	1958.5	5.0D	350.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	1958.3	1958.5	.7	15.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	2009.3	2010.1	2.0	6.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	2009.8	2010.5	1.2D	27.0			QL=6 ST=2 TYP=3
	245	SGMR	4 S/F	2030.1	2035.5	8.2	210.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2031.5	2031.6	4.5D	30.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2035.1	2035.8	2.0D	67.0			QL=6 ST=2 TYP=3
	606	PALE	8 S	2035.5	2035.8	.8	66.0			QL=6 ST=2 TYP=3
2695	PALE	8 S	2214.8	2215.1	.8	27.0			QL=3 ST=2 TYP=3	
4995	PALE	8 S	2214.8	2215.1	.8	21.0			QL=3 ST=2 TYP=3	
8800	PALE	8 S	2214.8	2215.3	.8	47.0			QL=3 ST=2 TYP=3	
15400	PALE	8 S	2214.8	2215.3	.8	44.0			QL=3 ST=2 TYP=3	
14	410	SGMR	43 NS	1100.0	2041.1	658.0D	210.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1100.0	2041.1	658.0D	490.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1645.0	1817.0	668.0D	460.0			QL=6 ST=2 TYP=1
	410	PALE	43 NS	1822.0	0210.1	571.0D	110.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2209.0	0716.5	721.0D	150.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2209.0	0751.3	721.0D	350.0			QL=6 ST=2 TYP=1
	410	LEAR	4 S/F	0009.5	0012.1	3.3	15.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0011.1	0011.5	1.2	38.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0011.1	0011.8	1.9	18.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0011.3	0011.5		31.0			QL=6 ST=3 TYP=3
	245	LEAR	8 S	0011.3	0011.8	1.0	150.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0011.3	0011.8	.8	26.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0011.3	0012.0	1.0	20.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0011.5	0011.6		26.0			QL=6 ST=3 TYP=3

230
Misc
Oct 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean		
14	245	PALE	8 S	0011.5	0012.0	.6	200.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0011.5	0012.0	.5	19.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0011.8	0012.1		13.0			QL=6 ST=3 TYP=3
	4995	LEAR	8 S	0121.8	0123.1	2.0	15.0			QL=6 ST=2 TYP=4
	8800	LEAR	8 S	0122.1	0122.1	.7	13.0			QL=6 ST=2 TYP=4
	2695	LEAR	8 S	0122.3	0123.1	1.5	16.0			QL=6 ST=2 TYP=4
	8800	PALE	8 S	0202.1	0202.3	.2	18.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0202.1	0202.3	.4	18.0			QL=6 ST=2 TYP=3
	8800	PALE	4 S/F	0237.5	0237.6	2.1	21.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0245.5	0246.5	1.1	22.0			QL=6 ST=2 TYP=3
	4995	PALE	47 GB	0246.8	0248.6	2.3	16.0			QL=6 ST=2 TYP=5
	8800	PALE	8 S	0251.1	0251.1	.2	20.0			QL=6 ST=2 TYP=4
	4995	PALE	4 S/F	0251.1	0302.6	21.7	24.0			QL=6 ST=2 TYP=4
	2695	PALE	47 GB	0253.8	0254.5	.7D	15.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0337.1	0337.5	.5	56.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0337.3	0337.3	.3	280.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0337.3	0337.5	.5	190.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	0337.3	0337.5	.3	260.0			QL=6 ST=2 TYP=3
	410	PALE	8 S	0337.3	0337.6	.3	400.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0541.1	0542.6	14.4	920.0			QL=6 ST=3 TYP=5
	4995	LEAR	4 S/F	0541.1	0542.8	14.4	340.0			QL=6 ST=3 TYP=3
	1415	MAN I	47 GB	0541.5	0543.5	57.3D	110.0			QL=6 ST=3 TYP=5
	2695	MAN I	47 GB	0541.5	0543.6	54.5D	260.0			QL=6 ST=3 TYP=5
	4995	MAN I	47 GB	0541.5	0543.8	57.6D	1199.0			QL=6 ST=3 TYP=5
	8800	MAN I	47 GB	0541.5	0544.0	69.6	1000.0			QL=6 ST=3 TYP=5
	15400	LEAR	4 S/F	0541.6	0542.6	11.5	480.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0541.6	0542.8	10.0	119.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0542.3	0543.3	2.5	43.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0556.0	0603.3	8.6	200.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0557.5	0608.3	72.5	740.0			QL=6 ST=3 TYP=5
	4995	LEAR	4 S/F	0557.5	0608.3	65.5	410.0			QL=6 ST=3 TYP=3
	606	MAN I	47 GB	0559.0	0629.8	45.8D	68.0			QL=6 ST=3 TYP=5
	15400	LEAR	4 S/F	0601.5	0608.3	66.5	340.0			QL=6 ST=3 TYP=3
	1415	LEAR	4 S/F	0606.5	0619.1	39.5	110.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0606.5	0619.1	39.5	290.0			QL=6 ST=2 TYP=3
	606	LEAR	4 S/F	0609.0	0619.8	26.0	110.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0618.1	0619.5	4.0	78.0			QL=6 ST=2 TYP=3
245	LEAR	47 GB	0727.8	0728.6	2.2	1000.0			QL=6 ST=2 TYP=5	
8800	SGMR	4 S/F	1344.6	1345.6	3.2	18.0			QL=6 ST=2 TYP=3	
245	SGMR	4 S/F	1345.1	1347.5	6.4D	93.0			QL=6 ST=2 TYP=3	
606	PALE	8 S	2153.5	2153.6	.3	89.0			QL=6 ST=2 TYP=3	
410	PALE	8 S	2154.1	2154.3	.4	220.0			QL=6 ST=2 TYP=3	
606	LEAR	8 S	2308.3	2308.5	.3	110.0			QL=6 ST=2 TYP=3	
15	410	SGMR	43 NS	1101.0	1723.0	655.0D	119.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1101.0	1734.5	655.0D	320.0			QL=6 ST=2 TYP=1
	410	LEAR	43 NS	2208.0	0445.8	723.0D	170.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2208.0	0509.8	723.0D	410.0			QL=6 ST=2 TYP=1
	4995	LEAR	8 S	0107.5	0107.6	1.0	15.0			QL=6 ST=2 TYP=3
	8800	MAN I	4 S/F	0228.3	0230.8	3.7	53.0			QL=6 ST=2 TYP=3
	4995	MAN I	4 S/F	0228.5	0230.5	3.5D	63.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0229.0	0230.3	5.1	50.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0230.0	0230.3	.8	41.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0230.0	0230.8	1.0	41.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0240.1	0240.3	1.7	119.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0304.1	0305.3	3.0	11.0			QL=6 ST=2 TYP=4
	1415	LEAR	4 S/F	0304.8	0305.0	2.2	30.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0420.5	0420.6	.8	170.0			QL=6 ST=3 TYP=3
	1415	MAN I	47 GB	0505.0	0509.8	31.3	139.0			QL=6 ST=2 TYP=5
	1415	LEAR	47 GB	0509.5	0509.8	54.1	220.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0510.3	0549.6	53.3	38.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0511.1	0559.3	52.5	28.0			QL=6 ST=2 TYP=5
	4995	LEAR	47 GB	0512.3	0552.5	51.3	37.0			QL=6 ST=2 TYP=5
	606	LEAR	47 GB	0513.0	0521.5	21.3	40.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	0513.3	0527.6	50.3	46.0			QL=6 ST=2 TYP=5
	8800	LEAR	8 S	0806.1	0806.5	.9	25.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0806.3	0806.3	.2	13.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0921.3	0922.0	6.8	180.0			QL=6 ST=2 TYP=5
	410	LEAR	47 GB	0921.5	0942.1	20.6D	119.0			QL=6 ST=2 TYP=5
	606	LEAR	47 GB	0931.1	0931.3	.2	13.0			QL=6 ST=2 TYP=5

S O L A R R A D I O E M I S S I O N
O U T S T A N D I N G O C C U R R E N C E S

231
Misc
Oct 80

O C T O B E R 1 9 8 0

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
15	1415	SGMR	4 S/F	1242.8	1243.0	5.2D	23.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1242.8	1244.0	5.7D	29.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1243.1	1244.0	4.7	33.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1243.1	1244.1	4.9D	21.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1243.3	1244.1	5.2D	60.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	1243.3	1244.3	6.5	54.0			QL=6 ST=2 TYP=4
	2695	ATHN	8 S	1243.6	1244.0	.7D	15.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1549.1	1549.6	4.7	20.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1549.3	1550.0	4.7D	7.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1601.0	1603.0	3.6D	10.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	1601.6	1603.1	2.0	22.0			QL=6 ST=2 TYP=3
	16	245	SGMR	43 NS	1102.0	1820.5	652.0D	180.0		
410		SGMR	43 NS	1102.0	1916.8	652.0D	180.0			QL=6 ST=2 TYP=1
410		PALE	43 NS	1646.0	1833.8	665.0D	180.0			QL=6 ST=2 TYP=1
245		PALE	43 NS	1646.0	1919.1	665.0D	280.0			QL=6 ST=2 TYP=1
410		LEAR	43 NS	2207.0	2311.5	724.0D	44.0			QL=6 ST=2 TYP=1
245		LEAR	43 NS	2207.0	2346.1	724.0D	119.0			QL=6 ST=2 TYP=1
15400		PALE	8 S	0137.6	0137.8	.2	25.0			QL=6 ST=3 TYP=3
15400		PALE	8 S	0205.3	0206.1	1.0	32.0			QL=6 ST=2 TYP=3
8800		PALE	8 S	0206.0	0206.1	.3	24.0			QL=6 ST=2 TYP=3
245		LEAR	8 S	0445.3	0445.6	1.0	130.0			QL=6 ST=2 TYP=3
410		LEAR	8 S	0445.6	0445.8	.5	170.0			QL=6 ST=2 TYP=3
606		LEAR	8 S	0723.0	0723.6	1.0	38.0			QL=6 ST=2 TYP=3
606		PALE	47 GB	1821.6	1821.8	.5	42.0			QL=6 ST=2 TYP=5
245		SGMR	47 GB	2013.1	2014.3	4.2D	1000.0			QL=6 ST=2 TYP=5
245		PALE	47 GB	2014.1	2014.3	2.5	860.0			QL=6 ST=2 TYP=5
410		SGMR	4 S/F	2014.1	2014.3	3.5	130.0			QL=6 ST=2 TYP=3
15400		PALE	47 GB	2015.1	2015.8	6.9	50.0			QL=6 ST=2 TYP=5
245		PALE	47 GB	2101.8	2102.1	.5	1100.0			QL=6 ST=2 TYP=5
245		SGMR	47 GB	2102.0	2102.1	1.1	1199.0			QL=6 ST=2 TYP=5
245		SGMR	47 GB	2107.5	2107.8	.8	1199.0			QL=6 ST=2 TYP=5
245		PALE	47 GB	2107.6	2107.8	.5	1100.0			QL=6 ST=2 TYP=5
17	410	PALE	43 NS	1647.0	1702.5	509.0	190.0			QL=6 ST=2 TYP=1
	245	PALE	43 NS	1647.0	1706.1	509.0	35.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2206.0	0014.1	289.0D	26.0			QL=6 ST=3 TYP=1
	245	LEAR	8 S	0346.8	0347.0	.3	38.0			QL=6 ST=3 TYP=3
	410	LEAR	8 S	0346.8	0347.1	.7	55.0			QL=6 ST=3 TYP=3
	606	LEAR	8 S	0346.8	0347.1	.5	15.0			QL=6 ST=3 TYP=3
	410	SGMR	8 S	1703.0	1703.1	.3	350.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1758.8	1759.1	4.5D	8.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1759.0	1759.1	2.5D	5.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1800.5	1800.8	.6	26.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2003.0	2004.8	2.0	15.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	2004.8	2005.3	1.3D	280.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	2337.3	2337.5	1.3	16.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	2337.3	2337.6	1.0	20.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2337.3	2337.6	.3	21.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	2353.1	2353.1	.2	42.0			QL=1 ST=3 TYP=3
	410	LEAR	47 GB	2353.1	2353.1	.2	870.0			QL=1 ST=3 TYP=5
245	LEAR	47 GB	2353.1	2353.1	.2	480.0			QL=1 ST=3 TYP=5	
18	245	LEAR	43 NS	2206.0	0014.1	289.0D	26.0			QL=6 ST=2 TYP=1
	15400	LEAR	8 S	0143.6	0144.0	.5	30.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0143.8	0143.8	.3	25.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0239.6	0239.8	.5	25.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0239.8	0239.8	.3	23.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0239.8	0239.8	.3	43.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0239.8	0240.0	.3	17.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0239.8	0240.1	.3	13.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1502.1	1503.0	2.7D	5.0			QL=3 ST=2 TYP=3
	15400	SGMR	4 S/F	1502.3	1503.0	3.2	11.0			QL=3 ST=2 TYP=3
	4995	SGMR	8 S	1535.0	1535.3	1.1D	11.0			QL=6 ST=3 TYP=3
	8800	SGMR	8 S	1535.1	1535.5	1.4	19.0			QL=6 ST=3 TYP=3
	4995	SGMR	8 S	1555.0	1555.3	1.1D	11.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1555.1	1555.5	1.4	19.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1820.8	1820.8	.3D	13.0			QL=6 ST=2 TYP=3
	245	SGMR	8 S	1820.8	1821.0	.3	47.0			QL=6 ST=2 TYP=3
	2695	SGMR	8 S	1833.3	1833.5	.7	60.0			QL=6 ST=2 TYP=3

232
Misc
Oct 80

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
18	8800	SGMR	4 S/F	1932.0	1934.3	4.5D	52.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1932.3	1934.1	2.8	45.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1933.3	1934.3	2.7D	20.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	2128.5	2129.5	4.1	2500.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	2247.1	2247.6	1.0	1000.0			QL=2 ST=2 TYP=5
	245	PALE	47 GB	2247.1	2247.6	.9	1300.0			QL=6 ST=2 TYP=5
	2695	PALE	8 S	2247.3	2247.5	.5	26.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	2247.5	2247.6	.3	17.0			QL=6 ST=2 TYP=3
19	410	LEAR	43 NS	0610.6	0616.8	241.4D	8.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	0610.8	0617.3	241.2D	43.0			QL=6 ST=2 TYP=1
	245	SGMR	43 NS	1106.0	1331.8	644.0D	160.0			QL=6 ST=2 TYP=1
	15400	LEAR	8 S	0000.0	0000.8		68.0			QL=6 ST=3 TYP=3
	8800	PALE	8 S	0000.0	0000.8		81.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0000.0	0000.8		70.0			QL=6 ST=3 TYP=3
	15400	PALE	4 S/F	0000.1	0000.8	7.9	66.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0000.1	0000.8	1.7	52.0			QL=6 ST=3 TYP=3
	4995	PALE	4 S/F	0000.1	0000.8	8.9	53.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0000.8	0001.1	.3D	13.0			QL=6 ST=3 TYP=3
	2695	PALE	4 S/F	0001.1	0001.3	1439.9	11.0			QL=6 ST=2 TYP=3
	410	LEAR	8 S	0046.3	0047.5	1.8	24.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0046.3	0047.6	1.3	310.0			QL=6 ST=2 TYP=3
	245	PALE	8 S	0046.5	0047.6	1.3	490.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0211.5	0211.6	.6	17.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0211.5	0211.6	.3	2600.0			QL=6 ST=2 TYP=5
	410	LEAR	8 S	0211.5	0211.6	.3	480.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0222.0	0222.1	.3	23.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0224.8	0224.8	.2	16.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	0251.3	0251.6	.3	28.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	0313.6	0313.8	1.9	31.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	0313.6	0314.3	.7D	17.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0538.8	0539.8	2.0	22.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0539.1	0539.8	1.0	18.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0552.8	0553.1	1.0	19.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0552.8	0553.1	.5	11.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0608.5	0608.6	1.0	8.0			QL=6 ST=2 TYP=3
	15400	LEAR	8 S	0608.5	0608.6	1.0	41.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0608.5	0608.6	1.3	20.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0836.5	0836.6	.3	360.0			QL=6 ST=2 TYP=3
410	LEAR	8 S	0836.6	0836.6	.2	17.0			QL=6 ST=2 TYP=3	
8800	LEAR	8 S	0938.5	0938.8	.8	30.0			QL=6 ST=2 TYP=3	
15400	LEAR	8 S	0938.6	0938.6	.2	19.0			QL=6 ST=2 TYP=3	
20	245	LEAR	43 NS	2204.0	0055.3	729.0D	720.0			QL=6 ST=2 TYP=1
	8800	ATHN	4 S/F	0902.0	0903.3	5.3	29.0			QL=5 ST=2 TYP=4
	8800	LEAR	4 S/F	0902.1	0902.8	4.0	54.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0902.6	0903.0	.9	24.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	1831.6	1832.0	.9	320.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	1831.6	1832.1	2.0D	460.0			QL=6 ST=2 TYP=3
	15400	SGMR	8 S	1831.6	1832.1	1.2D	440.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1831.6	1832.1	2.2	61.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	1831.8	1832.0	.3	38.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1831.8	1832.1	.8	480.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	2305.1	2306.1	1.7	11.0			QL=6 ST=3 TYP=3
	8800	LEAR	8 S	2305.5	2306.1	1.0	52.0			QL=6 ST=3 TYP=3
	8800	PALE	8 S	2306.1	2306.1	.2	42.0			QL=6 ST=2 TYP=3
	21	245	SGMR	43 NS	1108.0	1407.6	639.0D	190.0		
8800		PALE	4 S/F	0042.6	0043.5	6.5	78.0			QL=6 ST=2 TYP=3
15400		LEAR	8 S	0042.6	0043.5	1.0	23.0			QL=6 ST=3 TYP=3
8800		LEAR	8 S	0043.1	0043.5	.7	69.0			QL=6 ST=3 TYP=3
4995		LEAR	8 S	0043.1	0043.5	.5	20.0			QL=6 ST=3 TYP=3
245		LEAR	8 S	0544.3	0544.6	.5	85.0			QL=6 ST=2 TYP=3
245		LEAR	8 S	0629.8	0630.0	.3	370.0			QL=6 ST=2 TYP=3
245	LEAR	8 S	0636.1	0636.3	.4	46.0			QL=6 ST=2 TYP=3	
22	245	SGMR	43 NS	1110.0	1334.3	635.0D	190.0			QL=6 ST=2 TYP=1
	4995	LEAR	47 GB	0000.0	0007.0		150.0			QL=6 ST=2 TYP=5
	8800	LEAR	47 GB	0000.0	0007.0		110.0			QL=6 ST=2 TYP=5
	15400	LEAR	47 GB	0002.5	0007.0	32.1	48.0			QL=6 ST=2 TYP=5

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

233
Misc
Oct 80

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 -22 W/m 2 Hz)	Mean		
22	245	LEAR	47 GB	0005.1	0016.1	18.7	150.0			QL=6 ST=2 TYP=5
	8800	PALE	8 S	0021.3	0021.5	.3	35.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0150.8	0151.1	.5	29.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	1532.3	1541.8	13.0D	110.0			QL=6 ST=2 TYP=3
	8800	SGMR	4 S/F	1532.5	1535.6	5.0D	21.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1532.8	1533.6	4.7D	3.0			QL=6 ST=2 TYP=3
	15400	SGMR	4 S/F	1532.8	1535.8	4.3	17.0			QL=6 ST=2 TYP=3
	4995	SGMR	4 S/F	1533.1	1535.6	5.9D	26.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	1533.1	1536.3	5.0D	490.0			QL=6 ST=2 TYP=3
	245	SGMR	47 GB	1534.5	1534.8	2.5D	1100.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	2237.3	2237.8	.5	23.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	2237.5	2237.6	.1	15.0			QL=6 ST=2 TYP=3
	1415	LEAR	47 GB	2359.5	0016.0	34.0	170.0			QL=6 ST=2 TYP=5
	2695	LEAR	47 GB	2359.8	0007.1	22.3	160.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	2359.8	0022.1	28.2	180.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	2359.8	0022.3	28.7	170.0			QL=6 ST=2 TYP=5
23	245	LEAR	43 NS	0904.5	0927.8	69.5D	88.0			QL=6 ST=2 TYP=1
	245	LEAR	43 NS	2202.0	0135.3	732.0D	300.0			QL=6 ST=2 TYP=1
	2695	PALE	47 GB	0000.0	0007.1		150.0			QL=6 ST=2 TYP=5
	1415	PALE	47 GB	0000.0	0016.8		160.0			QL=6 ST=2 TYP=5
	4995	PALE	47 GB	0000.1	0006.8	32.9	150.0			QL=6 ST=2 TYP=5
	8800	PALE	47 GB	0001.8	0006.8	31.2	119.0			QL=6 ST=2 TYP=5
	15400	PALE	47 GB	0003.3	0007.1	16.3	54.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0034.3	0037.0	13.7	170.0			QL=6 ST=2 TYP=3
	410	LEAR	4 S/F	0034.8	0036.8	11.3	100.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0034.8	0036.8	12.8	72.0			QL=6 ST=2 TYP=3
	1415	PALE	47 GB	0035.3	0036.6	8.3	67.0			QL=6 ST=2 TYP=5
	245	LEAR	8 S	0126.8	0127.0	.3	16.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0134.6	0134.8	.4	44.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	0134.6	0134.8	.2	50.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0134.6	0145.3	23.7	230.0			QL=6 ST=2 TYP=5
	410	LEAR	47 GB	0135.6	0136.6	23.5	46.0			QL=6 ST=2 TYP=5
	606	LEAR	8 S	0136.3	0136.6	.3	75.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	0249.6	0249.8	.2	26.0			QL=6 ST=2 TYP=3
	1415	LEAR	8 S	0334.1	0334.1	.2	35.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0334.1	0334.3	.2	24.0			QL=6 ST=2 TYP=3
	606	LEAR	8 S	0436.1	0437.1	1.0D	13.0			QL=6 ST=2 TYP=3
	2695	LEAR	8 S	0437.6	0439.3	2.0	20.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	0438.6	0442.8	7.7	270.0			QL=6 ST=2 TYP=5
	410	LEAR	47 GB	0441.3	0442.1	2.8	190.0			QL=6 ST=2 TYP=5
	606	LEAR	4 S/F	0441.5	0441.6	2.3	119.0			QL=6 ST=2 TYP=3
	4995	LEAR	8 S	0441.6	0442.3	2.0	31.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0441.8	0442.3	1.7	27.0			QL=6 ST=2 TYP=3
	2695	LEAR	47 GB	0442.0	0442.3	.3D	15.0			QL=6 ST=2 TYP=5
	245	LEAR	47 GB	0539.3	0539.6	2.7	85.0			QL=6 ST=2 TYP=5
	8800	MANI	47 GB	0731.0	0738.6	21.0	360.0			QL=6 ST=2 TYP=5
	606	LEAR	47 GB	0731.5	0738.1	8.6	6300.0			QL=6 ST=3 TYP=5
	1415	LEAR	47 GB	0731.6	0738.0	8.7	220.0			QL=6 ST=3 TYP=5
	2695	LEAR	47 GB	0731.8	0733.8	8.7	640.0			QL=6 ST=3 TYP=5
	410	LEAR	47 GB	0731.8	0738.1	8.3	3200.0			QL=6 ST=3 TYP=5
	4995	LEAR	4 S/F	0734.8	0738.1	8.0	270.0			QL=6 ST=2 TYP=3
	245	LEAR	4 S/F	0735.1	0738.3	5.0	490.0			QL=6 ST=2 TYP=3
	8800	LEAR	47 GB	0735.1	0738.6	7.5	510.0			QL=6 ST=2 TYP=5
	15400	LEAR	4 S/F	0737.1	0738.3	4.5	430.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	0738.0	0739.0	5.0	540.0			QL=6 ST=2 TYP=5
	410	LEAR	4 S/F	0745.1	0746.6	7.4	270.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0745.1	0748.0	9.7	110.0			QL=6 ST=2 TYP=3
	606	LEAR	47 GB	0745.3	0747.8	7.0	540.0			QL=6 ST=2 TYP=5
	245	LEAR	4 S/F	0745.5	0747.3	6.1	160.0			QL=6 ST=2 TYP=3
	2695	LEAR	4 S/F	0745.6	0748.0	8.5	61.0			QL=6 ST=2 TYP=3
4995	LEAR	4 S/F	0745.6	0748.0	7.5	110.0			QL=6 ST=2 TYP=3	
1415	LEAR	4 S/F	0746.1	0747.6	4.5	15.0			QL=6 ST=2 TYP=3	
15400	LEAR	4 S/F	0747.0	0748.0	8.0	52.0			QL=6 ST=2 TYP=3	
2695	ATHN	4 S/F	1033.5	1034.6	14.1D	60.0			QL=6 ST=2 TYP=3	
8800	ATHN	4 S/F	1033.6	1034.3	13.2	130.0			QL=6 ST=2 TYP=3	
4995	ATHN	4 S/F	1033.6	1034.3	18.7D	290.0			QL=6 ST=2 TYP=3	
1415	ATHN	4 S/F	1042.1	1043.8	4.0D	21.0			QL=6 ST=2 TYP=4	
4995	ATHN	4 S/F	1211.8	1221.6	23.8D	37.0			QL=6 ST=2 TYP=4	
8800	ATHN	4 S/F	1216.3	1227.0	18.3	24.0			QL=6 ST=2 TYP=4	

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
23	2695	ATHN	4 S/F	1217.5	1222.0	13.1D	34.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	1218.6	1226.1	9.7D	54.0			QL=6 ST=2 TYP=4
	8800	SGMR	47 GB	1219.1	1221.6	10.4	28.0			QL=6 ST=2 TYP=5
	606	SGMR	4 S/F	1457.6	1500.3	4.4D	67.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1459.5	1500.5	1.8D	69.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1459.6	1500.6	2.2	20.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	1753.0	1753.1	.1	26.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	1753.0	1753.1	.1	36.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1909.1	1911.5	3.0D	31.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	1911.1	1912.0	1.4	11.0			QL=6 ST=2 TYP=3
	606	SGMR	4 S/F	2000.5	2001.6	3.0D	33.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	2000.8	2003.3	3.2D	70.0			QL=6 ST=2 TYP=3
	410	SGMR	4 S/F	2001.0	2002.0	2.8	42.0			QL=6 ST=2 TYP=3
	1415	PALE	4 S/F	2001.3	2003.3	2.3	91.0			QL=6 ST=2 TYP=3
	606	SGMR	8 S	2034.8	2035.0	1.0D	240.0			QL=6 ST=2 TYP=3
	1415	PALE	8 S	2034.8	2035.0	.3	57.0			QL=6 ST=2 TYP=3
	1415	SGMR	8 S	2034.8	2035.0	.8D	42.0			QL=6 ST=2 TYP=3
	4995	SGMR	8 S	2034.8	2035.1	1.7D	16.0			QL=6 ST=2 TYP=3
	8800	SGMR	8 S	2035.0	2035.1	1.0	44.0			QL=6 ST=2 TYP=3
	15400	PALE	8 S	2035.0	2035.1	.1	42.0			QL=6 ST=2 TYP=3
	4995	PALE	8 S	2035.0	2035.1	.1	25.0			QL=6 ST=2 TYP=3
	8800	PALE	8 S	2035.0	2035.1	.3	70.0			QL=6 ST=2 TYP=3
	410	SGMR	8 S	2035.1	2035.3	.9D	49.0			QL=6 ST=2 TYP=3
245	SGMR	8 S	2035.8	2036.1	.5D	29.0			QL=6 ST=2 TYP=3	
24	245	SGMR	43 NS	1112.0	1756.1	630.0D	119.0			QL=6 ST=2 TYP=1
	606	LEAR	4 S/F	0028.5	0030.3	3.8	44.0			QL=6 ST=3 TYP=3
	410	LEAR	4 S/F	0028.8	0030.0	3.5	23.0			QL=6 ST=3 TYP=3
	2695	LEAR	4 S/F	0029.0	0031.3	5.6	150.0			QL=6 ST=3 TYP=3
	1415	MAN I	4 S/F	0029.1	0030.6	5.2D	210.0			QL=6 ST=2 TYP=3
	1415	LEAR	4 S/F	0029.3	0030.6	3.0	250.0			QL=6 ST=3 TYP=3
	606	MAN I	4 S/F	0029.8	0030.6	2.8D	19.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0030.0	0031.6	3.6	9.0			QL=6 ST=3 TYP=3
	1415	PALE	8 S	0030.1	0030.5	1.2	190.0			QL=6 ST=2 TYP=3
	2695	MAN I	4 S/F	0030.1	0031.8	3.2	130.0			QL=6 ST=2 TYP=3
	2695	PALE	8 S	0030.3	0031.3	1.2	130.0			QL=6 ST=2 TYP=3
	245	LEAR	8 S	0145.3	0145.5	.3	19.0			QL=6 ST=2 TYP=3
	8800	LEAR	8 S	0309.8	0310.0	.3	19.0			QL=6 ST=2 TYP=3
	1415	SGMR	4 S/F	1333.3	1337.3	7.7D	15.0			QL=6 ST=2 TYP=3
	2695	SGMR	4 S/F	1335.8	1337.3	3.7	16.0			QL=6 ST=2 TYP=3
	245	LEAR	47 GB	2221.8	2222.1	3.3	41.0			QL=6 ST=2 TYP=5
	2695	LEAR	8 S	2222.8	2224.0	1.3	16.0			QL=6 ST=2 TYP=3
410	LEAR	47 GB	2223.3	2224.5	1.3	26.0			QL=6 ST=2 TYP=5	
245	LEAR	8 S	2349.1	2349.1	.2	71.0			QL=6 ST=2 TYP=3	
25	245	LEAR	43 NS	0005.0	0206.3	415.0D	160.0			QL=6 ST=2 TYP=1
	15400	LEAR	4 S/F	0537.8	0539.8	6.0	61.0			QL=6 ST=2 TYP=3
	8800	LEAR	4 S/F	0537.8	0539.8	3.7	77.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0538.1	0539.8	4.2D	41.0			QL=6 ST=2 TYP=3
	4995	LEAR	4 S/F	0538.1	0539.8	2.4	38.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0538.1	0540.0	4.2	59.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0538.6	0539.8	3.0D	18.0			QL=6 ST=2 TYP=3
	1415	MAN I	47 GB	0752.1	0803.5	34.5D	119.0			QL=6 ST=2 TYP=5
	2695	MAN I	4 S/F	0757.1	0803.5	17.9D	40.0			QL=6 ST=2 TYP=4
	1415	ATHN	4 S/F	0759.0	0803.1	8.6D	99.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0800.1	0803.1	7.7D	29.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0800.1	0803.1	10.0D	17.0			QL=6 ST=2 TYP=3
	4995	MAN I	4 S/F	0801.5	0803.8	12.1	57.0			QL=6 ST=2 TYP=4
	8800	ATHN	4 S/F	0801.6	0804.6	9.2	76.0			QL=6 ST=2 TYP=3
	2695	ATHN	4 S/F	0819.0	0820.6	7.3D	7.0			QL=6 ST=2 TYP=3
	4995	ATHN	4 S/F	0819.0	0820.6	5.6D	26.0			QL=6 ST=2 TYP=3
	8800	ATHN	4 S/F	0819.0	0820.8	6.0	28.0			QL=6 ST=2 TYP=3
	1415	ATHN	4 S/F	0819.5	0820.6	4.0D	8.0			QL=6 ST=2 TYP=3
	8800	ATHN	47 GB	0940.8	0948.3	18.3	930.0			QL=6 ST=2 TYP=5
4995	PALE	8 S	2213.5	2213.6	.3	18.0			QL=6 ST=2 TYP=3	
2695	PALE	8 S	2213.5	2213.6	.3	13.0			QL=6 ST=2 TYP=3	
245	LEAR	8 S	2218.8	2219.0	.3	27.0			QL=6 ST=2 TYP=3	
26	4995	LEAR	8 S	0002.0	0002.3	1.0	34.0			QL=6 ST=3 TYP=3
	2695	LEAR	8 S	0002.0	0002.6	1.0	11.0			QL=6 ST=3 TYP=3

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

235
Misc
Oct 80

OCTOBER 1980

Day	Freq	Sta	Type	Start (UT)	Time of Maximum (UT)	Duration (Min)	Flux Density		Int	Remarks
							Peak (10 ⁻²² W/m ² Hz)	Mean (2 Hz)		
26	15400	LEAR	8 S	0002.0	0002.6	1.0	10.0		QL=6 ST=3 TYP=3	
	8800	LEAR	8 S	0002.0	0002.6	1.0	29.0		QL=6 ST=3 TYP=3	
	4995	PALE	8 S	0002.1	0002.3	.7	24.0		QL=6 ST=2 TYP=3	
	245	LEAR	47 GB	0032.1	0033.5	1.7	1399.0		QL=6 ST=2 TYP=5	
27	245	LEAR	43 NS	0725.8	0806.3	170.2	119.0		QL=6 ST=2 TYP=1	
	1415	LEAR	8 S	0724.8	0724.8	.2	21.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0812.1	0812.3	.2	42.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0907.1	0907.1	2.0	150.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1722.3	1723.1	2.3	11.0		QL=6 ST=2 TYP=4	
	4995	PALE	8 S	2159.8	2200.0	.3	17.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	2159.8	2200.0	.5	23.0		QL=6 ST=2 TYP=3	
	1415	PALE	47 GB	2234.3	2237.1	3.3	750.0		QL=6 ST=2 TYP=5	
28	245	SGMR	43 NS	1738.1	1809.1	237.9D	33.0		QL=6 ST=2 TYP=1	
	606	SGMR	4 S/F	1238.5	1239.0	2.5D	139.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1238.5	1239.1	2.0D	53.0		QL=6 ST=2 TYP=3	
	1415	SGMR	8 S	1238.6	1239.0	2.0	310.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1238.6	1239.1	2.0D	230.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1738.1	1738.1	.9	25.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1857.1	1859.3	4.0D	16.0		QL=3 ST=2 TYP=3	
	15400	SGMR	8 S	1858.6	1859.1	1.9	8.0		QL=3 ST=2 TYP=3	
	2695	LEAR	8 S	2228.8	2229.1	.5	21.0		QL=6 ST=2 TYP=3	
	29	245	LEAR	43 NS	2229.6	2347.6	707.4D	470.0		QL=6 ST=2 TYP=1
8800		SGMR	4 S/F	1140.3	1141.6	2.7D	22.0		QL=6 ST=2 TYP=3	
4995		SGMR	4 S/F	1140.5	1141.5	3.1D	37.0		QL=6 ST=2 TYP=3	
1415		SGMR	8 S	1140.6	1141.5	1.0D	10.0		QL=6 ST=2 TYP=3	
15400		SGMR	8 S	1140.8	1141.5	1.8	20.0		QL=6 ST=2 TYP=3	
606		SGMR	8 S	1140.8	1141.5	1.0D	65.0		QL=6 ST=2 TYP=3	
30	606	LEAR	4 S/F	0204.0	0205.6	2.3	28.0		QL=6 ST=2 TYP=3	
	1415	PALE	4 S/F	0204.1	0205.6	2.5	61.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0204.3	0205.6	2.0	23.0		QL=6 ST=2 TYP=3	
	1415	LEAR	8 S	0204.6	0205.6	1.2	56.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0205.5	0205.6	.1	210.0		QL=6 ST=2 TYP=3	
	245	LEAR	4 S/F	0241.1	0441.3	120.4	55.0		QL=6 ST=2 TYP=3	
	1415	PALE	8 S	0315.1	0315.3	1.2	27.0		QL=6 ST=2 TYP=3	
	245	SGMR	4 S/F	1614.1	1617.0	3.2	170.0		QL=6 ST=2 TYP=3	
	4995	SGMR	4 S/F	1915.6	1917.1	2.5D	9.0		QL=6 ST=2 TYP=3	
	8800	SGMR	4 S/F	1916.0	1917.1	2.6	13.0		QL=6 ST=2 TYP=3	
	8800	PALE	8 S	1916.3	1917.1	1.5	20.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1916.8	1917.1	1.0D	31.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1932.8	1933.3	1.0D	210.0		QL=6 ST=2 TYP=3	
	606	SGMR	8 S	1933.0	1933.1	.6	23.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1933.1	1933.3	.7D	200.0		QL=6 ST=2 TYP=3	
4995	LEAR	8 S	2330.3	2330.6	.3	15.0		QL=6 ST=3 TYP=3		
31	245	SGMR	43 NS	1121.0	1234.1	611.0D	78.0		QL=6 ST=2 TYP=1	
	245	LEAR	47 GB	0117.1	0118.6	1.9	640.0		QL=6 ST=3 TYP=5	
	245	LEAR	8 S	0358.3	0358.6	.3	100.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0903.0	0903.5	1.6	50.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0903.1	0903.5	1.4	89.0		QL=6 ST=2 TYP=3	
	606	LEAR	8 S	0932.5	0932.8	.6	139.0		QL=6 ST=2 TYP=3	
	410	LEAR	8 S	0932.5	0933.0	.8	250.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0932.6	0932.8	1.4	270.0		QL=6 ST=2 TYP=3	
	245	LEAR	8 S	0936.6	0937.3	.7D	490.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1250.8	1250.8	.3	150.0		QL=6 ST=2 TYP=3	
	410	SGMR	8 S	1250.8	1251.0	.3D	71.0		QL=6 ST=2 TYP=3	
	245	SGMR	47 GB	1255.3	1255.5	.5	1500.0		QL=6 ST=3 TYP=5	
	245	SGMR	47 GB	1304.0	1304.1	.8	1100.0		QL=6 ST=2 TYP=5	
	410	SGMR	8 S	1402.0	1402.1	.3D	15.0		QL=6 ST=2 TYP=3	
	245	SGMR	8 S	1402.0	1402.1	.6	87.0		QL=6 ST=2 TYP=3	



WORLD DATA CENTER A
FOR
SOLAR-TERRESTRIAL PHYSICS



The ICSU Panel on WDCs has recommended that it would be appropriate courtesy to acknowledge in publications that data were obtained from the originating station or investigator through the intermediary of the WDCs. The following statement is suggested:

"Data used in this study were provided by WDC-A for Solar-Terrestrial Physics, NOAA E/GC2, 325 Broadway, Boulder Colorado 80303, USA."