


Bathymetry compiled by the National Ocean Service (NOS). Bathymetry compiled from NOS Hydrographic Surveys (see notes) which comply with International Hydrographic Organization (IHO) Special Publication 44 accuracy standards and/or standards used as of the date of the survey. This information is not intended for navigational purposes.

Universal Transverse Mercator Grid, Zone 17, 18000 Meter Ticks (1:1) are shown inside the outline.

Diffuse protection survey data, plotted in red, compiled by the Bureau of Land Management. These lines indicate limits of BLM Outer Continental Shelf (OCS) Protection Diagram. The protection on this map are not for Federal leasing purposes; for such purposes refer to the OCS Outer Continental Shelf Protection Diagram available from the Bureau of Land Management.

BATHYMETRIC SURVEY INFORMATION

DATE	DEPTH	SOUNDING	DEPTH UNIT
1978	100	1000	METER



Published at Washington, D.C.
U.S. DEPARTMENT OF COMMERCE
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL OCEAN SURVEY
1978

BATHYMETRIC CONTOUR INTERVALS: 10 METERS TO 200 METER DEPTH, SUPPLEMENTED BY 2 METER INTERVALS, THENCE 30 METERS TO MAXIMUM DEPTH, SUPPLEMENTED BY 10 METER INTERVALS.

DATUM: MEAN LOW WATER

TRANSVERSE MERCATOR PROJECTION

Scale 1:250,000



STETSON MESA
NOS NH 17-6



Photographic copies of the map and grid control may be obtained at the cost of reproduction by addressing the Director, U.S. National Ocean Survey, National Oceanic and Atmospheric Administration, Rockville, Maryland 20850.