



**DEPARTMENT OF TRANSPORT
METEOROLOGICAL BRANCH**

NOCTILUCENT CLOUD DATA
FOR THE PERIOD MARCH-OCTOBER 1967
FROM ALASKA, CANADA, GREENLAND AND ICELAND

**PREPARED BY
BENSON FOGLE (NCAR)**

Noctilucent Cloud Data for the Period March-October 1967

From Alaska, Canada, Greenland and Iceland

The Meteorological Service of Canada has undertaken the publication of the Noctilucent Cloud Data for 1967: 'Nightly Summary of NLC Observations made at NLC Patrol Stations in Alaska, Canada, Greenland and Iceland', and 'Detailed Information of the Sightings Reported from Alaska, Canada, Greenland and Iceland'. The collation, computation and program listing of these data, however, was prepared by Dr. Benson Fogle formerly with the North American Noctilucent Cloud Centre at College, Alaska, now at National Center for Atmospheric Research at Boulder, Colorado.

The present publication of the data follows the same format as in the 'Summary of Noctilucent Cloud Data from Alaska, Canada, Greenland, Iceland and the Southern Hemisphere for the Years 1885-1966', by Dr. Fogle, published July 1967 (see Tables 3 and 4).

Call letters (codes) of four stations have been amended as follows:

Alert:	YLT to LT	Comox:	OX to QQ
Bagotville:	BU to BG	Wynyard:	WYN to YO

M - 2	J - 74	va (63)
A - 0	A - 42	va (41)
m - 6	S - 4	va (4)
J - 87	φ - 1	va (80) (1)

(216)

NIGHTLY SUMMARY OF NLC OBSERVATIONS MADE AT NLC PARROL STATIONS
IN ALASKA, CANADA, GREENLAND AND ICELAND

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67	3	MN	44.0	80.8	3222222232332233333233233223332	31	16	0	.52 0
67	3	UL	45.5	73.7	3233223333332333332322333322223	31	20	0	.65 0
67	3	YB	46.4	79.4	223323322332232233332223223222	31	13	0	.42 0
67	3	QB	46.4	71.4	3233233332332333332332232222332	31	19	0	.61 0
67	3	VO	48.0	77.8	323323332232333333232222223323	31	17	0	.55 0
67	3	BG	48.3	71.0	0000000022222323332323332222332	23	10	0	.43 0
67	3	QT	48.4	89.3	3332333223323233323232323233230	30	19	0	.63 0
67	3	YJ	48.4	123.2	000000000000000000000000000000	0	0	0	0 0
67	3	GX	49.0	54.6	2223332322233232223222322232222	31	10	0	.32 0
67	3	VR	49.2	123.2	3333332222232222222222232223330	30	11	0	.37 0
67	3	PC	49.5	114.0	333233222233322333223333233223	31	19	0	.61 0
67	3	QL	49.6	112.8	232233323223332332333333232223	31	18	0	.58 0
67	3	QQ	49.7	124.9	2333332322232222222222322223233	31	11	0	.35 0
67	3	AQ	49.8	74.9	3233323322333333332332233223322	31	20	0	.65 0
67	3	WG	49.9	97.2	000000000000000000000000000000	0	0	0	0 0
67	3	LY	50.2	121.6	323332222222222333222233233323	31	13	0	.42 0
67	3	QN	50.2	86.7	0032333222323333323332332233223	29	18	0	.62 0
67	3	YW	50.3	88.9	223233332322333333323232233223	31	18	0	.58 0
67	3	XB	50.4	102.6	332223222322232232332233222222	31	10	0	.32 0
67	3	QR	50.4	104.7	3233332222233322232232233322223	31	14	0	.45 0
67	3	YC	51.1	114.0	332233322232222232332333323233	31	17	0	.55 0
67	3	YO	51.8	104.2	3322232233233333223332233222223	31	16	0	.52 0
67	3	BF	52.2	55.6	233333233333223222323322232232	31	16	0	.52 0
67	3	XE	52.2	106.7	322323223323332223232333222223	31	14	0	.45 0
67	3	WL	52.2	122.0	323233232232222232222322232223	31	10	0	.32 0
67	3	RM	52.4	114.9	3322232222233222233322232223223	31	11	0	.35 0
67	3	PA	53.2	105.7	2322333233233333323332223322223	31	18	0	.58 0
67	3	ED	53.3	113.6	2223232222232222233223222222223	31	7	0	.23 0
67	3	YR	53.3	60.4	3323322333232332233333222323330	30	20	①	.67 .05
67	3	NI	53.5	70.9	3233223333303333332333032222332	31	20	0	.65 0
67	3	ET	53.6	116.4	3322232222233222333232322333230	30	14	0	.47 0
67	3	TL	53.8	89.9	2333333333323333323322323323223	31	22	0	.71 0
67	3	XS	53.9	122.7	233333223333322222222222222220	30	10	0	.33 0
67	3	QD	54.0	101.1	3323232233233233222322202222223	30	12	0	.40 0
67	3	ZU	54.2	115.7	3322332223333333322322233333333	31	21	0	.68 0
67	3	OD	54.4	110.3	22323322332333333222233332323	31	18	0	.58 0
67	3	TH	54.5	128.6	2333322223333322222222222223333	31	13	0	.42 0
67	3	KL	54.8	66.8	2222223333322223222223322222322	31	9	0	.29 0
67	3	LB	54.8	112.0	000000000000000000000000000000	0	0	0	0 0
67	3	YD	54.9	127.2	000000000000000000000000000000	0	0	0	0 0
67	3	ANN	55.0	131.6	2222222223323332222222333222333	31	11	0	.35 0
67	3	CDB	55.2	162.7	2222222223233333233332222222222	31	10	0	.32 0
67	3	QU	55.2	118.9	2223222232232222222232222322223	31	6	0	.19 0
67	3	GW	55.3	77.8	3233333333333333322323232223320	30	21	0	.70 0
67	3	WA	55.3	115.0	222323223223233233332232333223	31	16	0	.52 0
67	3	XJ	56.2	120.8	000000000000000000000000000000	0	0	0	0 0
67	3	PE	56.2	117.4	000000000000000000000000000000	0	0	0	0 0
67	3	MM	56.6	111.2	232333233333333233332232332223	31	21	0	.68 0
67	3	SIT	57.1	135.3	000000000000000000000000000000	0	0	0	0 0
67	3	SNP	57.2	170.6	000000000000000000000000000000	0	0	0	0 0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67	3	ZC	57.4 121.4	2222222333332332232222232230	30	10	0	.33	0
67	3	BT	57.9 101.7	0000000000000000000000000000	0	0	0	0	0
67	3	VP	58.1 68.4	3333333333233333332333332322322	31	24	0	.77	0
67	3	GST	58.4 135.7	0000000000000000000000000000	0	0	0	0	0
67	3	JNL	58.4 134.6	0000000000000000000000000000	0	0	0	0	0
67	3	EHM	58.6 152.0	0000000000000000000000000000	0	0	0	0	0
67	3	YQ	58.7 94.1	23332333333333333323322323233223	31	22	0	.71	0
67	3	PY	58.7 111.2	2333333233332333222232232333333	31	21	0	.68	0
67	3	AKN	58.7 156.5	0000000000000000000000000000	0	0	0	0	0
67	3	YE	58.8 122.6	23222223333333222232233322232	31	13	0	.42	0
67	3	HE	59.5 108.8	0000000000000000000000000000	0	0	0	0	0
67	3	YAK	59.5 139.7	0000000000000000000000000000	0	0	0	0	0
67	3	HOM	59.6 151.5	0000000000000000000000000000	0	0	0	0	0
67	3	ILI	59.7 154.9	0000000000000000000000000000	0	0	0	0	0
67	3	ZL	59.9 126.4	222232233332233222222222222233	31	9	0	.29	0
67	3	SM	60.0 112.0	2222333233332333233323233333332	31	21	0	.68	0
67	3	GH	60.1 128.8	222222232333223222222223222332	31	7	0	.23	0
67	3	Zw	60.2 132.7	0000000000000000000000000000	0	0	0	0	0
67	3	CDV	60.5 145.5	0000000000000000000000000000	0	0	0	0	0
67	3	PCN	60.5 43.4	0000000000000000000000000000	0	0	0	0	0
67	3	ENA	60.6 151.3	0000000000000000000000000000	0	0	0	0	0
67	3	XY	60.7 135.1	0000000000000000000000000000	0	0	0	0	0
67	3	BET	60.8 161.7	0000000000000000000000000000	0	0	0	0	0
67	3	HY	60.8 115.8	0000000000000000000000000000	0	0	0	0	0
67	3	EI	61.1 100.9	2333223333333333232323223232330	30	20	0	.67	0
67	3	FR	61.1 113.5	0000000000000000000000000000	0	0	0	0	0
67	3	SVW	61.1 155.6	0000000000000000000000000000	0	0	0	0	0
67	3	ANC	61.2 150.0	0000000000000000000000000000	0	0	0	0	0
67	3	ANI	61.6 159.6	0000000000000000000000000000	0	0	0	0	0
67	3	ZK	61.7 137.5	0000000000000000000000000000	0	0	0	0	0
67	3	FS	61.8 121.2	233322233323332322232233333332	31	18	0	.58	0
67	3	GKN	62.1 145.6	0000000000000000000000000000	0	0	0	0	0
67	3	TKA	62.3 150.1	0000000000000000000000000000	0	0	0	0	0
67	3	XQ	62.5 140.3	0000000000000000000000000000	0	0	0	0	0
67	3	ZF	62.5 114.6	332233333333333333233223333200	29	23	0	.79	0
67	3	ORT	62.6 142.0	0000000000000000000000000000	0	0	0	0	0
67	3	FL	62.7 109.1	333332333333233333322222232332	31	20	0	.65	0
67	3	MOG	62.9 156.0	0000000000000000000000000000	0	0	0	0	0
67	3	OHC	63.3 168.9	0000000000000000000000000000	0	0	0	0	0
67	3	RR	63.5 116.2	0000000000000000000000000000	0	0	0	0	0
67	3	MA	63.6 135.9	0000000000000000000000000000	0	0	0	0	0
67	3	EYR	63.8 21.1	0000000000000000000000000000	0	0	0	0	0
67	3	FB	63.8 68.5	332332323333333333223333332320	30	23	0	.77	0
67	3	GRA	64.0 22.6	0000000000000000000000000000	0	0	0	0	0
67	3	KEF	64.0 22.6	0000000000000000000000000000	0	0	0	0	0
67	3	DA	64.1 139.4	0000000000000000000000000000	0	0	0	0	0
67	3	REY	64.1 21.9	0000000000000000000000000000	0	0	0	0	0
67	3	ZS	64.2 83.4	2332333333333323233333222322333	31	22	0	.71	0
67	3	BK	64.3 96.0	223323333323222233332322323332	31	18	0	.58	0
67	3	FAI	64.9 148.1	322232232223333233323333332322	31	18	0	.58	0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67	3	VQ	65.3 126.8	02222222330333232232333333332	29	16	0	.55	0
67	3	TNC	65.5 168.0	00000000000000000000000000000	0	0	0	0	0
67	3	VN	66.6 61.6	3322332333333333333323323223222	31	20	1	.65	.05
67	3	HOL	66.9 54.6	00000000000000000000000000000	0	0	0	0	0
67	3	EGE	68.7 52.9	00000000000000000000000000000	0	0	0	0	0
67	3	UX	68.8 81.2	2322223222222333223332322322323	31	12	0	.39	0
67	3	CB	69.1 105.1	33322333333333332332323322333333	31	24	0	.17	0
67	3	GOD	69.2 53.5	00000000000000000000000000000	0	0	0	0	0
67	3	UE	70.2 124.7	3333322223323322322222333223233	31	16	0	.52	0
67	3	RRW	71.3 156.8	00000000000000000000000000000	0	0	0	0	0
67	3	RB	74.7 95.0	33333333333333332223332333223330	30	24	0	.80	0
67	3	LT	82.5 63.0	0000000000000000111111111111111	0	0	0	0	0
67	4	MN	44.0 80.8	223322332332233222322233333220	30	14	0	.47	0
67	4	UL	45.5 73.7	2232322323333222232223233333330	30	16	0	.53	0
67	4	YB	46.4 79.4	323232332333222223322233333220	30	15	0	.50	0
67	4	GB	46.4 71.4	323232332233222222322233333200	29	13	0	.45	0
67	4	VO	48.0 77.8	3232333323322223223222233333220	30	15	0	.50	0
67	4	HG	48.3 71.0	223233332333332222322233333300	30	17	0	.57	0
67	4	QT	48.4 89.3	333333323333222223222333222200	29	15	0	.52	0
67	4	YJ	48.4 123.2	00000000000000000000000000000	0	0	0	0	0
67	4	QX	49.0 54.6	222323333222322223222222332220	30	9	0	.30	0
67	4	VR	49.2 123.2	33223332332222232222332222230	30	11	0	.37	0
67	4	PC	49.5 114.0	332223322232233222223332222220	30	10	0	.33	0
67	4	QL	49.6 112.8	00000000000000000000000000000	0	0	0	0	0
67	4	QQ	49.7 124.9	3322332323232322323322322332200	29	14	0	.48	0
67	4	AQ	49.8 74.9	223233322233322223322333233220	30	14	0	.47	0
67	4	WG	49.9 97.2	00000000000000000000000000000	0	0	0	0	0
67	4	LY	50.2 121.6	332233323233332332233332332223	30	20	0	.67	0
67	4	QN	50.2 86.7	333233323332222323222233332220	30	16	0	.53	0
67	4	YW	50.3 88.9	22333332333223223222233332220	30	15	0	.50	0
67	4	XB	50.4 102.6	22323223322223222222333322220	30	9	0	.30	0
67	4	QR	50.4 104.7	333223323322323322322332222330	30	16	0	.53	0
67	4	YC	51.1 114.0	33223323222223222233333222220	30	11	0	.37	0
67	4	YO	51.8 104.2	3333333223223232222233332223320	30	16	0	.53	0
67	4	BF	52.2 55.6	22323333222322223222323332220	30	11	0	.37	0
67	4	XE	52.2 106.7	23232333232322222233333332300	29	16	0	.55	0
67	4	WL	52.2 122.0	23233223222222233222222322320	30	8	0	.27	0
67	4	RM	52.4 114.9	332233232232223223233333222330	30	16	0	.53	0
67	4	PA	53.2 105.7	33232323222222222333332333320	30	15	0	.50	0
67	4	ED	53.3 113.6	222232232232222232333333223330	30	14	0	.47	0
67	4	YR	53.3 60.4	233333332232233322223233323200	29	17	0	.59	0
67	4	NI	53.5 70.9	2222333322332332222332332233300	29	15	0	.52	0
67	4	ET	53.6 116.4	33323333232323222333333223300	29	19	0	.66	0
67	4	TL	53.8 89.9	23333323322222222223333333330	30	16	0	.53	0
67	4	XS	53.9 122.7	322333222322322233333322323320	30	16	0	.53	0
67	4	QD	54.0 101.1	332333233322222222233333323320	30	16	0	.53	0
67	4	ZU	54.2 115.7	00000000000000000000000000000	0	0	0	0	0
67	4	OD	54.4 110.3	33333323323222222333333233320	30	19	0	.63	0
67	4	TB	54.5 128.6	32233223322322333333223233330	30	18	0	.60	0
67	4	KL	54.8 66.8	22223322222223322223332223320	30	9	0	.30	0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C	
67	4	LB	54.8	112.0	233223333232322223222222220	30	10	0	.33	0
67	4	YD	54.9	127.2	000000000000000000000000000	0	0	0	0	0
67	4	ANN	55.0	131.6	323322223323323333333232233320	30	19	0	.63	0
67	4	CDB	55.2	162.7	222222222222222222232322222220	30	2	0	.07	0
67	4	GU	55.2	118.9	2223322222222222222333322233320	30	9	0	.30	0
67	4	GW	55.3	77.8	2222232322322222222333322223320	30	9	0	.30	0
67	4	WA	55.3	115.0	2223332322222223232233333333200	29	15	0	.52	0
67	4	XJ	56.2	120.8	000000000000000000000000000000	0	0	0	0	0
67	4	PE	56.2	117.4	000000000000000000000000000000	0	0	0	0	0
67	4	MM	56.6	111.2	3223332322222222222333323233320	30	13	0	.43	0
67	4	SIT	57.1	135.3	000000000000000000000000000000	0	0	0	0	0
67	4	SNP	57.2	170.6	000000000000000000000000000000	0	0	0	0	0
67	4	ZC	57.4	121.4	000000000000000000000000000000	0	0	0	0	0
67	4	BT	57.9	101.7	000000000000000000000000000000	0	0	0	0	0
67	4	VP	58.1	68.4	3333332333322332222333323223220	30	17	0	.57	0
67	4	GST	58.4	135.7	000000000000000000000000000000	0	0	0	0	0
67	4	JNL	58.4	134.6	22333222322333333333322223333330	30	19	0	.63	0
67	4	EHM	58.6	152.0	000000000000000000000000000000	0	0	0	0	0
67	4	YQ	58.7	94.1	2323323322233223233233323222230	30	15	0	.50	0
67	4	PY	58.7	111.2	322332332232322233333333333220	30	19	0	.63	0
67	4	AKN	58.7	156.5	000000000000000000000000000000	0	0	0	0	0
67	4	YE	58.8	122.6	2222232223323322233333233333320	30	16	0	.53	0
67	4	BE	59.5	108.8	000000000000000000000000000000	0	0	0	0	0
67	4	YAK	59.5	139.7	000000000000000000000000000000	0	0	0	0	0
67	4	HOM	59.6	151.5	000000000000000000000000000000	0	0	0	0	0
67	4	ILI	59.7	154.9	000000000000000000000000000000	0	0	0	0	0
67	4	ZL	59.9	126.4	2223222223222222323322222333330	30	10	0	.33	0
67	4	SM	60.0	112.0	3223333322022223223332333333330	29	18	0	.62	0
67	4	QH	60.1	128.8	2222222232222222323222322333330	30	9	0	.30	0
67	4	ZW	60.2	132.7	000000000000000000000000000000	0	0	0	0	0
67	4	CDV	60.5	145.5	000000000000000000000000000000	0	0	0	0	0
67	4	PCN	60.5	43.4	000000000000000000000000000000	0	0	0	0	0
67	4	ENA	60.6	151.3	000000000000000000000000000000	0	0	0	0	0
67	4	XY	60.7	135.1	3233332232223233233223323333330	30	19	0	.63	0
67	4	HET	60.8	161.7	000000000000000000000000000000	0	0	0	0	0
67	4	HY	60.8	115.8	000000000000000000000000000000	0	0	0	0	0
67	4	EI	61.1	100.9	2333333332332333323233232200000	26	17	0	.65	0
67	4	FR	61.1	113.5	000000000000000000000000000000	0	0	0	0	0
67	4	SVW	61.1	155.6	000000000000000000000000000000	0	0	0	0	0
67	4	ANC	61.2	150.0	000000000000000000000000000000	0	0	0	0	0
67	4	ANI	61.6	159.6	000000000000000000000000000000	0	0	0	0	0
67	4	ZK	61.7	137.5	000000000000000000000000000000	0	0	0	0	0
67	4	FS	61.8	121.2	3233323223222322323222323333330	30	15	0	.50	0
67	4	GKN	62.1	145.6	000000000000000000000000000000	0	0	0	0	0
67	4	TKA	62.3	150.1	000000000000000000000000000000	0	0	0	0	0
67	4	XQ	62.5	140.3	000000000000000000000000000000	0	0	0	0	0
67	4	ZF	62.5	114.6	323332333322323333323333232300	29	21	0	.72	0
67	4	ORT	62.6	142.0	000000000000000000000000000000	0	0	0	0	0
67	4	FL	62.7	109.1	3333233233223323332333223233230	30	20	0	.67	0
67	4	MCG	62.9	156.0	000000000000000000000000000000	0	0	0	0	0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 4	CHC	63.3	168.9	000000000000000000000000000000	0	0	0	0	0
67 4	RR	63.5	116.2	000000000000000000000000000000	0	0	0	0	0
67 4	MA	63.6	135.9	000000000000000000000000000000	0	0	0	0	0
67 4	EYR	63.8	21.1	000000000000000000000000000000	0	0	0	0	0
67 4	FB	63.8	68.5	3222233233233323233333332332220	30	18	0	.60	0
67 4	GRA	64.0	22.6	000000000000000000000000000000	0	0	0	0	0
67 4	KEF	64.0	22.6	000000000000000000000000000000	0	0	0	0	0
67 4	DA	64.1	139.4	000000000000000000000000000000	0	0	0	0	0
67 4	REY	64.1	21.9	000000000000000000000000000000	0	0	0	0	0
67 4	ZS	64.2	83.4	233232233333322333332222322200	29	16	0	.55	0
67 4	BK	64.3	96.0	233322333333332333232222333330	30	20	0	.67	0
67 4	FAI	64.9	148.1	22222322323222323232323232330	30	12	0	.40	0
67 4	VQ	65.3	126.8	300223223322333322323203333300	26	16	0	.62	0
67 4	TNC	65.5	168.0	000000000000000000000000000000	0	0	0	0	0
67 4	VN	66.6	61.6	322223233333333233333333332220	30	20	0	.67	0
67 4	HOL	66.9	54.6	000000000000000000000000000000	0	0	0	0	0
67 4	EGE	68.7	52.9	000000000000000000000000000000	0	0	0	0	0
67 4	UX	68.8	81.2	22222223223322222222222222220	30	4	0	.13	0
67 4	CB	69.1	105.1	323333333333223333333323332330	30	25	0	.83	0
67 4	GOD	69.2	53.5	000000000000000000000000000000	0	0	0	0	0
67 4	UE	70.2	124.7	333233332223222322222322231110	30	11	0	.37	0
67 4	BRW	71.3	156.8	000000000000000000000000000000	0	0	0	0	0
67 4	RB	74.7	95.0	23333332233331111111111111110	30	10	0	.33	0
67 4	LT	82.5	63.0	000000000000000000000000000000	0	0	0	0	0
67 5	MN	44.0	80.8	2222322223332333223233332330	30	15	0	.50	0
67 5	UL	45.5	73.7	32322322223322322333332323230	30	15	0	.50	0
67 5	YB	46.4	79.4	22333322233322332233223323333	31	17	0	.55	0
67 5	QB	46.4	71.4	32323322222332332222322223323	31	12	0	.39	0
67 5	VO	48.0	77.8	2232323222232223222322323233	31	13	0	.42	0
67 5	BG	48.3	71.0	32333222222322232222333303320	29	13	0	.45	0
67 5	GT	48.4	89.3	22333322333223332322232333330	31	18	0	.58	0
67 5	YJ	48.4	123.2	000000000000000000000000000000	0	0	0	0	0
67 5	GX	49.0	54.6	2223233222322222222223222222	31	5	0	.16	0
67 5	VR	49.2	123.2	22232222222223232232223322220	30	7	0	.23	0
67 5	PC	49.5	114.0	22332222222333323233333322222	31	14	0	.45	0
67 5	QL	49.6	112.8	22232222233332232232333322222	31	12	0	.39	0
67 5	QQ	49.7	124.9	3333222223222232232233222220	30	10	0	.33	0
67 5	AQ	49.8	74.9	22222232222332233222322323333	31	13	(1)	.42	.08
67 5	WG	49.9</							

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 5	PA	53.2	105.7	22233222322232322233222222322233	31	11	①	.35	.09
67 5	ED	53.3	113.6	2333232232222222332322223333322	31	13	0	.42	0
67 5	YR	53.3	60.4	322233232232223222222223332220	30	10	0	.33	0
67 5	NI	53.5	70.9	222222222222222222222223222222	31	1	0	.03	0
67 5	ET	53.6	116.4	322333222232232332233323222222	31	12	0	.39	0
67 5	TL	53.8	89.9	2222332233322233322333232233330	30	16	0	.53	0
67 5	XS	53.9	122.7	332322233333222233223223222223	31	13	0	.42	0
67 5	QD	54.0	101.1	22333223232233222332322323333	31	16	0	.52	0
67 5	ZU	54.2	115.7	000000000000000000000000000000	0	0	0 0		0
67 5	QD	54.4	110.3	33232233232232223233322333322	31	17	0	.55	0
67 5	TB	54.5	128.6	333222233333222233222222222333	31	13	0	.42	0
67 5	KL	54.8	66.8	222222222222222223222222222220	30	1	0	.03	0
67 5	LB	54.8	112.0	000000000000000000000000000000	0	0	0 0		0
67 5	YD	54.9	127.2	000000000000000000000000000000	0	0	0 0		0
67 5	ANN	55.0	131.6	33322223333323322233322332222	31	16	0	.52	0
67 5	CDB	55.2	162.7	22232223223222222222222222222	31	3	0	.10	0
67 5	QU	55.2	118.9	323322232222222222232223332222	31	8	0	.26	0
67 5	GW	55.3	77.8	222223222223222233223223222322	31	7	0	.23	0
67 5	WA	55.3	115.0	233323232322322222223222232220	31	9	0	.29	0
67 5	XJ	56.2	120.8	000000000000000000000000000000	0	0	0 0		0
67 5	PE	56.2	117.4	0000000000000000000223322233222	31	4	0	.13	0
67 5	MM	56.6	111.2	233322232222222222233222323222	31	10	②	.32	.20
67 5	SIT	57.1	135.3	000000000000000000000000000000	0	0	0 0		0
67 5	SNP	57.2	170.6	000000000000000000000000000000	0	0	0 0		0
67 5	ZC	57.4	121.4	000000000000000000000000000000	0	0	0 0		0
67 5	BT	57.9	101.7	000000000000000000000000000000	0	0	0 0		0
67 5	VP	58.1	68.4	222222332222222223322323222322	31	7	0	.23	0
67 5	GSI	58.4	135.7	000000000000000000000000000000	0	0	0 0		0
67 5	JNU	58.4	134.6	33322223322222222222222222222	31	5	0	.16	0
67 5	EHM	58.6	152.0	000000000000000000000000000000	0	0	0 0		0
67 5	YQ	58.7	94.1	222222222222222223322222233223	31	5	0	.16	0
67 5	PY	58.7	111.2	333322233333232223223323333332	31	18	0	.58	0
67 5	AKN	58.7	156.5	000000000000000000000000000000	0	0	0 0		0
67 5	YE	58.8	122.6	323322322322222222323232232220	30	9	②	.30	.22
67 5	BE	59.5	108.8	000000000000000000000000000000	0	0	0 0		0
67 5	YAK	59.5	139.7	000000000000000000000000000000	0	0	0 0		0
67 5	HOM	59.6	151.5	000000000000000000000000000000	0	0	0 0		0
67 5	ILI	59.7	154.9	000000000000000000000000000000	0	0	0 0		0
67 5	ZL	59.9	126.4	323222322222222223222222222222	31	4	0	.13	0
67 5	SM	60.0	112.0	333222233333232223223222232330	30	12	0	.40	0
67 5	QH	60.1	128.8	333222322322222223222222222223	31	7	0	.23	0
67 5	ZW	60.2	132.7	000000000000000000000000000000	0	0	0 0		0
67 5	CDV	60.5	145.5	000000000000000000000000000000	0	0	0 0		0
67 5	PCN	60.5	43.4	000000000000000000000000000000	0	0	0 0		0
67 5	ENA	60.6	151.3	000000000000000000000000000000	0	0	0 0		0
67 5	XY	60.7	135.1	3332233322222222233222233323220	30	12	0	.40	0
67 5	BET	60.8	161.7	000000000000000000000000000000	0	0	0 0		0
67 5	HY	60.8	115.8	000000000000000000000000000000	0	0	0 0		0
67 5	EI	61.1	100.9	000000000000000000000000000000	0	0	0 0		0
67 5	FR	61.1	113.5	000000000000000000000000000000	0	0	0 0		0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 5	SVW	61.1	155.6	00000000000000000000000000000000	0	0	0	0	0
67 5	ANC	61.2	150.0	00000000000000000000000000000000	0	0	0	0	0
67 5	ANI	61.6	159.6	00000000000000000000000000000000	0	0	0	0	0
67 5	ZK	61.7	137.5	00000000000000000000000000000000	0	0	0	0	0
67 5	FS	61.8	121.2	2233223222322222222222222222332223	31	9	0	.29	0
67 5	GKN	62.1	145.6	00000000000000000000000000000000	0	0	0	0	0
67 5	TKA	62.3	150.1	00000000000000000000000000000000	0	0	0	0	0
67 5	XQ	62.5	140.3	00000000000000000000000000000000	0	0	0	0	0
67 5	ZF	62.5	114.6	32332223222222222222222222232333311	29	9	0	.31	0
67 5	ORT	62.6	142.0	00000000000000000000000000000000	0	0	0	0	0
67 5	FL	62.7	109.1	33222223223222222222222222232233111	28	9	0	.32	0
67 5	MCG	62.9	156.0	00000000000000000000000000000000	0	0	0	0	0
67 5	OHC	63.3	168.9	00000000000000000000000000000000	0	0	0	0	0
67 5	RR	63.5	116.2	00000000000000000000000000000000	0	0	0	0	0
67 5	MA	63.6	135.9	00000000000000000000000000000000	0	0	0	0	0
67 5	EYR	63.8	21.1	00000000000000000000000000000000	0	0	0	0	0
67 5	FB	63.8	68.5	322222222322022222223011111111111	19	3	0	.16	0
67 5	GRA	64.0	22.6	00000000000000000000000000000000	0	0	0	0	0
67 5	KEF	64.0	22.6	00000000000000000000000000000000	0	0	0	0	0
67 5	DA	64.1	139.4	00000000000000000000000000000000	0	0	0	0	0
67 5	REY	64.1	21.9	00000000000000000000000000000000	0	0	0	0	0
67 5	ZS	64.2	83.4	222222222322222200111111111111111	16	1	0	.06	0
67 5	BK	64.3	96.0	332222223222322222111111111111111	18	4	0	.22	0
67 5	FAI	64.9	148.1	332333222232323311111111111111111	16	9	0	.56	0
67 5	VQ	65.3	126.8	303323222232220111111111111111111	13	5	0	.38	0
67 5	TNC	65.5	168.0	00000000000000000000000000000000	0	0	0	0	0
67 5	VN	66.6	61.6	232222333111111111111111111111111	9	4	0	.44	0
67 5	HOL	66.9	54.6	000000001111111111111111111111111	0	0	0	0	0
67 5	EGE	68.7	52.9	001111111111111111111111111111111	0	0	0	0	0
67 5	UX	68.8	81.2	311111111111111111111111111111111	1	1	0	1.00	0
67 5	CB	69.1	105.1	111111111111111111111111111111111	0	0	0	0	0
67 5	GOD	69.2	53.5	111111111111111111111111111111111	0	0	0	0	0
67 5	UE	70.2	124.7	111111111111111111111111111111111	0	0	0	0	0
67 5	BRW	71.3	156.8	111111111111111111111111111111111	0	0	0	0	0
67 5	RB	74.7	95.0	111111111111111111111111111111111	0	0	0	0	0
67 5	LT	82.5	63.0	111111111111111111111111111111111	0	0	0	0	0
67 6	MN	44.0	80.8	3333222222322322332332332332200	30	14	0	.47	0
67 6	UL	45.5	73.7	3333322223222					

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67	6	WG	49.9 97.2	332333323222333332222333333220	30	19	0	.63	0
67	6	LY	50.2 121.6	32333332233333333222333233330	30	23	0	.77	0
67	6	QN	50.2 86.7	332033323332323333223223222230	29	16	0	.55	0
67	6	YW	50.3 88.9	33333332333232323322332333230	30	21	0	.70	0
67	6	XB	50.4 102.6	32222322232223222222233232220	30	7	0	.23	0
67	6	QR	50.4 104.7	3223332222222332322332333422230	30	14	1	.47	.07
67	6	YC	51.1 114.0	323332222233322233224333233330	30	18	1	.60	.06
67	6	YO	51.8 104.2	332333322222332222222232423330	30	13	1	.43	.08
67	6	BF	52.2 55.6	223222232222233232233232222230	30	9	0	.30	0
67	6	XE	52.2 106.7	322333322222322223223333322000	29	12	0	.41	0
67	6	WL	52.2 122.0	3333222223222322322234323223330	30	14	1	.47	.07
67	6	RM	52.4 114.9	322323222223222223223333232200	29	10	0	.34	0
67	6	PA	53.2 105.7	333333222222432222322433422220	30	14	5	.47	.36
67	6	ED	53.3 113.6	3233222222334222234243332242220	30	13	7	.43	.54
67	6	YR	53.3 60.4	32332222222322224233222222220	30	7	1	.23	.14
67	6	NI	53.5 70.9	222232322233222223322222322200	29	7	0	.24	0
67	6	ET	53.6 116.4	3333222222334222233233333242330	30	17	2	.57	.12
67	6	TL	53.8 89.9	332223322232223233222233333220	30	14	0	.47	0
67	6	XS	53.9 122.7	333222223323222432434442222230	30	14	6	.47	.43
67	6	QD	54.0 101.1	332323322222423222242443442300	29	14	5	.48	.36
67	6	ZU	54.2 115.7	000000000000000000000000000000	0	0	0	0	0
67	6	OD	54.4 110.3	222233222222222223342433242220	30	9	3	.30	.33
67	6	TB	54.5 128.6	3333223332232333330232342222200	28	16	1	.57	.06
67	6	KL	54.8 66.8	22222222224422222322422224200	29	5	4	.17	.80
67	6	LB	54.8 112.0	000000000000000000000000000000	0	0	0	0	0
67	6	YD	54.9 127.2	000000000000000000000000000000	0	0	0	0	0
67	6	ANN	55.0 131.6	333222333232222322222322422220	30	10	1	.33	.10
67	6	CDB	55.2 162.7	222222222222222222222222222222	30	0	0	0	0
67	6	QU	55.2 118.9	3232222223224222234244443242220	30	12	7	.40	.58
67	6	GW	55.3 77.8	3322222322342222242324222244320	30	10	5	.33	.50
67	6	WA	55.3 115.0	2222323222224222233244342243200	29	11	5	.38	.45
67	6	XJ	56.2 120.8	0000000000000040000040004000000	0	0	4	0	R
67	6	PE	56.2 117.4	3232222233224222233233333242220	30	13	2	.43	.15
67	6	NM	56.6 111.2	323232222224332223323443222320	30	13	3	.43	.23
67	6	SIT	57.1 135.3	000000000000000000000000000000	0	0	0	0	0
67	6	SNP	57.2 170.6	000000000000000000000000000000	0	0	0	0	0
67	6	ZC	57.4 121.4	000000000000000000000000000000	0	0	0	0	0
67	6	BT	57.9 101.7	3222333223323322332223233332220	30	15	0	.50	0
67	6	VP	58.1 68.4	2222222222243222322332232222220	30	6	1	.20	.17
67	6	GST	58.4 135.7	000000000000000000000000000000	0	0	0	0	0
67	6	JNL	58.4 134.6	2333322223232223332222342222220	30	11	1	.37	.09
67	6	EHM	58.6 152.0	000000000000000000000000000000	0	0	0	0	0
67	6	YQ	58.7 94.1	2222232223222222242222433232220	30	7	2	.23	.29
67	6	PY	58.7 111.2	32323222322242332223333433233220	30	16	2	.53	.13
67	6	AKN	58.7 156.5	000000000000000000000000000000	0	0	0	0	0
67	6	YE	58.8 122.6	2422232332234224332244242242200	29	13	8	.45	.62
67	6	BE	59.5 108.8	000000000000000000000000000000	0	0	0	0	0
67	6	YAK	59.5 139.7	000000000000000000000000000000	0	0	0	0	0
67	6	HOM	59.6 151.5	000000000000000000000000000000	0	0	0	0	0
67	6	ILI	59.7 154.9	000000000000000000000000000000	0	0	0	0	0

5
42
40
87

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 6	ZL	59.9	126.4	2222222322232222232333232222220	30	7	0	.23	0
67 6	SM	60.0	112.0	2223332233223334223233403222220	29	14	2	.48	.14
67 6	QH	60.1	128.8	3432222322232223333322322222300	29	12	1	.41	.08
67 6	ZW	60.2	132.7	0000000000000000000000000000000	0	0	0	0	0
67 6	CDV	60.5	145.5	0000000000000000000000000000000	0	0	0	0	0
67 6	PCN	60.5	43.4	0000000000000000000000000000000	0	0	0	0	0
67 6	ENA	60.6	151.3	0000000000000000000000000000000	0	0	0	0	0
67 6	XY	60.7	135.1	2432222323333222332223422222300	30	12	2	.40	.17
67 6	BET	60.8	161.7	0000000000000000000000000000000	0	0	0	0	0
67 6	HY	60.8	115.8	0000000000000000000000000000000	0	0	0	0	0
67 6	EI	61.1	100.9	32222111111111111111111111111110	5	1	0	.20	0
67 6	FR	61.1	113.5	00000111111111111111111111111110	0	0	0	0	0
67 6	SVW	61.1	155.6	00000111111111111111111111111110	0	0	0	0	0
67 6	ANC	61.2	150.0	00001111111111111111111111111110	0	0	0	0	0
67 6	ANI	61.6	159.6	00111111111111111111111111111110	0	0	0	0	0
67 6	ZK	61.7	137.5	00111111111111111111111111111110	0	0	0	0	0
67 6	FS	61.8	121.2	31111111111111111111111111111110	1	1	0	1.00	0
67 6	GKN	62.1	145.6	11111111111111111111111111111110	0	0	0	0	0
67 6	TKA	62.3	150.1	11111111111111111111111111111110	0	0	0	0	0
67 6	XQ	62.5	140.3	11111111111111111111111111111110	0	0	0	0	0
67 6	ZF	62.5	114.6	11111111111111111111111111111110	0	0	0	0	0
67 6	ORT	62.6	142.0	11111111111111111111111111111110	0	0	0	0	0
67 6	FL	62.7	109.1	11111111111111111111111111111110	0	0	0	0	0
67 6	MCG	62.9	156.0	11111111111111111111111111111110	0	0	0	0	0
67 6	OHC	63.3	168.9	11111111111111111111111111111110	0	0	0	0	0
67 6	RR	63.5	116.2	11111111111111111111111111111110	0	0	0	0	0
67 6	MA	63.6	135.9	11111111111111111111111111111110	0	0	0	0	0
67 6	EYR	63.8	21.1	11111111111111111111111111111110	0	0	0	0	0
67 6	FB	63.8	68.5	11111111111111111111111111111110	0	0	0	0	0
67 6	GRA	64.0	22.6	11111111111111111111111111111110	0	0	0	0	0
67 6	KEF	64.0	22.6	11111111111111111111111111111110	0	0	0	0	0
67 6	DA	64.1	139.4	11111111111111111111111111111110	0	0	0	0	0
67 6	REY	64.1	21.9	11111111111111111111111111111110	0	0	0	0	0
67 6	ZS	64.2	83.4	11111111111111111111111111111110	0	0	0	0	0
67 6	BK	64.3	96.0	11111111111111111111111111111110	0	0	0	0	0
67 6	FAI	64.9	148.1	11111111111111111111111111111110	0	0	0	0	0
67 6	VQ	65.3	126.8	11111111111111111111111111111110	0	0	0	0	0
67 6	TNC	65.5	168.0	11111111111111111111111111111110	0	0	0	0	0
67 6	VN	66.6	61.6	11111111111111111111111111111110	0	0	0	0	0
67 6	HOL	66.9	54.6	11111111111111111111111111111110	0	0	0	0	0
67 6	EGE	68.7	52.9	11111111111111111111111111111110	0	0	0	0	0
67 6	UX	68.8	81.2	11111111111111111111111111111110	0	0	0	0	0
67 6	CB	69.1	105.1	11111111111111111111111111111110	0	0	0	0	0
67 6	GOD	69.2	53.5	11111111111111111111111111111110	0	0	0	0	0
67 6	UE	70.2	124.7	11111111111111111111111111111110	0	0	0	0	0
67 6	BRW	71.3	156.8	11111111111111111111111111111110	0	0	0	0	0
67 6	RB	74.7	95.0	11111111111111111111111111111110	0	0	0	0	0
67 6	LT	82.5	63.0	11111111111111111111111111111110	0	0	0	0	0
67 7	MN	44.0	80.8	2322333222322332233323332333333	31	18	0	.58	0
67 7	UL	45.5	73.7	2223233223223323333323232222320	30	14	0	.47	0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 7	YB	46.4	79.4	2322333222222233223332322333330	30	15	0	.50	0
67 7	QB	46.4	71.4	2223232223333332233333222222220	30	13	0	.43	0
67 7	VO	48.0	77.8	233233323323223223332323222333	31	17	0	.55	0
67 7	BG	48.3	71.0	2222222223322222322223222223232	31	6	0	.19	0
67 7	QT	48.4	89.3	3223322322223332332322233333333	31	18	0	.58	0
67 7	YJ	48.4	123.2	0000000000000000000000000000000	0	0	0	0	0
67 7	QX	49.0	54.6	2332322322332222322233222232332	31	13	0	.42	0
67 7	VR	49.2	123.2	3333332233333333222233333333333	31	25	0	.81	0
67 7	PC	49.5	114.0	3332232333333333332333323233333	31	25	0	.81	0
67 7	GL	49.6	112.8	3332333333333332332223323333332	31	24	0	.77	0
67 7	QQ	49.7	124.9	3322222233333333222333333233233	31	20	0	.65	0
67 7	AQ	49.8	74.9	2322323233222232233322222322233	31	12	0	.39	0
67 7	WG	49.9	97.2	223323233333233323232333322322	31	19	0	.61	0
67 7	LY	50.2	121.6	3322332233333333322233323333223	31	21	0	.68	0
67 7	QN	50.2	86.7	2223322332222232232223233333333	31	15	0	.48	0
67 7	YW	50.3	88.9	323332223222333233222233233233	31	16	0	.52	0
67 7	XB	50.4	102.6	22322222232332222323333222322	31	11	0	.35	0
67 7	QR	50.4	104.7	233332322334233323233333323232	31	21	1	.68	.05
67 7	YC	51.1	114.0	3332342333333233232223322333333	31	22	2	.71	.09
67 7	YO	51.8	104.2	233232332323233222332332332332	31	18	0	.58	0
67 7	BF	52.2	55.6	232222232222222222222322222232	31	4	0	.13	0
67 7	XE	52.2	106.7	222232322333233222222332332322	31	14	0	.45	0
67 7	WL	52.2	122.0	3322222222233332222222232322223	31	9	0	.29	0
67 7	RM	52.4	114.9	233233223332323322222232323333	31	16	0	.52	0
67 7	PA	53.2	105.7	422232324324233322222332332322	31	16	4	.52	.25
67 7	ED	53.3	113.6	233222232333222232222232223223	31	11	0	.35	0
67 7	YR	53.3	60.4	222223422243233222232222222220	30	7	2	.23	.29
67 7	NI	53.5	70.9	222222222332222232222222223222	31	4	0	.13	0
67 7	ET	53.6	116.4	233333233333333333322232222222	31	18	0	.58	0
67 7	TL	53.8	89.9	2234242222243223332322232222333	31	13	3	.42	.23
67 7	XS	53.9	122.7	33222222222222222222232222220	30	3	0	.10	0
67 7	QD	54.0	101.1	3432323342232233222322334333222	31	17	3	.55	.18
67 7	ZU	54.2	115.7	0000000000000000000000000000000	0	0	0	0	0
67 7	OD	54.4	110.3	233232222344332222223322222322	31	11	2	.35	.18
67 7	TB	54.5	128.6	323222222222222222223233222222	31	5	0	.16	0
67 7	KL	54.8	66.8	22222222232222322242222232320	30	5	1	.17	.20
67 7	LB	54.8	112.0	0000000000000000000000000000000	0	0	0	0	0
67 7	YD	54.9	127.2	0000000000000000000000000000000	0	0	0	0	0
67 7	ANN	55.0	131.6	0000000000000000000000000000000	0	0	0	0	0
67 7	CDB	55.2	162.7	0000000000000000000000000000000	0	0	0	0	0
67 7	QU	55.2	118.9	2222242322222222222342232233322	31	8	2	.26	.25
67 7	GW	55.3	77.8	223432322222222322222232232222	31	6	2	.19	.33
67 7	WA	55.3	115.0	232422222344232222322232223220	30	9	3	.30	.33
67 7	XJ	56.2	120.8	0000000000000000000000000000000	0	0	0	0	0
67 7	PE	56.2	117.4	2324242233442322232242224222322	31	12	7	.39	.58
67 7	MM	56.6	111.2	232232222242222323224223222242	31	8	4	.26	.50
67 7	SIT	57.1	135.3	0000000000000000000000000000000	0	0	0	0	0
67 7	SNP	57.2	170.6	0000000000000000000000000000000	0	0	0	0	0
67 7	ZC	57.4	121.4	0000000000000000000000000000000	0	0	0	0	0
67 7	BT	57.9	101.7	3222232222332233323333333433333	31	19	1	.61	.05

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 7	VP	58.1	68.4	2232233322222223222422333232222	31	10	1	.32	.10
67 7	GST	58.4	135.7	00000000000000000000000000000000	0	0	0	0	0
67 7	JNL	58.4	134.6	00000000000000000000000000000000	0	0	0	0	0
67 7	EHM	58.6	152.0	00000000000000000000000000000000	0	0	0	0	0
67 7	YQ	58.7	94.1	4424242322342222222242332222243	31	14	10	.45	.71
67 7	PY	58.7	111.2	2322322323422233232343222232222	31	12	2	.39	.17
67 7	AKN	58.7	156.5	00000000000000000000000000000000	0	0	0	0	0
67 7	YE	58.8	122.6	2422242233222242222322222222242	31	7	4	.23	.57
67 7	BE	59.5	108.8	00000000000000000000000000000000	0	0	0	0	0
67 7	YAK	59.5	139.7	00000000000000000000000000000000	0	0	0	0	0
67 7	HOM	59.6	151.5	00000000000000000000000000000000	0	0	0	0	0
67 7	ILI	59.7	154.9	00000000004220002222000220000000	9	1	1	.11	1.00
67 7	ZL	59.9	126.4	2222222222222242223222222222322	31	3	1	.10	.33
67 7	SM	60.0	112.0	2222322223422233233343224232322	31	13	3	.42	.23
67 7	QH	60.1	128.8	2222233223322243222222224222240	30	8	3	.27	.38
67 7	ZW	60.2	132.7	00000000000000000000000000000000	0	0	0	0	0
67 7	CDV	60.5	145.5	00000000000000000000000000000000	0	0	0	0	0
67 7	PCN	60.5	43.4	00000000000000000000000000000000	0	0	0	0	0
67 7	ENA	60.6	151.3	00000000000000000000000000000000	0	0	0	0	0
67 7	XY	60.7	135.1	2222224322322242223342322222230	30	9	3	.30	.33
67 7	BET	60.8	161.7	00000000000000000000000000000000	0	0	0	0	0
67 7	HY	60.8	115.8	00000000000000000000000000000000	0	0	0	0	0
67 7	EI	61.1	100.9	11111100000000033322222322222232	17	5	0	.29	0
67 7	FR	61.1	113.5	11111100000000000000000000000000	0	0	0	0	0
67 7	SVW	61.1	155.6	11111100000000000000000000000000	0	0	0	0	0
67 7	ANC	61.2	150.0	11111110000000000000000000000000	0	0	0	0	0
67 7	ANI	61.6	159.6	11111111110000000000000000000000	0	0	0	0	0
67 7	ZK	61.7	137.5	11111111110000000000000000000000	0	0	0	0	0
67 7	FS	61.8	121.2	1111111111100233223322244222243	18	8	5	.44	.63
67 7	GKN	62.1	145.6	11111111111100000000000000000000	0	0	0	0	0
67 7	TKA	62.3	150.1	11111111111110000000000000000000	0	0	0	0	0
67 7	XQ	62.5	140.3	11111111111111000000000000000000	0	0	0	0	0
67 7	ZF	62.5	114.6	1111111111111143233343244322220	16	10	4	.63	.40
67 7	CRT	62.6	142.0	11111111111111100000000000000000	0	0	0	0	0
67 7	FL	62.7	109.1	11111111111111113323232322232222	16	6	0	.38	0
67 7	MCG	62.9	156.0	11111111111111111000000000000000	0	0	0	0	0
67 7	OHC	63.3	168.9	11111111111111111100000000000000	0	0	0	0	0
67 7	RR	63.5	116.2	11111111111111111111000000000000	0	0	0	0	0
67 7	MA	63.6	135.9	11111111111111111111110000000000	0	0	0	0	0
67 7	EYR	63.8	21.1	11111111111111111111111000000000	0	0	0	0	0
67 7	FB	63.8	68.5	11111111111111111111111000000000	0	0	0	0	0
67 7	GRA	64.0	22.6	11111111111111111111111100000000	0	0	0	0	0
67 7	KEF	64.0	22.6	11111111111111111111111110000000	0	0	0	0	0
67 7	DA	64.1	139.4	1111111111111111111111110022322	5	1	0	.20	0
67 7	REY	64.1	21.9	11111111111111111111111110000000	0	0	0	0	0
67 7	ZS	64.2	83.4	11111111111111111111111113223333	7	5	0	.71	0
67 7	BK	64.3	96.0	1111111111111111111111111222230	5	1	0	.20	0
67 7	FAI	64.9	148.1	111111111111111111111111122222	5	0	0	0	0
67 7	VQ	65.3	126.8	111111111111111111111111111000	0	0	0	0	0
67 7	TNC	65.5	168.0	1111111111111111111111111111100	0	0	0	0	0

37

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	H	C	N	C/R	N/C
67 8	ANN	55.0	131.6	00000000000000000000000000000000	0	0	0	0	0
67 8	CDB	55.2	162.7	222222232222222232222222233322	31	5	0	.16	0
67 8	QU	55.2	118.9	3232322332233323332222233223332	31	16	0	.52	0
67 8	GW	55.3	77.8	2333334223232222222223322222222	31	10	3	.32	.30
67 8	WA	55.3	115.0	2322222332233322322233222332333	31	14	0	.45	0
67 8	XJ	56.2	120.8	00000000000000000000000000000000	0	0	0	0	0
67 8	PE	56.2	117.4	3223323222233322323223232333333	31	17	0	.55	0
67 8	MM	56.6	111.2	2323333333233323333323232332333	31	23	0	.74	0
67 8	SIT	57.1	135.3	00000000000000000000000000000000	0	0	0	0	0
67 8	SNP	57.2	170.6	00000000000000000000000000000000	0	0	0	0	0
67 8	ZC	57.4	121.4	00000000000000000000000000000000	0	0	0	0	0
67 8	BT	57.9	101.7	2332223223233323332332222322333	31	16	0	.52	0
67 8	VP	58.1	68.4	2222222222322222222222222222223	31	2	0	.06	0
67 8	GST	58.4	135.7	00000000000000000000000000000000	0	0	0	0	0
67 8	JNU	58.4	134.6	2233322222220003322222222233222	28	7	0	.25	0
67 8	EHV	58.6	152.0	00000000000000000000000000000000	0	0	0	0	0
67 8	YG	58.7	94.1	4322332324233232223322223233223	31	15	2	.48	.13
67 8	PY	58.7	111.2	2333333333323223033222223233332	31	19	0	.61	0
67 8	AKN	58.7	156.5	2422222222322322222233222233333	31	10	1	.32	.10
67 8	YE	58.8	122.6	42232232224432223222222233332322	31	12	3	.39	.25
67 8	BE	59.5	108.8	00000000000000000000000000000000	0	0	0	0	0
67 8	YAK	59.5	139.7	00000000000000000000000000000000	0	0	0	0	0
67 8	HOM	59.6	151.5	00000000000000000000000000000000	0	0	0	0	0
67 8	ILI	59.7	154.9	00000000000000000000000000000000	0	0	0	0	0
67 8	ZL	59.9	126.4	2242233222422233332333232232322	31	14	2	.45	.14
67 8	SM	60.0	112.0	4322233333223223322223222233333	31	16	1	.52	.06
67 8	GH	60.1	128.8	2343222222322223332222232232322	31	10	1	.32	.10
67 8	ZW	60.2	132.7	00000000000000000000000000000000	0	0	0	0	0
67 8	CDV	60.5	145.5	00000000000000000000000000000000	0	0	0	0	0
67 8	PCN	60.5	43.4	00000000000000000000000000000000	0	0	0	0	0
67 8	ENA	60.6	151.3	00000000000000000000000000000000	0	0	0	0	0
67 8	XY	60.7	135.1	2243422222222233222332223232232	31	10	2	.32	.20
67 8	BET	60.8	161.7	2222222222222222222222222333222	31	3	0	.10	0
67 8	HY	60.8	115.8	00000000000000000000000000000000	0	0	0	0	0
67 8	EI	61.1	100.9	23222232223220000000000000000000	13	3	0	.23	0
67 8	FR	61.1	113.5	00000000000000000000000000000000	0	0	0	0	0
67 8	SVW	61.1	155.6	00000000000000000000000000000000	0	0	0	0	0
67 8	ANC	61.2	150.0	00000000000000000000000000000000	0	0	0	0	0
67 8	ANI	61.6	159.6	00000000000000000000000000000000	0	0	0	0	0
67 8	ZK	61.7	137.5	00000000000000000000000000000000	0	0	0	0	0
67 8	FS	61.8	121.2	4232233232423223322322233333322	31	16	2	.52	.13
67 8	GKN	62.1	145.6	00000000000000000000000000000000	0	0	0	0	0
67 8	TKA	62.3	150.1	00000000000000000000000000000000	0	0	0	0	0
67 8	XQ	62.5	140.3	00000000000000000000000000000000	0	0	0	0	0
67 8	ZF	62.5	114.6	4424234433222324332223322233332	31	18	8	.58	.44
67 8	CRT	62.6	142.0	00000000000000000000000000000000	0	0	0	0	0
67 8	FL	62.7	109.1	3222234432442224232222332333330	30	16	6	.53	.38
67 8	MCG	62.9	156.0	00000000000000000000000000000000	0	0	0	0	0
67 8	CHC	63.3	168.9	00000000000000000000000000000000	0	0	0	0	0
67 8	RR	63.5	116.2	00000000000000000000000000000000	0	0	0	0	0

31

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 8	MA	63.6	135.9	00000000000000000000000000000000	0	0	0	0	0
67 8	EYR	63.8	21.1	00000000000000000000000000000000	0	0	0	0	0
67 8	FB	63.8	68.5	23222222222222222222222222222222	31	4	0	.13	0
67 8	GRA	64.0	22.6	00000000000000000000000000000000	0	0	0	0	0
67 8	KEF	64.0	22.6	00000000000000000000000000000000	0	0	0	0	0
67 8	DA	64.1	139.4	23423222222222222222222222222222	31	8	1	.26	.13
67 8	REY	64.1	21.9	00000000000000000000000000000000	0	0	0	0	0
67 8	ZS	64.2	83.4	32222222222222222222222222222222	31	8	0	.26	0
67 8	BK	64.3	96.0	22222222222222222222222222222222	31	6	1	.19	.17
67 8	FAI	64.9	148.1	43233442222222222222222222222222	22	7	3	.32	.43
67 8	VQ	65.3	126.8	02333322222222222222222222222222	28	9	0	.32	0
67 8	TNC	65.5	168.0	00000000000000000000000000000000	0	0	0	0	0
67 8	VN	66.6	61.6	11002222222222222222222222222222	27	3	0	.11	0
67 8	HOL	66.9	54.6	11110000000000000000000000000000	0	0	0	0	0
67 8	EGE	68.7	52.9	11111111111100000000000000000000	0	0	0	0	0
67 8	UX	68.8	81.2	11111111111122222222222222222222	20	3	0	.15	0
67 8	CB	69.1	105.1	11111111111110222222222222222222	18	3	0	.17	0
67 8	GOD	69.2	53.5	11111111111110000000000000000000	0	0	0	0	0
67 8	UE	70.2	124.7	11111111111111111322222222222222	15	4	0	.27	0
67 8	BRW	71.3	156.8	11111111111111111111100000000000	0	0	0	0	0
67 8	RB	74.7	95.0	11111111111111111111111111111111	0	0	0	0	0
67 8	LT	82.5	63.0	11111111111111111111111111111111	0	0	0	0	0
67 9	MN	44.0	80.8	33332332233333322332232222222220	30	16	0	.53	0
67 9	UL	45.5	73.7	00000000000000000000000000000000	0	0	0	0	0
67 9	YB	46.4	79.4	33333332233333333332222222222220	30	19	0	.63	0
67 9	GB	46.4	71.4	32222222233333333332222222222220	29	12	0	.41	0
67 9	VO	48.0	77.8	32333332232333333222222222222220	30	14	0	.47	0
67 9	BG	48.3	71.0	22222323233333322332232222222220	30	12	0	.40	0
67 9	QT	48.4	89.3	33333333322222233322233223233330	30	20	0	.67	0
67 9	YJ	48.4	123.2	00000000000000000000000000000000	0	0	0	0	0
67 9	QX	49.0	54.6	222222232223233332332222233200	29	5	0	.17	0
67 9	VR	49.2	123.2	22322322233333332333333332220	30	19	0	.63	0
67 9	PC	49.5	114.0	2333233332233332332333333230	30	23	0	.77	0
67 9	QL	49.6	112.8	3333223222333332323233333220	30	19	0	.63	0
67 9	QQ	49.7	124.9	32222322223333332333333332220	30	18	0	.60	0
67 9	AQ	49.8	74.9	23323232232222332232222222220	30	9	1	.30	.11
67 9	WG	49.9	97.2	33333333332223232322322223320	30	18	0	.60	0
67 9	LY	50.2	121.6	22333332322333332333333333320	30	23	0	.77	0
67 9	GN	50.2	86.7	00000000000000000000000000000000	0	0	0	0	0
67 9	YW	50.3	88.9	333332233232222333233232233300	29	18	0	.62	0
67 9	XB	50.4	102.6	333333333222233233332333300	29	22	0	.76	0
67 9	QR	50.4	104.7	333333333222233233332333320	30	21	0	.70	0
67 9	YC	51.1	114.0	3332332223333333333333333230	30	25	0	.83	0
67 9	YO	51.8	104.2	33332332222222332332332233220	30	16	0	.53	0
67 9	BF	52.2	55.6	22222232233222232332222332220	30	9	0	.30	0
67 9	XE	52.2	106.7	333333223322333332332333300	29	23	0	.79	0
67 9	WL	52.2	122.0	22222322223333322233232332220	30	13	0	.43	0
67 9	RM	52.4	114.9	2333223222333332233322333230	30	19	0	.63	0
67 9	PA	53.2	105.7	333333222322333323322233320	30	20	0	.67	0
67 9	ED	53.3	113.6	2223233232333333333233333230	30	21	0	.70	0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 9	YR	53.3	60.4	223223222233222332222322220	30	10	0	.33	0
67 9	NI	53.5	70.9	000022222322222222222222220	26	1	0	.04	0
67 9	ET	53.6	116.4	3333232322333333233332220	30	21	0	.70	0
67 9	TL	53.8	89.9	3332232232233223233322223320	30	13	0	.43	0
67 9	XS	53.9	122.7	222223232322232222222232220	30	6	0	.20	0
67 9	QD	54.0	101.1	322232332322223333233222233000	28	13	0	.46	0
67 9	ZU	54.2	115.7	0000000000000000000000000000	0	0	0	0	0
67 9	OD	54.4	110.3	333223323222333333323222233320	30	18	0	.60	0
67 9	TB	54.5	128.6	22222223222233322222222222220	30	4	0	.13	0
67 9	KL	54.8	66.8	22332222232222222222222222220	30	3	0	.10	0
67 9	LB	54.8	112.0	0000000000000000000000000000	0	0	0	0	0
67 9	YD	54.9	127.2	0000000000000000000000000000	0	0	0	0	0
67 9	ANM	55.0	131.6	0000000000000000000000000000	0	0	0	0	0
67 9	CDB	55.2	162.7	22233322222222222222220023330	28	6	0	.21	0
67 9	QU	55.2	118.9	2323232232232333232222222200	28	10	0	.36	0
67 9	GW	55.3	77.8	233222222222232222222322223320	29	6	0	.21	0
67 9	WA	55.3	115.0	2222233233233333323223222332200	29	14	0	.48	0
67 9	XJ	56.2	120.8	0000000000000000000000000000	0	0	0	0	0
67 9	PE	56.2	117.4	232223323222233333322223332220	30	14	0	.47	0
67 9	MM	56.6	111.2	333322322222233332222222333220	30	12	0	.40	0
67 9	SIT	57.1	135.3	0000000000000000000000000000	0	0	0	0	0
67 9	SNP	57.2	170.6	0000000000000000000000000000	0	0	0	0	0
67 9	ZC	57.4	121.4	0000000000000000000000000000	0	0	0	0	0
67 9	BT	57.9	101.7	32233222232223333222222223220	30	10	0	.33	0
67 9	VP	58.1	68.4	22322222232222222222322222300	29	4	0	.14	0
67 9	GST	58.4	135.7	0000000000000000000000000000	0	0	0	0	0
67 9	JNL	58.4	134.6	22222222222222222222222223330	30	3	0	.10	0
67 9	EHM	58.6	152.0	0000000000000000000000000000	0	0	0	0	0
67 9	YQ	58.7	94.1	32322223222222333323222222220	30	8	0	.27	0
67 9	PY	58.7	111.2	333222332322303032232322223220	28	12	0	.43	0
67 9	AKN	58.7	156.5	22333222222222222223222222220	29	4	0	.14	0
67 9	YE	58.8	122.6	23223332332223333222232222220	30	11	0	.37	0
67 9	BE	59.5	108.8	0000000000000000000000000000	0	0	0	0	0
67 9	YAK	59.5	139.7	0000000000000000000000000000	0	0	0	0	0
67 9	HOM	59.6	151.5	0000000000000000000000000000	0	0	0	0	0
67 9	ILI	59.7	154.9	0000000000000000000000000000	0	0	0	0	0
67 9	ZL	59.9	126.4	222233323333223332222322233220	30	12	1	.40	.08
67 9	SM	60.0	112.0	223232332223233332232223222300	29	12	0	.41	0
67 9	QH	60.1	128.8	22233322323223333222233223220	30	12	0	.40	0
67 9	ZW	60.2	132.7	0000000000000000000000000000	0	0	0	0	0
67 9	CDV	60.5	145.5	0000000000000000000000000000	0	0	0	0	0
67 9	PCN	60.5	43.4	0000000000000000000000000000	0	0	0	0	0
67 9	ENA	60.6	151.3	0000000000000000000000000000	0	0	0	0	0
67 9	XY	60.7	135.1	32232223322222322233333233200	29	12	0	.41	0
67 9	BET	60.8	161.7	2223232222222222222332222330	30	6	0	.20	0
67 9	HY	60.8	115.8	0000000000000000000000000000	0	0	0	0	0
67 9	EI	61.1	100.9	2322233000000000000000000000	8	3	0	.38	0
67 9	FR	61.1	113.5	0000000000000000000000000000	0	0	0	0	0
67 9	SVW	61.1	155.6	0000000000000000000000000000	0	0	0	0	0
67 9	ANC	61.2	150.0	0000000000000000000000000000	0	0	0	0	0

YRMO	STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/R	N/C
67 9	ANI	61.6	159.6	00000000000000000000000000000000	0	0	0	0	0
67 9	ZK	61.7	137.5	00000000000000000000000000000000	0	0	0	0	0
67 9	FS	61.8	121.2	2223333323223233322222222223320	30	12	0	.40	0
67 9	GKN	62.1	145.6	00000000000000000000000000000000	0	0	0	0	0
67 9	TKA	62.3	150.1	00000000000000000000000000000000	0	0	0	0	0
67 9	XQ	62.5	140.3	00000000000000000000000000000000	0	0	0	0	0
67 9	ZF	62.5	114.6	233222232323333332222223322320	30	13	1	.43	.08
67 9	ORT	62.6	142.0	00000000000000000000000000000000	0	0	0	0	0
67 9	FL	62.7	109.1	222222232322333322222223222320	30	8	0	.27	0
67 9	MCG	62.9	156.0	00000000000000000000000000000000	0	0	0	0	0
67 9	CHC	63.3	168.9	00000000000000000000000000000000	0	0	0	0	0
67 9	RR	63.5	116.2	00000000000000000000000000000000	0	0	0	0	0
67 9	MA	63.6	135.9	00000000000000000000000000000000	0	0	0	0	0
67 9	EYR	63.8	21.1	00000000000000000000000000000000	0	0	0	0	0
67 9	FB	63.8	68.5	2202232222222222222223222220200	26	2	0	.08	0
67 9	GRA	64.0	22.6	00000000000000000000000000000000	0	0	0	0	0
67 9	KEF	64.0	22.6	00000000000000000000000000000000	0	0	0	0	0
67 9	DA	64.1	139.4	2222300002322233330023232300300	21	10	0	.48	0
67 9	REY	64.1	21.9	00000000000000000000000000000000	0	0	0	0	0
67 9	ZS	64.2	83.4	223232222222232222232222322200	29	5	0	.17	0
67 9	BK	64.3	96.0	223222322222222222222222222200	29	2	0	.07	0
67 9	FAI	64.9	148.1	00000000000000000000000000000000	0	0	0	0	0
67 9	VQ	65.3	126.8	222323332233323332222223322320	30	13	0	.43	0
67 9	TNC	65.5	168.0	00000000000000000000000000000000	0	0	0	0	0
67 9	VN	66.6	61.6	232223222322332222333322222220	30	9	0	.30	0
67 9	HOL	66.9	54.6	00000000000000000000000000000000	0	0	0	0	0
67 9	EGE	68.7	52.9	00000000000000000000000000000000	0	0	0	0	0
67 9	UX	68.8	81.2	222222222223222222222232222220	30	2	0	.07	0
67 9	CB	69.1	105.1	222222322222223322222222222230	30	4	0	.13	0
67 9	GOD	69.2	53.5	00000000000000000000000000000000	0	0	0	0	0
67 9	UE	70.2	124.7	222232322223222222222222222220	30	3	0	.10	0
67 9	BRW	71.3	156.8	00000000000000000000000000000000	0	0	0	0	0
67 9	RB	74.7	95.0	2222222222222222232222222222320	30	3	1	.10	.33
67 9	LT	82.5	63.0	11111111111111111000000000000000	0	0	0	0	0
67 10	MN	44.0	80.8	3332232222222222232223322223222	31	8	0	.26	0
67 10	UL	45.5	73.7	00000000000000000000000000000000	0	0	0	0	0
67 10	YB	46.4	79.4	333223222000222222222232222322	28	6	0	.21	0
67 10	GB	46.4	71.4	233223322232222222222333222230	30	9	0	.30	0
67 10	VO	48.0	77.8	333222322223322222223332222222	31	9	0	.29	0
67 10	BG	48.3	71.0	222223322222222222222322222330	30	5	0	.17	0
67 10	QT	48.4	89.3	332322222323332223233322222232	31	12	0	.39	0
67 10	YJ	48.4	123.2	00000000000000000000000000000000	0	0	0	0	0
67 10	GX	49.0	54.6	322322322222232322232233323222	31	10	0	.32	0
67 10	VR	49.2	123.2	222222222222232223223323232223	31	7	0	.23	0
67 10	PC	49.5	114.0	223332323223333223322223333222	31	16	0	.52	0
67 10	QL	49.6	112.8	223322223233232333322232322222	31	14	0	.45	0
67 10	QQ	49.7	124.9	222222222323222332223232232223	31	8	0	.26	0
67 10	AQ	49.8	74.9	222222222223232322222332222220	30	5	0	.17	0
67 10	WG	49.9	97.2	323232222322332232332222222332	31	11	0	.35	0
67 10	LY	50.2	121.6	222222232332332332322232322222	31	10	0	.32	0

YRMO	SIA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	P/R	N/C
6710	QN	50.2	86.7	232222220223233222223332222232	31	8	0	.26	0
6710	YW	50.3	88.9	232322222222333222323332222230	30	10	0	.33	0
6710	XB	50.4	102.6	2222222232233223323333222222322	31	10	0	.32	0
6710	QR	50.4	104.7	332322223323333323333222222330	30	17	0	.57	0
6710	YC	51.1	114.0	2223323232333333233332332333230	30	20	0	.67	0
6710	YO	51.8	104.2	222222223323322233333222222322	31	11	0	.35	0
6710	BF	52.2	55.6	222222223323223332222233332200	29	11	0	.38	0
6710	XE	52.2	106.7	32222223323333233232232223320	30	14	0	.47	0
6710	WL	52.2	122.0	222222232222232333222232222222	31	6	0	.19	0
6710	RM	52.4	114.9	2223222222332333233322332323223	31	14	0	.45	0
6710	PA	53.2	105.7	2222222322233323333333232222322	31	12	0	.39	0
6710	EO	53.3	113.6	222323323223332322232233222222	31	11	0	.35	0
6710	YR	53.3	60.4	333323233222232332222322322222	31	12	0	.39	0
6710	NI	53.5	70.9	222222222222322322222223222222	31	3	0	.10	0
6710	ET	53.6	116.4	2222222223233323232223332333220	30	12	0	.40	0
6710	IL	53.8	89.9	2222222222322222322223222223222	31	4	0	.13	0
6710	XS	53.9	122.7	222222222222322323222232322222	31	5	0	.16	0
6710	WD	54.0	101.1	222222222332332222232222222330	30	7	0	.23	0
6710	ZU	54.2	115.7	222222322323323323222222232230	30	9	0	.30	0
6710	UD	54.4	110.3	2222222233133323323322232323323	31	14	0	.45	0
6710	IB	54.5	128.6	222222222222222222222222222222	31	0	0	0	0
6710	KL	54.8	66.8	222222232222222322223232222322	31	5	0	.16	0
6710	LB	54.8	112.0	000000000000000000000000000000	0	0	0	0	0
6710	YD	54.9	127.2	000000000000000000000000000000	0	0	0	0	0
6710	ANN	55.0	131.0	000000000000000000000000000000	0	0	0	0	0
6710	CDB	55.2	162.7	323223222223322222322222232222	31	7	0	.23	0
6710	QU	55.2	118.9	222223222232233232222323232233	31	10	0	.32	0
6710	GW	55.3	77.8	222222332222222222222232222220	30	3	0	.10	0
6710	WA	55.3	115.0	2222232223333333223222323333222	31	14	0	.45	0
6710	XJ	56.2	120.8	000000000000000000000000000000	0	0	0	0	0
6710	PE	56.2	117.4	22222332233332322223323333222	31	13	0	.42	0
6710	MM	56.6	111.2	222222232223332323222332323322	31	11	0	.35	0
6710	SIT	57.1	135.3	000000000000000000000000000000	0	0	0	0	0
6710	SNP	57.2	170.6	000000000000000000000000000000	0	0	0	0	0
6710	ZC	57.4	121.4	000000000000000000000000000000	0	0	0	0	0
6710	BT	57.9	101.7	222222222232233222232222222230	30	5	0	.17	0
6710	VP	58.1	68.4	322222222222322222222222222220	30	2	0	.07	0
6710	GST	58.4	135.7	000000000000000000000000000000	0	0	0	0	0
6710	JNU	58.4	134.6	333223222222222322222222222223	31	6	0	.19	0
6710	EHM	58.6	152.0	000000000000000000000000000000	0	0	0	0	0
6710	YQ	58.7	94.1	222223232222222222222222233222	31	4	0	.13	0
6710	PY	58.7	111.2	222223232220232223322232322322	31	8	0	.26	0
6710	AKN	58.7	156.5	2333323322222223233223232233233	0	0	0	0	0
6710	YE	58.8	122.6	22222222222323232223222322333220	30	8	0	.27	0
6710	BE	59.5	108.8	000000000000000000000000000000	0	0	0	0	0
6710	YAK	59.5	139.7	000000000000000000000000000000	0	0	0	0	0
6710	HOM	59.6	151.5	000000000000000000000000000000	0	0	0	0	0
6710	ILI	59.7	154.9	000000000000000000000000000000	0	0	0	0	0
6710	ZL	59.9	126.4	222223222332223222233222222222	31	7	0	.23	0
6710	SM	60.0	112.0	222222222222322223322230322330	29	7	0	.24	0

YRMO STA	LAT.	LONG.	NIGHTLY WEATHER FOR MONTH	R	C	N	C/P	N/C
6710 WH	60.1	128.8	222222222222223322222222322222	31	3	0	.10	0
6710 ZW	60.2	132.7	000000000000000000000000000000	0	0	0	0	0
6710 CDV	60.5	145.5	000000000000000000000000000000	0	0	0	0	0
6710 PCN	60.5	43.4	000000000000000000000000000000	0	0	0	0	0
6710 ENA	60.6	151.3	000000000000000000000000000000	0	0	0	0	0
6710 XY	60.7	135.1	000000000000000000000000000000	0	0	0	0	0
6710 BET	60.8	161.7	2222223322222222222222222232332	31	5	0	16	0
6710 HY	60.8	115.8	000000000000000000000000000000	0	0	0	0	0
6710 EI	61.1	100.9	000000000000000000000000000000	0	0	0	0	0
6710 FR	61.1	113.5	000000000000000000000000000000	0	0	0	0	0
6710 SVW	61.1	155.6	000000000000000000000000000000	0	0	0	0	0
6710 ANC	61.2	150.0	000000000000000000000000000000	0	0	0	0	0
6710 ANI	61.6	159.6	000000000000000000000000000000	0	0	0	0	0
6710 ZK	61.7	137.5	000000000000000000000000000000	0	0	0	0	0
6710 FS	61.8	121.2	2222322232333322223322232323323	31	13	0	42	0
6710 GKN	62.1	145.6	000000000000000000000000000000	0	0	0	0	0
6710 TKA	62.3	150.1	000000000000000000000000000000	0	0	0	0	0
6710 XQ	62.5	140.3	000000000000000000000000000000	0	0	0	0	0
6710 ZF	62.5	114.6	222232222220000000000000000000	11	1	0	09	0
6710 URT	62.6	142.0	000000000000000000000000000000	0	0	0	0	0
6710 FL	62.7	109.1	232233222222222222222222222222	31	3	0	.10	0
6710 MCG	62.9	156.0	000000000000000000000000000000	0	0	0	0	0
6710 OHC	63.3	168.9	000000000000000000000000000000	0	0	0	0	0
6710 RR	63.5	116.2	000000000000000000000000000000	0	0	0	0	0
6710 MA	63.6	135.9	000000000000000000000000000000	0	0	0	0	0
6710 EYR	63.8	21.1	000000000000000000000000000000	0	0	0	0	0
6710 FH	63.8	68.5	00322223222323222222222222323330	30	9	0	.30	0
6710 GRA	64.0	22.6	000000000000000000000000000000	0	0	0	0	0
6710 KEF	64.0	22.6	000000000000000000000000000000	0	0	0	0	0
6710 DA	64.1	139.4	3233323322222000000000000000232	16	7	0	.44	0
6710 REY	64.1	21.9	000000000000000000000000000000	0	0	0	0	0
6710 ZS	64.2	83.4	333223232222222030222223333222	0	0	0	0	0
6710 BK	64.3	96.0	2223233222222222322232223222220	30	7	0	23	0
6710 FAT	64.9	148.1	000000000000000000000000000000	0	0	0	0	0
6710 VQ	65.3	126.8	22033333222222222000222222320	25	6	0	.24	0
6710 TNC	65.5	168.0	000000000000000000000000000000	0	0	0	0	0
6710 VN	66.6	61.6	222233233223323233333332223330	30	18	0	.60	0
6710 HOL	66.9	54.6	000000000000000000000000000000	0	0	0	0	0
6710 EGE	68.7	52.9	000000000000000000000000000000	0	0	0	0	0
6710 UX	68.8	81.2	2222233322222222223223233222222	31	8	0	.26	0
6710 CB	69.1	105.1	222223323222222222222222222222	31	4	0	.13	0
6710 GOD	69.2	53.5	000000000000000000000000000000	0	0	0	0	0
6710 UE	70.2	124.7	222333322232222222222232322222	31	8	1	.26	.13
6710 BRW	71.3	156.8	000000000000000000000000000000	0	0	0	0	0
6710 RB	74.7	95.0	222222222222233322233333322220	30	10	0	.33	0
6710 LT	82.5	63.0	000000000000000000000000000000	0	0	0	0	0

more
is
it

DETAILED INFORMATION ON THE NLC SIGHTINGS REPORTED FROM ALASKA,
CANADA, GREENLAND AND ICELAND

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
1. 67 6	2-FORT NELSON	YE	58.8	122.6	9.3	1.1	8.00	3	2	350-005	12-15	C
2. 67 6	2 WATSON LAKE	QH	60.1	128.8	8.3	23.7	7.78	2	2	319-020	02-04	A
67 6	2 WATSON LAKE	QH	60.1	128.8	8.5	0.	7.86	2	2	319-011	02-05	A
67 6	2 WATSON LAKE	QH	60.1	128.8	8.8	.2	7.83	1	2	340-021	04-06	A
67 6	2 WATSON LAKE	QH	60.1	128.8	8.9	.4	7.72	1	2	348-022	04-06	A
67 6	2 WATSON LAKE	QH	60.1	128.8	9.3	.7	7.42	1	2	348-032	-07	A
67 6	2 WATSON LAKE	QH	60.1	128.8	9.5	.9	7.05	1	2	351-014	-07	A
67 6	2 WATSON LAKE	QH	60.1	128.8	9.8	1.2	6.56	1			-06	A
3. 67 6	2 WHITEHORSE	XY	60.7	135.1	9.5	.5	7.02	2	2	300-025	02-06	A
4. 67 6	12 KNOB LAKE	KL	54.8	66.8	3.0	22.5	9.84	2	2	349-040	07-14	A
67 6	12 KNOB LAKE	KL	54.8	66.8	3.4	22.9	10.84	2	2	350-042	06-13	A
67 6	12 KNOB LAKE	KL	54.8	66.8	3.8	23.3	11.52	2	23	352-036	06-12	A
67 6	12 KNOB LAKE	KL	54.8	66.8	4.1	23.6	11.90	2	2	358-039	03-09	A
67 6	12 KNOB LAKE	KL	54.8	66.8	4.3	23.9	12.03	2	2	010-036	05-10	A
67 6	12 KNOB LAKE	KL	54.8	66.8	4.6	.1	12.02	2	2	040-044	04-08	A
67 6	12 KNOB LAKE	KL	54.8	66.8	4.8	.4	11.88	2	2	042	05-08	A
67 6	12 KNOB LAKE	KL	54.8	66.8	5.1	.6	11.61					C
67 6	12 KNOB LAKE	KL	54.8	66.8	5.3	.9	11.21					C
67 6	12 KNOB LAKE	KL	54.8	66.8	5.6	1.1	10.69	3	23	029-066	05-06	C
5. 67 6	12 GREAT WHALE	GW	55.3	77.8	4.5	23.3	11.05	3	12	270-320	15-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	4.8	23.6	11.34	3	12	270-320	15-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	5.0	23.8	11.50	2	12	265-330	15-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	5.3	.1	11.54	2	12	260-000	20-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	5.5	.3	11.43	2	12	260-000	20-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	5.8	.6	11.20	2	12	250-355	20-45	A
67 6	12 GREAT WHALE	GW	55.3	77.8	6.0	.8	10.84	3	12	250-000	20-45	A
67 6	12 GREAT WHALE	GW	55.3	77.8	6.3	1.1	10.36	1	12	250-010	20-45	A
67 6	12 GREAT WHALE	GW	55.3	77.8	6.5	1.3	9.75	1	12	260-020	20-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	6.8	1.6	9.01	1	12	260-020	20-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	7.0	1.8	8.16	1	12	260-040	20-40	A
67 6	12 GREAT WHALE	GW	55.3	77.8	7.3	2.1	7.20	2	2	260-060	20-60	A
67 6	12 GREAT WHALE	GW	55.3	77.8	7.5	2.3	6.13	2	2	070-085	25-85	A
67 6	12 GREAT WHALE	VP	58.1	68.4	4.5	0.	8.74	1	3	058-070	10-15	A
6. 67 6	12 FORT CHIMO	VP	58.1	68.4	4.8	.2	8.70	1	123	033-075	04-11	A
67 6	12 FORT CHIMO	VP	58.1	68.4	5.0	.4	8.55	1	123	030-075	03-11	A
67 6	12 FORT CHIMO	VP	58.1	68.4	5.3	.7	8.28	1	123	030-080	03-10	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 612	FORT CHIMO	VP	58.1	68.4	5.5	.9	7.89	1	13	028-080	03-10	A
67 612	FORT CHIMO	VP	58.1	68.4	5.8	1.2	7.38	1	13	010-080	03-12	A
7 67 613	EDMONTON	ED	53.3	113.6	7.5	0.	13.47	2	1	350-010	00-05	A
67 613	EDMONTON	ED	53.3	113.6	7.8	.2	13.45	2	1	340-020	00-10	A
67 613	EDMONTON	ED	53.3	113.6	8.0	.4	13.28	2	1	340-030	00-10	A
67 613	EDMONTON	ED	53.3	113.6	8.3	.7	12.97	2	1	340-030	00-10	A
67 613	EDMONTON	ED	53.3	113.6	8.5	.9	12.53	2	1	350-030	00-10	A
67 613	EDMONTON	ED	53.3	113.6	8.8	1.2	11.96	2	1	350-030	05-10	A
67 613	EDMONTON	ED	53.3	113.6	9.0	1.4	11.26	2	1	340-030	05-15	A
67 613	EDMONTON	ED	53.3	113.6	9.3	1.7	10.43	2	1	340-020	05-15	A
67 613	EDMONTON	ED	53.3	113.6	9.5	1.9	9.48	1	1	340-020	10-25	A
67 613	EDMONTON	ED	53.3	113.6	9.0	1.2	11.51	2	2	290-020	30-45	A
8 67 613	EDSON	ET	53.6	116.4	9.3	1.5	10.78	2	2	290-020	30-45	A
67 613	EDSON	ET	53.6	116.4	9.5	1.7	9.93	2	2	290-020	30-45	A
67 613	EDSON	ET	53.6	116.4	9.8	2.0	8.96	2	2	290-020	30-45	A
67 613	EDSON	ET	53.6	116.4	10.0	2.2	7.87	2	2	290-020	30-45	A
67 613	EDSON	ET	53.6	116.4	10.2	2.5	6.67	2	2	290-020	30-45	A
67 613	EDSON	ET	53.6	116.4	10.2	2.5	6.67	2	2	290-020	30-45	A
9 67 613	KNOB LAKE	KL	54.8	66.8	4.2	23.7	11.89	2	2	308-358	00-08	C
67 613	KNOB LAKE	KL	54.8	66.8	4.4	0.	11.98	1	1	307-340	03-06	C
67 613	KNOB LAKE	KL	54.8	66.8	4.7	.2	11.93	1	1	312-340	03-05	C
67 613	KNOB LAKE	KL	54.8	66.8	4.9	.5	11.75	1	1	315-003	05-10	C
67 613	KNOB LAKE	KL	54.8	66.8	5.2	.7	11.44	1	1			C
67 613	KNOB LAKE	KL	54.8	66.8	5.4	1.0	11.00	1	1			C
67 613	KNOB LAKE	KL	54.8	66.8	5.7	1.2	10.43	1	1			C
67 613	KNOB LAKE	KL	54.8	66.8	5.8	1.3	10.21	2	1	313-010	04-19	C
67 613	KNOB LAKE	KL	54.8	66.8	6.0	1.5	9.48	2	1	310-011	05-22	C
67 613	KNOB LAKE	KL	54.8	66.8	6.3	1.8	8.63	2	1	329-003	06-22	C
67 613	KNOB LAKE	KL	54.8	66.8	6.5	2.0	7.66	2	1	295-355	10-21	C
67 613	KNOB LAKE	KL	54.8	66.8	6.8	2.3	6.58	1	1	305-350	08-15	C
67 613	KNOB LAKE	KL	54.8	66.8	7.0	23.1	10.68	1	2	350-020	20-25	B
10 67 613	GRANDE PRAIRIE	QU	55.2	118.9	7.3	23.3	11.10	1	2	350-020	20-25	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	7.5	23.6	11.39	1	2	350-020	20-25	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	7.8	23.8	11.55	2	2	350-030	20-30	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	8.0	.1	11.57	2	2	350-030	20-30	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	8.3	.3	11.47	2	2	350-030	20-35	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	8.5	.6	11.24	2	2	350-030	20-35	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	8.8	.8	10.87	3	2	350-030	20-35	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.1	10.38	3	2	350-040	20-40	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	9.3	1.3	9.76	4	2	350-040	20-40	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	9.5	1.6	9.03	3	2	350-040	30-45	B
67 613	GRANDE PRAIRIE	QU	55.2	118.9	9.8	1.8	8.17	3	2	350-040	30-45	B

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 613	GRANDE PRAIRIE	QU	55.2	118.9	10.0	2.1	7.20	1	2	350-030	35-45	B
67 613	WAGNER	WA	55.3	115.0	7.0	23.3	11.02	3	2	335-023	01-14	A
67 613	WAGNER	WA	55.3	115.0	7.3	23.6	11.30	2	2	335-030	02-13	A
67 613	WAGNER	WA	55.3	115.0	7.5	23.8	11.45	2	2	333-033	02-13	A
67 613	WAGNER	WA	55.3	115.0	7.8	.1	11.47	2	2	326-038	02-13	A
67 613	WAGNER	WA	55.3	115.0	8.0	.3	11.36	2	2	324-044	02-12	A
67 613	WAGNER	WA	55.3	115.0	8.3	.6	11.12	2	2	324-047	03-15	A
67 613	WAGNER	WA	55.3	115.0	8.5	.8	10.76	2	2	321-053	03-15	A
67 613	WAGNER	WA	55.3	115.0	8.8	1.1	10.26	3	23	322-060	03-18	A
67 613	WAGNER	WA	55.3	115.0	9.0	1.3	9.64	3	23	322-064	03-20	A
67 613	WAGNER	WA	55.3	115.0	9.3	1.6	8.90	3	123	331-079	04-28	A
67 613	WAGNER	WA	55.3	115.0	9.5	1.8	8.04	2	13	327-035	06-27	A
67 613	WAGNER	WA	55.3	115.0	9.8	2.1	7.07	1	13	323-028	07-27	A
67 613	PEACE RIVER	PE	56.2	117.4	6.5	22.7	8.81	2	2	360-030	35-65	A
67 613	PEACE RIVER	PE	56.2	117.4	6.8	22.9	9.41	3	3	350-020	30-55	A
67 613	PEACE RIVER	PE	56.2	117.4	7.0	23.2	9.89	3	3	350-040	45-30	A
67 613	PEACE RIVER	PE	56.2	117.4	7.3	23.4	10.24	3	2	350-040	10-50	A
67 613	PEACE RIVER	PE	56.2	117.4	7.5	23.7	10.47	3	2	350-040	05-40	A
67 613	PEACE RIVER	PE	56.2	117.4	7.8	0.	10.57	2	2	340-050	05-45	A
67 613	PEACE RIVER	PE	56.2	117.4	8.0	.2	10.55	2	2	330-060	05-45	A
67 613	PEACE RIVER	PE	56.2	117.4	8.3	.4	10.40	2	3	340-050	10-55	A
67 613	PEACE RIVER	PE	56.2	117.4	8.5	.7	10.12	2	2	350-040	05-50	A
67 613	PEACE RIVER	PE	56.2	117.4	8.8	.9	9.71	2	2	350-040	05-60	A
67 613	PEACE RIVER	PE	56.2	117.4	9.0	1.2	9.19	2	2	000-040	10-65	A
67 613	PEACE RIVER	PE	56.2	117.4	9.3	1.4	8.54	2	2	000-050	15-70	A
67 613	PEACE RIVER	PE	56.2	117.4	9.5	1.7	7.78	1	1	000-030	20-50	A
67 613	FORT MCMURRAY	MM	56.6	111.2	7.0	23.6	10.01	2	1	310-330	15-25	A
67 613	FORT MCMURRAY	MM	56.6	111.2	7.3	23.8	10.15	2	1	310-335	15-25	A
67 613	FORT MCMURRAY	MM	56.6	111.2	7.5	.1	10.17	2	1	315-335	15-30	A
67 613	FORT MCMURRAY	MM	56.6	111.2	7.8	.3	10.07	2	1	320-350	15-30	A
67 613	FORT MCMURRAY	MM	56.6	111.2	8.0	.6	9.83	2	1	330-010	15-30	B
67 613	FORT MCMURRAY	MM	56.6	111.2	8.3	.8	9.48	2	1	350-030	10-40	B
67 613	FORT MCMURRAY	MM	56.6	111.2	8.5	1.1	9.00	2	1	350-030	15-45	B
67 613	FORT MCMURRAY	MM	56.6	111.2	8.8	1.3	8.40	2	1	350-030	15-50	B
67 613	FORT MCMURRAY	MM	56.6	111.2	9.0	1.6	7.68	2	1	350-020	15-80	A
67 613	FORT MCMURRAY	MM	56.6	111.2	9.3	1.8	6.86	2	1	350-000	15-60	A
67 613	FORT CHIPEWYAN	PY	58.7	111.2	7.0	23.6	7.92	2	23			A
67 613	FORT CHIPEWYAN	PY	58.7	111.2	7.3	23.8	8.05	3	2			A
67 613	FORT CHIPEWYAN	PY	58.7	111.2	7.5	.1	8.07	3	2			A
67 613	FORT CHIPEWYAN	PY	58.7	111.2	8.8	1.3	6.41	3	2			A
67 613	FORT CHIPEWYAN	PY	58.7	111.2	8.0	.6	7.75	3	2			A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
15 67 613	FORT NELSON	YE	58.8	122.6	8.0	23.8	7.95	1	2	300-120	15-90	C
67 613	FORT NELSON	YE	58.8	122.6	8.3	.1	7.97	1	2	300-120	15-90	C
67 613	FORT NELSON	YE	58.8	122.6	8.5	.3	7.88	1	2	320-100	20-75	C
67 613	FORT NELSON	YE	58.8	122.6	8.8	.6	7.67	1	2	280-100	15-90	C
67 613	FORT NELSON	YE	58.8	122.6	9.0	.8	7.34	2	2	280-100	15-90	C
67 613	FORT NELSON	YE	58.8	122.6	9.3	1.1	6.89	2	2	280-130	27-90	C
67 613	FORT NELSON	YE	58.8	122.6	9.5	1.3	6.34	2	2	270-130	30-90	C
16 67 614	VANCOUVER	VR	49.2	123.2	6.0	21.8	11.65	1	1	340-000	00-10	A
67 614	VANCOUVER	VR	49.2	123.2	6.3	22.0	12.85	1	1	340-000	00-10	A
17 67 614	LETHBRIDGE	QL	49.6	112.8	5.0	21.5	9.68	1	1	352-020	11-14	A
67 614	LETHBRIDGE	QL	49.6	112.8	5.3	21.7	11.02	1	1	347-018	06-10	A
67 614	LETHBRIDGE	QL	49.6	112.8	5.5	22.0	12.24	2	1	330-014	02-07	A
67 614	LETHBRIDGE	QL	49.6	112.8	5.8	22.2	13.33	2	1	320-010	00-05	A
67 614	LETHBRIDGE	QL	49.6	112.8	6.0	22.5	14.29	2	1	305-357	00-04	A
67 614	LETHBRIDGE	QL	49.6	112.8	6.3	22.7	15.12	1	1	310-000	00-02	A
18 67 614	PRINCE ALBERT	PA	53.2	105.7	5.0	21.9	8.95	2	1	320-011	00-13	B
67 614	PRINCE ALBERT	PA	53.2	105.7	6.0	22.9	12.26	2	3	340-015	03-13	B
67 614	PRINCE ALBERT	PA	53.2	105.7	6.3	23.2	12.77	1	3	000-015	03-10	B
19 67 614	THE PAS	QD	54.0	101.1	6.0	23.3	12.08	2	2	310-000	02-05	A
67 614	THE PAS	QU	54.0	101.1	7.0	.3	12.61	1	2	-000	00-05	A
20 67 614	FORT ST JOHN	XJ	56.2	120.8	8.0	0.	10.48	2	1			B
67 614	FORT ST JOHN	XJ	56.2	120.8	9.0	.9	9.59	3	12			B
21 67 616	PRINCE GEORGE	XS	53.9	122.7	7.0	22.8	11.21	2	1	300-030	00-06	A
22 67 616	FORT NELSON	YE	58.8	122.6	8.8	.6	7.54	2	2	030-060	20-25	A
67 616	FORT NELSON	YE	58.8	122.6	9.0	.8	7.22	2	2	030-060	20-25	A
67 616	FORT NELSON	YE	58.8	122.6	9.3	1.1	6.78	1	2	030-060	20-25	A
23 67 616	FORT SMITH	SM	60.0	112.0	7.0	23.5	6.44	3	1	180-270	90	B
67 616	FORT SMITH	SM	60.0	112.0	7.3	23.8	6.60	3	1	180-270	90	B
67 616	FORT SMITH	SM	60.0	112.0	7.5	.0	6.64	3	1	180-270	80	B
67 616	FORT SMITH	SM	60.0	112.0	7.8	.3	6.58	2	1	180-270	80	B
67 616	FORT SMITH	SM	60.0	112.0	8.0	.5	6.40	1	1	180-270	80	B
24 67 618	GOOSE	YR	53.3	60.4	3.6	23.5	13.05	3	2	340-010	05-15	B
67 618	GOOSE	YR	53.3	60.4	4.0	0.	13.29	4	2	340-030	00-30	B
67 618	GOOSE	YR	53.3	60.4	4.5	.5	13.06	3	2	330-030	00-25	A
67 618	GOOSE	YR	53.3	60.4	5.0	1.0	12.29	3	2	330-020	10-25	A
25 67 618	GREAT WHALE	GW	55.3	77.8	4.3	23.0	10.34	2	3	310-350	20-30	A
67 618	GREAT WHALE	GW	55.3	77.8	4.5	23.3	10.77	2	3	310-355	20-30	A
67 618	GREAT WHALE	GW	55.3	77.8	4.8	23.5	11.07	2	3	315-355	20-30	C
67 618	GREAT WHALE	GW	55.3	77.8	5.0	23.8	11.24	1	2	345-355	15-20	C
26 67 618	CHURCHILL	YQ	58.7	94.1	4.5	22.2	4.92	2	2	170-230	25-30	A
67 618	CHURCHILL	YQ	58.7	94.1	4.8	22.5	5.68	2	2	155-170	12-55	B

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 618	CHURCHILL	YQ	58.7	94.1	5.0	22.7	6.33	2	2	200-080	14-60	B
67 618	CHURCHILL	YQ	58.7	94.1	5.3	23.0	6.87	2	2	340-100	10-75	B
67 618	CHURCHILL	YQ	58.7	94.1	5.5	23.2	7.30	2	2	340-100	10-75	B
67 618	CHURCHILL	YQ	58.7	94.1	5.8	23.5	7.61	2	2	330-090	15-60	B
67 618	CHURCHILL	YQ	58.7	94.1	6.0	23.7	7.81	2	2	340-080	10-70	B
67 618	CHURCHILL	YQ	58.7	94.1	6.3	0.	7.89	2	2	340-080	10-70	B
67 618	CHURCHILL	YQ	58.7	94.1	6.5	.2	7.85	2	2	340-080	10-60	B
67 618	CHURCHILL	YQ	58.7	94.1	6.8	.5	7.69	3	23	330-080	10-50	B
67 618	CHURCHILL	YQ	58.7	94.1	7.0	.7	7.42	3	23	330-080	10-40	B
67 618	CHURCHILL	YQ	58.7	94.1	7.3	1.0	7.03	4	23	330-080	10-30	B
27. 67 619	EDMONTON	ED	53.3	113.6	7.0	23.4	12.88	1	12	340-030	10-25	A
67 619	EDMONTON	ED	53.3	113.6	7.3	23.7	13.14	1	1	350-020	05-20	A
28. 67 619	PRINCE GEORGE	XS	53.9	122.7	9.0	.8	11.98	2	4	340-010	05-10	B
67 619	PRINCE GEORGE	XS	53.9	122.7	9.3	1.0	11.48	2	4	340-000	05-10	B
67 619	PRINCE GEORGE	XS	53.9	122.7	9.5	1.3	10.86	1	4	340-000	07-10	B
67 619	PRINCE GEORGE	XS	53.9	122.7	9.8	1.5	10.11	1	4	330-350	07-10	B
67 619	PRINCE GEORGE	XS	53.9	122.7	10.0	1.8	9.24	1	4	330-350	08-11	B
29. 67 619	GRANDE PRAIRIE	QU	55.2	118.9	8.5	.6	11.05	2	1	335-015	01-07	A
67 619	GRANDE PRAIRIE	QU	55.2	118.9	8.8	.8	10.70	2	1	330-005	06-09	A
67 619	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.1	10.22	2	2	318-005	06-09	A
67 619	GRANDE PRAIRIE	QU	55.2	118.9	9.3	1.3	9.62	2	2	320-002	06-08	A
67 619	GRANDE PRAIRIE	QU	55.2	118.9	9.5	1.6	8.89	1	2	320-325	06-08	A
67 619	GRANDE PRAIRIE	QU	55.2	118.9	9.8	1.8	8.05	1	1	320-323	06-08	A
67 619	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.4	11.13	2	2	340-020	00-40	C
30. 67 621	EDMONTON	ED	53.3	113.6	9.3	1.6	10.31	1	2	330-030	00-40	C
67 621	EDMONTON	ED	53.3	113.6	9.5	1.9	9.38	1	2	340-020	00-40	C
67 621	EDMONTON	ED	53.3	113.6	9.8	2.1	8.33	1	2	340-020	00-40	C
67 621	EDMONTON	ED	53.3	113.6	10.0	2.4	7.16	1	1	320-360	00-40	C
67 621	EDMONTON	ED	53.3	113.6	10.2	2.6	5.89	1	1	320-350	00-40	C
31. 67 621	PRINCE GEORGE	XS	53.9	122.7	8.0	23.8	12.61	2	1	320-030	10-20	A
67 621	PRINCE GEORGE	XS	53.9	122.7	8.3	.0	12.65	3	1	320-055	10-20	A
67 621	PRINCE GEORGE	XS	53.9	122.7	8.5	.3	12.56	3	12	320-055	12-22	A
67 621	PRINCE GEORGE	XS	53.9	122.7	8.8	.5	12.34	3	2	325-055	03-15	A
67 621	PRINCE GEORGE	XS	53.9	122.7	8.9	.7	12.06	3	12	325-060	15-22	A
67 621	PRINCE GEORGE	XS	53.9	122.7	9.3	1.0	11.48	3	12	330-070	14-25	A
67 621	PRINCE GEORGE	XS	53.9	122.7	9.5	1.3	10.86	2	12	330-070	15-25	B
67 621	PRINCE GEORGE	XS	53.9	122.7	9.8	1.5	10.12	2	12	335-085	15-25	B
67 621	PRINCE GEORGE	XS	53.9	122.7	10.0	1.8	9.37	1	12	340-090	15-35	A
32. 67 621	THE PAS	QD	54.0	101.1	8.0	1.2	10.93	3	3	010-040	15-30	C
67 621	THE PAS	QD	54.0	101.0	8.3	1.5	10.19	3	3	010-040	-30	C
33. 67 621	COLD LAKE	QD	54.4	110.3	7.3	23.9	12.14	2	2	320-340	05-10	C

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 621	COLD LAKE	OD	54.4	110.3	7.5	.1	12.14	2	2	320-340	05-10	A
67 621	COLD LAKE	OD	54.4	110.3	7.8	.4	12.01	2	2	320-340	05-10	A
67 621	COLD LAKE	OD	54.4	110.3	8.0	.6	11.75	2	2	320-340	05-10	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	7.0	23.0	10.41	2	12	320-040	05-30	C
67 621	GRANDE PRAIRIE	QU	55.2	118.9	7.3	23.3	10.84	2	2	325-040	05-30	C
67 621	GRANDE PRAIRIE	QU	55.2	118.9	7.5	23.5	11.14	2	2	325-040	05-30	C
67 621	GRANDE PRAIRIE	QU	55.2	118.9	7.8	23.8	11.31	2	3	325-040	05-30	C
67 621	GRANDE PRAIRIE	QU	55.2	118.9	8.0	.0	11.35	2	2	320-040	05-25	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	8.3	.3	11.26	2	2	325-040	10-20	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	8.5	.5	11.04	2	2	330-040	05-25	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	8.8	.8	10.70	2	2	330-040	10-30	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.0	10.22	2	2	340-045	10-30	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	9.3	1.3	9.62	2	2	335-085	10-50	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	9.5	1.5	8.90	2	12	335-080	10-45	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	9.8	1.8	8.06	1	12	335-090	20-55	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	10.0	2.0	7.10	1	1	330-105	30-80	A
67 621	GRANDE PRAIRIE	QU	55.2	118.9	10.2	2.3	6.04	1	1	030-100	50-70	A
67 621	WAGNER	WA	55.3	115.0	6.8	23.1	10.33	2	12	293-017	05-18	A
67 621	WAGNER	WA	55.3	115.0	7.0	23.3	10.75	3	12	301-016	05-17	A
67 621	WAGNER	WA	55.3	115.0	7.3	23.6	11.05	3	12	316-006	03-16	A
67 621	WAGNER	WA	55.3	115.0	7.5	23.8	11.22	3	12	315-012	03-16	A
67 621	WAGNER	WA	55.3	115.0	7.8	.1	11.25	2	2	305-012	03-16	A
67 621	WAGNER	WA	55.3	115.0	8.0	.3	11.16	2	2	310-015	03-15	A
67 621	WAGNER	WA	55.3	115.0	8.3	.6	10.93	3	2	312-014	03-15	A
67 621	WAGNER	WA	55.3	115.0	8.5	.8	10.58	3	23	327-038	04-21	A
67 621	WAGNER	WA	55.3	115.0	8.8	1.1	10.10	3	23	335-040	04-22	A
67 621	WAGNER	WA	55.3	115.0	9.0	1.3	9.50	2	23	330-040	07-22	A
67 621	WAGNER	WA	55.3	115.0	9.3	1.6	8.77	2	23	338-042	08-24	A
67 621	WAGNER	WA	55.3	115.0	9.5	1.8	7.93	2	13	340-042	08-24	A
67 621	WAGNER	WA	55.3	115.0	9.8	2.1	7.29	2	1	010-080	20-60	A
67 621	FORT NELSON	YE	58.8	122.6	7.5	23.3	7.56	2	1	010-080	20-60	A
67 621	FORT NELSON	YE	58.8	122.6	7.8	23.5	7.72	2	12	010-080	20-60	A
67 621	FORT NELSON	YE	58.8	122.6	8.0	23.8	7.75	2	12	290-090	20-75	A
67 621	FORT NELSON	YE	58.8	122.6	8.3	.0	7.67	3	12	290-090	15-75	A
67 621	FORT NELSON	YE	58.8	122.6	8.5	.3	7.47	3	2	290-090	30-75	A
67 621	FORT NELSON	YE	58.8	122.6	8.8	.5	7.16	3	2	290-090	40-75	A
67 621	FORT NELSON	YE	58.8	122.6	9.0	.8	6.73	1	2	000-070	40-70	A
67 621	FORT NELSON	YE	58.8	122.6	9.3	1.0	11.78	2	2	340-010	04-10	A
67 621	PINCHER CREEK	PC	49.5	114.0	9.8	2.1	10.52	2	2	340-020	04-09	A
67 622	PINCHER CREEK	PC	49.5	114.0	10.0	2.4	9.14	2	2	340-010	04-06	A
67 622	PINCHER CREEK	PC	49.5	114.0	10.2	2.6	7.66	1	2	330-000	04-06	A
67 622	PINCHER CREEK	PC	49.5	114.0	10.5	2.9						A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
38. 67 622	CALGARY	YC	51.1	114.0	10.0	2.4	9.17	2	2	340-030	20-70	A
67 622	CALGARY	YC	51.1	114.0	10.2	2.6	7.85	2	12	320-020	20-80	A
67 622	CALGARY	YC	51.1	114.0	10.5	2.9	6.42	1	2	280-030	30-90	A
39 67 622	WILLIAMS LAKE	WL	52.2	122.0	10.0	1.8	10.63	2	1	030-040	10-15	D
67 622	WILLIAMS LAKE	WL	52.2	122.0	10.2	2.1	9.58	2	1	030-040	10-15	D
40 67 622	PRINCE GEORGE	XS	53.9	122.7	8.5	.3	12.57	3	12	350-050	02-05	A
67 622	PRINCE GEORGE	XS	53.9	122.7	8.8	.5	12.34	3	12	350-050	02-05	A
67 622	PRINCE GEORGE	XS	53.9	122.7	8.9	.7	12.07	3	12	350-050	02-05	A
67 622	PRINCE GEORGE	XS	53.9	122.7	9.3	1.0	11.50	3	12	340-060	05-15	A
67 622	PRINCE GEORGE	XS	53.9	122.7	9.5	1.3	10.88	4	12	310-080	06-20	A
67 622	PRINCE GEORGE	XS	53.9	122.7	9.8	1.5	10.13	4	12	310-100	10-30	A
67 622	PRINCE GEORGE	XS	53.9	122.7	9.9	1.7	9.51	4	123	310-100	10-30	A
67 622	PRINCE GEORGE	XS	53.9	122.7	10.2	2.0	8.28	3	123	300-140	20-40	A
67 622	PRINCE GEORGE	XS	53.9	122.7	10.5	2.3	7.19	2	123	320-140	20-30	A
67 622	PRINCE GEORGE	XS	53.9	122.7	10.7	2.5	5.98	1	1	320-140	30-50	A
41 67 622	GRANDE PRAIRIE	QU	55.2	118.9	7.0	23.0	10.40	1	1	350-025	10-25	A
67 622	GRANDE PRAIRIE	QU	55.2	118.9	7.3	23.3	10.83	1	1	350-025	10-25	A
67 622	GRANDE PRAIRIE	QU	55.2	118.9	7.5	23.5	11.14	1	1	345-025	10-25	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	7.8	23.8	11.31	1	2	340-030	10-25	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	8.0	.0	11.36	1	2	340-030	10-25	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	8.3	.3	11.27	1	1	340-030	10-20	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	8.5	.5	11.05	1	1	340-035	05-15	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	8.8	.8	10.71	1	1	350-030	15-30	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.0	10.23	1	1	350-030	20-35	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	9.3	1.3	9.63	1	1	330-045	15-45	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	9.5	1.5	8.91	1	1	330-050	15-60	C
67 622	GRANDE PRAIRIE	QU	55.2	118.9	9.8	1.8	8.07	1	1	300-090	30-90	A
67 622	GRANDE PRAIRIE	QU	55.2	118.9	10.0	2.0	7.12	1	1	270-145	40-70	A
67 622	GRANDE PRAIRIE	QU	55.2	118.9	10.2	2.3	6.06	1	1	150	40-70	A
42 67 622	GREAT WHALE	GW	55.3	77.8	5.0	23.8	11.21	1	12	270-000	20-35	A
67 622	GREAT WHALE	GW	55.3	77.8	5.3	.0	11.26	2	12	275-000	20-35	A
67 622	GREAT WHALE	GW	55.3	77.8	5.5	.3	11.17	2	12	275-000	20-35	A
67 622	GREAT WHALE	GW	55.3	77.8	5.8	.5	10.96	1	1	275-010	25-30	A
43 67 622	WAGNER	WA	55.3	115.0	8.8	1.0	10.11	1	13	345-012	06-14	A
44 67 622	FORT NELSON	YE	58.8	122.6	7.8	23.5	7.56	1	1	350-040	10-20	A
67 622	FORT NELSON	YE	58.8	122.6	8.0	23.8	7.72	1	1	350-040	10-20	A
67 622	FORT NELSON	YE	58.8	122.6	8.3	.0	7.75	2	1	280-060	30-80	A
67 622	FORT NELSON	YE	58.8	122.6	8.5	.3	7.68	2	1	280-060	20-80	A
67 622	FORT NELSON	YE	58.8	122.6	8.8	.5	7.48	2	12	260-080	20-90	A
67 622	FORT NELSON	YE	58.8	122.6	9.0	.8	7.17	2	12	260-080	30-90	A
67 622	FORT NELSON	YE	58.8	122.6	9.3	1.0	6.74	1	12	300-080	40-90	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I FORM	AZ.	EL.	TC
67 622	FORT NELSON	YE	58.8	122.6	9.5	1.3	6.20	1	340-050	60-90	A
45. 67 623	PRINCE ALBERT	PA	53.2	105.7	6.0	22.9	12.08	4	348-032	01-09	A
67 623	PRINCE ALBERT	PA	53.2	105.7	6.3	23.2	12.60	4	355-040	01-07	A
67 623	PRINCE ALBERT	PA	53.2	105.7	6.5	23.4	12.99	4	000-045	01-07	A
67 623	PRINCE ALBERT	PA	53.2	105.7	6.8	23.7	13.24	4	000-045	01-07	A
67 623	PRINCE ALBERT	PA	53.2	105.7	7.0	0.	13.36	2	010-050	01-05	A
67 623	PRINCE ALBERT	PA	53.2	105.7	7.3	.2	13.34	2	010-050	01-05	A
67 623	PRINCE GEORGE	XS	53.9	122.7	7.0	22.8	11.07	1	330-010	04-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	7.3	23.0	11.66	1	320-015	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	7.5	23.3	12.11	1	320-015	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	7.8	23.5	12.43	2	320-015	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	7.9	23.7	12.57	2	310-020	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	8.3	.0	12.67	2	310-020	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	8.5	.3	12.58	2	310-020	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	8.8	.5	12.36	2	310-030	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	8.9	.7	12.08	2	320-030	00-10	C
67 623	PRINCE GEORGE	XS	53.9	122.7	9.3	1.0	11.51	2	310-050	00-15	C
67 623	PRINCE GEORGE	XS	53.9	122.7	9.5	1.3	10.90	2	310-070	02-20	C
67 623	PRINCE GEORGE	XS	53.9	122.7	9.8	1.5	10.15	1	320-040	00-15	A
67 623	PRINCE GEORGE	XS	53.9	122.7	9.9	1.7	9.59	1	320-040	00-15	A
46. 67 623	THE PAS	QU	54.0	101.1	5.3	22.5	10.08	2	330-030	05-30	A
67 623	THE PAS	QU	54.0	101.1	5.5	22.7	10.82	4	320-040	05-30	A
67 623	THE PAS	QU	54.0	101.1	5.8	23.0	11.43	4	320-045	00-30	A
67 623	THE PAS	QU	54.0	101.1	6.0	23.2	11.92	3	310-025	00-25	A
67 623	THE PAS	QU	54.0	101.1	6.3	23.5	12.27	3	290-020	00-25	A
67 623	THE PAS	QU	54.0	101.1	6.5	23.7	12.48	3	330-010	05-20	A
67 623	THE PAS	QU	54.0	101.1	6.8	0.	12.57	3	330-030	05-20	A
67 623	THE PAS	QU	54.0	101.1	7.0	.2	12.51	2	340-040	05-20	A
67 623	THE PAS	QU	54.0	101.1	7.3	.5	12.32	2	340-040	05-20	A
67 623	THE PAS	QU	54.0	101.1	7.5	.7	12.00	2	340-040	00-20	A
67 623	THE PAS	QU	54.0	101.1	7.8	1.0	11.55	2	340-050	00-25	A
67 623	THE PAS	QU	54.0	101.1	8.0	1.2	10.96	2	350-050	05-25	A
67 623	THE PAS	QU	54.0	101.1	8.3	1.5	10.25	1	350-050	10-30	A
67 623	THE PAS	QU	54.0	110.3	6.0	22.6	10.12	2	010-020	02-10	A
47. 67 623	COLD LAKE	OD	54.4	110.3	6.3	22.9	10.79	2	010-020	02-10	A
67 623	COLD LAKE	OD	54.4	110.3	6.8	23.3	11.19	3	297-025	07-12	A
48. 67 623	KNOB LAKE	KL	54.8	66.8	4.0	23.5	11.51	2	309-020	07-11	A
67 623	KNOB LAKE	KL	54.8	66.8	4.3	23.8	11.71	3	310-028	07-11	A
67 623	KNOB LAKE	KL	54.8	66.8	4.5	.0	11.77	3	311-030	07-12	A
67 623	KNOB LAKE	KL	54.8	66.8	4.8	.3	11.70	3	307-047	06-12	A
67 623	KNOB LAKE	KL	54.8	66.8	5.2	.7	11.28	3	310-043	02-13	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SUA	I	FORM	AZ.	EL.	TC
67 623	KNOB LAKE	KL	54.8	66.8	5.3	.8	11.02	2	1	308-043	04-13	A
67 623	KNOB LAKE	KL	54.8	66.8	5.7	1.2	10.31	1	1	014-061	04-17	A
49. 67 623	GRANDE PRAIRIE	QU	55.2	118.9	7.0	23.0	10.40	3	1	290-350	20-30	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	7.3	23.3	10.84	3	1	290-350	20-30	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	7.5	23.5	11.14	1	1	300-350	20-30	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	7.8	23.8	11.32	1	1	300-350	20-30	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	8.0	.0	11.37	1	1	320-350	20-30	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	8.3	.3	11.28	1	1	300-350	20-30	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	8.5	.5	11.07	1	1	300-355	20-30	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	8.8	.8	10.72	1	1	300-355	20-23	A
67 623	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.0	10.25	1	1	300-355	20-30	A
50. 67 623	FORT MCMURRAY	MM	56.6	111.2	5.8	22.3	7.12	2	1	002-046	02-10	A
67 623	FORT MCMURRAY	MM	56.6	111.2	6.0	22.5	7.88	4	2	013-059	04-04	A
67 623	FORT MCMURRAY	MM	56.6	111.2	6.3	22.8	8.53	4	2	029-063	04-05	A
67 623	FORT MCMURRAY	MM	56.6	111.2	6.5	23.0	9.06	4	2	034-052	04-32	A
67 623	FORT MCMURRAY	MM	56.6	111.2	6.8	23.3	9.48	4	2	020-040	04-11	A
67 623	FORT MCMURRAY	MM	56.6	111.2	7.0	23.5	9.76	3	2	020-041	05-20	A
67 623	FORT MCMURRAY	MM	56.6	111.2	7.3	23.8	9.93	3	2	025-045	07-25	A
67 623	FORT MCMURRAY	MM	56.6	111.2	7.5	.1	9.96	3	2	040-060	06-15	A
67 623	FORT MCMURRAY	MM	56.6	111.2	7.8	.3	9.88	3	2	045-065	10-30	A
67 623	FORT MCMURRAY	MM	56.6	111.2	8.0	.6	9.66	3	2	045-065	10-25	A
67 623	FORT MCMURRAY	MM	56.6	111.2	8.3	.8	9.33	3	2			A
51. 67 623	CHURCHILL	YQ	58.7	94.1	4.5	22.2	4.84	3	2	273-084	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	4.8	22.4	5.60	3	2	280-076	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	5.3	22.9	6.81	3	2	286-091	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	5.5	23.2	7.25	3	2	290-100	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	5.8	23.4	7.57	3	2	295-100	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	6.0	23.7	7.78	3	12	280-097	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	6.3	0.	7.86	2	12	274-095	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	6.5	.2	7.83	4	12	278-095	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	6.8	.4	7.68	4	12	290-080	08-90	C
67 623	CHURCHILL	YQ	58.7	94.1	7.0	.7	7.42	4	12	280-072	08-85	A
67 623	CHURCHILL	YQ	58.7	94.1	7.3	.9	7.04	4	12	280-065	08-90	A
67 623	CHURCHILL	YQ	58.7	94.1	7.5	1.2	6.54	4	12	280-060	08-90	A
67 623	CHURCHILL	YQ	58.7	94.1	7.8	1.4	5.93	3	12	290-350	10-90	C
67 623	CHURCHILL	YQ	58.7	94.1	8.0	1.7	5.22	3	2	310-340	40-60	C
52. 67 623	FORT CHIPEWYAN	PY	58.7	111.2	5.8	22.3	5.19	4	3	020-080	30-45	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	6.0	22.5	5.91	4	3	020-080	30-45	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	6.3	22.8	6.52	4	3	023-080	20-40	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	6.5	23.0	7.02	4	23	023-070	20-20	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	6.8	23.3	7.41	3	23	023-055	10-30	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 623	FORT CHIPEWYAN	PY	58.7	111.2	7.0	23.5	7.68	3	2	040-050	15-30	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	7.3	23.8	7.83	2	1	030-070	15-25	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	7.5	.1	7.86	2	1	030-070	15-30	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	7.8	.3	7.78	1	1	065-070	15-25	A
67 623	FORT CHIPEWYAN	PY	58.7	111.2	8.0	.6	7.58	2	1	065-070	15-25	A
53. 67 623	FORT SMITH	SM	60.0	112.0	6.8	23.2	6.05			047-098	04-20	A
54. 67 623	FORT SMITH	SM	60.0	112.0	7.0	23.5	6.34			052-069	05-13	A
67 623	WHITEHORSE	XY	60.7	135.1	8.7	23.7	5.77	4	3	311-086	12-51	A
67 623	WHITEHORSE	XY	60.7	135.1	9.2	.2	5.84	4	3	297-088	16	A
67 623	WHITEHORSE	XY	60.7	135.1	9.4	.4	5.74	4	3	299-138	14	A
67 623	WHITEHORSE	XY	60.7	135.1	9.7	.6	5.52	3	3	288-163	12-42	A
67 623	WHITEHORSE	XY	60.7	135.1	9.9	.8	5.24	1	3	283-175	15-43	A
67 623	WHITEHORSE	XY	60.7	135.1	10.2	1.1	4.72	1	3			
55. 67 624	PRINCE GEORGE	XS	53.9	122.7	8.0	23.8	12.63	2	1	320-040	00-10	C
67 624	PRINCE GEORGE	XS	53.9	122.7	8.3	.0	12.68	2	1	320-040	00-10	C
67 624	PRINCE GEORGE	XS	53.9	122.7	8.5	.3	12.60	2	12	315-050	00-15	C
67 624	PRINCE GEORGE	XS	53.9	122.7	8.8	.5	12.38	2	12	310-060	02-15	C
67 624	PRINCE GEORGE	XS	53.9	122.7	8.9	.7	12.16	2	12	310-060	02-15	C
67 624	PRINCE GEORGE	XS	53.9	122.7	9.3	1.0	11.54	2	12	310-080	05-45	C
67 624	PRINCE GEORGE	XS	53.9	122.7	9.5	1.3	10.92	2	12	310-100	10-60	C
67 624	PRINCE GEORGE	XS	53.9	122.7	9.8	1.5	10.18	2	12	300-120	10-80	C
67 624	PRINCE GEORGE	XS	53.9	122.7	10.1	1.9	9.00	3	124	300-130	10-50	C
67 624	PRINCE GEORGE	XS	53.9	122.7	10.2	2.0	8.34	3	124	300-130	10-50	C
67 624	PRINCE GEORGE	XS	53.9	122.7	10.5	2.3	7.24	1	2	320-130	20-50	C
56. 67 624	THE PAS	QD	54.0	101.1	6.0	23.2	11.93	1	1	330-000	05-10	A
67 624	THE PAS	QD	54.0	101.1	6.3	23.5	12.28	1	1	330-000	00-05	A
67 624	THE PAS	QD	54.0	101.1	6.5	23.7	12.50	1	1	320-340	00-05	A
67 624	THE PAS	QD	54.0	101.1	6.8	0.	12.58	1	1	320-340	00-05	A
67 624	THE PAS	QD	54.0	101.1	7.0	.2	12.53	1	1	320-340	00-05	A
57. 67 624	TERRACE	TB	54.5	128.6	10.0	1.4	10.06	4	2	300-000	00-45	C
67 624	TERRACE	TB	54.5	128.6	10.2	1.6	9.27	3	2	320-000	00-45	C
67 624	TERRACE	TB	54.5	128.6	10.5	1.9	8.37	1	2	320-000	00-40	C
58. 67 624	GRANDE PRAIRIE	QU	55.2	118.9	7.5	23.5	11.16	1	1	350	10-20	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	7.8	23.8	11.33	1	1	310-350	10-25	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	8.0	.0	11.38	1	1	320-355	10-25	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	8.3	.3	11.30	1	1	320-355	15-30	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SUA	I FORM	AZ.	EL.	TC
67 624	GRANDE PRAIRIE	QU	55.2	118.9	8.5	.5	11.09	1	1 320-350	15-30	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	8.8	.8	10.74	1	1 320-350	20-30	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.0	10.27	1	1 320-350	20-35	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	9.3	1.3	9.68	1	1 320-350	20-35	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	9.5	1.5	8.96	1	1 320-350	30-40	A
67 624	GRANDE PRAIRIE	QU	55.2	118.9	9.8	1.8	8.12	1	1 320-000	30-40	A
59. 67 624	WAGNER	WA	55.3	115.0	7.0	23.3	10.76	2	1 018-038	03-08	A
67 624	WAGNER	WA	55.3	115.0	7.3	23.5	11.07	2	1 020-038	03-08	A
67 624	WAGNER	WA	55.3	115.0	7.5	23.8	11.24	2	1 020-036	03-08	A
67 624	WAGNER	WA	55.3	115.0	7.8	.0	11.28	2	1 020-038	03-09	A
67 624	WAGNER	WA	55.3	115.0	8.0	.3	11.19	2	1 020-040	04-09	A
67 624	WAGNER	WA	55.3	115.0	8.3	.5	10.98	2	1 222-042	04-09	A
67 624	WAGNER	WA	55.3	115.0	8.5	.8	10.63	2	1 225-043	04-12	A
67 624	WAGNER	WA	55.3	115.0	8.8	1.0	10.15	1	1 328-047	07-11	A
67 624	WAGNER	WA	55.3	115.0	9.0	1.3	9.56	1	1 320-342	07-12	A
60. 67 624	FORT ST JOHN	XS	56.2	120.8	7.0	22.9	9.18	2	2		B
61. 67 624	FORT MCMURRAY	MM	56.6	111.2	7.0	23.5	9.78	1	2 018-030	10-23	A
67 624	FORT MCMURRAY	MM	56.6	111.2	7.3	23.8	9.94	1	2 017-031	10-23	A
67 624	FORT MCMURRAY	MM	56.6	111.2	7.5	.0	9.98	1	2 020-030	10-23	A
67 624	FORT MCMURRAY	MM	56.6	111.2	7.8	.3	9.89	1	2 021-029	10-20	A
67 624	FORT MCMURRAY	MM	56.6	111.2	8.0	.5	9.68	1	2 015-031	09-20	A
67 624	FORT MCMURRAY	MM	56.6	111.2	8.3	.8	9.35	1	2 015-035	08-25	A
67 624	FORT MCMURRAY	MM	56.6	111.2	8.5	1.0	8.89	1	2 015-035	15-10	A
67 624	FORT MCMURRAY	MM	56.6	111.2	8.5	22.5	6.03	3	34 290-030	20-60	A
62. 67 624	JUNEAU	JNU	58.4	134.6	7.5	22.5	6.03	3	234 290-030	20-60	A
67 624	JUNEAU	JNU	58.4	134.6	8.5	23.5	7.93	3	2 290-050	30-90	C
63. 67 624	FORT NELSON	YE	58.8	122.6	7.8	23.5	7.58	2	2 290-050	30-90	C
67 624	FORT NELSON	YE	58.8	122.6	8.0	23.8	7.74	2	2 290-050	30-90	C
67 624	FORT NELSON	YE	58.8	122.6	8.3	.0	7.78	2	2 290-050	30-90	C
67 624	FORT NELSON	YE	58.8	122.6	8.5	.3	7.71	2	2 320-070	40-90	C
67 624	FORT NELSON	YE	58.8	122.6	8.8	.5	7.51	2	2 000-060	45-90	C
67 624	FORT NELSON	YE	58.8	122.6	9.0	.8	7.20	2	2 000-060	45-90	D
67 624	FORT NELSON	YE	58.8	122.6	9.3	1.0	6.78	1	2 300-090	40-90	D
64. 67 625	ANNETTE	AN	55.0	131.6	8.8	0.	11.60	4	2 330-030	25-60	B
65. 67 625	FORT ST JOHN	XS	56.2	120.8	8.0	0.	10.40	2	2		A
66. 67 626	REGINA	QR	50.4	104.7	9.0	.9	9.58	3	2		A
67 626	REGINA	QR	50.4	104.7	9.3	2.0	11.73	3	2 340-355	05-08	A
67 626	REGINA	QR	50.4	104.7	9.3	2.2	10.56	3	2 335-350	08-15	A
67 626	WYNARD	YO	51.8	104.2	9.5	2.5	9.27	3	2 330-345	10-25	A
67 626	WYNARD	YO	51.8	104.2	9.0	2.0	10.34	2	1 340-000	15-30	A
67 626	WYNARD	YO	51.8	104.2	9.3	2.3	9.20	2	1 330-350	15-30	A
67 626	WYNARD	YO	51.8	104.2	9.5	2.5	7.94	1	1 330-350	15-25	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
68. 67	626 PRINCE ALBERT	PA	53.2	105.7	9.3	2.2	8.45	2	12	340-020	15-30	A
69. 67	626 THE PAS	QD	54.0	101.1	6.3	23.5	12.32	1	1	350-360	00-05	A
67	626 THE PAS	QD	54.0	101.1	6.5	23.7	12.55	1	1	340-360	00-05	A
67	626 THE PAS	QD	54.0	101.1	6.8	0.	12.64	1	1	330-010	05-10	A
67	626 THE PAS	QD	54.0	101.1	7.0	.2	12.59	1	1	330-010	00-10	A
67	626 THE PAS	QD	54.0	101.1	7.3	.5	12.40	1	1	330-010	00-10	A
67	626 THE PAS	QD	54.0	101.1	7.5	.7	12.09	1	1	330-020	00-10	C
67	626 THE PAS	QD	54.0	101.1	7.8	1.0	11.64	1	1	330-020	00-10	C
67	626 THE PAS	QD	54.0	101.1	8.0	1.2	11.06	1	1	000-050	00-10	B
67	626 THE PAS	QD	54.0	101.1	8.3	1.5	10.35	1	1	010-060	05-20	B
67	626 THE PAS	QD	54.0	101.1	8.5	1.7	9.52	1	1	010-060	05-40	B
67	626 THE PAS	QD	54.0	101.1	8.8	2.0	8.57	1	1	020-050	20-50	B
70. 67	627 EDMONTON	ED	53.3	113.6	6.0	22.4	10.51	1	2	350-020	00-40	C
67	627 EDMONTON	ED	53.3	113.6	6.3	22.6	11.32	4	2	350-020	00-30	C
67	627 EDMONTON	ED	53.3	113.6	6.5	22.9	11.99	3	2	350-010	05-20	C
67	627 EDMONTON	ED	53.3	113.6	6.8	23.1	12.53	1	2	350-010	10-15	C
67	627 EDMONTON	ED	53.3	113.6	7.0	23.4	12.94	1	2	350-010	10-15	C
71. 67	627 EDSON	ET	53.6	116.4	5.8	21.9	8.56	3	1	250-340	30-40	A
67	627 EDSON	ET	53.6	116.4	6.0	22.2	9.56	3	1	250-340	30-40	A
67	627 EDSON	ET	53.6	116.4	6.3	22.4	10.45	3	1	250-340	30-40	A
67	627 EDSON	ET	53.6	116.4	6.5	22.7	11.21	3	1	250-340	30-40	A
67	627 EDSON	ET	53.6	116.4	6.8	22.9	11.85	3	1	250-340	30-40	A
72. 67	627 THE PAS	QU	54.0	101.1	5.0	22.2	9.28	1	2	320-000	10-60	D
67	627 THE PAS	QU	54.0	101.1	5.3	22.5	10.14	1	2	000-020	20-40	D
67	627 THE PAS	QD	54.0	101.1	5.5	22.7	10.89	1	1	000-030	10-20	D
73. 67	627 COLD LAKE	OD	54.4	110.3	5.8	22.3	9.40	3	2	330-350	10-15	C
67	627 COLD LAKE	OU	54.4	110.3	6.0	22.6	10.19	3	2	330-350	10-15	C
67	627 COLD LAKE	OU	54.4	110.3	6.3	22.8	10.86	3	2	330-350	10-15	C
67	627 COLD LAKE	OD	54.4	110.3	6.5	23.1	11.40	2	2	340-350	10-15	C
74. 67	627 GRANDE PRAIRIE	QU	55.2	118.9	6.8	22.8	9.91	2	1	358-020	09-12	A
67	627 GRANDE PRAIRIE	QU	55.2	118.9	7.0	23.0	10.48	1	1	355-020	10-15	A
75. 67	627 GREAT WHALE	GW	55.3	77.8	4.0	22.8	9.79	1	1	260-350	30-40	B
67	627 GREAT WHALE	GW	55.3	77.8	4.3	23.0	10.36	1	1	270-350	30-40	B
67	627 GREAT WHALE	GW	55.3	77.8	4.5	23.3	10.81	1	1	270-350	30-40	B
67	627 GREAT WHALE	GW	55.3	77.8	4.8	23.5	11.13	1	1	270-000	35-40	B
67	627 GREAT WHALE	GW	55.3	77.8	5.0	23.8	11.31	1	1	290-340	35-40	B
67	627 GREAT WHALE	GW	55.3	77.8	5.3	.0	11.37	1	1	290-340	35-40	B
67	627 GREAT WHALE	GW	55.3	77.8	5.5	.3	11.30	1	1	290-350	35-40	B
67	627 GREAT WHALE	GW	55.3	77.8	5.8	.5	11.10	1	1	290-340	35-40	B
67	627 GREAT WHALE	GW	55.3	77.8	6.0	.8	10.77	1	7	300-350	35-40	B
76. 67	627 WAGNER	WA	55.3	115.0	6.5	22.8	9.84	2	12	346-000	05-14	D

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I FORM	AZ.	EL. TC
67 627	WAGNER	WA	55.3	115.0	6.8	23.0	10.40	3	12 328-016	07-12 D
77. 67 627	PEACE RIVER	PE	56.2	117.4	6.4	22.5	8.33	2	3 010-050	03-04 C
67 627	PEACE RIVER	PE	56.2	117.4	6.8	22.9	9.19	2	1 000-050	02 C
67 627	PEACE RIVER	PE	56.2	117.4	7.0	23.1	9.69		1 010-040	02 C
78. 67 627	FORT NELSON	YE	58.8	122.6	8.0	23.8	7.83	2	2 270-050	40-70 A
67 627	FORT NELSON	YE	58.8	122.6	8.3	.0	7.87	2	2 230-050	40-70 A
67 627	FORT NELSON	YE	58.8	122.6	8.5	.3	7.80	2	2 180-030	40-75 A
79. 67 628	KNOB LAKE	KL	54.8	66.8	5.8	1.3	10.07	3	1 313-024	-21 C
67 628	KNOB LAKE	KL	54.8	66.8	6.1	1.6	9.33	3	1	-39 C
67 628	KNOB LAKE	KL	54.8	66.8	6.3	1.7	8.76	3	1	08-45 C
67 628	KNOB LAKE	KL	54.8	66.8	6.5	2.0	7.82	3	1 294-017	10-55 C
80. 67 628	GREAT WHALE	GW	55.3	77.8	3.5	22.3	8.32	1	2 330-000	30-65 A
67 628	GREAT WHALE	GW	55.3	77.8	3.8	22.5	9.13	1	2 330-000	30-65 A
67 628	GREAT WHALE	GW	55.3	77.8	4.0	22.8	9.83	1	1 300-005	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	4.3	23.0	10.40	1	1 330-010	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	4.5	23.3	10.85	1	1 330-010	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	4.8	23.5	11.17	1	1 330-010	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	5.0	23.8	11.36	1	1 325-015	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	5.3	.0	11.42	1	1 320-010	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	5.5	.3	11.35	1	1 320-010	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	5.8	.5	11.15	1	1 320-010	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	6.0	.8	10.82	1	1 325-010	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	6.3	1.0	10.36	1	1 350-020	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	6.5	1.3	9.77	1	2 350-030	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	6.8	1.5	9.07	1	1 350-030	20-30 B
67 628	GREAT WHALE	GW	55.3	77.8	7.0	1.8	8.25	1	1 355-035	20-35 B
67 628	GREAT WHALE	GW	53.2	105.7	8.0	.9	12.74	2	2 010-020	00-05 C
1. 67 7 1	PRINCE ALBERT	PA	53.2	105.7	8.3	1.1	12.19	1	2 010-020	00-05 C
67 7 1	PRINCE ALBERT	PA	53.2	105.7	6.0	23.7	8.02	1	1 270-330	20-70 A
2. 67 7 1	CHURCHILL	YQ	58.7	94.1	6.3	0.	8.12	1	1 270-330	20-70 A
67 7 1	CHURCHILL	YQ	58.7	94.1	6.5	.2	8.10	1	1 270-330	20-70 A
67 7 1	CHURCHILL	YQ	58.7	94.1	6.8	.4	7.96	1	1 270-330	20-70 A
67 7 1	CHURCHILL	YQ	58.7	94.1	7.0	.7	7.71	1	1 270-330	20-70 A
67 7 1	CHURCHILL	YQ	58.7	94.1	7.3	.9	7.34	1	1 270-330	20-70 A
67 7 1	CHURCHILL	YQ	58.7	94.1	7.5	1.2	6.85	1	1 270-320	25-60 A
67 7 1	CHURCHILL	YQ	58.7	94.1	7.8	1.4	6.25	1	1 270-300	25-60 A
67 7 1	CHURCHILL	YQ	58.7	94.1	8.0	1.7	5.54	1	1 280-285	25-60 A
67 7 1	CHURCHILL	YQ	54.0	112.0	6.0	22.5	10.45	3	2 000-020	05-20 A
3. 67 7 2	THE PAS	QD	58.7	94.1	4.7	22.3	5.66	2	2 283-098	30-90 A
4. 67 7 2	CHURCHILL	YQ	58.7	94.1	5.0	22.7	6.58	2	2 276-094	28-90 A
67 7 2	CHURCHILL	YQ	58.7	94.1	5.3	22.9	7.14	2	2 269-102	28-99 A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 7 2	CHURCHILL	YQ	58.7	94.1	5.5	23.2	7.60	2	2	274-100	33-89	A
67 7 2	CHURCHILL	YQ	58.7	94.1	5.8	23.4	7.93	2	2	290-089	29-90	A
67 7 2	CHURCHILL	YQ	58.7	94.1	6.0	23.7	8.15	2	2	285-089	31-99	A
67 7 2	CHURCHILL	YQ	58.7	94.1	6.3	0.	8.25	2	2	290-094	28-90	A
67 7 2	CHURCHILL	YQ	58.7	94.1	6.5	.2	8.24	2	2	290-089	30-90	A
67 7 2	CHURCHILL	YQ	58.7	94.1	6.7	.3	8.16	2	2	290-090	30-90	A
67 7 2	CHURCHILL	YQ	58.7	94.1	8.0	23.8	8.11	2	2	040-055	10-20	D
67 7 2	FORT NELSON	YE	58.8	122.6	9.0	.8	7.62	2	2	020-045	08-10	D
67 7 2	FORT NELSON	YE	58.8	122.6	9.3	1.0	7.20	2	2	020-050	08-10	D
67 7 2	FORT NELSON	YE	58.8	122.6	9.3	1.0	7.20	2	2	020-050	08-10	D
67 7 4	BIG TROUT LAKE	TL	53.8	89.9	7.0	.9	12.37	4	3	349-058	07-16	A
67 7 4	BIG TROUT LAKE	TL	53.8	89.9	8.0	1.9	9.34	3	2	-352	12-27	C
67 7 4	BIG TROUT LAKE	TL	53.8	89.9	7.3	1.2	11.80	3	3	348-051	07-16	C
67 7 4	BIG TROUT LAKE	TL	53.8	89.9	7.5	1.4	11.10	3	3	347-058	07-16	C
67 7 4	BIG TROUT LAKE	TL	53.8	89.9	7.8	1.7	10.28	3	2	345-063	08-23	C
67 7 4	BIG TROUT LAKE	TL	53.8	89.9	8.3	2.2	8.28	2	2	352-075	12-25	C
67 7 4	BIG TROUT LAKE	TL	53.8	89.9	8.3	2.2	7.70	1	2	260-310	30-45	A
67 7 4	GREAT WHALE	GW	55.3	77.8	3.3	22.0	8.64	2	2	250-330	30-50	A
67 7 4	GREAT WHALE	GW	55.3	77.8	3.5	22.2	9.46	2	2	260-340	30-50	A
67 7 4	GREAT WHALE	GW	55.3	77.8	3.8	22.5	10.17	2	2	250-000	25-50	A
67 7 4	GREAT WHALE	GW	55.3	77.8	4.0	22.7	10.76	2	2	250-020	40-80	A
67 7 4	GREAT WHALE	GW	55.3	77.8	4.3	23.0	11.22	1	2	250-020	50-70	A
67 7 4	GREAT WHALE	GW	55.3	77.8	4.5	23.2	11.55	1	2	270-020	60-70	A
67 7 4	GREAT WHALE	GW	55.3	77.8	4.8	23.5	11.75	1	2	280-010	75-80	A
67 7 4	GREAT WHALE	GW	55.3	77.8	5.0	23.7	11.82	1	2	290-030	30-80	A
67 7 4	GREAT WHALE	GW	55.3	77.8	5.3	0.	11.76	1	2	300-030	30-45	A
67 7 4	GREAT WHALE	GW	55.3	77.8	5.5	.2	11.57	1	2	300-030	20-40	A
67 7 4	GREAT WHALE	GW	55.3	77.8	5.8	.5	11.25	2	2	300-035	20-40	A
67 7 4	GREAT WHALE	GW	55.3	77.8	6.0	.7	11.25	2	2	270-010	15-35	A
67 7 4	GREAT WHALE	GW	55.3	77.8	7.0	1.7	8.71	2	23	270-010	15-35	A
67 7 4	GREAT WHALE	GW	55.3	77.8	7.3	2.0	7.78	1	23	270-020	15-35	A
67 7 4	WAGNER	WA	55.3	115.0	7.0	23.3	11.25	1	1	265-320	06-11	A
67 7 4	PEACE RIVER	PE	56.2	117.4	6.5	22.6	8.94	1	12	340-010	15-40	C
67 7 4	PEACE RIVER	PE	56.2	117.4	6.8	22.8	9.58	2	12	340-020	10-40	C
67 7 4	PEACE RIVER	PE	56.2	117.4	7.0	23.1	10.10	2	2	330-020	20-35	C
67 7 4	PEACE RIVER	PE	56.2	117.4	7.3	23.3	10.49	1	1	350-010	25-55	C
67 7 4	PEACE RIVER	PE	56.2	117.4	7.5	23.6	10.76	1	1	350-000	30-60	C
67 7 4	PEACE RIVER	PE	56.2	117.4	7.8	23.8	10.90	1	1	350-010	35-60	C
67 7 4	PEACE RIVER	PE	56.2	117.4	8.0	.1	10.91	1	1	350-010	40-60	C
67 7 4	PEACE RIVER	PE	56.2	117.4	8.3	.3	10.80	1	1	000-010	35-55	C
67 7 4	PEACE RIVER	PE	56.2	117.4	8.3	.3	10.80	1	1	000-010	35-55	C
67 7 4	CHURCHILL	YQ	58.7	94.1	6.0	23.7	8.31	1	2	288-074	32-76	C
67 7 4	CHURCHILL	YQ	58.7	94.1	6.3	0.	8.41	1	2	288-074	32-76	C
67 7 4	CHURCHILL	YQ	58.7	94.1	6.5	.2	8.40	1	2	291-063	40-80	C

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 7 4	CHURCHILL	YQ	58.7	94.1	6.8	.4	8.27	1	2	291-063	40-80	C
67 7 4	CHURCHILL	YQ	58.7	94.1	7.0	.7	8.02	1	2	305-063	42-80	C
67 7 6	CALGARY	YC	51.1	114.0	9.5	1.8	12.39	3	2	331-358	03-05	A
67 7 6	CALGARY	YC	51.1	114.0	9.8	2.1	11.31	3	1	331-358	04-05	A
67 7 6	CALGARY	YC	51.1	114.0	10.0	2.3	10.10	3	2	322-352	03-06	A
67 7 6	CALGARY	YC	51.1	114.0	10.2	2.6	8.79	3	2	316-344	02-04	A
67 7 6	CALGARY	YC	51.1	114.0	10.5	2.8	7.36	1	2	313-338	02-03	A
67 7 6	CALGARY	YC	51.1	114.0	10.5	2.8	12.77	2	2	342-054	02-04	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	5.3	23.2	13.15	2	2	347-055	02-03	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	5.5	23.4	13.40	1	1	349-057	02-04	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	5.8	23.7	13.51	1	1	351-059	02-04	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	6.0	0.	13.48	1	2	354-060	02-04	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	6.3	.2	13.31	2	3	352-064	03-06	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	6.5	.4	13.01	3	3	340-062	04-07	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	6.8	.7	12.57	3	3	351-064	02-07	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	7.0	.9	12.00	3	3	350-063	02-08	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	7.3	1.2	11.30	2	3	345-065	04-07	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	7.5	1.4	10.48	2	3	349-065	04-10	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	7.8	1.7	9.54	1	3	351-067	04-12	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	8.0	1.9	8.48	1	2	352-071	05-10	A
67 7 6	BIG TROUT LAKE	TL	53.8	89.9	8.3	2.2	11.53	1	1	350-020	12-18	A
67 7 6	BIG TROUT LAKE	QU	55.2	118.9	8.8	.7	11.07	1	1	350-020	12-18	A
67 7 6	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.0	10.49	1	1	005-020	10-15	A
67 7 6	GRANDE PRAIRIE	QU	55.2	118.9	9.3	1.2	9.79	1	1	005-025	10-15	A
67 7 6	GRANDE PRAIRIE	QU	55.2	118.9	9.5	1.5	8.96	2	1	350-005	15-25	A
67 7 6	GRANDE PRAIRIE	QU	55.2	118.9	9.8	1.7	8.03	2	1	350-005	20-35	A
67 7 6	GRANDE PRAIRIE	QU	55.2	118.9	10.0	2.0	6.98	4	1	330-350	30-40	A
67 7 6	GRANDE PRAIRIE	QU	55.2	118.9	10.2	2.2	11.09	1	1	000-010	25-40	A
67 7 6	GRANDE PRAIRIE	QU	56.2	117.4	7.8	23.8	11.10	1	1	000-010	30-45	A
67 7 6	PEACE RIVER	PE	56.2	117.4	8.0	.1	10.99	1	1	350-000	30-40	A
67 7 6	PEACE RIVER	PE	56.2	117.4	8.3	.3	10.75	1	1	350-000	30-40	A
67 7 6	PEACE RIVER	PE	56.2	117.4	8.5	.6	10.38	1	1	340-030	20-45	A
67 7 6	PEACE RIVER	PE	56.2	117.4	8.8	.8	9.89	2	12	330-040	30-50	A
67 7 6	PEACE RIVER	PE	56.2	117.4	9.0	1.1	9.28	2	12	000-040	35-60	A
67 7 6	PEACE RIVER	PE	56.2	117.4	9.3	1.3	8.55	2	2	350-020	40-70	A
67 7 6	PEACE RIVER	PE	56.2	117.4	9.5	1.6	7.70	2	1	010-020	05-10	A
67 7 6	PEACE RIVER	PE	56.2	117.4	9.8	1.8	6.74	1	1	010-010	05-10	A
67 7 6	PEACE RIVER	PE	56.2	117.4	10.0	2.1	5.42	2	12	268-099	38-90	A
67 7 6	PEACE RIVER	PE	56.2	117.4	10.0	2.1	6.21	2	12	268-099	38-90	A
67 7 6	CHURCHILL	YQ	58.7	94.1	4.5	22.1	6.89	2	2	252-084	27-83	A
67 7 6	CHURCHILL	YQ	58.7	94.1	4.8	22.4	7.47	2	2	261-076	29-93	A
67 7 6	CHURCHILL	YQ	58.7	94.1	5.0	22.6						
67 7 6	CHURCHILL	YQ	58.7	94.1	5.3	22.9						

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 7 6	CHURCHILL	YQ	58.7	94.1	5.8	23.4	8.27	3	2	282-084	34-90	A
67 7 6	CHURCHILL	YQ	58.7	94.1	6.0	23.6	8.49	3	2	273-086	33-86	A
67 7 6	CHURCHILL	YQ	58.7	94.1	6.3	23.9	8.60	3	2	273-086	32-86	A
67 7 6	CHURCHILL	YQ	58.7	94.1	6.5	.1	8.59	2	2	277-080	29-80	A
67 7 6	CHURCHILL	YQ	58.7	94.1	6.8	.4	8.46	3	2	284-077	30-77	A
67 7 6	CHURCHILL	YQ	58.7	94.1	7.0	.6	8.21	3	2	280-093	30-88	A
67 7 6	CHURCHILL	YQ	58.7	94.1	7.3	.9	7.85	2	2	290-066	13-84	A
67 7 6	CHURCHILL	YQ	58.7	94.1	7.5	1.1	7.37	2	2	290-043	07-73	A
16 67 7 6	FORT NELSON	YE	58.8	122.6	9.0	.7	7.98	3	2	020-035	03-05	C
67 7 6	FORT NELSON	YE	58.8	122.6	9.3	1.0	7.57	3	2	025-035	03-05	C
67 7 6	FORT NELSON	YE	58.8	122.6	9.5	1.2	7.05	2	2	000-030	04-10	C
67 7 6	FORT NELSON	YE	58.8	122.6	9.8	1.5	6.41	1	1	350-030	12-15	C
67 7 6	FORT NELSON	YE	58.8	122.6	9.9	1.6	5.98	1	1	005-025	16-20	C
17 67 7 7	GOOSE	YR	53.3	60.4	5.3	1.1	12.68	3	2	350-020	05-10	A
67 7 7	GOOSE	YR	53.3	60.4	5.5	1.4	11.99	3	2	350-010	05-15	B
67 7 7	GOOSE	YR	53.3	60.4	5.8	1.6	11.17	3	2	350-000	10-15	B
18 67 7 7	WHITEHORSE	XY	60.7	135.1	8.5	23.4	6.41	1	1	331-017	07-24	C
67 7 7	WHITEHORSE	XY	60.7	135.1	8.8	23.7	6.61	1	1	325-005	11-24	C
19 67 7 9	PRINCE ALBERT	PA	53.2	105.7	5.3	22.1	10.57	3	3	340-020	05-10	C
67 7 9	PRINCE ALBERT	PA	53.2	105.7	5.5	22.4	11.51	4	3	350-010	05-05	C
67 7 9	PRINCE ALBERT	PA	53.2	105.7	5.8	22.6	12.33	4	3	350-010	05-05	C
67 7 9	PRINCE ALBERT	PA	53.2	105.7	6.0	22.9	13.02	4	3	350-000	05-05	C
67 7 9	PRINCE ALBERT	PA	53.2	105.7	6.3	23.1	13.57	2	1	350-355	02-03	C
20 67 7 9	THE PAS	QD	54.0	112.0	6.0	22.4	11.04	3	3	300-340	08-15	A
21 67 7 11	GOOSE	YR	53.3	60.4	4.0	23.9	14.58	3	2	310-350	05-15	C
22 67 7 11	COLD LAKE	OD	54.4	110.3	6.8	23.4	13.09	2	3	340-350	10-15	A
67 7 11	COLD LAKE	OD	54.4	110.3	7.0	23.6	13.28	2	3	340-350	10-15	A
67 7 11	COLD LAKE	OD	54.4	110.3	7.3	23.8	13.46	2	3	350-000	10-15	A
23 67 7 11	WAGNER	WA	55.3	115.0	6.8	23.0	11.53	3	1	351-022	02-06	A
67 7 11	WAGNER	WA	55.3	115.0	7.0	23.2	11.99	2	1	351-020	02-05	A
67 7 11	WAGNER	WA	55.3	115.0	7.3	23.5	12.33	2	1	355-016	03-05	A
67 7 11	WAGNER	WA	55.3	115.0	7.5	23.7	12.53	1	1	356-014	03-05	A
24 67 7 11	PEACE RIVER	PE	56.2	117.4	6.8	22.8	10.31	1	1	350-030	20-35	C
67 7 11	PEACE RIVER	PE	56.2	117.4	7.0	23.1	10.84	1	1	350-020	20-30	C
67 7 11	PEACE RIVER	PE	56.2	117.4	7.8	23.8	11.67	1	1	000-010	45-50	C
67 7 11	PEACE RIVER	PE	56.2	117.4	8.0	.1	11.69	1	1	010-030	50-55	C
67 7 11	PEACE RIVER	PE	56.2	117.4	8.3	.3	11.58	1	1	010-030	50-55	C
67 7 11	PEACE RIVER	PE	56.2	117.4	8.5	.6	11.35	1	1	310-000	75-90	C
25 67 7 11	FORT MCMURRAY	MM	56.6	111.2	7.0	23.5	11.04	3	2	333-013	06-07	C
67 7 11	FORT MCMURRAY	MM	56.6	111.2	7.3	23.7	11.23	2	2	338-016	03-06	C
67 7 11	FORT MCMURRAY	MM	56.6	111.2	7.5	0.	11.30	1	2	349-012	01-05	C

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SUA	I FORM	AZ.	EL.	TC
67 711	FORT MCMURRAY	MM	56.6	111.2	7.8	.2	11.24	1	353-003	01-04	C
26 67 711	FORT CHIPEWYAN	PY	58.7	111.2	5.3	21.7	4.50	2	320-020	20-40	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	5.5	22.0	5.46	2	320-020	20-40	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	5.8	22.2	6.32	2	320-020	20-40	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	6.0	22.5	7.07	2	320-020	20-40	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	6.3	22.7	7.71	2	020-340	20-40	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	6.5	23.0	8.24	1	350-000	15-15	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	6.8	23.2	8.66	1	350-000	15-15	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	7.0	23.5	8.96	1	350-000	15-15	A
67 711	FORT CHIPEWYAN	PY	58.7	111.2	7.3	23.7	9.14	1	350-000	15-15	A
27 67 711	ILIAMNA	ILI	59.7	154.9	9.8	23.3	7.79	3			B
67 711	ILIAMNA	ILI	59.7	154.9	11.0	.6	7.85	1			B
67 711	ILIAMNA	ILI	59.7	154.9	11.5	1.1	7.12	1			B
28 67 711	FORT SMITH	SM	60.0	112.0	7.0	23.4	7.61	3			A
67 711	FORT SMITH	SM	60.0	112.0	7.3	23.7	7.81	3			A
29 67 712	REGINA	QR	50.4	104.7	10.0	2.9	7.92	3			A
67 712	REGINA	QR	50.4	104.7	10.2	3.2	6.32	1	340-070	20-40	A
30 67 712	PRINCE ALBERT	PA	53.2	105.7	7.0	23.9	14.81	2	350-020	35-40	A
67 712	PRINCE ALBERT	PA	53.2	105.7	7.3	.1	14.82	1	310-050	15-25	A
31 67 712	BIG TROUT LAKE	TL	53.8	89.9	7.0	.9	13.32	2	340-005	04-06	A
67 712	BIG TROUT LAKE	TL	53.8	89.9	7.3	1.2	12.75	1	340-354	04-06	A
67 712	BIG TROUT LAKE	TL	53.8	89.9	7.5	1.4	12.05	1	338-341	03-05	C
32 67 712	COLD LAKE	OD	54.4	110.3	8.8	1.3	11.81	2	000-010	10-15	A
67 712	COLD LAKE	OD	54.4	110.3	9.0	1.6	11.05	2	000-010	10-15	A
33 67 712	WAGNER	WA	55.3	115.0	6.8	23.0	11.66	2	324-007	08-11	A
67 712	WAGNER	WA	55.3	115.0	7.0	23.2	12.12	1	327-003	06-08	A
67 712	WAGNER	WA	55.3	115.0	9.0	1.2	11.12	2	008-020	03-05	A
67 712	WAGNER	WA	55.3	115.0	9.3	1.5	10.42	2	004-015	03-05	A
67 712	WAGNER	WA	55.3	115.0	9.5	1.7	9.59	1	000-012	03-04	A
24 67 712	PEACE RIVER	PE	56.2	117.4	6.8	22.8	10.43	2	350-010	20-30	C
67 712	PEACE RIVER	PE	56.2	117.4	7.0	23.1	10.96	1	000-010	25-30	C
67 712	PEACE RIVER	PE	56.2	117.4	9.0	1.1	10.64	2	010-030	10-20	C
35 67 712	CHURCHILL	YQ	58.7	94.1	5.0	22.6	7.57	1	030-050	05-10	A
67 712	CHURCHILL	YQ	58.7	94.1	5.3	22.9	8.15	1	030-050	05-10	A
67 712	CHURCHILL	YQ	58.7	94.1	5.5	23.1	8.62	3	030-050	00-10	A
67 712	CHURCHILL	YQ	58.7	94.1	5.8	23.4	8.97	2	030-050	00-10	A
67 712	CHURCHILL	YQ	58.7	94.1	6.0	23.6	9.21	2	020-050	00-10	A
67 712	CHURCHILL	YQ	58.7	94.1	6.3	23.9	9.32	2	350-050	00-20	A
67 712	CHURCHILL	YQ	58.7	94.1	6.5	.1	9.32	2	320-060	00-30	A
67 712	CHURCHILL	YQ	58.7	94.1	6.8	.4	9.19	2	320-060	00-30	A
67 712	CHURCHILL	YQ	58.7	94.1	7.0	.6	8.95	2	320-060	00-30	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 712	CHURCHILL	YQ	58.7	94.1	7.3	.9	8.59	2	2	320-060	30-65	A
67 712	CHURCHILL	YQ	58.7	94.1	7.5	1.1	8.11	2	2	330-030	10-55	A
36 67 715	FORT NELSON	YE	58.8	122.6	7.7	23.4	9.33	3	2	270-295	02-07	A
67 715	FORT NELSON	YE	58.8	122.6	8.0	23.7	9.61	3	2	270-295	02-07	A
67 715	FORT NELSON	YE	58.8	122.6	8.3	0.	9.68	3	1	350-010	00-05	A
67 715	FORT NELSON	YE	58.8	122.6	8.5	.2	9.63	3	1	350-010	00-05	A
67 715	FORT NELSON	YE	58.8	122.6	8.8	.5	9.46	3	1	330-000	00-05	A
67 715	FORT NELSON	YE	58.8	122.6	9.0	.7	9.17	2	1	330-000	02-05	A
67 715	FORT NELSON	YE	58.8	122.6	9.3	1.0	8.77	1	1	330-000	02-05	A
37 67 715	SMITH RIVER	ZL	59.9	126.4	8.5	0.	8.58	2	2	350-005	05-20	A
67 715	SMITH RIVER	ZL	59.9	126.4	8.8	.2	8.53	2	2	330-005	05-20	A
67 715	SMITH RIVER	ZL	59.9	126.4	9.0	.5	8.37	1	2	320-005	05-20	A
38 67 715	WATSON LAKE	QH	60.1	128.8	8.0	23.3	7.95	3	2	266-003	02-18	A
67 715	WATSON LAKE	QH	60.1	128.8	8.3	23.6	8.21	3	2	269-012	02-09	A
67 715	WATSON LAKE	QH	60.1	128.8	8.5	23.8	8.35	3	2	270-021	02-06	A
67 715	WATSON LAKE	QH	60.1	128.8	8.8	.1	8.38	3	2	274-021	02-05	A
67 715	WATSON LAKE	QH	60.1	128.8	9.0	.3	8.29	3	2	276-022	02-06	A
67 715	WATSON LAKE	QH	60.1	128.8	9.3	.6	8.09	3	2	296-016	02-08	A
67 715	WATSON LAKE	QH	60.1	128.8	9.5	.8	7.77	3	2	305-009	02-08	A
67 715	WATSON LAKE	QH	60.1	128.8	9.8	1.1	7.35	3	2	316-008	03-09	A
67 715	WATSON LAKE	QH	60.1	128.8	10.0	1.3	6.81	2	2	332-001	04-09	A
67 715	WATSON LAKE	QH	60.1	128.8	10.2	1.6	6.16	1	2	318-359	04-06	A
67 715	WATSON LAKE	QH	60.1	128.8	10.5	1.8	5.42	1	2	322-347	05-07	A
67 715	WATSON LAKE	XY	60.7	135.1	9.0	23.9	7.77	3	2	280-035	02-11	A
67 715	WHITEHORSE	XY	60.7	135.1	9.3	.1	7.76	3	2	290-030	03-07	A
67 715	WHITEHORSE	XY	60.7	135.1	9.5	.4	7.64	2	2	250-030	01-08	A
67 715	WHITEHORSE	XY	60.7	135.1	9.8	.6	7.41	3	2	250-032	02-11	C
67 715	WHITEHORSE	XY	60.7	135.1	10.0	.9	7.06	3	2	250-032	02-10	C
67 715	WHITEHORSE	XY	60.7	135.1	10.2	1.1	6.61	1	1	250-020	02-10	A
67 715	YELLOWKNIFE	ZF	62.5	114.6	8.0	.3	5.92	1	2	300-340	10-20	A
67 715	YELLOWKNIFE	ZF	62.5	114.6	9.0	1.3	4.65	1	2	270-320	10-15	A
67 720	KNOB LAKE	KL	54.8	66.8	5.5	.9	13.58	3	2	004-045	04-07	A
67 720	KNOB LAKE	KL	54.8	66.8	5.8	1.2	13.01	3	2	002-047	04-09	C
67 720	KNOB LAKE	KL	54.8	66.8	6.0	1.4	12.31	1	2	011-043	04-10	B
67 720	KNOB LAKE	KL	54.8	66.8	6.3	1.7	11.49	1	2	005-048	04-11	B
67 720	KNOB LAKE	KL	54.8	66.8	6.5	1.9	10.54	1	2	012-038	05-11	B
42 67 720	FORT CHIMO	VP	58.1	68.4	4.5	23.8	11.22	2	2	330-070	00-07	A
67 720	FORT CHIMO	VP	58.1	68.4	4.8	.1	11.24	2	12	330-069	00-07	C
67 720	FORT CHIMO	VP	58.1	68.4	5.0	.3	11.14	3	12	328-068	00-08	C
67 720	FORT CHIMO	VP	58.1	68.4	5.3	.6	10.91	2	12	328-068	00-10	C
67 720	FORT CHIMO	VP	58.1	68.4	5.5	.8	10.56	2	123	330-073	00-11	C

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I FORM	AZ.	EL.	TC
67 720	FORT CHIMO	VP	58.1	68.4	5.8	1.1	10.09	2	12 345-076	00-12	C
67 720	FORT CHIMO	VP	58.1	68.4	6.0	1.3	9.51	2	12 000-080	00-12	C
43 67 721	GRANDE PRAIRIE	QU	55.2	118.9	8.7	.6	13.90	3	1 340-030	05-35	A
44 67 721	GRANDE PRAIRIE	QU	55.2	118.9	9.0	1.0	13.33	1	1 340-020	10-35	B
67 721	PEACE RIVER	PE	56.2	117.4	8.1	.2	13.31	2	2 000-040	10-20	A
67 721	PEACE RIVER	PE	56.2	117.4	8.3	.3	13.23	2	2 350-040	05-15	A
67 721	PEACE RIVER	PE	56.2	117.4	8.5	.6	13.00	2	2 000-050	15-25	A
67 721	PEACE RIVER	PE	56.2	117.4	8.8	.8	12.64	2	2 000-030	05-20	A
67 721	PEACE RIVER	PE	56.2	117.4	9.0	1.1	12.15	3	2 340-040	05-30	A
67 721	PEACE RIVER	PE	56.2	117.4	9.3	1.3	11.53	2	12 000-020	10-25	A
67 721	PEACE RIVER	PE	56.2	117.4	9.5	1.6	10.80	1	12 010-020	10-25	A
67 721	PEACE RIVER	PE	56.2	117.4	9.8	1.8	9.95	2	12 340-020	15-35	A
67 721	PEACE RIVER	PE	56.2	117.4	10.0	2.1	8.98	1	1 340-010	20-40	A
67 721	PEACE RIVER	PE	56.2	117.4	10.7	2.8	5.46	1	1 340-010	30-45	A
45 67 721	FORT MCMURRAY	MM	56.6	111.2	7.8	.2	12.88	3	2 353-016	07-08	C
67 721	FORT MCMURRAY	MM	56.6	111.2	8.0	.5	12.70	3	2 352-015	06-08	C
67 721	FORT MCMURRAY	MM	56.6	111.2	8.3	.7	12.38	2	2 354-013	06-09	C
46 67 721	CHURCHILL	YQ	58.7	94.1	6.5	.1	10.82	1	1 350-000	03-08	A
67 721	CHURCHILL	YQ	58.7	94.1	6.8	.4	10.70	1	1 350-000	03-08	A
67 721	CHURCHILL	YQ	58.7	94.1	7.0	.6	10.46	1	1 310-340	03-08	A
67 721	CHURCHILL	YQ	58.7	94.1	7.3	.9	10.10	1	1 320-340	03-08	A
67 721	CHURCHILL	YQ	58.7	94.1	8.5	2.1	6.59		175-185	49-50	A
67 721	CHURCHILL	YQ	58.7	94.1	8.8	2.4	5.58		175-185	49-50	A
47 67 721	FORT CHIPEWYAN	PY	58.7	111.2	7.0	23.5	10.58	2	2 000-020	02-15	A
67 721	FORT CHIPEWYAN	PY	58.7	111.2	7.3	23.7	10.77	3	2 340-030	03-15	A
67 721	FORT CHIPEWYAN	PY	58.7	111.2	7.5	0.	10.84	3	2 320-040	03-10	A
67 721	FORT CHIPEWYAN	PY	58.7	111.2	7.8	.2	10.78	3	2 320-040	03-05	A
67 721	FORT CHIPEWYAN	PY	58.7	111.2	8.0	.5	10.61	3	2 340-040	10-40	A
67 721	FORT CHIPEWYAN	PY	58.7	111.2	8.3	.7	10.32	2	2 340-020	10-30	A
67 721	FORT CHIPEWYAN	PY	58.7	111.2	8.5	1.0	9.91	1	2 000-010	15-30	A
48 67 721	FORT SMITH	SM	60.0	112.0	7.0	23.4	9.23		050-080	09-26	A
67 721	FORT SMITH	SM	60.0	112.0	8.0	.4	9.37		040-130	10-16	A
49 67 721	WHITEHORSE	XY	60.7	135.1	9.2	.1	8.83	5	2 289-078	06-61	A
67 721	WHITEHORSE	XY	60.7	135.1	9.4	.3	8.77	5	2 283-075	38	A
67 721	WHITEHORSE	XY	60.7	135.1	9.7	.6	8.56	5	2 285-091	07-64	A
67 721	WHITEHORSE	XY	60.7	135.1	9.9	.8	8.30	4	2 285-094	04-65	A
67 721	WHITEHORSE	XY	60.7	135.1	10.1	1.0	7.92	4	2 284-110	05-	A
67 721	WHITEHORSE	XY	60.7	135.1	10.3	1.2	7.45	2	1 281-118	07-	A
67 721	WHITEHORSE	XY	60.7	135.1	10.5	1.4	6.98	2	1 282-144	10-	A
67 721	WHITEHORSE	XY	60.7	135.1	10.8	1.7	6.24	1	1 090-120	10-50	A
50 67 721	YELLOWKNIFE	ZF	62.5	114.6	8.3	.5	6.82	4			

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I FORM	AZ.	EL. TC
67 721	YELLOWKNIFE	ZF	62.5	114.6	8.5	.8	6.55	2	1 095-125	10-50 A
51 67 724	FORT SIMPSON	FS	61.8	121.2	9.0	.8	7.76	1	2 270-030	40-60 C
67 724	FORT SIMPSON	FS	61.8	121.2	9.3	1.1	7.35	1	2 270-020	45-60 C
67 724	FORT SIMPSON	FS	61.8	121.2	9.5	1.3	6.84	1	2 260-020	45-60 C
52 67 724	YELLOWKNIFE	ZF	62.5	114.6	8.0	.3	7.59	2	13 000-050	-30 C
67 724	YELLOWKNIFE	ZF	62.5	114.6	8.3	.5	7.43	2	13 020-080	-45 C
53 67 725	THE PAS	QD	54.0	112.0	8.8	1.2	14.81	3	3 000-105	00-15 A
67 725	THE PAS	QD	54.0	112.0	9.0	1.4	14.09	3	3 000-100	00-15 A
67 725	THE PAS	QD	54.0	112.0	9.3	1.7	13.25	4	23 350-115	05-20 A
67 725	THE PAS	QD	54.0	112.0	9.5	1.9	12.28	3	23 000-120	05-20 A
67 725	PEACE RIVER	PE	56.2	117.4	9.0	1.1	12.96	3	2 010-040	05-20 A
54 67 725	PEACE RIVER	PE	56.2	117.4	9.3	1.3	12.34	3	3 005-045	05-25 A
67 725	PEACE RIVER	PE	56.2	117.4	9.5	1.6	11.60	3	2 000-030	10-25 A
67 725	PEACE RIVER	PE	56.2	117.4	9.8	1.8	10.74	3	2 000-020	10-20 A
67 725	PEACE RIVER	PE	56.2	117.4	10.0	2.1	9.77	2	1 000-020	15-20 A
55 67 725	BROCHET	BT	57.9	101.7	6.0	23.1	11.67	3	2 350-000	05-25 C
67 725	BROCHET	BT	57.9	101.7	6.3	23.4	12.05	4	23 345-020	05-30 D
67 725	BROCHET	BT	57.9	101.7	6.5	23.6	12.31	4	23 330-020	10-35 C
67 725	BROCHET	BT	57.9	101.7	6.8	23.9	12.44	3	23 340-025	10-30 C
67 725	BROCHET	BT	57.9	101.7	7.0	.1	12.44	3	23 320-015	05-30 C
67 725	BROCHET	BT	57.9	101.7	7.3	.4	12.32	4	23 280-015	00-35 C
67 725	BROCHET	BT	57.9	101.7	7.5	.6	12.08	4	23 270-020	00-40 C
67 725	BROCHET	BT	57.9	101.7	7.8	.9	11.71	4	2 320-015	00-35 B
67 725	BROCHET	BT	57.9	101.7	8.0	1.1	11.22	3	2 330-020	15-35 B
67 725	BROCHET	BT	57.9	101.7	8.3	1.4	10.61	3	23 250-350	15-40 B
67 725	BROCHET	BT	57.9	101.7	8.5	1.6	9.89	2	2 240-340	10-40 B
67 725	BROCHET	BT	57.9	101.7	8.8	1.9	9.05	3	2 260-300	20-50 D
67 725	BROCHET	BT	60.0	112.0	6.5	22.9	9.28	3	23 005-030	00-25 A
56 67 725	FORT SMITH	SM	60.0	112.0	6.8	23.2	9.72	3	23 000-035	00-25 A
67 725	FORT SMITH	SM	60.0	112.0	7.0	23.4	10.05	3	2 340-035	00-30 A
67 725	FORT SMITH	SM	60.0	112.0	7.3	23.7	10.26	3	2 320-045	00-25 A
67 725	FORT SMITH	SM	60.0	112.0	7.5	0.	10.35	4	23 300-045	00-25 A
67 725	FORT SMITH	SM	60.0	112.0	7.8	.2	10.33	4	23 300-060	00-25 A
67 725	FORT SMITH	SM	60.0	112.0	8.0	.4	10.19	4	23 300-060	00-25 A
67 725	FORT SMITH	SM	60.0	112.0	8.3	.7	9.93	4	123 330-050	00-20 A
67 725	FORT SMITH	SM	60.0	112.0	8.5	.9	9.55	4	123 330-040	00-20 A
67 725	FORT SMITH	SM	60.0	112.0	8.8	1.2	9.07	3	123 340-090	00-30 A
67 725	FORT SMITH	SM	60.0	112.0	9.0	1.4	8.47	4	123 340-090	00-40 A
67 725	FORT SMITH	SM	60.0	112.0	9.3	1.7	7.77	3	123 320-090	00-40 A
67 725	FORT SMITH	SM	60.0	112.0	9.5	1.9	6.96	3	123 320-010	00-30 A
67 725	FORT SMITH	SM	60.0	112.0	9.8	2.2	6.05	2	12 320-350	10-25 A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 725	WATSON LAKE	QH	60.1	128.8	8.5	23.8	10.22	2	23	335-021	05-11	D
67 725	WATSON LAKE	QH	60.1	128.8	8.8	.1	10.25	2	23	337-022	04-11	D
67 725	WATSON LAKE	QH	60.1	128.8	9.0	.3	10.17	3	23	339-033	04-11	D
67 725	WATSON LAKE	QH	60.1	128.8	9.3	.6	9.97	3	23	342-035	02-11	D
67 725	WATSON LAKE	QH	60.1	128.8	9.5	.8	9.65	3	23	345-043	02-12	D
67 725	WATSON LAKE	QH	60.1	128.8	9.8	1.1	9.22	3	23	354-045	02-08	D
67 725	WATSON LAKE	QH	60.1	128.8	10.0	1.3	8.68	2	23	357-048	02-07	D
57 67 725	FORT SIMPSON	FS	61.8	121.2	8.0	23.8	8.53	3	23	290-050	30-60	A
67 725	FORT SIMPSON	FS	61.8	121.2	8.3	.1	8.55	3	12	310-070	10-75	A
67 725	FORT SIMPSON	FS	61.8	121.2	8.5	.3	8.47	3	23	300-070	20-80	A
67 725	FORT SIMPSON	FS	61.8	121.2	8.8	.6	8.28	2	2	310-070	10-65	A
67 725	FORT SIMPSON	FS	61.8	121.2	9.0	.8	7.97	2	24	320-090	15-25	A
67 725	FORT SIMPSON	FS	61.8	121.2	9.3	1.1	7.57	2	24	330-100	15-25	A
67 725	FORT SIMPSON	FS	61.8	121.2	9.5	1.3	7.05	2	24	330-100	10-20	A
67 725	FORT SIMPSON	FS	61.8	121.2	9.8	1.6	6.43	2	2	340-120	10-30	A
67 725	FORT SIMPSON	FS	61.8	121.2	10.0	1.8	5.71	2	23	340-090	15-60	A
58 67 725	YELLOWKNIFE	ZF	62.5	114.6	7.0	23.3	7.38	1	13	290-090	10-60	A
67 725	YELLOWKNIFE	ZF	62.5	114.6	7.3	23.5	7.64	2	123	300-090	-80	C
67 725	YELLOWKNIFE	ZF	62.5	114.6	7.5	23.8	7.80	2	123	270-090	-85	C
67 725	YELLOWKNIFE	ZF	62.5	114.6	7.8	.0	7.86	3	23	-090	-80	C
67 725	YELLOWKNIFE	ZF	62.5	114.6	8.0	.3	7.80	3	23	-090	-80	C
67 725	YELLOWKNIFE	ZF	62.5	114.6	8.5	.8	7.37	3	123	-080	-90	C
67 725	YELLOWKNIFE	ZF	62.5	114.6	9.0	1.3	6.52	2	12	320-140	-90	C
59 67 730	FORT MCMURRAY	MM	56.6	111.2	9.5	2.0	10.86	1	2	350-010	05-07	C
67 730	FORT MCMURRAY	MM	56.6	111.2	9.8	2.2	9.82	1	2	354-006	05-08	C
67 730	CHURCHILL	YQ	58.7	94.1	5.5	23.1	12.04	2	2	320-	05-20	A
67 730	CHURCHILL	YQ	58.7	94.1	5.8	23.4	12.41	2	2	330-350	05-15	A
67 730	CHURCHILL	YQ	58.7	94.1	6.0	23.6	12.66	2	2	330-350	00-10	A
67 730	CHURCHILL	YQ	58.7	94.1	6.3	23.9	12.79	2	2	320-340	05-10	A
67 730	CHURCHILL	YQ	58.7	94.1	6.5	.1	12.79	2	2	330-340	00-05	A
67 730	CHURCHILL	YQ	58.7	94.1	6.8	.4	12.66	2	2	320-340	00-05	A
67 730	CHURCHILL	YQ	58.7	94.1	7.0	.6	12.42	3	2	320-350	00-10	A
67 730	CHURCHILL	YQ	58.7	94.1	7.3	.9	12.05	3	2	330-030	00-15	A
67 730	CHURCHILL	YQ	58.7	94.1	7.5	1.1	11.57	3	2	320-000	00-15	C
67 730	CHURCHILL	YQ	58.7	94.1	7.8	1.4	10.96	3	2	320-000	00-15	C
67 730	CHURCHILL	YQ	58.7	94.1	8.0	1.6	10.24	3	2	310-350	00-15	C
61 67 730	FORT NELSON	YE	58.8	122.6	8.0	23.7	12.63	2	1	300-330	03-08	B
67 730	FORT NELSON	YE	58.8	122.6	8.3	.0	12.70	2	2	310-350	07-15	B
67 730	FORT NELSON	YE	58.8	122.6	8.5	.2	12.65	3	2	310-000	05-15	C
67 730	FORT NELSON	YE	58.8	122.6	8.8	.5	12.48	2	2	320-000	05-15	C

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL. °C
67 730	FORT NELSON	YE	58.8	122.6	9.0	.7	12.19	3	2	310-000	05-10 B
67 730	FORT NELSON	YE	58.8	122.6	9.3	1.0	11.77	3	2	320-325	09-10 C
67 730	WATSON LAKE	QH	60.1	128.8	7.5	22.8	10.07	2	23	310-050	03-09 C
67 730	WATSON LAKE	QH	60.1	128.8	7.8	23.1	10.57	2	23	346-051	03-09 C
67 730	WATSON LAKE	QH	60.1	128.8	8.0	23.3	10.95	3	23	347-053	03-11 C
67 730	WATSON LAKE	QH	60.1	128.8	8.3	23.6	11.22	1	23	340-046	03-10 C
67 730	WATSON LAKE	QH	60.1	128.8	8.5	23.8	11.37	2	1	012-041	08-12 C
67 730	WATSON LAKE	QH	60.1	128.8	8.8	.1	11.40	2	1	007-040	02-08 C
67 730	WATSON LAKE	QH	60.1	128.8	9.0	.3	11.31	2	1	-043	02- C
67 730	WATSON LAKE	QH	60.1	128.8	9.3	.6	11.11	2	12	-060	01- C
67 730	WATSON LAKE	QH	60.1	128.8	9.5	.8	10.79	2	12	-059	01- C
67 730	WATSON LAKE	QH	60.1	128.8	9.8	1.1	10.35	2	2	335-054	02- C
67 730	WATSON LAKE	QH	60.1	128.8	10.0	1.3	9.80	1	12		03-14 C
67 730	WATSON LAKE	QH	60.1	128.8	10.2	1.6	9.14	2	12	-069	-20 C
67 730	WATSON LAKE	QH	60.1	128.8	10.5	1.8	8.38	2	12	005-079	04-32 C
67 730	WATSON LAKE	QH	60.1	128.8	10.7	2.1	7.51	1	1	-060	05- C
67 730	FORT SIMPSON	FS	61.8	121.2	7.5	23.3	9.28	2	123	320-050	10-35 A
67 730	FORT SIMPSON	FS	61.8	121.2	7.8	23.6	9.53	3	13	320-050	05-45 A
67 730	FORT SIMPSON	FS	61.8	121.2	8.0	23.8	9.67	3	12	320-050	05-45 A
67 730	FORT SIMPSON	FS	61.8	121.2	8.3	.1	9.70	3	123	280-030	02-30 A
67 730	FORT SIMPSON	FS	61.8	121.2	8.5	.3	9.61	3	123	290-060	10-45 A
67 730	FORT SIMPSON	FS	61.8	121.2	8.8	.6	9.42	3	123	290-070	05-45 A
67 730	FORT SIMPSON	FS	61.8	121.2	9.0	.8	9.11	3	123	290-070	05-40 A
67 730	FORT SIMPSON	FS	61.8	121.2	9.3	1.1	8.70	3	123	290-060	10-50 A
67 730	FORT SIMPSON	FS	61.8	121.2	9.5	1.3	8.18	3	12	300-020	15-90 A
67 730	FORT SIMPSON	FS	61.8	121.2	9.8	1.6	7.55	2	12	300-020	15-90 A
67 730	FORT SIMPSON	FS	61.8	121.2	10.0	1.8	6.83	2	12	300-020	20-80 A
67 730	FORT SIMPSON	FS	61.8	121.2	10.2	2.1	6.00	1	12	310-010	20-70 A
67 730	FORT SIMPSON	YQ	58.7	94.1	4.5	22.1	9.88	1	2	320-350	15-25 B
67 730	CHURCHILL	YQ	58.7	94.1	4.8	22.4	10.71	2	2	310-350	05-20 B
67 730	CHURCHILL	YQ	58.7	94.1	5.0	22.6	11.43	2	2	310-350	05-20 B
67 730	CHURCHILL	YQ	58.7	94.1	5.3	22.9	12.04	2	2	310-350	05-15 B
67 730	CHURCHILL	YQ	58.7	94.1	5.5	23.1	12.54	2	2	310-340	10-15 B
67 730	CHURCHILL	YQ	58.7	94.1	5.8	23.4	12.91	2	2	320-340	10-15 B
67 730	CHURCHILL	YQ	58.7	94.1	6.0	23.6	13.16	2	2	320-340	10-15 B
67 730	CHURCHILL	YQ	58.7	94.1	6.3	23.9	13.28	2	2	310-340	05-10 B
67 730	CHURCHILL	YQ	58.7	94.1	6.5	.1	13.28	2	2	320-340	05-10 B
67 730	CHURCHILL	YQ	58.7	94.1	7.0	22.7	11.60	2	1	320-000	05-20 A
67 730	FORT NELSON	YE	58.8	122.6	7.3	23.0	12.16	2	1	310-000	05-15 A
67 730	FORT NELSON	YE	58.8	122.6	7.5	23.2	12.60	1	1	310-350	05-15 A
67 730	FORT NELSON	YE	58.8	122.6	8.0	23.7	13.12	2	2	290-330	03-12 A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I FORM	AZ.	EL. TC
67 8 1	FORT NELSON	YE	58.8	122.6	8.3	0.	13.20	2	310-330	03-08 A
67 8 1	FORT NELSON	YE	58.8	122.6	8.5	.2	13.15	1	320-340	05-08 C
67 8 1	FORT NELSON	YE	58.8	122.6	8.8	.5	12.97	1	320-350	05-08 C
67 8 1	FORT NELSON	YE	58.8	122.6	9.0	.7	12.68	1	320-330	05-08 C
67 8 1	FORT SMITH	SM	60.0	112.0	6.0	22.4	9.69	2	340-000	13-18 B
67 8 1	FORT SMITH	SM	60.0	112.0	6.3	22.7	10.35	2	330-000	09-15 A
67 8 1	FORT SMITH	SM	60.0	112.0	6.5	22.9	10.91	2	340-010	06-12 A
67 8 1	FORT SMITH	SM	60.0	112.0	6.8	23.2	11.36	3	340-010	06-30 A
67 8 1	FORT SMITH	SM	60.0	112.0	7.0	23.4	11.69	2	340-010	04-20 A
67 8 1	FORT SMITH	SM	60.0	112.0	7.3	23.7	11.90	3	330-005	04-18 A
67 8 1	FORT SMITH	SM	60.0	112.0	7.5	0.	11.99	3	350-005	04-10 A
67 8 1	FORT SMITH	SM	60.0	112.0	7.8	.2	11.97	2	350-000	00-12 A
67 8 1	FORT SMITH	SM	60.0	112.0	8.0	.4	11.82	2	350-000	00-08 A
67 8 1	FORT SMITH	SM	60.0	112.0	8.3	.7	11.56	1	350-000	00-06 A
67 8 1	FORT SIMPSON	FS	61.8	121.2	8.0	23.8	10.17	4	320-020	10-40 A
67 8 1	FORT SIMPSON	FS	61.8	121.2	8.3	.1	10.19	3	320-020	10-40 A
67 8 1	FORT SIMPSON	FS	61.8	121.2	8.5	.3	10.11	3	320-020	10-35 A
67 8 1	FORT SIMPSON	FS	61.8	121.2	8.8	.6	9.91	3	300-010	10-35 A
67 8 1	FORT SIMPSON	FS	61.8	121.2	9.0	.8	9.60	3	300-010	10-35 A
67 8 1	FORT SIMPSON	FS	61.8	121.2	9.3	1.1	9.18	2	300-350	10-30 A
67 8 1	FORT SIMPSON	FS	61.8	121.2	9.5	1.3	8.66	1	300-330	10-30 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	6.5	22.8	8.16	2	300-020	05-20 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	6.8	23.0	8.64	2	290-060	10-25 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	7.0	23.3	9.02	3	290-020	05-30 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	7.3	23.5	9.28	3	290-020	10-40 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	7.5	23.8	9.44	3	290-020	20-40 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	7.8	.0	9.50	3	290-020	15-40 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	8.0	.3	9.44	2	270-000	15-30 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	8.3	.5	9.27	2	290-350	15-30 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	8.5	.8	9.00	2	290-340	20-30 A
67 8 1	YELLOWKNIFE	ZF	62.5	114.6	8.8	1.0	8.62	1	290-330	20-30 A
67 8 1	YELLOWKNIFE	FAI	64.9	148.1	9.8	23.8	7.06	1	045-110	03-15 A
67 8 1	COLLEGE	FAI	64.9	148.1	10.0	.0	7.10	1	045-110	03-25 A
67 8 1	COLLEGE	FAI	64.9	148.1	10.5	.5	6.88	2	045-110	03-40 A
67 8 1	COLLEGE	FAI	64.9	148.1	11.0	1.0	6.27	2	065-135	03-60 A
67 8 1	COLLEGE	FAI	64.9	148.1	11.5	1.5	5.27	1	112-160	10-30 A
67 8 2	VANCOUVER	VR	49.2	123.2	5.0	20.7	9.88	3	276-296	16-29 B
67 8 2	VANCOUVER	VR	49.2	123.2	5.3	20.9	11.64	2	325-330	24-29 B
67 8 2	VANCOUVER	VR	49.2	123.2	5.5	21.2	13.30	1	341-346	21-23 B
67 8 2	YELLOWKNIFE	ZF	62.5	114.6	8.8	1.0	8.87	2	350-040	30-60 A
67 8 2	YELLOWKNIFE	ZF	62.5	114.6	9.0	1.3	6.38	2	350-040	30-55 A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
9 67 8 2	YELLOWKNIFE	ZF	62.5	114.6	9.3	1.5	7.79	2	12	340-040	35-60	A
67 8 2	YELLOWKNIFE	ZF	62.5	114.6	9.5	1.8	7.10	3	123	290-060	60-90	A
67 8 2	YELLOWKNIFE	ZF	62.5	114.6	9.8	2.0	6.31	3	123	290-060	60-90	A
67 8 2	YELLOWKNIFE	ZF	62.5	114.6	10.0	2.3	5.43	3	123	290-090	60-90	A
10 67 8 3	SMITH RIVER	ZL	59.9	126.4	8.0	23.5	12.34	2	2	335-350	05-10	C
11 67 8 3	WATSON LAKE	QH	60.1	128.8	7.3	22.6	10.46	2	2	305-015	03-17	A
67 8 3	WATSON LAKE	QH	60.1	128.8	7.5	22.8	11.07	2	2	304-340	04-08	A
67 8 3	WATSON LAKE	QH	60.1	128.8	7.8	23.1	11.57	2	12	309-020	03-07	A
67 8 3	WATSON LAKE	QH	60.1	128.8	8.0	23.3	11.96	2	1	308-033	03-06	C
67 8 3	WATSON LAKE	QH	60.1	128.8	8.3	23.6	12.23	2	1	310-022	03-06	C
67 8 3	WATSON LAKE	QH	60.1	128.8	8.5	23.8	12.38	2	1	317-	03-08	C
67 8 3	WATSON LAKE	QH	60.1	128.8	8.8	.1	12.41	2	1	322-	02-10	C
67 8 3	WATSON LAKE	QH	60.1	128.8	9.0	.3	12.32	2	1	321-	02-10	C
67 8 3	WATSON LAKE	QH	60.1	128.8	9.3	.6	12.11	1	1	324-358	03-08	C
67 8 3	WATSON LAKE	QH	60.1	128.8	9.5	.8	11.78	1	1	336-351	03-07	C
12 67 8 3	WHITEHORSE	XY	60.7	135.1	7.3	22.1	8.66	3	2	324-024	09-26	A
67 8 3	WHITEHORSE	XY	60.7	135.1	7.5	22.4	9.43	3	2	324-020	09-24	A
67 8 3	WHITEHORSE	XY	60.7	135.1	7.8	22.6	10.11	3	3	311-024	05-19	A
67 8 3	WHITEHORSE	XY	60.7	135.1	8.0	22.9	10.67	3	3	320-024	08-19	A
67 8 3	WHITEHORSE	XY	60.7	135.1	8.3	23.1	11.12	3	2	330-022	12-19	A
67 8 3	WHITEHORSE	XY	60.7	135.1	8.5	23.4	11.46	2	2	320-027	08-15	A
67 8 3	WHITEHORSE	XY	60.7	135.1	8.8	23.6	11.69	2	2	323-031	06-12	A
67 8 3	WHITEHORSE	XY	60.7	135.1	9.0	23.9	11.80	2	2	325-034	06-12	A
67 8 3	WHITEHORSE	XY	60.7	135.1	9.3	.1	11.79	1	1	330-034	07-12	A
67 8 3	WHITEHORSE	XY	60.7	135.1	9.5	.4	11.67	1	1	330-034	06-12	A
13 67 8 3	DAWSON	DA	64.1	139.4	7.0	21.6	3.84	2	2	325-100	25-60	A
67 8 3	DAWSON	DA	64.1	139.4	7.3	21.9	4.72	2	2	325-100	20-45	A
67 8 3	DAWSON	DA	64.1	139.4	7.5	22.1	5.51	2	2	335-080	15-25	A
67 8 3	DAWSON	DA	64.1	139.4	7.8	22.4	6.21	1	2	340-070	15-50	A
67 8 3	DAWSON	DA	64.1	139.4	8.0	22.6	6.82	2	2	340-070	15-50	A
67 8 3	DAWSON	DA	64.1	139.4	8.3	22.9	7.34	1	2	350-050	15-45	A
67 8 3	DAWSON	DA	64.1	139.4	8.5	23.1	7.75	1	2	000-045	25-40	B
67 8 3	DAWSON	DA	64.1	139.4	8.8	23.4	8.07	1	2	000-045	25-40	B
14 67 8 4	YELLOWKNIFE	ZF	62.5	114.6	9.0	1.3	8.89	2	1	340-040	05-18	A
67 8 4	YELLOWKNIFE	ZF	62.5	114.6	9.3	1.5	8.30	1	1	350-040	05-18	A
67 8 4	YELLOWKNIFE	ZF	62.5	114.6	9.5	1.8	7.61	1	1	350-030	05-12	A
67 8 4	YELLOWKNIFE	ZF	62.5	114.6	9.8	2.0	6.82	1	1	350-030	05-12	A
15 67 8 5	COLD LAKE	OD	54.4	110.3	5.0	21.5	12.06	1	1	320-350	10-20	A
67 8 5	COLD LAKE	OD	54.4	110.3	5.3	21.8	13.28	1	1	320-350	10-20	A
67 8 5	COLD LAKE	OD	54.4	110.3	5.5	22.0	14.39	1	1	320-350	10-20	A
67 8 5	COLD LAKE	OD	54.4	110.3	5.8	22.3	15.39	1	1	330-350	10-15	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I FORM	AZ.	EL. TC
16 67 8 5	WHITEHORSE	XY	60.7	135.1	10.0	.9	11.59	3	1 020-040	08-19 A
67 8 5	WHITEHORSE	XY	60.7	135.1	10.2	1.1	11.12	3	1 022-040	06-15 A
67 8 5	WHITEHORSE	XY	60.7	135.1	10.5	1.4	10.54	3	1 024-041	04-10 A
67 8 5	WHITEHORSE	XY	60.7	135.1	10.7	1.6	9.85	1	1 030-041	07-10 A
17 67 8 6	COLLEGE	FAI	64.9	148.1	8.5	22.5	6.70	1	1 000-015	05-07 A
67 8 6	COLLEGE	FAI	64.9	148.1	8.8	22.8	7.23	1	1 355-012	05-07 A
67 8 6	COLLEGE	FAI	64.9	148.1	9.0	23.0	7.66	1	134 350-010	05-07 A
67 8 6	COLLEGE	FAI	64.9	148.1	9.3	23.3	8.00	2	134 350-010	05-07 A
67 8 6	COLLEGE	FAI	64.9	148.1	9.5	23.5	8.24	2	134 348-010	05-08 A
67 8 6	COLLEGE	FAI	64.9	148.1	9.8	23.8	8.38	1	1 348-000	05-08 A
67 8 6	COLLEGE	FAI	64.9	148.1	10.0	.0	8.42	1	1 348-000	05-08 A
18 67 8 7	GREAT WHALE	GW	55.3	77.8	2.0	20.7	7.16	4	4 190-270	20-40 A
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	7.0	23.3	10.62	1	1 350-040	15-40 A
19 67 8 7	YELLOWKNIFE	ZF	62.5	114.6	7.3	23.5	10.89	1	1 350-040	10-30 A
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	7.5	23.8	11.05	2	1 350-040	07-25 A
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	7.8	.0	11.09	2	1 340-050	05-20 A
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	8.0	.3	11.03	2	1 340-060	05-15 A
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	8.3	.5	10.86	1	1 340-050	05-12 A
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	8.5	.8	10.57	1	1 340-040	05-10 A
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	8.8	1.0	10.18	1	1 340-040	05-08 B
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	9.0	1.3	9.69	1	1 340-040	05-07 B
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	9.3	1.5	9.09	1	1 350-050	05-07 B
67 8 7	YELLOWKNIFE	ZF	62.5	114.6	9.5	1.8	8.39	1	1 350-050	05-07 B
20 67 8 7	FORT RELIANCE	FL	62.7	109.1	6.8	23.4	10.56	3	3 000-080	05-15 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	7.0	23.6	10.78	3	34 030-090	03-15 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	7.3	23.9	10.88	3	34 045-090	02-15 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	7.5	.1	10.88	3	3 055-085	02-14 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	7.8	.4	10.76	3	3 060-085	02-13 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	8.0	.6	10.54	3	3 340-085	02-20 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	8.3	.9	10.21	3	3 320-340	06-20 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	8.5	.9	10.21	2	13 060-085	03-12 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	8.8	1.1	9.77	3	13 320-000	05-25 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	8.8	1.4	9.23	3	23 320-350	20-30 A
67 8 7	FORT RELIANCE	FL	62.7	109.1	9.0	1.6	8.59	2	3 330-350	25-35 A
21 67 8 7	COLLEGE	FAI	64.9	148.1	8.5	22.5	6.98	1	12 030-070	04-10 B
67 8 7	COLLEGE	FAI	64.9	148.1	8.8	22.8	7.51	2	12 030-070	04-10 B
67 8 7	COLLEGE	FAI	64.9	148.1	9.0	23.0	7.94	2	124 270-070	05-80 B
67 8 7	COLLEGE	FAI	64.9	148.1	9.3	23.3	8.28	2	124 270-070	05-80 B
67 8 7	COLLEGE	FAI	64.9	148.1	9.5	23.5	8.52	2	1234 270-090	05-80 B
67 8 7	COLLEGE	FAI	64.9	148.1	10.0	.0	8.69	2	1234 270-090	05-80 B
67 8 7	COLLEGE	FAI	64.9	148.1	10.5	.5	8.46	3	1234 270-090	05-80 B

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SDA	I	FORM	AZ.	EL.	TC
67 8 7	COLLEGE	FAI	64.9	148.1	11.0	1.0	7.84	2	1234	260-050	10-90	B
67 8 7	COLLEGE	FAI	64.9	148.1	11.5	1.5	6.82	1	14	260-050	20-90	B
67 8 7	COLLEGE	FAI	64.9	148.1	12.0	2.0	5.44	1	1	250-100	70-90	B
22 67 8 8	YELLOWKNIFE	ZF	62.5	114.6	6.5	22.8	10.04	2	12	320-020	10-30	B
67 8 8	YELLOWKNIFE	ZF	62.5	114.6	6.8	23.0	10.53	3	12	340-040	10-30	B
67 8 8	YELLOWKNIFE	ZF	62.5	114.6	7.0	23.3	10.90	3	12	340-040	10-30	B
23 67 8 8	FORT RELIANCE	FL	62.7	109.1	5.0	21.6	6.43	2	1	010-030	10-20	B
67 8 8	FORT RELIANCE	FL	62.7	109.1	5.3	21.9	7.35	2	1	010-060	10-23	B
67 8 8	FORT RELIANCE	FL	62.7	109.1	5.5	22.1	8.18	1	1	020-050	08-20	B
67 8 8	FORT RELIANCE	FL	62.7	109.1	5.8	22.4	8.92	1	1	050-080	-20	B
24 67 8 10	CHURCHILL	YQ	57.7	94.1	9.0	2.6	9.79	4	2	150-280	77-80	C
67 8 10	CHURCHILL	YQ	57.7	94.1	9.3	2.9	8.50	4	2	150-280	77-80	C
67 8 10	CHURCHILL	YQ	57.7	94.1	9.5	3.1	7.12	4	2	130-270	23-25	C
67 8 10	CHURCHILL	YQ	57.7	94.1	9.8	3.4	5.65	4	2	130-270	23-25	C
25 67 8 10	BAKER LAKE	BK	64.3	96.0	8.0	1.5	8.27	3	2	040-060	03-15	A
67 8 10	BAKER LAKE	BK	64.3	96.0	8.3	1.8	7.62	3	2	040-060	03-15	A
26 67 8 11	REGINA	QR	50.4	104.7	4.0	20.9	12.99	2	2	290-000	02-20	A
27 67 8 11	THE PAS	QD	54.0	101.1	10.0	3.2	9.75	3	1	030-090	20-30	A
67 8 11	THE PAS	QD	54.0	101.1	10.2	3.4	8.12	3	1	030-090	20-30	A
28 67 8 11	SMITH RIVER	ZL	59.9	126.4	9.0	.5	14.61	1	2	355-005	03-08	C
29 67 8 11	FORT NELSON	YE	58.8	122.6	6.8	22.5	13.67	2	2	350-010	02-04	A
67 8 11	FORT NELSON	YE	58.8	122.6	7.0	22.7	14.35	2	2	350-010	02-04	A
67 8 11	FORT NELSON	YE	58.8	122.6	7.3	23.0	14.92	2	2	350-010	00-02	A
67 8 11	FORT NELSON	YE	58.8	122.6	7.5	23.2	15.36	2	2	350-010	00-02	A
67 8 11	FORT NELSON	YE	58.8	122.6	7.8	23.5	15.69	2	2	350-010	00-01	A
67 8 11	FORT NELSON	YE	58.8	122.6	8.0	23.7	15.88	2	2	350-010	00-01	A
67 8 11	FORT NELSON	YE	58.8	122.6	8.3	0.	15.95	2	2	350-010	00-01	A
67 8 11	FORT NELSON	YE	58.8	122.6	8.5	.2	15.89	2	2	350-010	00-02	A
67 8 11	FORT NELSON	YE	58.8	122.6	8.8	.5	15.70	2	2	350-000	00-02	A
67 8 11	FORT NELSON	YE	58.8	122.6	9.0	.7	15.39	2	2	350-000	00-02	A
67 8 11	FORT NELSON	YE	58.8	122.6	9.3	1.0	14.95	3	2	350-000	00-03	A
67 8 11	FORT NELSON	YE	58.8	122.6	9.5	1.2	14.39	3	2	350-000	01-04	A
67 8 11	FORT NELSON	YE	58.8	122.6	9.8	1.5	13.72	4	2	350-000	01-05	A
67 8 11	FORT NELSON	YE	58.8	122.6	10.0	1.7	12.93	4	2	350-000	01-05	A
67 8 11	FORT NELSON	YE	58.8	122.6	10.2	2.0	12.03	2	2	350-000	01-04	A
67 8 11	FORT NELSON	YE	58.8	122.6	10.5	2.2	11.02	2	2	350-000	01-04	A
30 67 8 11	FORT SIMPSON	FS	61.8	121.2	9.0	.8	12.31	3	4	350-010	05-15	A
67 8 11	FORT SIMPSON	FS	61.8	121.2	9.3	1.1	11.88	2	2	320-000	10-20	A
67 8 11	FORT SIMPSON	FS	61.8	121.2	9.5	1.3	11.33	2	2	320-000	10-20	A
67 8 11	FORT SIMPSON	FS	61.8	121.2	9.8	1.6	10.68	2	2	320-000	10-20	A
67 8 11	FORT SIMPSON	FS	61.8	121.2	10.0	1.8	9.93	2	2	340-000	10-20	A

DATE	STATION	CODE	LAT.	LONG.	GMT	LST	SUA	I	FORM	AZ.	EL.	TC
67 811	FORT SIMPSON	FS	61.8	121.2	10.2	2.1	9.08	2	2	330-350	10-20	A
31 67 811	FORT RELIANCE	FL	62.7	109.1	6.8	23.4	11.72	3	2	020-080	02-10	A
67 811	FORT RELIANCE	FL	62.7	109.1	7.0	23.6	11.93	3	2	020-080	02-10	A
67 811	FORT RELIANCE	FL	62.7	109.1	7.3	23.9	12.04	3	2	020-080	02-11	A
67 811	FORT RELIANCE	FL	62.7	109.1	7.5	.1	12.03	4	2	020-070	02-11	A
67 811	FORT RELIANCE	FL	62.7	109.1	7.8	.4	11.91	4	2	020-070	02-11	A
67 811	FORT RELIANCE	FL	62.7	109.1	8.0	.6	11.68	4	2	030-060	02-13	A
67 811	FORT RELIANCE	FL	62.7	109.1	8.3	.9	11.35	3	2	040-070	02-13	A
67 811	FORT RELIANCE	FL	62.7	109.1	8.5	1.1	10.90	3	2	050-065	07-13	C
67 811	FORT RELIANCE	FL	62.7	109.1	8.8	1.4	10.35	3	2	055-070	05-11	C
32 67 812	FORT NELSON	YE	58.8	122.6	8.5	.2	16.19	3	1	345-020	02-04	C
67 812	FORT NELSON	YE	58.8	122.6	8.8	.5	16.00	3	1	345-020	02-04	C
67 812	FORT NELSON	YE	58.8	122.6	9.0	.7	15.68	3	1	345-020	02-04	C
67 812	FORT NELSON	YE	58.8	122.6	9.3	1.0	15.24	2	1	345-020	02-04	C
33 67 812	FORT RELIANCE	FL	62.7	109.1	5.8	22.4	10.10	1	1	000-010	05-10	C
67 812	FORT RELIANCE	FL	62.7	109.1	6.0	22.6	10.73	1	2	000-010	03-08	C
67 812	FORT RELIANCE	FL	62.7	109.1	6.3	22.9	11.27	2	2	355-005	03-10	C
67 812	FORT RELIANCE	FL	62.7	109.1	6.5	23.1	11.70	1	2	355-005	04-10	C
67 812	FORT RELIANCE	FL	62.7	109.1	6.8	23.4	12.02	1	2	355-040	04-10	C
67 812	FORT RELIANCE	FL	62.7	109.1	7.0	23.6	12.24	1	2	350-030	03-10	C
67 812	FORT RELIANCE	FL	62.7	109.1	7.3	23.9	12.34	1	2	350-020	03-10	C
67 812	FORT RELIANCE	FL	62.7	109.1	7.5	.1	12.33	1	2	340-025	05-15	C
67 812	FORT RELIANCE	FL	62.7	109.1	7.8	.4	12.21	2	2	335-025	05-15	C
67 812	FORT RELIANCE	FL	62.7	109.1	8.0	.6	11.98	2	3	335-025	05-15	C
67 812	FORT RELIANCE	FL	62.7	109.1	8.3	.9	11.64	2	23	330-025	05-25	C
67 812	FORT RELIANCE	FL	62.7	109.1	8.5	1.1	11.19	2	23	325-020	05-25	C
67 812	FORT RELIANCE	FL	62.7	109.1	8.8	1.4	10.64	1	2	325-335	05-15	C
34 67 816	YELLOWKNIFE	ZF	62.5	114.6	7.0	23.3	13.33	2	1	010-030	02-05	A
35 67 816	FORT RELIANCE	FL	62.7	109.1	4.8	21.4	7.82	1	2	350-010	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	5.0	21.7	8.84	1	2	350-010	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	5.3	21.9	9.77	1	12	350-010	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	5.5	22.2	10.61	1	12	350-010	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	5.8	22.4	11.34	2	12	000-010	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	6.0	22.7	11.98	3	12	340-060	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	6.3	22.9	12.52	3	2	335-035	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	6.5	23.2	12.95	3	2	000-050	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	6.8	23.4	13.27	4	2	000-040	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	7.0	23.7	13.48	4	2	000-020	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	7.3	0.	13.57	2	2	000-030	00-10	A
67 816	FORT RELIANCE	FL	62.7	109.1	7.5	.2	13.56	1	1	010-030	05-10	A

1024 CAPE HARRY

905 SMITH RIVER
14 YELLOWKNIFE
16 CHAPARRIS
25 RESOLUTE

41 27 REGINA

19 YELLOWKNIFE
22 GREAT WHALE
23 " "
25 BATTLE HARB.